

Research Output 2014

1. M. Ahmed, D.G. Savvakina, O.M. Ivasishin, E.V. Pereloma, [The effect of ageing on microstructure and mechanical properties of powder Ti-5Al-5Mo-5V-1Cr-1Fe alloy](#), *Materials Science and Engineering: A*, 2014, 605, 89-97.
2. F. Alharbi, A.A. Gazder, A. Kostryzhev, B.C. De Cooman, E. Pereloma, The effect of processing parameters on the microstructure and mechanical properties of low-Si transformation-induced plasticity steels. *Journal of Materials Science*, 2014, 49(7), 2960-2974.
3. S. Aminorroaya Yamini, H. Wang, D. Ginting, D. R. G. Mitchell, S. X. Dou, G. J. Snyder, Thermoelectric performance of Tellurium-reduced quaternary p-type lead-chalcogenide composites, *Acta Materialia*, 2014, 80, 365-372.
4. S. Aminorroaya Yamini, H. Wang, D. Ginting, D. R. G. Mitchell, S. X. Dou, G. J. Snyder, Thermoelectric performance of n-Type $(\text{PbTe})_{0.75}(\text{PbS})_{0.15}(\text{PbSe})_{0.1}$ composites, *ACS Applied Materials & Interfaces*, 6 (2014) 11476-83.
5. Z. Chen, **C.-T. Peng**, Q. Liu, R. Smith, D. Nolan, A new quaternary phase observed in a laser treated Zn-Al-Mg-Si coating, *Journal of Alloys and Compounds*, 2014, 589, 226-229.
6. K. Cheng, C. Lu, K. Tieu, H. Zhu, Microstructural evolution and mechanical property of AA5050 alloy deformed by accumulative roll bonding, *Metallurgical and Materials Transactions B*, 2014, 45, 399-403.
7. K. Cheng, C. Lu, and K. Tieu, Abnormal ductility increase of commercial purity Al during accumulative roll bonding, *Metallurgical and Materials Transactions B*, 2014, 45, 404-408
8. A.T. Chidembo, S.H. Aboutalebi, K. Konstantinov, D. Wexler, H.K. Liu, S.X. Dou, Liquid crystalline dispersions of graphene-oxide-based hybrids: a practical approach towards the next generation of 3D isotopic architectures for energy storage applications, *Particle and Particle Systems Characterization*, 2014, 31, 465-473.
9. A. Chowdhury, A. Calka, D. Wexler, K.K. Konstantinov, High dielectric constant nano-structure ceramics synthesis using novel electric discharge assisted mechanical milling and magneto ball milling and its properties, *International Journal of Nanotechnology* 2014, 11 (9/10/11), 728-736.

10. L. Florea, K. Wagner, P. Wagner, G. G. Wallace, F. Benito-Lopez, D. L. Officer, D. Diamond, Photo-chemopropulsion – light-stimulated movement of microdroplets, *Adv. Mater.* 2014, 26, 7339–7345
11. X. Gao, W. Luo, C. Zhong, D. Wexler, S-L. Chou, H-K. Liu, Z. Shi, G. Chen, K. Ozawa, J-Z. Wang, Novel germanium/polypyrrole composite for high power lithium-ion batteries, *Scientific Reports*, 2014, 4, 1-8, article number 6095.
12. A.A. Gazder, V.Q. Vu, A. A. Saleh, P.E. Markovsky, O.M. Ivasishin, C.H.J. Davies, E.V. Pereloma, Recrystallisation in a cold drawn low cost beta titanium alloy during rapid resistance heating, *Journal of Alloys and Compounds*, 2014, 585,245–259.
13. A. A. Gazder, F. Al-Harbi, H. Th. Spanke, D. R.G. Mitchell, E. V. Pereloma, A correlative approach to segmenting phases and ferrite morphologies in transformation-induced plasticity steel using electron back-scattering diffraction and energy dispersive X-ray spectroscopy, *Ultramicroscopy*, 147 (2014) 114-32.
14. H.L. George, R. Longbottom, S.J. Chew, B.J. Monaghan, Flow of molten slag through a coke packed bed, *ISIJ international*, 2014, 54, 820-826.
15. C. Han, Z. Li, W. Li, S. Chou and S. X. Dou, Controlled synthesis of copper telluride nanostructures for long-cycling anodes in lithium ion batteries, *Journal of Materials Chemistry A*, 2014, 2, 11683-690.
16. J. Han, H. Li, Z. Zhu, F. Barbaro, L. Jiang, H. Xu, L. Ma, Microstructure and mechanical properties of friction stir welded 18Cr–2Mo ferritic stainless steel thick plate, *Materials and Design*, 2014, 63, 238-246.
17. D. Hejazi, A. Saleh, A. Haq, D. Dunne, A. Calka, A.A. Gazder, E.V. Pereloma, Role of microstructure in susceptibility to hydrogen embrittlement of X70 microalloyed steel. *Materials Science Forum* 2014, 783-786, 961-966.
18. A. Kostryzhev, A. Al-Shahrani, C. Zhu, J. Cairney, S.P. Ringer, C. Killmore, E.V. Pereloma, Effect of niobium clustering and precipitation on strength of an NbTi-microalloyed ferritic steel. *Material Science and Engineering A*, 2014, 607, 226-235.
19. K.F. Li, H. Liu, G.X. Wang, Sb₂O₃ nanowires as anode material for sodium-ion battery, *Arb. J. Sci & Eng*, 2014, 39, 6589.
20. W. Li, S-L. Chou, J-Z Wang, J.H. Kim, H.-K. Liu, and S.-X. Dou, Sn_{4+x}P₃ @ Amorphous Sn-P composites as anodes for sodium-ion batteries with low cost, high capacity, long life, and superior rate capability, *Advanced Materials*, 2014, 26, 4037-4042.
21. Q. Li, S.-L. Chou, J.-Z. Wang, D. Shi, H.-K. Liu, Highly oriented LiFePO₄ thin film electrodes via chemical solution deposition, *Solid State Ionics*, 2014, 268, 117-124.

22. [S. Li](#), [C. Zhao](#), [K. Shu](#), [C. Wang](#), [Z. Guo](#), [G. G. Wallace](#), [H. K. Liu](#), Mechanically strong high performance layered polypyrrole nano fibre/graphene film for flexible solid state supercapacitor, *Carbon*, 2014, 79, 554-562.
23. H. Liu, G.X. Wang, An investigation on morphology effect in Fe₂O₃ anodes for lithium ion batteries, *J. Mater. Chem. A*, 2014, 2, 9955.
24. V. Luzin, C. Rathod, D. Wexler, P. Boyd, M. Dhanasekar, Residual stresses in rail-ends from the in-service insulated rail joints using neutron diffraction, *Materials Science Forum*, 2014, 768-769, 741-746.
25. Y. Ma, D. Cuiuri, N. Hoye, H. Li, and Z. Pan, Effects of wire feed conditions on in situ alloying and additive layer manufacturing of titanium aluminides using gas tungsten arc welding, *Journal of Materials Research*, 2014, 29, 2066-71.
26. P. Mannan, A. Kostryzhev, E.V. Pereloma, Effect of composition and thermo-mechanical processing on microstructure development in Ni-30Fe-Nb-C model alloys, *Advanced Materials Research*, 2014, 922, 475-480.
27. B.J. Monaghan, P.D. Drain, M.W. Chapman, R.J. Nightingale, Reactivity of coke ash on aluminosilicate blast furnace hearth refractories, *ISIJ International*, 2014, 54, 810-819.
28. M. Mustapić, J. Horvat, Md S. Hossain, Z. Sun, Z. Skoko, D. R.G. Mitchell, S. X. Dou, Novel synthesis of superparamagnetic Ni–Co–B nanoparticles and their effect on superconductor properties of MgB₂, *Acta Materialia*, 70 (2014) 298–306.
29. E.V. Pereloma, A.G. Kostryzhev, A. AlShahrani, C. Zhu, J.M. Cairney, C.R. Killmore, S.P. Ringer, [Effect of austenite deformation temperature on Nb clustering and precipitation in microalloyed steel](#), *Scripta Materialia*, 2014, 75, 74-77.
30. E. Pereloma, F. Alharbi, A.A. Gazder, The crystallography of carbide-free bainites in thermo-mechanically processed low Si transformation-induced plasticity steels, *Journal of Alloys and Compounds*, 2014, 615, 96-110.
31. C. Qian, W. Sun, L. Wang, C. Chen, K. Liao, W. Wang, J. Jia, B.D. Hatton, G. Casillas, M. Kurylowicz, C.M. Yip, M.L. Mastronardi, G.A. Ozin, G. A. Non-wettable, oxidation-stable, brightly luminescent, perfluorodecyl-capped silicon nanocrystal film. *Journal of the American Chemical Society*, 2014, 136(45), 15849-52.
32. Md. Harun-Or Rashid , S. Q.T.Pham, L. J. Sweetman, L. J. Alcock, A. Wise, L. D. Nghiem, G. Triani, M. Panhuis, S. F. Ralph, Synthesis, properties, water and solute permeability of MWNT buckypapers, *Journal of Membrane Science*, 2014, 456, 175-184.

33. Y. Shi, J. Gao, H.D. Abruna, H-J. Li, H-K. Liu, D. Wexler, J-Z. Wang, Y. Wu, The mechanism of the one-step synthesis of hollow-structured Li_3VO_4 as an anode for lithium-ion batteries, *Chemistry European Journal*, 2014, 20, 5608-5612.
34. Q. Sheng, H. Wu, D. Wexler, H.K. Liu, Effects of reducing temperatures on the hydrogen storage capacity of double-walled carbon nanotubes with Pd loading, *Journal of Nanoscience and Nanotechnology*, 2014, 14(6), 4706-4709.
35. L. Su, C. Lu, H. Li, G. Deng, K. Tieu, Investigation of ultrafine grained AA1050 fabricated by accumulative roll bonding, *Materials Science and Engineering A*, 2014, 614, 148-155.
36. L. Su, C. Lu, G. Deng, K. Tieu, Microstructure and mechanical properties of AA5005/AA6061 laminated composite processed by accumulative roll bonding, *Metallurgical and Materials Transactions B*, 2014, 45, 515-522.
37. H. Wang, Z. Chen, H. K. Liu and Z. Guo, A facile synthesis approach to micro-macroporous carbon from cotton and its application in the lithium-sulfur battery, *RSC Advances*, 2014, 4, 65074-80.
38. Y-X. Wang, S-L. Chou, D. Wexler, H-K. Liu, S-X. Dou, High-performance sodium-ion batteries and sodium-ion pseudocapacitors based on MoS_2 /graphene composites, *Chemistry European Journal*, 2014, 20, 9607-9612.
39. Y-X. Wang, K.H. Seng, S-L. Chou, J-Z. Wang, Z. Guo, D. Wexler, H-K. Liu, S-X. Dou, Reversible sodium storage via conversion reaction of a MoS_2 -C composite, *Chemical Communications*, 2014, 50, (73), 10730-10733.
40. J. Xu, I.-Y. Jeon, J.-M. Seo, S. Dou, L. Dai and J.-B. Baek. Edge-Selectively Halogenated Graphene Nanoplatelets (XGnPs, X = Cl, Br, or I) Prepared by Ball-Milling and Used as Anode Materials for Lithium-Ion Batteries. *Advanced materials*, 2014 DOI: 10.1002/adma.201402987, online 19 September, 2014.
41. X. Yu, Z. Jiang, J. Zhao, D. Wei, C. Zhou, Q. Huang, Effect of a grain-refined microalloyed steel substrate on the formation mechanism of a tight oxide scale, *Corrosion Science*, 2014, 85, 115-125.
42. Z. Jiang, X. Yu, J. Zhao, C. Zhou, Q. Huang, K. Linghu, Tribological analysis of oxide scales during cooling process of rolled microalloyed steel, *Advanced Materials Research*, 1017 (2014) 435-440.
43. C. Zhong, J-Z. Wang, D. Wexler, H-K. Liu, Microwave autoclave synthesized multi-layer graphene/single-walled carbon nanotube composites for free-standing lithium-ion battery anods, *Carbon*, 2014, 66, 637-645.

44. [T. Zhou](#), [W. K. Pang](#), [C. Zhang](#), [J. Yang](#), [Z. Chen](#), [H. K. Liu](#), [Z. Guo](#), Enhanced sodium-ion battery performance by structural phase transition from two-dimensional hexagonal-SnS₂ to orthorhombic-SnS, *ACS Nano*, 2014, 8, 8323-8333.
45. **Z. Zhu**, L. Kuzmikova, H. Li and F. J. Barbaro, The effect of chemical composition on microstructure and properties of inter-critically reheated coarse grained heat-affected zones in X70 steels, *Metallurgical and Materials Transactions B*, 2014, 45 (1), 229-235.
46. **Z. Zhu**, L. Kuzmikova, H. Li and F. J. Barbaro, Effect of inter-critically reheating temperature on microstructure and properties of simulated inter-critically reheated coarse grained heat affected zone in X70 steel, *Materials Science & Engineering A*, 2014, 605, 8-13.