

2015

1. M. Ahmed, D. Wexler, G. Casillas, O.M. Ivasishin, E.V. Pereloma, The influence of β phase stability on deformation mode and compressive mechanical properties of Ti-10V-3Fe-3Al alloy, *Acta Materialia*, 2015, 84, 124-135.
2. M. Ahmed, T. Li, G. Casillas, J.M. Cairney, D. Wexler, E.V. Pereloma, The evolution of microstructure and mechanical properties of Ti-5Al-5Mo-5V-2Cr-1Fe during ageing, *Journal of Alloys and Compounds*, 2015, 25, 260-273.
3. M. Ahmed, A.A. Gazder, A.A. Saleh, D. Wexler, E.V. Pereloma, Stress-induced transformations during the compression of a Ti-1033 alloy, In *Proceedings of the International Conference on Solid-Solid Phase Transformations in Inorganic Materials: PTM 2015*; Militzer, M., Botton, G., Chen, L., Howe, J., Sinclair, C. & Zurob, H. Eds.; Minerals, Metals and Materials Society: Vancouver, Canada, 2015, 511-518.
4. H.A. Almukhlifi, R.C. Burns, Gold nanoparticles on metal oxide surfaces derived from n-alkanethiolate-stabilized gold nanoparticles; investigations of the adsorption mechanism and sulfate formation during subsequent thermolysis, *Applied Catalysis A: General*, 2015, 502, 174-187.
5. A. Fadavi Boostani, S. Tahamtan, Z.Y. Jiang, D. Wei, S. Yazdani, R. Azari Khosroshahi, R. Taherzadeh Mousavian, J. Xu, X. Zhang, D. Gong, Enhanced tensile properties of aluminium matrix composites reinforced with graphene encapsulated SiC nanoparticles, *Composites Part A: Applied Science and Manufacturing*, 2015, 68, 155-163.
6. A. Fadavi Boostani, S. Yazdani, R. Taherzadeh Mousavian, S. Tahamtan, R. Azari Khosroshahi, D. Wei, D. Brabazon, J.Z. Xu, X.M. Zhang, Z.Y. Jiang, Strengthening mechanisms of graphene sheets in aluminium matrix nanocomposites, *Materials & Design*, 2015, 88, 983-989.
7. A. Fadavi Boostani, R. Taherzadeh Mousavian, S. Tahamtan, S. Yazdani, R. Azari Khosroshahi, D. Wei, J.Z. Xu, D. Gong, X.M. Zhang, Z.Y. Jiang, Graphene sheets encapsulating SiC nanoparticles: A roadmap towards enhancing tensile ductility of metal matrix composites, *Materials Science and Engineering: A*, 2015, 648, 92-103.
8. X. Chen, Z. Li, J. Yang, Q. Sun, S.X. Dou, Aqueous preparation of surfactant-free copper selenide nanowires, *Journal of Colloid and Interface Science*, 2015, 442, 140-146.
9. X. Chen, Z. Li, S.X. Dou, Ambient Facile synthesis of gram-scale copper selenide nanostructures from commercial copper and selenium powder, *ACS Applied Material and Interfaces*, 2015, 7, 13295-13302.
10. X.Q. Chen, Z. Li, Y. Bai, Q. Sun, L. Z. Wang, S.X. Dou, Room-Temperature Synthesis of Cu_{2-x}E (E=S, Se) Nanotubes with Hierarchical Architecture as High-Performance Counter Electrodes of Quantum-Dot-Sensitized Solar Cells, *Chemistry - A European Journal*, 2015, 21, 1055-1063.

11. Y. Chen, Z. Yue, S.E. Moulton, P. Hayes, M.J. Cook, G.G. Wallace, A simple and versatile method for microencapsulation of anti-epileptic drugs for focal therapy of epilepsy. *Journal of Materials Chemistry B* 2015, 3, 7255-7261.
12. C.H. Choi, C.T. Peng, B.F. Dixon, H. Li, Pre-Blast Strengthening of Fe-18Mn-0.6C-1.5Al TWIP Steel, *Steel Research International*, 2015, 86, 760-765.
13. A. Chowdhury, A. Calka, D. Wexler, and K. Konstantinov, Ultra-fast synthesis and properties of high dielectric constant calcium copper titanate (CCT) ceramics synthesized by electric discharge assisted mechanical milling in oxygen and argon plasma, *Ceramics International*, In Press January 22, 2015.
14. T. Chuluunbat, C. Lu, A. Kostryzhev, K. Tieu, Investigation of X70 line pipe steel fracture during single edge-notched tensile testing using acoustic emission monitoring, *Materials Science and Engineering: A*, 2015, 640, 471-479.
15. H.C. Duong, P. Cooper, B. Nelemans, T.Y. Cath, L.D. Nghiem, Optimising thermal efficiency of direct contact membrane distillation by brine recycling for small-scale seawater desalination. *Desalination*, 2015, 374, 1-9.
16. H. Feng, Z. Xu, L. Wang, Y. Yu, D. Mitchell, D. Cui, X. Xu, J. Shi, T. Sannomiya, Y. Du, W. Hao, S.X. Dou, Modulation of Photocatalytic Properties by Strain in 2D BiOBr Nanosheets. *ACS Appl. Mater. Interfaces*, 2015, 7, 27592-27596. DOI: 10.1021/acsami.5b08904.
17. X.W. Gao, Y.F. Deng, D. Wexler, G.H. Chen, S.L. Chou, H.K. Liu, Z.C. Shi, J.Z. Wang, Improving the electrochemical performance of the $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ spinel by polypyrrole coating as a cathode material for the lithium-ion battery, *J. Mater. Chem. A*, 2015, 3, 404-411.
18. R.D. Gately, H. Warren, M. Scardamaglia, T. Romeo, C. Bittencourt, Marc in het Panhuis, Sonication-induced effects on carbon nanofibres in composite materials, *RSC Adv.*, 2015, 5, 19587-19595.
19. A.A. Gazder, A.A. Saleh, M.J.B. Nancarrow, D.R.G. Mitchell, E.V. Pereloma, A transmission Kikuchi diffraction study of a cold rolled and annealed 17Mn-2Si-3Al-1Ni-0.06C wt.% TRIP-TWIP steel, *Steel Research International*, 2015, 86, 1204-1214.
20. A.A. Gazder, A.A. Saleh, A.G. Kostryzhev, E.V. Pereloma, Application of Transmission Kikuchi Diffraction to a multi-phase TRIP-TWIP steel, *Materials Today: Proceedings of the International Conference on Martensitic Transformations, ICOMAT-2014, Bilbao, Spain, July 6th-11th 2014*. Accepted 24th April 2015.
21. C. Han, Z. Li, G.Q. Lu, S.X. Dou, Robust scalable synthesis of surfactant-free thermoelectric metal chalcogenide nanostructures, *Nano Energy*, DOI : 10.1016/j.nanoen.2015.04.024.

22. L. Hao, Z. Jiang, X. Cheng, J. Zhao, D. Wei, L. Jiang, S. Luo, M. Luo and L. Ma, Effect of Extreme Pressure Additives on the Deformation Behavior of Oxide Scale during the Hot Rolling of Ferritic Stainless Steel Strips, *Tribology Transactions*, 2015, 10.1080/10402004.2015.102593.
23. X.E. Haque, M.M. Islam, E. Pourazadi, M. Hassan, S.N. Faisal, A.K. Roy, K. Konstantinov, A.T. Harris, A.I. Minett, V.G. Gomes, Nitrogen doped graphene via thermal treatment of composite solid precursors as a high performance supercapacitor, *RSC Advances*, 2015, 5, 30679-30686.
24. D.G. Harman, R. Gorkin III, L. Stevens, B. Thompson, K. Wagner, B. Weng, J.H.Y. Chung, M. In Het Panhuis, G.G. Wallace, Poly (3, 4-ethylenedioxythiophene): dextran sulfate (PEDOT:DS) – A highly processable conductive organic biopolymer, *Acta Biomaterialia* 14, 2015, 33–42.
25. Y. Hu, Q.R. Yang, J. Ma, S.L. Chou, M. Zhu, Y. Li, Sn/SnO₂@C composite nanofibers as advanced anode for lithium-ion batteries, *Electrochimica Acta*, 2015, 186, 271-276.
26. M. Ihsan, Q. Meng, L. Li, D. Li, H. Wang, K.H. Seng, Z. Chen, S.J. Kennedy, Z. Guo, H.K. Liu, V₂O₅/Mesoporous Carbon Composite as a Cathode Material for Lithium-ion Batteries, *Electrochimica Acta*, 2015, 173, 172-177.
27. H.T. Jeong, B.C. Kim, M.J. Higgins, G.G. Wallace, Highly stretchable reduced graphene oxide (rGO)/single-walled carbon nanotubes (SWNTs) electrodes for energy storage devices, *Electrochimica Acta*, 2015, 163, 149-160.
28. S. Joseph, D. Pow, K. Dawson, D.R.G. Mitchell, A. Rawal, J. Hook, S. Taherymoosavi, L.V. Zwieten, J. Rust, S. Donne, P. Munroe, B. Pace, E. Graber, T. Thomas, S. Nielsen, J. Ye, Y. Lin, G. Pan, L. Li, Z.M. Solaiman, Feeding Biochar to Cows: An Innovative Solution for Improving Soil Fertility and Farm Productivity, *Pedosphere*, 2015, 25, 666-679.
29. M. H. Khan, Z. Huang, F. Xiao, G. Casillas, Z. Chen, P.J. Molino, H.K. Liu, Synthesis of large and few atomic layers of hexagonal boron nitride on melted copper, *Scientific Reports*, 2015, 5, 1-8.
30. M.R. Kaiser, X. Liang, K. Konstantinov, H.K. Liu, S.X. Dou, J.Z. Wang, A Facile Synthesis of High-Surface-Area Sulfur–Carbon Composites for Li/S Batteries, *Chemistry - A European Journal*, 2015, 21, 10061-10069.
31. M. R. Kaiser, J. Wang, X. Liang, H.K. Liu, S.X. Dou, A systematic approach to high and stable discharge capacity for scaling up the lithium–sulfur battery, *Journal of Power Sources*, 2015, 279, 231-237.
32. A. Klein, P.G. Whitten, K. Resch, G. Pinter, Nanocomposite hydrogels: Fracture toughness and energy dissipation mechanisms, *Journal of Polymer Science Part B: Polymer Physics*, 2015, 53, 1763-1773.

33. A.G. Kostryzhev, O.O. Marenych, C.R. Killmore, E.V. Pereloma, Strengthening mechanisms in thermomechanically processed NbTi-microalloyed steel. *Metallurgical and Materials Transactions A*, 2015, 46, 3470-3480.
34. A.G. Kostryzhev, P. Mannan, O.O. Marenych, High temperature dislocation structure and NbC precipitation in three Ni-Fe-Nb-C model alloys, *Journal of Materials Science*, 2015, 50, 7115-7125.
35. W.B. Luo, S.L. Chou, J.Z. Wang, Y.C. Zhai, H.K. Liu, A Metal-Free, Free-Standing, Macroporous Graphene@g-C₃N₄ Composite Air Electrode for High-Energy Lithium Oxygen Batteries, *Small*, 2015, 11, 2817-2824. DOI: 10.1002/sml.201403535.
36. W.B. Luo, X.W. Gao, S.L. Chou, J.Z. Wang, H.K. Liu, Porous AgPd–Pd Composite Nanotubes as Highly Efficient Electrocatalysts for Lithium–Oxygen Batteries, *Advanced Materials*, 2015, 27, 6862-6869.
37. H. Li Z. Jiang D. Wei X. Gao, J. Xu X. Zhang, Surface asperity evolution and microstructure analysis of Al 6061T5 alloy in a quasi- static cold uniaxial planar compression (CUPC), *Applied Surface Science*, 2015, <http://dx.doi.org/10.1016/j.apsusc.2015.04.043>.
38. H. Li, Z. Jiang, D. Wei, J. Xu, X. Zhang, D. Gong, J. Han, Study on surface asperity flattening in cold quasi-static uniaxial planar compression by crystal plasticity finite element method, *Tribology Letter*, 2015, 10.1007/s11249-015-0519-0.
39. H. Liu, W Li, D Shen, D Zhao, G. Wang, Graphitic Carbon Conformal Coating of Mesoporous TiO₂ Hollow Spheres for High-Performance Lithium Ion Battery Anodes, *Journal of the American Chemical Society* 2015, 137, 13161.
40. K. Li, D. Su, H. Liu, G. Wang, Antimony-Carbon-Graphene Fibrous Composite as Freestanding Anode Materials for Sodium-ion Batteries, *Electrochimica Acta* 2015, 177, 304.
41. T. Li, M. Ahmed, G. Sha, R. Shi, G. Casillas, H. Yen, Y. Wang, E.V. Pereloma, J. Cairney, The influence of partitioning on the growth of intragranular α in near- β Ti alloys, *Journal of Alloys and Compounds*, 2015, 643, 212-222.
42. W.J. Li, S.L. Chou, J.Z. Wang, J.L. Wang, Q.F. Gu, H.K. Liu, S.X. Dou, Multifunctional conducting polymer coated Na_{1+x}MnFe(CN)₆ cathode for sodium-ion batteries with superior performance via a facile and one-step chemistry approach, *Nano Energy*, 2015, 13, 200-207.
43. W.J. Li, Q.R. Yang, S.L. Chou, J.Z. Wang, H.K. Liu, Cobalt phosphide as a new anode material for sodium storage, *Journal of Power Sources*, 2015, 294, 627-632.
44. X. Li, G. Zhang, K. Tang, O. Ostrovski, R. Tronstad, Carbothermal Reduction of Quartz in Different Gas Atmospheres, *Metallurgical and Materials Transactions B*, 2015, 10.1007/s11663-015-0293-2.

45. X. Li, W. Guo, Q. Wan, J. Ma, Porous amorphous Ge/C composites with excellent electrochemical properties, *RSC Advances*, 2015, 5, 28111-28114.
46. X. Li, J. Xu, L. Mei, Z. Zhang, C. Cui, H. Liu, J. Ma, S. Dou, Electrospinning of crystalline MoO₃@C nanofibers for high-rate lithium storage, *Journal of Materials Chemistry A*, 2015, 3, 3257-3260.
47. J. Linnemann, J. Giorgio, K. Wagner, G. Mathieson, G.G. Wallace, D.L. Officer, A simple one step process for enhancement of titanium foil dye sensitised solar cell anodes, *J. Mater. Chem. A*, 2015, 3, 3266-3270.
48. F. Liu, G. Alici, B Zhang, S. Beirne and W. Li, Fabrication and characterization of a magnetic micro-actuator based on deformable Fe-doped PDMS artificial cilium using 3D printing, *Smart Materials and Structures*, 2015, 24, 035015-24.
49. R. Lozano, L. Stevens, B.C. Thompson, K.J. Gilmore, R. Gorkin III, E.M. Stewart, M. In Het Panhuis, M. Romero-Ortega, G.G. Wallace, 3D printing of layered brain-like structures using peptide modified gellan gum substrates, *Biomaterials*, 2015, 67, 264-273.
50. Y. Ma, D. Cuiuri, N. Hoye, H. Li, Z. Pan, The effect of location on the microstructure and mechanical properties of titanium aluminides produced by additive layer manufacturing using in-situ alloying and gas tungsten arc welding, *Materials Science and Engineering A*, 2015, 631, 230-240.
51. Y. Ma, D. Cuiuri, C. Shen, H. Li, Z. Pan, Effect of interpass temperature on in-situ alloying and additive manufacturing of titanium aluminides using gas tungsten arc welding, *Additive Manufacturing*, 2015, 8, 71-77.
52. P. Mannan, A.G. Kostryzhev, H. Zurob, E.V. Pereloma, Hot deformation behaviour of Ni-30Fe-C and Ni-30Fe-Nb-C model alloys, *Materials Science and Engineering: A*, 2015, 641, 160-171.
53. M.L. Mastronardi, K.K. Chen, K. Liao, G. Casillas, G.A. Ozin, Size-dependent chemical reactivity of silicon nanocrystals, *Journal of Physical Chemistry C*, 2015, 119, 826-834.
54. A. Mirabedini, J. Foroughi, T. Romeo, G.G. Wallace, Development and Characterization of Novel Hybrid Hydrogel Fibers, *Macromolecular Materials and Engineering*, 2015, 300, 1217-1225.
55. D.R.G. Mitchell, Contamination mitigation strategies for scanning transmission electron microscopy, *Micron*, 2015, 73, 36-46.
56. P.J. Molino, P.C. Innis, M.J. Higgins, R.M.I. Kapsa, G.G. Wallace, Influence of biopolymer loading on the physiochemical and electrochemical properties of inherently conducting polymer biomaterials, *Synthetic Metals*, 2015, 200, 40-47.

57. B.J. Monaghan, H. Abdeyazdan, N. Dogan, M.A. Rhamdhani, R.J. Longbottom, M.W. Chapman, Effect of Slag Composition on Wettability of Oxide Inclusions, *ISIJ International*, 2015, 55(9), 1834-1840.
58. E. Murray, B.C. Thompson, S. Sayyar, G.G. Wallace, Enzymatic degradation of graphene/polycaprolactone materials for tissue engineering, *Polymer Degradation and Stability*, 2015, 111, 71-77.
59. C.T. Peng, M.D. Callaghan, H. Li, Post-Deformation Microstructure and Texture Characterization of Fe–18Mn–0.6C–1.5Al TWIP Steel, *Steel Research International*, 2015, 86, 1461-1468.
60. E.V. Pereloma, A.A. Saleh, H. Th. Spanke, F. Al-Harbi, A.A. Gazder, Understanding phase transformations in steels using modern electron microscopy techniques. In *Asia Steel International Conference (Asia Steel 2015) Proceedings*; Iron and Steel Institute of Japan: Japan, 2015, 68-71.
61. S. Pramanik, A.A. Saleh, D.B. Santos, E.V. Pereloma, A.A. Gazder, Microstructure evolution during isochronal annealing of a 42% cold rolled TRIP-TWIP steel. *IOP Conference Series: Materials Science and Engineering*, 2015, 89, 012042-1-012042-8.
62. K. Pingmuang, A. Nattestad, W. Kangwansupamonkon, G.G. Wallace, S. Phanichphant, J. Chen, Phase-controlled microwave synthesis of pure monoclinic BiVO₄ nanoparticles for photocatalytic dye degradation, *Applied Materials Today*, 2015, 1, 67-73.
63. B. Ruan, J. Wang, D. Shi, Y. Xu, S. Chou, H. Liu, J. Wang, A phosphorus/N-doped carbon nanofiber composite as an anode material for sodium-ion batteries, *J. Mater. Chem. A*, 2015, 3, 19011.
64. S. Sayyar, E. Murray, B.C. Thompson, J. Chung, D.L. Officer, S. Gambhir, G.M. Spinks and G.G. Wallace, Processable conducting graphene/chitosan hydrogels for tissue engineering, *Journal of Materials Chemistry B*, 2015, 3, 481-490.
65. C. Shen, Z. Pan, Y. Ma, D. Cuiuri, H. Li, Fabrication of iron-rich Fe–Al intermetallics using the wire-arc additive manufacturing process, *Additive Manufacturing*, 2015, 7, 20-26.
66. Y. Shi, Z.J. Zhang, D. Wexler, S.L. Chou, J. Gao, H.D. Abruña, H. Li, H.K. Liu, Y.P. Wu, J.Z. Wang, Facile synthesis of porous V₂O₃/C composites as lithium storage material with enhanced capacity and good rate capability, *Journal of Power Sources*, 2015, 275, 392–398.
67. D. Su, S. Dou, G. Wang, Hierarchical Vanadium Pentoxide Spheres as High-Performance Anode Materials for Sodium-Ion Batteries, *Chemsuschem*, 2015, 8, 2877-2882.
68. D. Su, S. Dou, G. Wang, Bismuth: A new anode for the Na-ion battery, *Nano Energy*, 2015, 12, 88-95.

69. D. Su, S. Dou, G. Wang, Ultrathin MoS₂ Nanosheets as Anode Materials for Sodium-Ion Batteries with Superior Performance, *Advanced Energy Materials*, 2015, 5, DOI: 10.1002/aenm.201401205.
70. A.K. Tieu, N.Kong, S. Wan, H. Zhu, Q. Zhu, D.R.G. Mitchell, C. Kong, The Influence of Alkali Metal Polyphosphate on the Tribological Properties of Heavily Loaded Steel on Steel Contacts at Elevated Temperatures, *Advanced Materials Interfaces*, 2015, 2, DOI: 10.1002/admi.201500032.
71. L.T. Tran, L. Chartier, D.A. Prokopovich, M.I. Reinhard, M. Petasecca, S. Guatelli, M.L.F. Lerch, V.L. Perevertaylo, M. Zaider, N. Matsufuji, M. Jackson, M. Nancarrow, A.B. Rosenfeld, 3D-Mesa "Bridge" silicon microdosimeter: Charge collection study and application to RBE studies in 12C radiation therapy. *IEEE Transactions on Nuclear Science*. 2015, 62, 504-511.
72. D.W. Su, G.X. Wang, S.X. Dou, Gold nanocrystals with variable index facets as highly effective cathode catalysts for lithium-oxygen batteries, *NPG Asia Materials*, 2015, 7, doi:10.1038/am.2014.130.
73. W. Sun, C. Qian, L. Wang, M. Wei, M.L. Mastronardi, G. Casillas, J. Breu, G.A. Ozin, Switching-on QSEs in silicon nanocrystals. *Advanced Materials*, 2015, 27, 746-749.
74. M. Wang, J. Wang, Y. Hou, D. Shi, D. Wexler, S.D. Poynton, R.C.T. Slade, W. Zhang, H. Liu, J. Chen, N-Doped crumpled graphene derived from vapor phase deposition of ppy on graphene aerogel as an efficient oxygen reduction reaction electrocatalyst, *ACS Applied Materials and Interfaces*, 2015, 7, 7066-7072.
75. Y. Wang, B. Wang, F. Xiao, Z. Huang, Y. Wang, C. Richardson, Z. Chen, L. Jiao, H. Yuan, Facile synthesis of nanocage Co₃O₄ for advanced lithium-ion batteries, *Journal of Power Sources*, 2015, 298, 203-208.
76. F. Xiao, S. Naficy, G. Casillas, M.H. Khan, T. Katkus, L. Jiang, H. Liu, H. Li, Z. Huang, Edge-Hydroxylated Boron Nitride Nanosheets as an Effective Additive to Improve the Thermal Response of Hydrogels, *Advanced Materials*, 2015, 27, 7196-7203.
77. Y. Xin, M.W. Bligh, A.S. Kinsela, Y.Wang, T.D. Waite, Calcium-mediated polysaccharide gel formation and breakage: Impact on membrane foulant hydraulic properties, *Journal of Membrane Science*, 2015, 475, 395-405.
78. Z.P. Xiong, A.G. Kostryzhev, N.E. Stanford, E.V. Pereloma, Microstructures and mechanical properties of dual phase steel produced by laboratory simulated strip casting. *Materials and Design*, 2015, 88, 537-549.
79. S.A. Yamini, D.R.G. Mitchell, H. Wang, Z.M. Gibbs, Y. Pei, S.X. Dou, G.J. Snyder, Origin of resistivity anomaly in p-type leads chalcogenide multiphase compounds, *AIP Advances* 2015, 5, 053601.

80. S.A. Yamini, D.R.G. Mitchell, Z.M. Gibbs, R. Santos, V. Patterson, S. Li, Y. Z. Pei, S. X. Dou, G.J. Snyder, Heterogeneous Distribution of Sodium for High Thermoelectric Performance of p-type Multiphase Lead-Chalcogenides, *Advanced Energy Materials*, 2015, 5, DOI: 10.1002/aenm.201501047.
81. J. Yang, Y.X. Wang, S.L. Chou, R. Zhang, Y. Xu, J. Fan, W.X. Zhang, H.K. Liu, D. Zhao, S.X. Dou, Yolk-shell silicon-mesoporous carbon anode with compact solid electrolyte interphase film for superior lithium-ion batteries, *Nano Energy*, 2015, 18, 133-142.
82. Q. Yang, J. Zhao, T. Sun, J. Yu, Enhanced performance of SnO₂-C composite fibers containing NiO as lithium-ion battery anodes, *Ceramics International*, 2015, 41, 11213-11220.
83. X. Yu, Z. Jiang, J. Zhao, D. Wei, C. Zhou, Q. Huang, Microstructure and microtexture evolutions of deformed oxide layers on a hot-rolled microalloyed steel, *Corrosion Science*, 2015, 90, 140-152.
84. X. Yu, Z. Jiang, J. Zhao, D. Wei, C. Zhou, Q. Huang, Crystallographic texture based analysis of Fe₃O₄/α-Fe₂O₃ scale formed on a hot-rolled microalloyed steel, *ISIJ International*, 2015, 55, 278–284.
85. X. Yu, Z. Jiang, J. Zhao, D. Wei, C. Zhou, Q. Huang, Effects of grain boundaries in oxide scale on tribological properties of nanoparticles lubrication, *Wear*, 2015, DOI: 10.1016/j.wear.2015.01.034.
86. X. Yu, Z. Jiang, J. Zhao, D. Wei, J. Zhou, C. Zhou, Q. Huang, Dependence of texture development on the grain size of tertiary oxide scales formed on a microalloyed steel, *Surface and Coatings Technology*, 2015, 272, 39-49.
87. X. Yu, Z. Jiang, J. Zhao, D. Wei, J. Zhou, C. Zhou, Q. Huang, Local strain analysis of the tertiary oxide scale formed on a hot-rolled steel strip via EBSD, *Surface and Coatings Technology*, 2015, 277, 151-159.
88. S. Zhang, W. Li, B. Tan, S. Chou, Z. Li, S.X. Dou, One-pot synthesis of ultra-small magnetite nanoparticles on the surface of reduced graphene oxide nanosheets as anodes for sodium-ion batteries, *Journal of Materials Chemistry A*, 2015, 3, 4793-4798.
89. Z.J. Zhang, Y.X. Wang, S.L. Chou, H.J. Li, H.K. Liu, J.Z. Wang, Rapid synthesis of α-Fe₂O₃/rGO nanocomposites by microwave autoclave as superior anodes for sodium-ion batteries, *Journal of Power Sources*, 2015, 280, 107-113.
90. C. Zhao, K. Shu, C. Wang, S. Gambhir, G.G. Wallace, Reduced graphene oxide and polypyrrole/reduced graphene oxide composite coated stretchable fabric electrodes for supercapacitor application, *Electrochimica Acta*, 2015, 172, 12-19.
91. C. Zhao, S. Farajikhah, C. Wang, J. Foroughi, X. Jia, G.G. Wallace, 3D braided yarns to create electrochemical cells, *Electrochemistry Communications*, 2015, 61, 27-31.

92. Y. Zhao, X. Xie, J. Zhang, H. Liu, H. Ahn, K. Sun, G. Wang, MoS₂ Nanosheets Supported on 3D Graphene Aerogel as a Highly Efficient Catalyst for Hydrogen Evolution, *Chemistry-A European Journal* 2015, 21, 15908.
93. T. Zhou, Y. Zheng, H. Gao, S. Min, S. Li, H.K. Liu, Z. Guo, Surface Engineering and Design Strategy for Surface-Amorphized TiO₂@Graphene Hybrids for High Power Li-Ion Battery Electrodes, *Advanced Science*, 2015, 2, DOI: 10.1002/advs.201500027.
94. Z. Zhu, J. Han, H. Li, Effect of alloy design on improving toughness for X70 steel during welding, *Materials & Design*, 2015, 88, 1326-1333.