

Length of stay and functional improvement of completed episodes of rehabilitation in New Zealand, by impairment and age, AROC calendar year 2011

| Impairment group           | Aged under 65  |                         |                         |            | Aged 65 and over |                         |                         |            | New Zealand National |                         |                         |            |
|----------------------------|----------------|-------------------------|-------------------------|------------|------------------|-------------------------|-------------------------|------------|----------------------|-------------------------|-------------------------|------------|
|                            | Length of stay |                         | FIM change              | FIM gain   | Length of stay   |                         | FIM change              | FIM gain   | Length of stay       |                         | FIM change              | FIM gain   |
|                            | No.            | Mean (95%CI)            | Mean (95%CI)            | per week   | No.              | Mean (95%CI)            | Mean (95%CI)            | per week   | No.                  | Mean (95%CI)            | Mean (95%CI)            | per week   |
| Stroke - haemorrhagic      | 105            | 30.1 (24.9–35.3)        | 26.0 (21.9–30.2)        | 6.1        | 194              | 27.3 (22.8–31.7)        | 19.6 (17.1–22.1)        | 5.0        | 299                  | 28.3 (24.8–31.7)        | 21.9 (19.7–24.1)        | 5.4        |
| Stroke - ischaemic         | 91             | 37.5 (31.5–43.4)        | 28.9 (25.6–32.3)        | 5.4        | 299              | 24.7 (22.8–26.6)        | 20.6 (18.8–22.5)        | 5.9        | 390                  | 27.7 (25.6–29.7)        | 22.6 (20.9–24.2)        | 5.7        |
| Stroke - V3 data*          | 201            | 31.2 (27.8–34.5)        | 26.6 (23.8–29.4)        | 6.0        | 370              | 25.5 (23.7–27.4)        | 20.7 (19.0–22.3)        | 5.7        | 571                  | 27.5 (25.8–29.2)        | 22.8 (21.3–24.2)        | 5.8        |
| Brain - NO trauma          | 94             | 37.9 (30.5–45.3)        | 24.2 (19.8–28.6)        | 4.5        | 83               | 21.7 (18.1–25.2)        | 18.1 (13.9–22.3)        | 5.8        | 177                  | 30.3 (25.8–34.7)        | 21.3 (18.2–24.4)        | 4.9        |
| Brain - trauma             | 138            | 34.1 (28.7–39.4)        | 32.2 (27.8–36.6)        | 6.6        | 51               | 30.8 (25.0–36.5)        | 27.2 (21.2–33.3)        | 6.2        | 189                  | 33.2 (28.9–37.4)        | 30.9 (27.2–34.5)        | 6.5        |
| Neurological               | 105            | 22.8 (19.3–26.3)        | 16.6 (13.3–19.9)        | 5.1        | 131              | 18.3 (16.3–20.2)        | 13.8 (11.1–16.5)        | 5.3        | 236                  | 20.3 (18.4–22.2)        | 15.0 (12.9–17.1)        | 5.2        |
| Spinal cord - NO trauma    | 40             | 51.8 (36.4–67.1)        | 22.3 (17.1–27.5)        | 3.0        | 27               | 37.1 (25.5–48.8)        | 20.2 (15.3–25.1)        | 3.8        | 67                   | 45.9 (35.5–56.3)        | 21.4 (17.8–25.1)        | 3.3        |
| Spinal cord - trauma       | 60             | 63.0 (50.6–75.5)        | 32.2 (26.9–37.5)        | 3.6        | 17               | 53.9 (34.7–73.1)        | 26.8 (18.6–34.9)        | 3.5        | 77                   | 61.0 (50.4–71.6)        | 31.0 (26.5–35.5)        | 3.6        |
| Amputee - NO trauma        | 20             | 25.1 (19.4–30.8)        | 17.8 (13.0–22.5)        | 5.0        | 37               | 30.0 (23.2–36.8)        | 16.2 (12.1–20.4)        | 3.8        | 57                   | 28.3 (23.4–33.2)        | 16.8 (13.6–19.9)        | 4.1        |
| Amputee - trauma           | 2              | n.a.                    | n.a.                    | n.a.       | 2                | n.a.                    | n.a.                    | n.a.       | 4                    | n.a.                    | n.a.                    | n.a.       |
| Amputee - V3 data*         | 22             | 27.2 (17.9–36.6)        | 14.1 (8.8–19.4)         | 3.6        | 36               | 27.6 (23.0–32.2)        | 14.3 (9.8–18.8)         | 3.6        | 58                   | 27.5 (23.0–32.0)        | 14.2 (10.8–17.6)        | 3.6        |
| Arthritis                  | 6              | 31.5 (2.3–60.7)         | 17.2 (7.8–26.5)         | 3.8        | 20               | 21.0 (13.8–28.2)        | 17.1 (10.4–23.7)        | 5.7        | 26                   | 23.4 (14.9–32.0)        | 17.1 (11.6–22.6)        | 5.1        |
| Pain                       | 12             | 20.5 (12.0–29.0)        | 15.5 (7.1–23.9)         | 5.3        | 164              | 16.0 (14.1–17.9)        | 13.3 (11.4–15.3)        | 5.8        | 176                  | 16.3 (14.4–18.1)        | 13.5 (11.6–15.4)        | 5.8        |
| Ortho - fractures          | 124            | 20.5 (17.2–23.9)        | 18.5 (16.3–20.7)        | 6.3        | 1,858            | 19.2 (18.6–19.8)        | 19.6 (18.9–20.2)        | 7.1        | 1,982                | 19.3 (18.7–19.8)        | 19.5 (18.8–20.1)        | 7.1        |
| Ortho - replacements       | 15             | 14.1 (9.3–18.8)         | 17.1 (11.7–22.4)        | 8.5        | 172              | 15.4 (13.2–17.6)        | 17.9 (16.4–19.5)        | 8.2        | 187                  | 15.3 (13.3–17.3)        | 17.9 (16.4–19.4)        | 8.2        |
| Ortho - soft tissue injury | 11             | 18.4 (10.9–25.8)        | 17.5 (7.8–27.3)         | 6.7        | 109              | 16.0 (14.1–17.9)        | 15.8 (13.7–17.9)        | 6.9        | 120                  | 16.2 (14.4–18.1)        | 16.0 (13.9–18.1)        | 6.9        |
| Ortho - others             | 24             | 17.3 (12.4–22.2)        | 17.5 (12.4–22.6)        | 7.1        | 51               | 16.7 (13.9–19.5)        | 16.7 (13.7–19.7)        | 7.0        | 75                   | 16.9 (14.5–19.3)        | 16.9 (14.3–19.5)        | 7.0        |
| Cardiac                    | 4              | n.a.                    | n.a.                    | n.a.       | 95               | 16.5 (14.5–18.5)        | 11.1 (8.8–13.5)         | 4.7        | 99                   | 16.6 (14.6–18.6)        | 11.6 (9.3–13.9)         | 4.9        |
| Pulmonary                  | 1              | n.a.                    | n.a.                    | n.a.       | 86               | 20.0 (17.0–23.1)        | 12.6 (9.7–15.4)         | 4.4        | 87                   | 19.9 (16.8–22.9)        | 12.6 (9.8–15.4)         | 4.4        |
| Burns                      | 0              | n.a.                    | n.a.                    | n.a.       | 3                | n.a.                    | n.a.                    | n.a.       | 3                    | n.a.                    | n.a.                    | n.a.       |
| Congenital deformity       | 3              | n.a.                    | n.a.                    | n.a.       | 1                | n.a.                    | n.a.                    | n.a.       | 4                    | n.a.                    | n.a.                    | n.a.       |
| Other disabling imp.       | 16             | 20.7 (14.3–27.1)        | 19.7 (9.4–30.0)         | 6.7        | 260              | 17.9 (16.5–19.2)        | 13.7 (11.8–15.5)        | 5.4        | 276                  | 18.0 (16.7–19.3)        | 14.0 (12.2–15.9)        | 5.4        |
| Multiple trauma            | 43             | 40.8 (31.8–49.8)        | 36.2 (29.5–42.9)        | 6.2        | 16               | 24.9 (15.6–34.1)        | 22.7 (15.6–29.8)        | 6.4        | 59                   | 36.5 (29.3–43.7)        | 32.5 (27.1–38.0)        | 6.2        |
| Developmental disability   | 0              | n.a.                    | n.a.                    | n.a.       | 1                | n.a.                    | n.a.                    | n.a.       | 1                    | n.a.                    | n.a.                    | n.a.       |
| Re-conditioning            | 169            | 26.8 (23.5–30.2)        | 16.5 (14.4–18.5)        | 4.3        | 1,276            | 18.8 (17.8–19.8)        | 14.5 (13.8–15.3)        | 5.4        | 1,445                | 19.8 (18.8–20.7)        | 14.8 (14.0–15.5)        | 5.2        |
| Missing or excluded        | 103            |                         |                         |            | 408              |                         |                         |            | 511                  |                         |                         |            |
| <b>All episodes</b>        | <b>1,409</b>   | <b>31.5 (29.9–33.1)</b> | <b>23.7 (22.6–24.7)</b> | <b>5.3</b> | <b>5,767</b>     | <b>20.2 (19.8–20.7)</b> | <b>17.5 (17.1–17.9)</b> | <b>6.1</b> | <b>7,176</b>         | <b>22.4 (21.9–22.9)</b> | <b>18.7 (18.3–19.1)</b> | <b>5.8</b> |

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

# AN-SNAP V3 inpatient overnight rehabilitation classes

| Class | Description of AN-SNAP class                                |
|-------|---|
| 3-201 | Rehabilitation, admit for assessment only                   |
| 3-202 | Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13 |
| 3-203 | All other impairments, FIM 13                               |
| 3-204 | Stroke , FIM motor 63-91, FIM cognition 20-35               |
| 3-205 | Stroke , FIM motor 63-91, FIM cognition 5-19                |
| 3-206 | Stroke, FIM motor 47-62, FIM cognition 16-35                |
| 3-207 | Stroke, FIM motor 47-62, FIM cognition 5-15                 |
| 3-208 | Stroke, FIM motor 14-46, age>=75                            |
| 3-209 | Stroke, FIM motor 14-46, age<=74                            |
| 3-210 | Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35     |
| 3-211 | Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31     |
| 3-212 | Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23     |
| 3-213 | Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19      |
| 3-214 | Brain Dysfunction, FIM motor 24-55                          |
| 3-215 | Brain Dysfunction, FIM motor 14-23                          |
| 3-216 | Neurological, FIM motor 63-91                               |
| 3-217 | Neurological, FIM motor 49-62                               |
| 3-218 | Neurological, FIM motor 18-48                               |
| 3-219 | Neurological, FIM motor 14-17                               |
| 3-220 | Spinal Cord Dysfunction, FIM motor 81-91                    |
| 3-221 | Spinal Cord Dysfunction, FIM motor 47-80                    |
| 3-222 | Spinal Cord Dysfunction, FIM motor 14-46, age>=33           |
| 3-223 | Spinal Cord Dysfunction, FIM motor 14-46, age<=32           |

| Class | Description of AN-SNAP Classes  |
|-------|---|
| 3-224 | Amputation of limb, FIM motor 72-91                                     |
| 3-225 | Amputation of limb, FIM motor 14-71                                     |
| 3-226 | Pain Syndromes  |
| 3-227 | Orthopaedic conditions, fractures, FIM motor 58-91                      |
| 3-228 | Orthopaedic conditions, fractures, FIM motor 48-57                      |
| 3-229 | Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35 |
| 3-230 | Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18  |
| 3-231 | Orthopaedic conditions, replacement, FIM motor 72-91                    |
| 3-232 | Orthopaedic conditions, replacement, FIM motor 49-71                    |
| 3-233 | Orthopaedic conditions, replacement, FIM motor 14-48                    |
| 3-234 | Orthopaedic conditions, all other, FIM motor 68-91                      |
| 3-235 | Orthopaedic conditions, all other, FIM motor 53-67                      |
| 3-236 | Orthopaedic conditions, all other, FIM motor 14-52                      |
| 3-237 | Cardiac   |
| 3-238 | Major Multiple Trauma, FIM total 101-126                                |
| 3-239 | Major Multiple Trauma, FIM total 74-100 or Burns                        |
| 3-240 | Major Multiple Trauma, FIM total 44-73                                  |
| 3-241 | Major Multiple Trauma, FIM total 19-43                                  |
| 3-242 | All other impairments, FIM motor 67-91                                  |
| 3-243 | All other impairments, FIM motor 53-66                                  |
| 3-244 | All other impairments, FIM motor 25-52                                  |
| 3-245 | All other impairments, FIM motor 14-24                                  |

NOTE: AN-SNAP classes for inpatient rehabilitation have not changed between V2 and V3.

Length of stay and functional improvement of completed episodes of rehabilitation in New Zealand, by AN-SNAP class and age, AROC calendar year 2012 (1/2)

| AN-SNAP class | Aged under 65  |                    |                  |          | Aged 65 and over |                  |                  |          | New Zealand National |                   |                  |          |
|---------------|----------------|--------------------|------------------|----------|------------------|------------------|------------------|----------|----------------------|-------------------|------------------|----------|
|               | Length of stay |                    | FIM change       | FIM gain | Length of stay   |                  | FIM change       | FIM gain | Length of stay       |                   | FIM change       | FIM gain |
|               | No.            | Mean (95%CI)       | Mean (95%CI)     | per week | No.              | Mean (95%CI)     | Mean (95%CI)     | per week | No.                  | Mean (95%CI)      | Mean (95%CI)     | per week |
| 3-201*        | ---            |                    |                  |          | ---              |                  |                  |          | ---                  |                   |                  |          |
| 3-202         | 33             | 100.7 (81.4–120.0) | 47.1 (33.9–60.2) | 3.3      | 11               | 47.6 (29.6–65.7) | 22.5 (7.1–37.9)  | 3.3      | 44                   | 87.4 (70.9–104.0) | 41.3 (30.3–52.4) | 3.3      |
| 3-203         | 22             | 55.0 (41.4–68.6)   | 26.0 (15.0–37.0) | 3.3      | 83               | 33.4 (28.9–37.9) | 16.1 (11.7–20.5) | 3.4      | 105                  | 37.9 (33.1–42.8)  | 18.2 (14.0–22.4) | 3.4      |
| 3-204         | 154            | 15.5 (13.8–17.1)   | 12.0 (10.7–13.4) | 5.4      | 204              | 14.0 (12.7–15.4) | 10.5 (9.4–11.5)  | 5.2      | 358                  | 14.7 (13.6–15.7)  | 11.1 (10.3–12.0) | 5.3      |
| 3-205         | 26             | 33.3 (21.7–44.9)   | 22.3 (18.5–26.1) | 4.7      | 37               | 19.4 (16.5–22.3) | 15.6 (11.3–19.8) | 5.6      | 63                   | 25.1 (19.8–30.4)  | 18.3 (15.3–21.4) | 5.1      |
| 3-206         | 63             | 25.7 (22.1–29.2)   | 26.9 (24.2–29.5) | 7.3      | 171              | 20.2 (18.4–22.0) | 20.8 (19.1–22.5) | 7.2      | 234                  | 21.7 (20.0–23.3)  | 22.4 (21.0–23.9) | 7.2      |
| 3-207         | 8              | 19.3 (10.3–28.2)   | 37.6 (26.5–48.7) | 13.7     | 19               | 24.5 (19.4–29.5) | 23.2 (16.8–29.5) | 6.6      | 27                   | 22.9 (18.5–27.4)  | 27.4 (21.5–33.4) | 8.4      |
| 3-208         | 0              | n.a.               | n.a.             | n.a.     | 268              | 29.9 (28.0–31.9) | 24.4 (22.2–26.6) | 5.7      | 268                  | 29.9 (28.0–31.9)  | 24.4 (22.2–26.6) | 5.7      |
| 3-209         | 133            | 54.3 (49.3–59.2)   | 44.7 (41.4–48.1) | 5.8      | 114              | 39.7 (32.4–47.0) | 30.0 (26.2–33.8) | 5.3      | 247                  | 47.5 (43.2–51.9)  | 37.9 (35.3–40.6) | 5.6      |
| 3-210         | 20             | 12.5 (7.7–17.2)    | 10.0 (6.5–13.5)  | 5.6      | 12               | 11.3 (8.4–14.2)  | 7.5 (3.5–11.4)   | 4.6      | 32                   | 12.0 (8.9–15.1)   | 9.0 (6.4–11.6)   | 5.2      |
| 3-211         | 58             | 16.7 (14.0–19.4)   | 15.7 (13.3–18.2) | 6.6      | 22               | 15.3 (11.2–19.3) | 11.5 (8.4–14.6)  | 5.3      | 80                   | 16.3 (14.1–18.6)  | 14.6 (12.5–16.6) | 6.2      |
| 3-212         | 34             | 21.2 (16.8–25.6)   | 20.9 (17.1–24.6) | 6.9      | 15               | 18.1 (11.2–25.0) | 16.7 (10.9–22.6) | 6.5      | 49                   | 20.2 (16.5–23.9)  | 19.6 (16.4–22.8) | 6.8      |
| 3-213         | 40             | 37.0 (27.5–46.5)   | 22.1 (18.2–25.9) | 4.2      | 8                | 37.6 (20.7–54.6) | 24.6 (13.8–35.4) | 4.6      | 48                   | 37.1 (28.8–45.5)  | 22.5 (18.9–26.1) | 4.2      |
| 3-214         | 45             | 48.2 (36.7–59.7)   | 45.2 (38.9–51.5) | 6.6      | 56               | 26.2 (22.4–30.0) | 26.3 (20.5–32.0) | 7.0      | 101                  | 36.0 (30.1–41.9)  | 34.7 (30.1–39.3) | 6.8      |
| 3-215         | 17             | 64.5 (50.0–78.9)   | 49.4 (31.4–67.4) | 5.4      | 16               | 42.6 (28.2–57.1) | 31.2 (16.0–46.4) | 5.1      | 33                   | 53.9 (43.1–64.6)  | 40.6 (28.5–52.7) | 5.3      |
| 3-216         | 44             | 14.2 (10.9–17.5)   | 9.6 (7.3–11.9)   | 4.7      | 42               | 13.9 (11.7–16.0) | 6.9 (3.3–10.4)   | 3.5      | 86                   | 14.1 (12.1–16.0)  | 8.3 (6.1–10.4)   | 4.1      |
| 3-217         | 21             | 21.2 (16.6–25.9)   | 15.3 (8.3–22.3)  | 5.0      | 28               | 18.2 (13.7–22.8) | 14.8 (10.3–19.3) | 5.7      | 49                   | 19.5 (16.2–22.8)  | 15.0 (11.1–18.9) | 5.4      |
| 3-218         | 37             | 32.9 (25.8–40.0)   | 24.1 (17.5–30.8) | 5.1      | 53               | 20.9 (17.5–24.2) | 19.4 (14.5–24.3) | 6.5      | 90                   | 25.8 (22.1–29.5)  | 21.3 (17.4–25.3) | 5.8      |
| 3-219         | 2              | 49.5 (19.1–79.9)   | 50.5 (18.2–82.8) | 7.1      | 6                | 24.2 (14.4–34.0) | 11.3 (-0.3–22.9) | 3.3      | 8                    | 30.5 (18.2–42.8)  | 21.1 (4.8–37.5)  | 4.8      |
| 3-220         | 2              | 14.5 (5.7–23.3)    | 0.5 (-0.5–1.5)   | 0.2      | 0                | n.a.             | n.a.             | n.a.     | 2                    | 14.5 (5.7–23.3)   | 0.5 (-0.5–1.5)   | 0.2      |
| 3-221         | 37             | 22.6 (18.1–27.2)   | 15.5 (12.6–18.3) | 4.8      | 17               | 20.5 (10.3–30.6) | 15.9 (11.2–20.6) | 5.4      | 54                   | 22.0 (17.5–26.4)  | 15.6 (13.2–18.0) | 5.0      |
| 3-222         | 30             | 62.3 (48.7–75.8)   | 36.0 (29.9–42.1) | 4.0      | 23               | 55.3 (40.8–69.7) | 27.7 (20.9–34.4) | 3.5      | 53                   | 59.2 (49.4–69.1)  | 32.4 (27.8–37.0) | 3.8      |
| 3-223         | 16             | 82.4 (66.9–97.9)   | 47.1 (39.4–54.8) | 4.0      | 0                | n.a.             | n.a.             | n.a.     | 16                   | 82.4 (66.9–97.9)  | 47.1 (39.4–54.8) | 4.0      |

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

\* there is no 3-201 class in the AROC Version 4 data set - pathway 3 (inpatient direct care) data

Length of stay and functional improvement of completed episodes of rehabilitation in New Zealand, by AN-SNAP class and age, AROC calendar year 2012 (2/2)

| AN-SNAP class       | Aged under 65 |                         |                         |                   | Aged 65 and over |                         |                         |                   | New Zealand National |                         |                         |                   |
|---------------------|---------------|-------------------------|-------------------------|-------------------|------------------|-------------------------|-------------------------|-------------------|----------------------|-------------------------|-------------------------|-------------------|
|                     | No.           | Length of stay          | FIM change              | FIM gain per week | No.              | Length of stay          | FIM change              | FIM gain per week | No.                  | Length of stay          | FIM change              | FIM gain per week |
|                     |               | Mean (95%CI)            | Mean (95%CI)            |                   |                  | Mean (95%CI)            | Mean (95%CI)            |                   |                      | Mean (95%CI)            |                         |                   |
| 3-224               | 13            | 20.9 (15.2–26.6)        | 5.9 (4.2–7.6)           | 2.0               | 5                | 16.2 (9.6–22.8)         | 0.8 (-0.8–2.4)          | 0.3               | 18                   | 19.6 (15.1–24.1)        | 4.5 (2.8–6.2)           | 1.6               |
| 3-225               | 31            | 28.1 (20.9–35.3)        | 19.6 (15.5–23.7)        | 4.9               | 70               | 29.4 (25.2–33.7)        | 16.1 (13.0–19.1)        | 3.8               | 101                  | 29.0 (25.4–32.7)        | 17.1 (14.7–19.6)        | 4.1               |
| 3-226               | 12            | 20.5 (12.0–29.0)        | 15.5 (7.1–23.9)         | 5.3               | 162              | 15.9 (14.0–17.8)        | 13.4 (11.5–15.4)        | 5.9               | 174                  | 16.2 (14.4–18.1)        | 13.6 (11.7–15.5)        | 5.8               |
| 3-227               | 71            | 16.7 (13.4–20.0)        | 12.6 (10.9–14.4)        | 5.3               | 497              | 12.5 (11.9–13.2)        | 11.6 (11.0–12.3)        | 6.5               | 568                  | 13.1 (12.4–13.8)        | 11.8 (11.2–12.4)        | 6.3               |
| 3-228               | 16            | 20.4 (15.0–25.7)        | 24.1 (19.0–29.1)        | 8.3               | 415              | 18.6 (17.4–19.8)        | 19.3 (18.3–20.3)        | 7.2               | 431                  | 18.7 (17.5–19.9)        | 19.5 (18.5–20.4)        | 7.3               |
| 3-229               | 34            | 27.7 (18.6–36.8)        | 29.0 (24.3–33.7)        | 7.3               | 679              | 23.6 (22.6–24.5)        | 25.9 (24.7–27.2)        | 7.7               | 713                  | 23.8 (22.7–24.8)        | 26.1 (24.9–27.3)        | 7.7               |
| 3-230               | 3             | 31.0 (5.8–56.2)         | 9.3 (1.6–17.0)          | 2.1               | 252              | 21.4 (19.9–22.9)        | 19.2 (16.8–21.6)        | 6.3               | 255                  | 21.5 (20.0–23.1)        | 19.1 (16.7–21.4)        | 6.2               |
| 3-231               | 13            | 12.1 (7.5–16.6)         | 16.1 (11.0–21.1)        | 9.3               | 139              | 13.5 (11.2–15.8)        | 15.8 (14.4–17.3)        | 8.2               | 152                  | 13.4 (11.2–15.5)        | 15.9 (14.5–17.3)        | 8.3               |
| 3-232               | 1             | 27.0                    | 38.0                    | 9.9               | 31               | 22.9 (17.7–28.1)        | 27.2 (22.9–31.5)        | 8.3               | 32                   | 23.0 (18.0–28.0)        | 27.6 (23.4–31.8)        | 8.4               |
| 3-233               | 1             | 27.0                    | 9.0                     | 2.3               | 2                | 32.5 (13.9–51.1)        | 21.0 (9.2–32.8)         | 4.5               | 3                    | 30.7 (19.3–42.0)        | 17.0 (6.6–27.4)         | 3.9               |
| 3-234               | 13            | 10.2 (6.0–14.3)         | 9.1 (6.6–11.6)          | 6.3               | 38               | 10.4 (8.4–12.5)         | 8.1 (6.2–10.0)          | 5.4               | 51                   | 10.4 (8.5–12.2)         | 8.3 (6.8–9.9)           | 5.6               |
| 3-235               | 13            | 19.5 (11.4–27.5)        | 15.9 (11.1–20.7)        | 5.7               | 61               | 15.5 (13.1–17.9)        | 15.4 (13.2–17.6)        | 7.0               | 74                   | 16.2 (13.8–18.6)        | 15.5 (13.5–17.5)        | 6.7               |
| 3-236               | 13            | 22.6 (18.0–27.2)        | 28.6 (19.8–37.4)        | 8.9               | 78               | 20.2 (17.7–22.6)        | 20.2 (17.5–22.9)        | 7.0               | 91                   | 20.5 (18.3–22.7)        | 21.4 (18.7–24.1)        | 7.3               |
| 3-237               | 4             | 19.0 (6.3–31.7)         | 22.5 (16.2–28.8)        | 8.3               | 95               | 16.5 (14.5–18.5)        | 11.1 (8.8–13.5)         | 4.7               | 99                   | 16.6 (14.6–18.6)        | 11.6 (9.3–13.9)         | 4.9               |
| 3-238               | 7             | 15.0 (8.5–21.5)         | 8.1 (4.7–11.6)          | 3.8               | 1                | 17.0                    | 15.0                    | 6.2               | 8                    | 15.3 (9.6–20.9)         | 9.0 (5.5–12.5)          | 4.1               |
| 3-239               | 15            | 28.4 (21.8–35.0)        | 26.6 (21.5–31.7)        | 6.6               | 10               | 16.9 (10.3–23.5)        | 18.3 (11.3–25.3)        | 7.6               | 25                   | 23.8 (18.6–29.0)        | 23.3 (18.9–27.7)        | 6.8               |
| 3-240               | 17            | 58.1 (41.3–74.9)        | 46.8 (41.7–51.9)        | 5.6               | 8                | 36.4 (22.1–50.6)        | 28.9 (17.2–40.5)        | 5.6               | 25                   | 51.2 (38.4–63.9)        | 41.0 (35.1–47.0)        | 5.6               |
| 3-241               | 3             | 70.7 (54.2–87.2)        | 68.3 (38.3–98.4)        | 6.8               | 0                | n.a.                    | n.a.                    | n.a.              | 3                    | 70.7 (54.2–87.2)        | 68.3 (38.3–98.4)        | 6.8               |
| 3-242               | 57            | 18.6 (14.9–22.2)        | 10.7 (8.7–12.7)         | 4.0               | 378              | 13.2 (12.3–14.1)        | 6.5 (5.8–7.2)           | 3.4               | 435                  | 13.9 (13.0–14.8)        | 7.0 (6.3–7.8)           | 3.5               |
| 3-243               | 44            | 21.7 (17.5–25.9)        | 16.9 (13.9–19.9)        | 5.4               | 488              | 16.0 (15.1–16.9)        | 13.1 (12.2–14.1)        | 5.8               | 532                  | 16.5 (15.5–17.4)        | 13.5 (12.5–14.4)        | 5.7               |
| 3-244               | 77            | 31.2 (25.6–36.8)        | 21.7 (18.1–25.2)        | 4.9               | 641              | 22.0 (20.8–23.3)        | 19.0 (17.8–20.2)        | 6.0               | 718                  | 23.0 (21.8–24.3)        | 19.3 (18.1–20.4)        | 5.9               |
| 3-245               | 10            | 43.3 (29.1–57.5)        | 10.2 (5.3–15.1)         | 1.6               | 121              | 29.1 (22.0–36.2)        | 18.1 (14.4–21.7)        | 4.3               | 131                  | 30.2 (23.6–36.8)        | 17.5 (14.1–20.9)        | 4.1               |
| Missing or excluded | 99            |                         |                         |                   | 391              |                         |                         |                   | 490                  |                         |                         |                   |
| <b>All episodes</b> | <b>1,409</b>  | <b>31.5 (29.9–33.1)</b> | <b>23.7 (22.6–24.7)</b> | <b>5.3</b>        | <b>5,767</b>     | <b>20.2 (19.8–20.7)</b> | <b>17.5 (17.1–17.9)</b> | <b>6.1</b>        | <b>7,176</b>         | <b>22.4 (21.9–22.9)</b> | <b>18.7 (18.3–19.1)</b> | <b>5.8</b>        |

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis