

The logo for AROC, consisting of the lowercase letters 'aroc' in a bold, italicized sans-serif font, enclosed within a white oval shape with a dark red border.

aroc

The AROC Annual Report: the state of rehabilitation in Australia in 2013

Table of contents

- Introduction.....3
- Change in outcome measures.....4
- Distribution of impairments.....6
- Funding source.....9
- Outcome by impairment.....10
 - Stroke.....11
 - Brain dysfunction.....16
 - Neurological conditions.....21
 - Spinal cord dysfunction.....26
 - Amputation.....31
 - Arthritis.....36
 - Orthopaedic fractures.....41
 - Orthopaedic replacements.....46
 - All orthopaedic conditions.....51
 - Pulmonary.....56
 - Reconditioning.....61
 - Pain, Cardiac and Major multiple trauma.....66
 - Other disabling impairments.....73
- Contact AROC.....78

Introduction


This is the ninth comprehensive annual report describing discharge episodes from subacute inpatient rehabilitation programs provided by Australian facilities that are members of the Australasian Rehabilitation Outcomes Centre (AROC)¹.

The inaugural report was published in April 2007 and described the 2005 data; this ninth instalment describes the 2013 data.


The provision of rehabilitation in Australia continues to grow in volume, with 2013 seeing a 7.9% real increase in inpatient episodes of rehabilitation provided. Once again the majority of that volume growth is coming from the reconditioning impairment group.

Change in outcome measures, 2000 to 2013


aroc




Change in outcome measures, 2012 to 2013




Number of episodes by impairment group, 2013




Proportion of episodes by impairment group and sector, 2013



Change in number of episodes by impairment group, 2012 to 2013



Funding source for rehabilitation in Australia, 2013




Outcomes by impairment

A series of figures and tables are provided for each impairment category; these outline the key descriptive data for 2013, changes in episode volumes between 2009 and 2013, and changes in rehabilitation outcome measures between 2012 and 2013:

- The first figure in each category outlines the number of episodes for each quarter over the past five years, and documents any changes in episode volume over time and/or seasonal trends.
- The second is a table outlining key 2013 data for the respective impairment category by version 3 of the AN-SNAP class.
- The third figure provides a summary of the discharge destination of all episodes by AN-SNAP class.
- The fourth figure provides a graphical representation of 2013 length of stay (LOS) and improvement in the FIM (Functional Independence Measure) by AN-SNAP class.
- Finally, the fifth figure presents the key changes in rehabilitation outcome measures between 2012 and 2013. The horizontal axis describes the difference between the 2012 and 2013 averages, while the actual 2012 data are presented on the left side of the graph.


Change in stroke episodes over time




Stroke episodes in 2013

AN-SNAP class:	S3-204	S3-205	S3-206	S3-207	S3-208	S3-209	All stroke
Number of episodes	2,282	258	1,842	177	1,687	1,371	7,617
Proportion of episodes	30.0%	3.4%	24.2%	2.3%	22.1%	18.0%	100.0%
Sector (%)							
<i>Private</i>	34.4	20.5	32.2	19.8	22.6	12.9	26.6
<i>Public</i>	65.6	79.5	67.8	80.2	77.4	87.1	73.4
Gender (%)							
<i>Female</i>	43.4	37.4	51.1	42.9	52.1	37.9	46.0
<i>Male</i>	56.6	62.6	48.9	57.1	47.9	62.1	54.0
Age (Mean+95%CI)	70.4 (71.0–69.7)	69.6 (71.6–67.6)	75.1 (75.7–74.4)	75.4 (77.9–72.8)	83.3 (83.6–83.1)	61.8 (62.3–61.2)	72.9 (73.3–72.6)
Admission FIM (Mean+95%CI)	104.0 (104.4–103.6)	88.5 (89.6–87.3)	82.6 (83.0–82.3)	65.5 (66.5–64.6)	51.9 (52.7–51.1)	52.5 (53.4–51.6)	78.1 (78.7–77.6)
LOS (Mean+95%CI)	15.5 (16.0–15.1)	24.5 (26.9–22.1)	22.9 (23.6–22.2)	27.8 (30.7–24.8)	38.9 (40.4–37.5)	50.6 (52.5–48.7)	28.5 (29.1–27.9)
Discharge destination (%)							
<i>Discharged to community</i>	95.1	89.9	89.7	82.5	76.6	78.0	86.2
<i>Remaining in hospital system</i>	4.9	10.1	10.3	17.5	23.4	22.0	13.8
FIM improvement (Mean+95%CI)	12.6 (12.9–12.2)	18.1 (19.3–16.9)	23.7 (24.2–23.2)	25.3 (27.7–22.9)	27.0 (28.1–26.0)	36.8 (38.0–35.6)	22.8 (23.2–22.4)
FIM efficiency (FIM imp./LOS)	0.8	0.7	1.0	0.9	0.7	0.7	0.8


Stroke discharge destination by AN-SNAP class




Stroke LOS and FIM change by AN-SNAP class



Changes in outcome measures in stroke – 2012 to 2013




Change in brain dysfunction episodes over time




Brain dysfunction episodes in 2013

AN-SNAP class:	S3-210	S3-211	S3-212	S3-213	S3-214	S3-215	All Brain dysfunction
Number of episodes	368	634	212	288	660	190	2,352
Proportion of episodes	15.6%	27.0%	9.0%	12.2%	28.1%	8.1%	100.0%
Sector (%)							
<i>Private</i>	52.2	33.9	19.8	16.0	30.3	16.3	30.9
<i>Public</i>	47.8	66.1	80.2	84.0	69.7	83.7	69.1
Gender (%)							
<i>Female</i>	41.6	41.6	32.5	30.2	43.2	50.0	40.5
<i>Male</i>	58.4	58.4	67.5	69.8	56.8	50.0	59.5
Age (Mean+95%CI)	63.7 (65.7–61.7)	59.9 (61.5–58.2)	55.5 (58.3–52.7)	54.5 (56.7–52.2)	64.0 (65.6–62.3)	59.8 (62.5–57.2)	60.6 (61.4–59.7)
Admission FIM (Mean+95%CI)	106.9 (108.0–105.9)	100.4 (101.3–99.5)	94.6 (96.3–92.9)	85.4 (86.7–84.0)	63.7 (64.8–62.6)	32.8 (34.2–31.4)	85.4 (86.5–84.4)
LOS (Mean+95%CI)	14.8 (16.1–13.5)	17.0 (17.9–16.2)	23.1 (25.4–20.7)	32.4 (35.8–29.0)	34.0 (36.4–31.7)	65.5 (76.6–54.3)	26.5 (27.7–25.3)
Discharge destination (%)							
<i>Discharged to community</i>	93.8	93.2	88.2	83.3	77.4	66.3	85.0
<i>Remaining in hospital system</i>	6.3	6.8	11.8	16.7	22.6	33.7	15.0
FIM improvement (Mean+95%CI)	11.8 (12.7–10.9)	15.2 (16.0–14.5)	17.3 (19.0–15.6)	24.0 (25.7–22.3)	32.2 (33.9–30.6)	38.4 (43.6–33.2)	21.8 (22.5–21.0)
FIM efficiency (FIM imp./LOS)	0.8	0.9	0.7	0.7	0.9	0.6	0.8


Brain dysfunction discharge destination by AN-SNAP class




Brain dysfunction LOS and FIM change by AN-SNAP class



Change in outcome measures in brain dysfunction – 2012 to 2013




Change in neurological conditions episodes over time




Neurological conditions episodes in 2013

AN-SNAP class:	S3-216	S3-217	S3-218	S3-219	All Neurological conditions
Number of episodes	1,233	942	1,040	65	3,280
Proportion of episodes	37.6%	28.7%	31.7%	2.0%	100.0%
Sector (%)					
<i>Private</i>	52.1	52.9	34.0	20.0	45.9
<i>Public</i>	47.9	47.1	66.0	80.0	54.1
Gender (%)					
<i>Female</i>	54.2	53.4	48.8	55.4	52.3
<i>Male</i>	45.8	46.6	51.3	44.6	47.7
Age (Mean+95%CI)	63.1 (64.2–62.0)	69.6 (70.7–68.5)	66.1 (67.1–65.0)	61.1 (65.4–56.8)	65.9 (66.5–65.2)
Admission FIM (Mean+95%CI)	103.5 (104.0–103.0)	84.4 (84.9–83.8)	61.2 (62.0–60.3)	35.0 (37.6–32.5)	84.1 (84.8–83.3)
LOS (Mean+95%CI)	15.4 (16.5–14.3)	19.6 (20.8–18.4)	30.0 (31.6–28.5)	43.8 (58.3–29.3)	21.5 (22.3–20.7)
Discharge destination (%)					
<i>Discharged to community</i>	94.0	90.8	83.7	72.3	89.4
<i>Remaining in hospital system</i>	6.0	9.2	16.3	27.7	10.6
FIM improvement (Mean+95%CI)	11.4 (11.9–11.0)	18.4 (19.1–17.6)	23.6 (24.8–22.3)	19.3 (25.9–12.6)	17.2 (17.7–16.7)
FIM efficiency (FIM imp./LOS)	0.7	0.9	0.8	0.4	0.8


Neurological conditions discharge destination by AN-SNAP class




Neurological conditions LOS and FIM change by AN-SNAP class



Change in outcome measures in neurological conditions - 2012 to 2013



Change in spinal cord dysfunction episodes over time




Spinal cord dysfunction episodes in 2013




AN-SNAP class:	S3-220	S3-221	S3-222	S3-223	All Spinal cord dysfunction
Number of episodes	30	310	360	83	783
Proportion of episodes	3.8%	39.6%	46.0%	10.6%	100.0%
Sector (%)					
<i>Private</i>	6.7	19.0	5.6	1.2	10.5
<i>Public</i>	93.3	81.0	94.4	98.8	89.5
Gender (%)					
<i>Female</i>	23.3	32.3	32.8	26.5	31.5
<i>Male</i>	76.7	67.7	67.2	73.5	68.5
Age (Mean+95%CI)	42.5 (49.1–36.0)	55.0 (57.2–52.7)	62.9 (64.4–61.4)	23.8 (24.7–22.8)	54.8 (56.3–53.4)
Admission FIM (Mean+95%CI)	119.8 (121.0–118.6)	95.5 (96.8–94.3)	62.7 (64.0–61.4)	63.2 (65.8–60.6)	79.3 (80.9–77.6)
LOS (Mean+95%CI)	16.2 (22.2–10.3)	32.7 (37.0–28.4)	76.8 (84.5–69.1)	31.8 (107.9–75.8)	56.8 (61.3–52.2)
Discharge destination (%)					
<i>Discharged to community</i>	86.7	86.1	72.8	73.5	78.7
<i>Remaining in hospital system</i>	13.3	13.9	27.2	26.5	21.3
FIM improvement (Mean+95%CI)	3.1 (4.4–1.8)	16.6 (18.0–15.2)	29.7 (32.1–27.3)	39.4 (44.3–34.5)	23.9 (25.4–22.4)
FIM efficiency (FIM imp./LOS)	0.2	0.5	0.4	0.4	0.4

Spinal cord dysfunction discharge destination by AN-SNAP class

Discharge destination - Spinal cord dysfunction




Spinal cord dysfunction LOS and FIM change by AN-SNAP class




Change in outcome measures in spinal cord dysfunction - 2012 to 2013

aroc




Change in amputation episodes over time




Amputation episodes in 2013

AN-SNAP class:	S3-224	S3-225	All Amputation of limb
Number of episodes	271	1,031	1,302
Proportion of episodes	20.8%	79.2%	100.0%
Sector (%)			
<i>Private</i>	17.3	15.5	15.9
<i>Public</i>	82.7	84.5	84.1
Gender (%)			
<i>Female</i>	25.1	30.7	29.6
<i>Male</i>	74.9	69.3	70.4
Age (Mean+95%CI)	57.9 (59.8–56.0)	68.9 (71.1–66.8)	66.6 (68.4–64.9)
Admission FIM (Mean+95%CI)	110.2 (110.9–109.6)	82.6 (83.8–81.4)	89.2 (90.4–88.0)
LOS (Mean+95%CI)	22.4 (24.7–20.1)	35.8 (37.9–33.7)	32.6 (34.3–30.9)
Discharge destination (%)			
<i>Discharged to community</i>	87.8	74.0	76.9
<i>Remaining in hospital system</i>	12.2	26.0	23.1
FIM improvement (Mean+95%CI)	5.6 (6.2–4.9)	18.5 (19.4–17.6)	15.4 (16.2–14.6)
FIM efficiency (FIM imp./LOS)	0.2	0.5	0.5


Amputation discharge destination by AN-SNAP class




Amputation LOS and FIM change by AN-SNAP class



Change in outcome measures in amputation – 2012 to 2013




Change in arthritis episodes over time




Arthritis episodes in 2013

AN-SNAP class:	S3-242	S3-243	S3-244	S3-245	All Arthritis
Number of episodes	728	242	129	9	1,108
Proportion of episodes	65.7%	21.8%	11.6%	0.8%	100.0%
Sector (%)					
<i>Private</i>	95.2	81.4	46.5	22.2	85.9
<i>Public</i>	4.8	18.6	53.5	77.8	14.1
Gender (%)					
<i>Female</i>	59.8	68.6	64.1	55.6	62.1
<i>Male</i>	40.2	31.4	35.9	44.4	37.9
Age (Mean+95%CI)	69.2 (70.0–68.4)	77.1 (78.6–75.7)	79.5 (82.2–76.9)	74.9 (82.9–66.9)	72.2 (72.9–71.4)
Admission FIM (Mean+95%CI)	109.0 (109.4–108.7)	93.2 (94.2–92.3)	69.9 (72.0–67.8)	53.4 (58.7–48.1)	101.4 (102.2–100.5)
LOS (Mean+95%CI)	11.9 (12.2–11.5)	15.3 (16.2–14.5)	24.0 (27.1–20.9)	15.2 (31.5–1.1)	13.9 (14.4–13.4)
Discharge destination (%)					
<i>Discharged to community</i>	99.0	96.3	82.9	55.6	96.2
<i>Remaining in hospital system</i>	1.0	3.7	17.1	44.4	3.8
FIM improvement (Mean+95%CI)	9.6 (9.9–9.4)	17.3 (18.1–16.4)	22.7 (25.2–20.2)	38.4 (68.1–8.7)	12.8 (13.2–12.3)
FIM efficiency (FIM imp./LOS)	0.8	1.1	0.9	2.5	0.9


Arthritis discharge destination by AN-SNAP class




Arthritis LOS and FIM change by AN-SNAP class



Change in outcome measures in arthritis – 2012 to 2013




Change in orthopaedic fracture episodes over time




Orthopaedic fracture episodes in 2013

AN-SNAP class:	S3-227	S3-228	S3-229	S3-230	All Othopaedic fractures
Number of episodes	6,573	4,416	4,820	1,079	16,888
Proportion of episodes	38.9%	26.1%	28.5%	6.4%	100.0%
Sector (%)					
<i>Private</i>	59.5	49.8	37.5	27.6	48.6
<i>Public</i>	40.5	50.2	62.5	72.4	51.4
Gender (%)					
<i>Female</i>	70.8	74.0	71.4	69.1	71.7
<i>Male</i>	29.2	26.0	28.6	30.9	28.3
Age (Mean+95%CI)	74.4 (74.8–74.0)	78.5 (79.0–78.1)	79.1 (79.6–78.7)	82.6 (83.4–81.9)	77.4 (77.6–77.1)
Admission FIM (Mean+95%CI)	98.4 (98.7–98.2)	82.6 (82.8–82.4)	66.4 (66.7–66.1)	43.3 (44.0–42.5)	82.5 (82.8–82.2)
LOS (Mean+95%CI)	16.4 (16.7–16.2)	21.9 (22.3–21.4)	29.7 (30.3–29.1)	27.0 (28.3–25.7)	22.1 (22.3–21.8)
Discharge destination (%)					
<i>Discharged to community</i>	94.9	91.1	84.6	78.4	89.9
<i>Remaining in hospital system</i>	5.1	8.9	15.4	21.6	10.1
FIM improvement (Mean+95%CI)	14.1 (14.3–13.9)	22.2 (22.5–21.9)	29.0 (29.4–28.6)	23.6 (24.9–22.3)	20.8 (21.0–20.6)
FIM efficiency (FIM imp./LOS)	0.9	1.0	1.0	0.9	0.9


Orthopaedic fracture discharge destination by AN-SNAP class




Orthopaedic fracture LOS and FIM change by AN-SNAP class



Change in outcome measures in orthopaedic fracture – 2012 to 2013




Change in orthopaedic replacement episodes over time




Orthopaedic replacement episodes in 2013

AN-SNAP class:	S3-231	S3-232	S3-233	All Othopaedic replacements
Number of episodes	8,348	14,328	1,609	24,285
Proportion of episodes	34.4%	59.0%	6.6%	100.0%
Sector (%)				
<i>Private</i>	93.0	83.2	54.1	84.7
<i>Public</i>	7.0	16.8	45.9	15.3
Gender (%)				
<i>Female</i>	58.9	67.4	70.2	64.7
<i>Male</i>	41.1	32.6	29.8	35.3
Age (Mean+95%CI)	67.8 (68.0–67.5)	72.6 (72.8–72.4)	77.5 (78.1–76.8)	71.2 (71.4–71.1)
Admission FIM (Mean+95%CI)	110.9 (111.0–110.8)	95.8 (95.9–95.7)	67.8 (68.4–67.2)	99.4 (99.6–99.3)
LOS (Mean+95%CI)	10.0 (10.1–9.8)	12.3 (12.5–12.2)	21.4 (22.1–20.7)	12.1 (12.2–12.0)
Discharge destination (%)				
<i>Discharged to community</i>	98.8	97.1	87.3	97.0
<i>Remaining in hospital system</i>	1.2	2.9	12.7	3.0
FIM improvement (Mean+95%CI)	7.8 (7.9–7.7)	18.5 (18.6–18.4)	31.1 (31.8–30.4)	15.5 (15.7–15.4)
FIM efficiency (FIM imp./LOS)	0.8	1.5	1.5	1.3


Orthopaedic replacement discharge destination by AN-SNAP class




Orthopaedic replacement LOS and FIM change by AN-SNAP class



Change in outcome measures in orthopaedic replacement – 2012 to 2013




Change in all orthopaedic episodes over time




All orthopaedic episodes in 2013

	Fractures	Replacements	Other	All orthopaedic conditions
Number of episodes	16,888	24,285	7,841	49,014
Proportion of episodes	34.5%	49.5%	16.0%	100.0%
Sector (%)				
<i>Private</i>	48.6	84.7	82.6	71.9
<i>Public</i>	51.4	15.3	17.4	28.1
Gender (%)				
<i>Female</i>	71.7	64.7	62.7	66.8
<i>Male</i>	28.3	35.3	37.3	33.2
Age (Mean+95%CI)	77.4 (77.6–77.1)	71.2 (71.4–71.1)	70.0 (70.3–69.6)	73.2 (73.3–73.0)
Admission FIM (Mean+95%CI)	82.5 (82.8–82.2)	99.4 (99.6–99.3)	97.1 (97.4–96.7)	93.5 (93.6–93.3)
LOS (Mean+95%CI)	22.1 (22.3–21.8)	12.1 (12.2–12.0)	14.6 (15.0–14.3)	15.8 (15.9–15.6)
Discharge destination (%)				
<i>Discharged to community</i>	89.9	97.0	94.4	94.2
<i>Remaining in hospital system</i>	10.1	3.0	5.6	5.8
FIM improvement (Mean+95%CI)	20.8 (21.0–20.6)	15.5 (15.7–15.4)	16.2 (16.5–16.0)	17.4 (17.5–17.3)
FIM efficiency (FIM imp./LOS)	0.9	1.3	1.1	1.1


All Orthopaedic episodes discharge destination by AN-SNAP class




All orthopaedic conditions LOS and FIM change by AN-SNAP class



Change in outcome measures in orthopaedic conditions – 2012 to 2013




Change in pulmonary episodes over time




Pulmonary episodes in 2013

AN-SNAP class:	S3-242	S3-243	S3-244	S3-245	All Pulmonary
Number of episodes	717	818	427	31	1,993
Proportion of episodes	36.0%	41.0%	21.4%	1.6%	100.0%
Sector (%)					
<i>Private</i>	76.4	72.0	50.4	32.3	68.3
<i>Public</i>	23.6	28.0	49.6	67.7	31.7
Gender (%)					
<i>Female</i>	58.2	56.8	51.1	45.2	55.9
<i>Male</i>	41.8	43.2	48.9	54.8	44.1
Age (Mean+95%CI)	77.5 (78.3–76.6)	80.7 (81.3–80.0)	82.2 (83.1–81.3)	79.8 (87.7–71.8)	79.8 (80.3–79.4)
Admission FIM (Mean+95%CI)	107.1 (107.6–106.5)	91.0 (91.5–90.5)	68.9 (70.1–67.7)	40.2 (44.2–36.2)	92.1 (92.9–91.3)
LOS (Mean+95%CI)	11.8 (12.4–11.3)	14.8 (15.4–14.3)	18.9 (20.1–17.7)	30.2 (38.2–22.3)	14.7 (15.1–14.3)
Discharge destination (%)					
<i>Discharged to community</i>	95.0	89.1	81.3	77.4	89.4
<i>Remaining in hospital system</i>	5.0	10.9	18.7	22.6	10.6
FIM improvement (Mean+95%CI)	10.2 (10.7–9.7)	18.4 (19.1–17.8)	22.2 (23.6–20.7)	28.8 (38.6–19.1)	16.2 (16.7–15.7)
FIM efficiency (FIM imp./LOS)	0.9	1.2	1.2	1.0	1.1


Pulmonary discharge destination by AN-SNAP class




Pulmonary LOS and FIM change by AN-SNAP class



Change in outcome measures in pulmonary – 2012 to 2013




Change in reconditioning episodes over time




Reconditioning episodes in 2013

AN-SNAP class:	S3-242	S3-243	S3-244	S3-245	All Reconditioning
Number of episodes	7,191	8,996	7,057	904	24,148
Proportion of episodes	29.8%	37.3%	29.2%	3.7%	100.0%
Sector (%)					
<i>Private</i>	67.9	61.7	40.0	28.0	55.9
<i>Public</i>	32.1	38.3	60.0	72.0	44.1
Gender (%)					
<i>Female</i>	58.3	60.1	54.9	50.8	57.7
<i>Male</i>	41.7	39.9	45.1	49.2	42.3
Age (Mean+95%CI)	77.1 (77.4–76.8)	80.4 (80.7–80.2)	80.5 (80.8–80.2)	78.6 (79.5–77.7)	79.4 (79.6–79.2)
Admission FIM (Mean+95%CI)	106.3 (106.5–106.2)	89.8 (90.0–89.7)	67.9 (68.2–67.6)	39.6 (40.4–38.8)	87.6 (87.9–87.4)
LOS (Mean+95%CI)	13.1 (13.3–12.8)	16.0 (16.2–15.7)	21.9 (22.3–21.5)	29.2 (31.1–27.3)	17.1 (17.2–16.9)
Discharge destination (%)					
<i>Discharged to community</i>	93.0	88.3	79.7	68.9	86.4
<i>Remaining in hospital system</i>	7.0	11.7	20.3	31.1	13.6
FIM improvement (Mean+95%CI)	9.2 (9.4–9.0)	16.9 (17.1–16.7)	22.0 (22.4–21.6)	22.8 (24.5–21.2)	16.0 (16.2–15.9)
FIM efficiency (FIM imp./LOS)	0.7	1.1	1.0	0.8	0.9


Reconditioning discharge destination by AN-SNAP class




Reconditioning LOS and FIM change by AN-SNAP class



Change in outcome measures in reconditioning – 2012 to 2013




Change in other impairment episodes over time




Other impairment episodes in 2013

	Pain	Cardiac	MMT	Burns	Congenital deformity	Developmental disability
Number of episodes	4,093	3,377	691	53	17	5
Proportion of total episodes in 2012	4.1%	3.4%	0.7%	0.1%	0.0%	0.0%
Sector (%)						
<i>Private</i>	68.0	76.5	54.4	11.3	35.3	0.0
<i>Public</i>	32.0	23.5	45.6	88.7	64.7	100.0
Gender (%)						
<i>Female</i>	69.0	47.2	37.3	17.0	64.7	40.0
<i>Male</i>	31.0	52.8	62.7	83.0	35.3	60.0
Age (Mean+95%CI)	72.2 (72.7–71.6)	78.8 (79.2–78.3)	48.1 (49.8–46.5)	48.2 (56.5–39.8)	45.5 (55.9–35.2)	69.4 (84.6–54.2)
Admission FIM (Mean+95%CI)	97.0 (97.5–96.4)	95.2 (95.7–94.6)	80.4 (82.1–78.7)	98.6 (103.2–94.0)	81.9 (95.0–68.9)	63.8 (109.8–17.7)
LOS (Mean+95%CI)	15.0 (15.3–14.6)	14.1 (14.6–13.6)	39.5 (42.6–36.3)	21.5 (25.9–17.1)	33.8 (52.1–15.4)	12.5 (21.2–3.8)
Discharge destination (%)						
<i>Discharged to community</i>	92.4	90.0	87.0	79.2	94.1	100.0
<i>Remaining in hospital system</i>	7.6	10.0	13.0	20.8	5.9	0.0
FIM improvement (Mean+95%CI)	13.6 (13.9–13.2)	16.4 (16.8–16.0)	31.7 (33.3–30.0)	16.4 (20.4–12.4)	18.3 (25.7–10.8)	18.3 (39.5–3.0)
FIM efficiency (FIM imp./LOS)	0.9	1.2	0.8	0.8	0.5	1.5


Other impairment discharge destination by AN-SNAP class




Other impairment LOS and FIM change by AN-SNAP class




Change in outcome measures in pain – 2012 to 2013




Change in outcome measures in cardiac – 2012 to 2013



Change in outcome measures in MMT – 2012 to 2013




Change in other disabling impairment episodes over time




Other disabling impairment episodes in 2013

AN-SNAP class:	S3-242	S3-243	S3-244	S3-245	All Other disabling impairments
Number of episodes	198	313	279	45	835
Proportion of episodes	23.7%	37.5%	33.4%	5.4%	100.0%
Sector (%)					
<i>Private</i>	41.9	16.9	9.3	0.0	19.4
<i>Public</i>	58.1	83.1	90.7	100.0	80.6
Gender (%)					
<i>Female</i>	63.1	56.2	53.8	57.8	57.1
<i>Male</i>	36.9	43.8	46.2	42.2	42.9
Age (Mean+95%CI)	69.3 (71.6–67.1)	76.5 (78.0–75.1)	77.6 (79.3–75.9)	74.6 (79.2–70.0)	75.1 (76.1–74.1)
Admission FIM (Mean+95%CI)	98.4 (98.7–98.2)	82.6 (82.8–82.4)	66.4 (66.7–66.1)	43.3 (44.0–42.5)	82.6 (84.1–81.0)
LOS (Mean+95%CI)	15.9 (17.6–14.3)	19.4 (21.1–17.7)	26.5 (29.6–23.4)	30.3 (37.0–23.6)	21.2 (22.6–19.9)
Discharge destination (%)					
<i>Discharged to community</i>	95.5	92.0	81.4	77.8	88.5
<i>Remaining in hospital system</i>	4.5	8.0	18.6	22.2	11.5
FIM improvement (Mean+95%CI)	7.1 (8.1–6.2)	16.8 (18.2–15.5)	18.3 (20.4–16.2)	24.7 (33.1–16.3)	15.2 (16.2–14.2)
FIM efficiency (FIM imp./LOS)	0.4	0.9	0.7	0.8	0.7


Other disabling impairment discharge destination by AN-SNAP class



Other disabling impairment LOS and FIM change by AN-SNAP class



Change in outcome measures in other disabling impairments – 2012 to 2013



AROC Contact Details

Australasian Rehabilitation Outcomes Centre

Australian Health Services Research Institute

iC Enterprise 1, Innovation Campus

University of Wollongong NSW 2522

Phone: 02-4221-4411

Email: aroc@uow.edu.au

Web: ahsri.uow.edu.au/aroc