

AROC Impairment Specific Report

Reconditioning Report

INPATIENT – PATHWAY 3

January 2018 – December 2018

Anywhere Hospital



**Australasian
Faculty of
Rehabilitaion
Medicine**







australian health services
research institute



**UNIVERSITY
OF WOLLONGONG
AUSTRALIA**

Reconditioning dashboard.....	3
Data used in this report.....	5
Reconditioning impairment codes.....	6
Reconditioning AN-SNAP classes.....	7
The BIG picture.....	8
Review of FIM item scoring by AN-SNAP class.....	26
Outcomes analysis.....	34
Explanatory data.....	62
Appendix 1: Glossary.....	104
Appendix 2: AROC impairment codes.....	112
Appendix 3: AN-SNAP classes.....	114
Acknowledgements.....	115
AROC contact details.....	116

Reconditioning Dashboard



Reconditioning Dashboard




Key Indicators*	
YOUR FACILITY	AUSTRALIA
Average Age: 79.4	Average Age: 79.8
Mortality Rate: 0.5%	Mortality Rate: 0.5%
% with at least one comorbidity: 54%	% with at least one comorbidity: 55%
% with at least one complication: 27%	% with at least one complication: 27%
% episodes with start delays: 9%	% episodes with start delays: 10%
Days between onset and rehab episode: 13.6	Days between onset and rehab episode: 14.2
Days between clinically rehab ready & start date: 0.7	Days between clinically rehab ready & start date: 0.8

* Mean value provided unless otherwise specified

Facility FIM Training*	
FIM Credentialed Staff per 100 Episodes	FIM Credentialed Facility Trainers
0.0	0
Your Facility	Your Facility
 6.1	2
AUSTRALIA (Mean)	AROC Suggested Minimum

* This includes all impairments from all wards



- Reconditioning episodes discharged during the reporting period (January 2018 – December 2018) and time series data covering five years.
- Benchmark group is AUSTRALIA.
- Casemix analysis uses version 4 AN-SNAP classes (Appendix 3). Casemix adjustment is calculated against AUSTRALIA data.
- Unit of counting is by concatenated* episode, not by patient.
- Where there are less than five episodes within a subgroup, summary data are not provided. Missing data and ungroupable AN-SNAP classes are excluded from figures, but are included in tables.
- Facilities will only receive this report when the facility reports a minimum of 20 completed reconditioning episodes.

Note: Appendix 1 (Glossary) contains definitions of concepts referred to in this report. An understanding of these will help with interpretation of the data. This report should be considered in conjunction with the Outcome Benchmarks Report for your facility.

*Refer to Appendix 1 for more details about the process of data concatenation.

Reconditioning episodes were identified as those with the following AROC impairment codes:

- 16.1 – Reconditioning following surgery
- 16.2 – Reconditioning following medical illness
- 16.3 – Cancer rehabilitation

Note: A list of all impairment codes can be found in Appendix 2.


Levels of functioning for reconditioning are categorised by the following version 4 AN-SNAP classes:

- 4AR1 – Reconditioning, weighted FIM motor 67-91
- 4AR2 – Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
- 4AR3 – Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
- 4AR4 – Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
- 4AR5 – Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
- 4AR6 – Reconditioning, weighted FIM motor 19-33
- 4AZ3 – Weighted FIM motor score 13-18, All other impairments, Age \geq 65
- 4AZ4 – Weighted FIM motor score 13-18, All other impairments, Age \leq 64

Note: A list of all AN SNAP classes can be found in Appendix 3.

The BIG picture

Volume of episodes by facilities treating reconditioning




NOTE: 281 facilities reported at least one reconditioning episode, with 247 facilities reporting between 20 and 799 episodes in this reporting period.

Proportion of episodes by impairment code and AN-SNAP class

YOUR FACILITY

AUSTRALIA




Episodes by AN-SNAP class and impairment code



AN-SNAP class V4	YOUR FACILITY — N (%)			
	16.1	16.2	16.3	All Reconditioning
4AR1 (motor 67-91)	34 (40.0)	65 (25.0)	7 (35.0)	106 (29.0)
4AR2 (motor 50-66, cognition 26-35)	24 (28.2)	84 (32.3)	8 (40.0)	116 (31.8)
4AR3 (motor 50-66, cognition 5-25)	9 (10.6)	19 (7.3)	0 (0.0)	28 (7.7)
4AR4 (motor 34-49, cognition 31-35)	7 (8.2)	12 (4.6)	1 (5.0)	20 (5.5)
4AR5 (motor 34-49, cognition 5-30)	8 (9.4)	45 (17.3)	1 (5.0)	54 (14.8)
4AR6 (motor 19-33)	1 (1.2)	23 (8.8)	3 (15.0)	27 (7.4)
4AZ3 (motor 13-18, Age ≥ 65)	2 (2.4)	11 (4.2)	0 (0.0)	13 (3.6)
4AZ4 (motor 13-18, Age ≤ 64)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
499A (Data error - ungroupable)	0 (0.0)	1 (0.4)	0 (0.0)	1 (0.3)
All Reconditioning AN-SNAP Classes	85 (100.0)	260 (100.0)	20 (100.0)	365 (100.0)

AN-SNAP class V4	AUSTRALIA — N (%)			
	16.1	16.2	16.3	All Reconditioning
4AR1 (motor 67-91)	3,207 (37.1)	5,614 (24.7)	457 (31.1)	9,278 (28.2)
4AR2 (motor 50-66, cognition 26-35)	2,911 (33.7)	6,757 (29.7)	461 (31.3)	10,129 (30.8)
4AR3 (motor 50-66, cognition 5-25)	609 (7.0)	2,920 (12.8)	120 (8.2)	3,649 (11.1)
4AR4 (motor 34-49, cognition 31-35)	402 (4.6)	973 (4.3)	102 (6.9)	1,477 (4.5)
4AR5 (motor 34-49, cognition 5-30)	838 (9.7)	3,641 (16.0)	174 (11.8)	4,653 (14.1)
4AR6 (motor 19-33)	543 (6.3)	2,174 (9.5)	125 (8.5)	2,842 (8.6)
4AZ3 (motor 13-18, Age ≥ 65)	108 (1.2)	577 (2.5)	23 (1.6)	708 (2.2)
4AZ4 (motor 13-18, Age ≤ 64)	25 (0.3)	83 (0.4)	9 (0.6)	117 (0.4)
499A (Data error - ungroupable)	7 (0.1)	26 (0.1)	0 (0.0)	33 (0.1)
All Reconditioning AN-SNAP Classes	8,650 (100.0)	22,765 (100.0)	1,471 (100.0)	32,886 (100.0)

Proportion of episodes by AN-SNAP class over time




Episodes by AN-SNAP class over time



AN-SNAP class V4	YOUR FACILITY — N					AUSTRALIA — N				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
4AR1 (motor 67-91)	98	115	93	104	108	8,949	9,467	9,554	9,689	9,278
4AR2 (motor 50-66, cognition 26-35)	84	108	107	107	120	8,494	9,311	9,785	10,272	10,129
4AR3 (motor 50-66, cognition 5-25)	19	33	24	48	30	2,668	3,098	3,252	3,572	3,649
4AR4 (motor 34-49, cognition 31-35)	17	16	8	14	20	1,185	1,192	1,313	1,450	1,477
4AR5 (motor 34-49, cognition 5-30)	46	52	49	48	56	3,247	3,528	3,973	4,332	4,653
4AR6 (motor 19-33)	21	25	32	42	29	2,029	2,150	2,498	2,775	2,842
4AZ3 (motor 13-18, Age ≥ 65)	6	12	8	12	13	488	569	585	648	708
4AZ4 (motor 13-18, Age ≤ 64)	0	0	1	1	0	75	90	95	115	117
499A (Data error - ungroupable)	0	0	3	1	1	45	50	30	30	33
All Reconditioning AN-SNAP Classes	291	361	325	377	377	27,180	29,455	31,085	32,883	32,886

AN-SNAP class V4	YOUR FACILITY — %					AUSTRALIA — %				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
4AR1 (motor 67-91)	33.7	31.9	28.6	27.6	28.6	32.9	32.1	30.7	29.5	28.2
4AR2 (motor 50-66, cognition 26-35)	28.9	29.9	32.9	28.4	31.8	31.3	31.6	31.5	31.2	30.8
4AR3 (motor 50-66, cognition 5-25)	6.5	9.1	7.4	12.7	8.0	9.8	10.5	10.5	10.9	11.1
4AR4 (motor 34-49, cognition 31-35)	5.8	4.4	2.5	3.7	5.3	4.4	4.0	4.2	4.4	4.5
4AR5 (motor 34-49, cognition 5-30)	15.8	14.4	15.1	12.7	14.9	11.9	12.0	12.8	13.2	14.1
4AR6 (motor 19-33)	7.2	6.9	9.8	11.1	7.7	7.5	7.3	8.0	8.4	8.6
4AZ3 (motor 13-18, Age ≥ 65)	2.1	3.3	2.5	3.2	3.4	1.8	1.9	1.9	2.0	2.2
4AZ4 (motor 13-18, Age ≤ 64)	0.0	0.0	0.3	0.3	0.0	0.3	0.3	0.3	0.3	0.4
499A (Data error - ungroupable)	0.0	0.0	0.9	0.3	0.3	0.2	0.2	0.1	0.1	0.1
All Reconditioning AN-SNAP Classes	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Proportion of episodes by impairment code over time



YOUR FACILITY



AUSTRALIA

Episodes by impairment code over time

Impairment	YOUR FACILITY — N					AUSTRALIA — N				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
16.1 Reconditioning following surgery	72	99	95	106	89	7,507	8,065	8,313	8,408	8,650
16.2 Reconditioning following medical illness	203	244	215	257	268	18,516	20,092	21,503	23,061	22,765
16.3 Cancer rehabilitation	16	18	15	14	20	1,157	1,298	1,269	1,414	1,471
All Reconditioning	291	361	325	377	377	27,180	29,455	31,085	32,883	32,886

Impairment	YOUR FACILITY — %					AUSTRALIA — %				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
16.1 Reconditioning following surgery	24.7	27.4	29.2	28.1	23.6	27.6	27.4	26.7	25.6	26.3
16.2 Reconditioning following medical illness	69.8	67.6	66.2	68.2	71.1	68.1	68.2	69.2	70.1	69.2
16.3 Cancer rehabilitation	5.5	5.0	4.6	3.7	5.3	4.3	4.4	4.1	4.3	4.5
All Reconditioning	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0


Reconditioning episodes by age and sex



Reconditioning specific data items




YOUR FACILITY



Note: 36 (9.9%) episodes did not record all three items and are excluded from analysis.

AUSTRALIA




Note: 4,832 (14.7%) episodes did not record all three items and are excluded from analysis.

Reconditioning specific data items

		YOUR FACILITY — N					AUSTRALIA — N				
		2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
Has patient fallen in the last 12 months?	Yes	110	120	116	152	167	9,372	10,166	11,639	12,822	13,353
	No	126	174	156	165	177	12,493	13,696	14,145	15,056	14,967
Was patient unable to participate in therapy from day 1	Yes	31	54	38	44	55	2,865	3,536	3,044	3,888	3,594
	No	205	240	234	274	291	18,964	20,327	22,771	24,022	24,751
Has patient lost >10% of their body weight in the last 12 months	Yes	33	56	44	54	55	3,269	3,400	3,729	3,828	3,912
	No	200	234	226	260	285	18,445	20,206	21,866	23,803	24,162

		YOUR FACILITY — %					AUSTRALIA — %				
		2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
Has patient fallen in the last 12 months?	Yes	46.6	40.8	42.6	47.9	48.5	42.9	42.6	45.1	46.0	47.2
	No	53.4	59.2	57.4	52.1	51.5	57.1	57.4	54.9	54.0	52.8
Was patient unable to participate in therapy from day 1	Yes	13.1	18.4	14.0	13.8	15.9	13.1	14.8	11.8	13.9	12.7
	No	86.9	81.6	86.0	86.2	84.1	86.9	85.2	88.2	86.1	87.3
Has patient lost >10% of their body weight in the last 12 months	Yes	14.2	19.3	16.3	17.2	16.2	15.1	14.4	14.6	13.9	13.9
	No	85.8	80.7	83.7	82.8	83.8	84.9	85.6	85.4	86.1	86.1

Proportion of episodes by frailty score over time



Proportion of episodes by frailty score over time




Frailty	YOUR FACILITY — N					AUSTRALIA — N				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
1 Very Fit	3	2	2	3	4	153	144	135	160	180
2 Well	23	18	22	18	25	1,727	2,198	2,301	2,247	2,040
3 Well, some comorbid	51	48	61	58	58	4,349	4,202	4,757	5,180	5,132
4 Apparently vulnerable	31	39	39	48	61	2,861	3,174	3,537	3,835	3,809
5 Mildly frail	48	63	48	70	64	4,304	4,420	4,986	5,899	6,206
6 Moderately frail	40	60	51	72	70	4235	4999	5440	6008	6192
7 Severely frail	14	16	16	14	19	990	1057	1143	1194	1366
8 Terminally ill	1	5	5	5	4	165	179	186	244	182
9 Unknown	19	32	24	29	34	2764	2900	2876	2709	2934
Not Entered	61	78	57	60	38	5632	6182	5724	5407	4845
All Reconditioning	291	361	325	377	377	27,180	29,455	31,085	32,883	32,886

Frailty	YOUR FACILITY — %					AUSTRALIA — %				
	2014	2015	2016	2017	2018	2014	2015	2016	2017	2018
1 Very Fit	1.0	0.6	0.6	0.8	1.1	0.6	0.5	0.4	0.5	0.5
2 Well	7.9	5.0	6.8	4.8	6.6	6.4	7.5	7.4	6.8	6.2
3 Well, some comorbid	17.5	13.3	18.8	15.4	15.4	16.0	14.3	15.3	15.8	15.6
4 Apparently vulnerable	10.7	10.8	12.0	12.7	16.2	10.5	10.8	11.4	11.7	11.6
5 Mildly frail	16.5	17.5	14.8	18.6	17.0	15.8	15.0	16.0	17.9	18.9
6 Moderately frail	13.7	16.6	15.7	19.1	18.6	15.6	17.0	17.5	18.3	18.8
7 Severely frail	4.8	4.4	4.9	3.7	5.0	3.6	3.6	3.7	3.6	4.2
8 Terminally ill	0.3	1.4	1.5	1.3	1.1	0.6	0.6	0.6	0.7	0.6
9 Unknown	6.5	8.9	7.4	7.7	9.0	10.2	9.8	9.3	8.2	8.9
Not Entered	21.0	21.6	17.5	15.9	10.1	20.7	21.0	18.4	16.4	14.7
All Reconditioning	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Has patient fallen in the last 12 months? by frailty score

Rockwood Frailty Score




AUSTRALIA

Unable to participate in therapy on day one? by frailty score

Rockwood Frailty Score


Yes No




AUSTRALIA

Has patient lost >10% body weight in the last 12 months? by frailty score

Rockwood Frailty Score



Average age by frailty score



Summary of incomplete episodes

	YOUR FACILITY		AUSTRALIA	
Complete episode analysis	No.	(%)	No.	(%)
Total reporting episodes	377		32,886	
Incomplete episodes	54	(14.3)	4,840	(14.7)

Reason for incomplete:

Discharged home with end FIM=18	1	(1.9)	69	(1.4)
Discharged home with no end FIM	1	(1.9)	41	(0.8)
Discharged to another hospital	30	(55.6)	2,327	(48.1)
Care type change - same hospital	15	(27.8)	1,826	(37.7)
Discharged at own risk	3	(5.6)	186	(3.8)
Change of care type (LOS<1 week)	0	(0.0)	70	(1.4)
Died	2	(3.7)	150	(3.1)
Other/Unknown Discharge	2	(3.7)	171	(3.5)

	YOUR FACILITY	
	Incomplete Episodes	Complete episodes

Impairment Code:


16.1 Reconditioning following surgery	13	(24.1)	76	(23.5)
16.2 Reconditioning following medical illness	35	(64.8)	233	(72.1)
16.3 Cancer rehabilitation	6	(11.1)	14	(4.3)

AN-SNAP Class:

4AR1 (motor 67-91)	6	(11.3)	102	(31.6)
4AR2 (motor 50-66, cognition 26-35)	18	(34.0)	102	(31.6)
4AR3 (motor 50-66, cognition 5-25)	4	(7.5)	26	(8.0)
4AR4 (motor 34-49, cognition 31-35)	4	(7.5)	16	(5.0)
4AR5 (motor 34-49, cognition 5-30)	8	(15.1)	48	(14.9)
4AR6 (motor 19-33)	7	(13.2)	22	(6.8)
4AZ3 (motor 13-18, Age ≥ 65)	6	(11.3)	7	(2.2)
4AZ4 (motor 13-18, Age ≤ 64)	0	(0.0)	0	(0.0)

Review of FIM item scoring by AN-SNAP class

Interpreting the comparative FIM item scoring charts



The FIM splat provides a graphic presentation of functional status in a radar chart. The 18 FIM items are arranged in order as 'spokes' of a wheel and the scoring levels from 1 (total dependence) to 7 (total independence) run from the centre outwards. The mean FIM item score for each item is indicated — a perfect score would be demonstrated as a large circle. The two FIM splats compare FIM scoring on admission (Figure A) and discharge (Figure B) between YOUR FACILITY and NATIONAL data — differences in the two shaded areas indicate differences in mean admission/discharge scoring. Graphs include completed episodes with valid FIM scoring.


Comparative FIM item scoring

AN-SNAP class 4AR1




4AR1 Admission FIM scores

- YOUR FACILITY (n=100)
- AUSTRALIA (n=8,508)



4AR1 Discharge FIM scores

- YOUR FACILITY (n=100)
- AUSTRALIA (n=8,508)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 4AR2




4AR2 Admission FIM scores

YOUR FACILITY (n=100)
 AUSTRALIA (n=8,875)



4AR2 Discharge FIM scores

YOUR FACILITY (n=100)
 AUSTRALIA (n=8,875)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 4AR3




4AR3 Admission FIM scores

- YOUR FACILITY (n=24)
- AUSTRALIA (n=3,158)



4AR3 Discharge FIM scores

- YOUR FACILITY (n=24)
- AUSTRALIA (n=3,158)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 4AR4




4AR4 Admission FIM scores

- YOUR FACILITY (n=16)
- AUSTRALIA (n=1,176)



4AR4 Discharge FIM scores

- YOUR FACILITY (n=16)
- AUSTRALIA (n=1,176)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 4AR5




4AR5 Admission FIM scores

- YOUR FACILITY (n=47)
- AUSTRALIA (n=3,756)



4AR5 Discharge FIM scores

- YOUR FACILITY (n=47)
- AUSTRALIA (n=3,756)




Note: Includes only completed episodes with valid FIM scores

Comparative FIM item scoring

AN-SNAP class 4AR6


4AR6 Admission FIM scores

- YOUR FACILITY (n=20)
- AUSTRALIA (n=2,062)



4AR6 Discharge FIM scores

- YOUR FACILITY (n=20)
- AUSTRALIA (n=2,062)



Note: Includes only completed episodes with valid FIM scores


Outcome analysis

Completed episodes by AN-SNAP class

AN-SNAP class V4	YOUR FACILITY			AUSTRALIA		
	All episodes	Completed episodes	% Complete	All episodes	Completed episodes	% Complete
4AR1 (motor 67-91)	108	100	92.6	9,278	8,508	91.7
4AR2 (motor 50-66, cognition 26-35)	120	100	83.3	10,129	8,876	87.6
4AR3 (motor 50-66, cognition 5-25)	30	24	80.0	3,649	3,158	86.5
4AR4 (motor 34-49, cognition 31-35)	20	16	80.0	1,477	1,177	79.7
4AR5 (motor 34-49, cognition 5-30)	56	47	83.9	4,653	3,758	80.8
4AR6 (motor 19-33)	29	20	69.0	2,842	2,063	72.6
4AZ3 (motor 13-18, Age ≥ 65)	13	7	53.8	708	433	61.2
4AZ4 (motor 13-18, Age ≤ 64)	0	0	—	117	65	55.6
499A (Data error - ungroupable)	1	0	0.0	33	8	24.2
All Reconditioning AN-SNAP Classes	377	314	83.3	32,886	28,046	85.3

NOTE: All outcomes analysis are based on completed episodes. A definition of completed episodes can be found in Appendix1 (Glossary)

Casemix-adjusted* relative means




Casemix-adjusted relative means with 95% confidence intervals

Out come measures	YOUR FACILITY		AUSTRALIA
	Casemix-adjusted* relative mean	95% CI	IQR
Length of stay	-0.1	-1.3 to 1.0	-6.1 to 3.6
FIM change	0.0	-1.3 to 1.0	-6.1 to 6.5

*Includes only completed episodes with valid FIM scores and LOS

Casemix-adjusted* relative means over time




*Casemix adjusted values based on CY 2018

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown.

Outcome measures – difference from national data



How YOUR FACILITY is different to AUSTRALIA




NOTE: Includes only completed episodes with valid FIM scores and LOS.

Average length of stay by AN-SNAP class over time




◇ 4AR1 □ 4AR2 ▲ 4AR3 ● 4AR4 ◆ 4AR5 ■ 4AR6 ▲ 4AZ3 ○ 4AZ4




NOTE: Includes only completed episodes with valid LOS; where n<5 ALOS will not be shown

Average length of stay by AN-SNAP class




NOTE: Includes only completed episodes with valid LOS; where n<5 ALOS will not be shown

Casemix-adjusted relative mean length of stay by AN-SNAP class




NOTE: Includes only completed episodes with valid LOS; where n<5 CARMi LOS will not be shown

Average FIM change by AN-SNAP class over time




NOTE: Includes only completed episodes with valid FIM scores; where n<5 Average FIM change will not be shown

Average FIM change by AN-SNAP class



NOTE: Includes only completed episodes with valid FIM scores; where n<5 Average FIM change will not be shown

Casemix-adjusted relative mean FIM change by AN-SNAP class




NOTE: Includes only completed episodes with valid FIM scores; where n<5 CARMI FIM change will not be shown

Casemix-adjusted relative mean and average length of stay and FIM change by AN-SNAP class

AN-SNAP class V4	YOUR FACILITY						AUSTRALIA	
	CARMi (95%CI)			Average (95%CI)			Average (95%CI)	
	LOS	FIM change		LOS	FIM change		LOS	FIM change
4AR1 (motor 67-91)	-0.5 (-1.5 - 0.6)	-0.1 (-1.3 - 1.1)		11.7 (10.6 - 12.8)	11.1 (9.9 - 12.3)		12.2 (12.0 - 12.3)	11.5 (11.4 - 11.7)
4AR2 (motor 50-66, cognition 26-35)	0.7 (-1.3 - 2.6)	0.8 (-1.0 - 2.7)		16.5 (14.1 - 18.0)	19.5 (17.9 - 21.6)		15.4 (15.3 - 15.6)	19.1 (18.9 - 19.3)
4AR3 (motor 50-66, cognition 5-25)	-1.1 (-5.4 - 3.1)	0.4 (-3.8 - 4.6)		16.0 (11.5 - 20.0)	19.3 (14.7 - 23.4)		17.0 (16.6 - 17.5)	19.3 (18.9 - 19.7)
4AR4 (motor 34-49, cognition 31-35)	-0.8 (-5.6 - 4.0)	2.1 (-6.4 - 10.6)		20.5 (15.6 - 25.4)	26.8 (17.9 - 35.6)		21.8 (21.0 - 22.6)	25.3 (24.6 - 26.1)
4AR5 (motor 34-49, cognition 5-30)	2.5 (-2.2 - 7.1)	-1.4 (-4.9 - 2.0)		22.3 (17.8 - 27.2)	22.0 (18.3 - 25.2)		20.1 (19.7 - 20.5)	23.4 (22.9 - 23.8)
4AR6 (motor 19-33)	-5.3 (-9.5 - -1.2)	0.8 (-6.8 - 8.5)		20.0 (16.3 - 24.6)	28.7 (18.7 - 33.9)		26.4 (25.6 - 27.2)	26.0 (25.2 - 26.8)
4AZ3 (motor 13-18, Age ≥ 65)	-6.8 (-14.5 - 1.0)	-15.7 (-22.0 - -9.3)		24.6 (16.7 - 32.4)	6.7 (-0.8 - 14.2)		25.5 (23.9 - 27.1)	24.2 (22.0 - 26.3)
4AZ4 (motor 13-18, Age ≤ 64)	—	—		—	—		39.3 (29.5 - 49.0)	29.7 (23.2 - 36.2)
All Reconditioning AN-SNAP Classes	-0.1 (-1.3 - 1.0)	0.0 (-1.3 - 1.0)		16.4 (15.1 - 17.5)	17.9 (16.4 - 19.0)		16.5 (16.4 - 16.7)	18.3 (18.1 - 18.4)


NOTE: Includes only completed episodes with valid FIM scores and LOS

Casemix-adjusted relative mean length of stay by age group*



*Approximately 20% of all episodes per age group
 NOTE: Includes only completed episodes with valid LOS and age, where n<5 CARMI LOS will not be shown

Casemix-adjusted relative mean FIM change by age group*



*Approximately 20% of all episodes per age group

NOTE: Includes only completed episodes with valid FIM score and age, where n<5 CARMi FIM change will not be shown

Average and casemix-adjusted relative mean length of stay and FIM change by age group*


Age group	YOUR FACILITY		AUSTRALIA	
	LOS (95%CI)	FIM change (95%CI)	LOS (95%CI)	FIM change (95%CI)
<70	17.4 (13.9 - 20.8)	18.5 (15.0 - 22.0)	17.7 (17.3 - 18.2)	19.1 (18.7 - 19.5)
70-79	13.7 (11.9 - 15.5)	16.1 (13.4 - 18.8)	16.0 (15.8 - 16.3)	18.3 (18.0 - 18.6)
80-84	14.5 (12.6 - 16.5)	17.2 (14.7 - 19.8)	15.9 (15.7 - 16.2)	18.4 (18.1 - 18.8)
85-89	17.2 (14.3 - 20.1)	19.5 (17.0 - 22.0)	16.3 (16.0 - 16.5)	18.0 (17.7 - 18.3)
90+	19.6 (16.6 - 22.7)	17.4 (14.1 - 20.7)	17.2 (16.9 - 17.5)	17.7 (17.4 - 18.0)

Age group	YOUR FACILITY		AUSTRALIA	
	CARMI LOS (95%CI)	CARMI FIM change (95%CI)	CARMI LOS (95%CI)	CARMI FIM change (95%CI)
<70	1.8 (-1.5 - 5.1)	1.8 (-1.0 - 4.6)	1.0 (0.6 - 1.4)	1.4 (1.0 - 1.7)
70-79	-2.3 (-4.1 - -0.6)	-1.0 (-3.6 - 1.7)	-0.3 (-0.5 - -0.1)	0.6 (0.3 - 0.8)
80-84	-0.7 (-2.6 - 1.1)	0.5 (-1.7 - 2.6)	-0.6 (-0.8 - -0.3)	0.3 (0.0 - 0.6)
85-89	0.5 (-2.4 - 3.3)	0.8 (-1.4 - 3.0)	-0.5 (-0.7 - -0.2)	-0.6 (-0.9 - -0.3)
90+	0.6 (-2.2 - 3.4)	-2.9 (-6.0 - 0.3)	-0.2 (-0.6 - 0.1)	-1.7 (-2.0 - -1.4)

*Approximately 20% of all episodes per age group


NOTE: Includes only completed episodes with valid LOS, FIM score and age

Average length of stay by frailty score




NOTE: Includes only completed episodes with valid LOS; where n<5 ALOS will not be shown

Casemix-adjusted relative mean length of stay by frailty score




NOTE: Includes only completed episodes with valid LOS; where n<5 CARMI LOS will not be shown

National FIM admission and discharge scores by frailty score




NOTE: Includes only completed episodes with valid FIM scores

Average FIM change by frailty score



NOTE: Includes only completed episodes with valid FIM scores; where n<5 Average FIM change will not be shown

Casemix-adjusted relative mean FIM change by frailty score



NOTE: Includes only completed episodes with valid FIM scores; where n<5 CARMI FIM change will not be shown

Casemix-adjusted relative mean and average length of stay and FIM change by frailty score




Frailty	YOUR FACILITY				AUSTRALIA			
	CARM1 (95%CI)		Average (95%CI)		Average (95%CI)			
	LOS	FIM change	LOS	FIM change	LOS	FIM change	LOS	FIM change
Very Fit	—	—	—	—	15.7	(13.0 - 18.5)	20.3	(18.0 - 22.6)
Well	-1.1 (-7.1 - 4.8)	3.2 (0.0 - 6.5)	14.2 (8.8 - 20.0)	20.5 (16.2 - 24.1)	14.2	(13.7 - 14.7)	18.8	(18.3 - 19.3)
Well, some comorbid	-0.3 (-2.5 - 2.0)	1.1 (-1.1 - 3.3)	14.5 (12.4 - 17.0)	17.8 (14.3 - 19.9)	15.0	(14.7 - 15.2)	18.5	(18.2 - 18.8)
Apparently vulnerable	1.8 (-1.1 - 4.8)	-0.9 (-3.9 - 2.2)	18.0 (14.1 - 20.6)	16.0 (13.0 - 19.7)	16.3	(15.8 - 16.8)	18.5	(18.1 - 18.9)
Mildly frail	-1.4 (-3.2 - 0.3)	-0.2 (-2.3 - 1.9)	14.6 (12.7 - 16.5)	17.2 (14.6 - 19.8)	16.2	(15.9 - 16.4)	18.3	(18.0 - 18.6)
Moderately frail	-0.3 (-2.4 - 1.8)	-0.3 (-3.6 - 3.0)	17.1 (14.8 - 19.6)	18.4 (15.1 - 21.9)	18.6	(18.3 - 19.0)	18.3	(17.9 - 18.6)
Severely frail	1.8 (-5.0 - 8.5)	-10.0 (-17.4 - -2.5)	25.1 (19.3 - 30.9)	11.9 (4.6 - 19.3)	22.2	(21.2 - 23.2)	15.6	(14.6 - 16.5)
Terminally ill	—	—	—	—	16.9	(15.0 - 18.9)	11.9	(9.3 - 14.6)

NOTE: Includes only completed episodes with valid FIM scores and LOS

Average FIM scores and length of stay by reconditioning specific data items – Your facility

YOUR FACILITY




Note: 27 (8.6%) episodes did not record all three items and are excluded from analysis

NOTE: Includes only completed episodes with valid FIM scores and LOS

Average FIM scores and length of stay by reconditioning specific data items – National


AUSTRALIA



Note: 3,793 (13.5%) episodes did not record all three items and are excluded from analysis


NOTE: Includes only completed episodes with valid FIM scores and LOS

Average length of stay by reconditioning specific data items




NOTE: Includes only completed episodes with valid LOS

Casemix-adjusted length of stay by reconditioning specific data items




NOTE: Includes only completed episodes with valid LOS

Average FIM scores by reconditioning specific data items



NOTE: Includes only completed episodes with valid FIM scores


Casemix-adjusted FIM change by reconditioning specific data items



NOTE: Includes only completed episodes with valid FIM scores


Explanatory data

Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities




NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown

Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities




NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown

Casemix-adjusted relative mean length of stay and FIM change by number of complications





NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown

Casemix-adjusted relative mean length of stay and FIM change by number of complications





NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown

Casemix-adjusted relative mean length of stay by type of complication




* No data included where number of episodes <5
 NOTE: Includes only completed episodes with valid LOS

Casemix-adjusted relative mean FIM change by type of complication




* No data included where number of episodes <5
 NOTE: Includes only completed episodes with valid FIM score

Type of accommodation prior to impairment by AN-SNAP




Carer status prior to impairment



NOTE: Includes only those episodes coming from private residence

Any services received prior to impairment by carer status



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Carer status and any services received prior to impairment




Carer status prior to this impairment	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
NO CARER and DOES NOT need one	170	50.9	15,020	50.4
NO CARER and NEEDS one	16	4.8	1,586	5.3
CARER NOT living in	58	17.4	4,383	14.7
CARER living in - NOT codependent	63	18.9	6,269	21.0
CARER living in - codependent	27	8.1	2,550	8.6
Missing	7		1,064	
All episodes in private residence	341	100.0	30,872	100.0

Any services received prior to this impairment?				
Carer status prior to this impairment	YOUR FACILITY		AUSTRALIA	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	39.1	60.9	38.1	61.9
NO CARER and NEEDS one	62.5	37.5	52.6	47.4
CARER NOT living in	75.4	24.6	78.1	21.9
CARER living in - NOT codependent	50.8	49.2	49.2	50.8
CARER living in - codependent	48.1	51.9	51.8	48.2
All episodes in private residence	49.4	50.6	48.2	51.8


NOTE: Includes only those episodes coming from private residence and with known carer status

Number of services received prior to impairment by carer status




NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Type of services received prior to impairment



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Type of services received prior to impairment by carer status



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Number and type of services received prior to impairment by carer status



Services received prior to this impairment	Carer status prior to discharge - YOUR FACILITY						All episodes in private residence
	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent		
Number of episodes in private residence	169	16	57	63	27	332	
Percent of episodes receiving:							
No services	60.9	37.5	24.6	49.2	51.9	50.6	
1 service type	24.9	25.0	22.8	23.8	37.0	25.3	
2 service types	9.5	18.8	15.8	9.5	3.7	10.5	
3 service types	2.4	12.5	12.3	6.3	3.7	5.4	
4 or more service types	2.4	6.3	24.6	11.1	3.7	8.1	
Service Type received							
Domestic assistance	33.7	56.3	66.7	38.1	29.6	41.0	
Social support	2.4	12.5	10.5	11.1	3.7	6.0	
Nursing care	3.6	6.3	10.5	7.9	0.0	5.4	
Allied health care	1.8	0.0	5.3	6.3	0.0	3.0	
Personal care	4.7	25.0	43.9	20.6	11.1	16.0	
Meals	5.3	6.3	29.8	14.3	11.1	11.7	
Provision of goods & equipment	2.4	0.0	8.8	7.9	3.7	4.5	
Transport services	5.3	18.8	26.3	12.7	11.1	11.4	
Case management	1.8	0.0	8.8	0.0	0.0	2.4	

NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Number and type of services received prior to impairment by carer status




Carer status prior to discharge - AUSTRALIA						
Services received prior to this impairment	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	14,975	1,575	4,347	6,229	2,538	29,664
Percent of episodes receiving:						
No services	61.9	47.4	21.9	50.8	48.2	51.8
1 service type	23.2	23.4	24.4	20.6	27.5	23.2
2 service types	8.8	13.4	19.5	11.3	10.2	11.3
3 service types	3.8	7.2	13.8	6.5	6.3	6.2
4 or more service types	2.2	8.5	20.4	10.7	7.7	7.5
Service Type received						
Domestic assistance	34.3	43.9	69.2	38.6	41.8	41.5
Social support	4.0	10.7	19.0	11.3	8.6	8.5
Nursing care	3.1	8.1	9.9	6.0	4.9	5.1
Allied health care	1.6	3.2	4.4	4.4	2.5	2.8
Personal care	4.9	14.3	28.8	20.6	14.3	13.0
Meals	5.3	12.1	24.2	12.5	11.5	10.5
Provision of goods & equipment	3.5	5.0	15.6	7.6	7.9	6.6
Transport services	4.7	11.4	25.9	12.8	9.5	10.3
Case management	1.3	4.0	9.9	3.8	3.1	3.4

NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Days from referral to rehabilitation episode start




- Injury to Referral
- Referral to assessment
- Assessment to clinically rehab ready
- Clinically rehab ready to rehab episode start



*No data provided when less than 5 episodes have dates
 NOTE: Includes first admission episodes where all dates have been entered

Average number of days between dates

Type of delay in episode start




Delays in episode start



Delay in episode start	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
No delay	323	91.0	28,306	90.0
Delay in episode start	32	9.0	3,132	10.0
Missing	10		1,448	
All episodes	365	100.0	32,886	100.0

Reasons for delay in episode start	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
Patient related issues	11	34.4	939	30.0
Service issues	23	71.9	2,205	70.4
External support issues	0	0.0	36	1.1
Equipment issues	0	0.0	20	0.6
Behavioural issues	0	0.0	31	1.0
Reason(s) not specified	0	0.0	7	0.2

Type of delay in episode start




Delays in episode end

Delay in episode end	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
No delay	285	95.0	24,896	94.7
Delay in episode end	15	5.0	1,392	5.3
Missing	13		1,530	
All episodes	313	100.0	27,818	100.0

Reasons for delay in episode end	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
Patient related issues	6	40.0	573	41.2
Service issues	6	40.0	342	24.6
External support issues	6	40.0	437	31.4
Equipment issues	3	20.0	42	3.0
Behavioural issues	0	0.0	51	3.7
Reason(s) not specified	0	0.0	122	8.8

NOTE: Includes completed episodes only.

Discharge destination by AN-SNAP class




Discharge destination by AN-SNAP class




AN-SNAP class V4	YOUR FACILITY — N					AUSTRALIA — N				
	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown
4AR1 (motor 67-91)	95	4	6	1	0	8,159	306	746	62	5
4AR2 (motor 50-66, cognition 26-35)	97	3	14	2	0	8,336	469	1,234	85	5
4AR3 (motor 50-66, cognition 5-25)	23	1	3	1	0	2,836	269	479	64	1
4AR4 (motor 34-49, cognition 31-35)	14	1	5	0	0	1,054	87	315	19	2
4AR5 (motor 34-49, cognition 5-30)	41	5	6	2	0	3,200	416	929	99	9
4AR6 (motor 19-33)	16	4	7	0	0	1,681	272	789	96	4
4AZ3 (motor 13-18, Age ≥ 65)	7	1	4	1	0	336	78	255	39	0
4AZ4 (motor 13-18, Age ≤ 64)	0	0	0	0	0	60	7	45	4	1
All Reconditioning AN-SNAP Classes	293	19	45	7	0	25,662	1,904	4,792	468	27

AN-SNAP class V4	YOUR FACILITY — %					AUSTRALIA — %				
	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown
4AR1 (motor 67-91)	89.6	3.8	5.7	0.9	0.0	87.9	3.3	8.0	0.7	0.1
4AR2 (motor 50-66, cognition 26-35)	83.6	2.6	12.1	1.7	0.0	82.3	4.6	12.2	0.8	0.0
4AR3 (motor 50-66, cognition 5-25)	82.1	3.6	10.7	3.6	0.0	77.7	7.4	13.1	1.8	0.0
4AR4 (motor 34-49, cognition 31-35)	70.0	5.0	25.0	0.0	0.0	71.4	5.9	21.3	1.3	0.1
4AR5 (motor 34-49, cognition 5-30)	75.9	9.3	11.1	3.7	0.0	68.8	8.9	20.0	2.1	0.2
4AR6 (motor 19-33)	59.3	14.8	25.9	0.0	0.0	59.1	9.6	27.8	3.4	0.1
4AZ3 (motor 13-18, Age ≥ 65)	53.8	7.7	30.8	7.7	0.0	47.5	11.0	36.0	5.5	0.0
4AZ4 (motor 13-18, Age ≤ 64)	—	—	—	—	—	51.3	6.0	38.5	3.4	0.9
All Reconditioning AN-SNAP Classes	80.5	5.2	12.4	1.9	0.0	78.1	5.8	14.6	1.4	0.1

Discharge destination



Interim accommodation on post discharge by AN-SNAP class



NOTE: Includes only those episodes with mode of episode end equal to interim accommodation

Interim accommodation on post discharge by AN-SNAP class




AN-SNAP class V4	YOUR FACILITY — N (%)				All episodes**
	Private residence	Residential Aged Care	Hospital	Other	
4AR1 (motor 67-91)	2 (50.0)	0 (0.0)	2 (50.0)	0 (0.0)	4 (100.0)
4AR2 (motor 50-66, cognition 26-35)	0 (0.0)	1 (33.3)	1 (33.3)	1 (33.3)	3 (100.0)
4AR3 (motor 50-66, cognition 5-25)	0 (0.0)	1 (100.0)	0 (0.0)	0 (0.0)	1 (100.0)
4AR4 (motor 34-49, cognition 31-35)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)	1 (100.0)
4AR5 (motor 34-49, cognition 5-30)	0 (0.0)	3 (60.0)	0 (0.0)	2 (40.0)	5 (100.0)
4AR6 (motor 19-33)	0 (0.0)	2 (50.0)	0 (0.0)	2 (50.0)	4 (100.0)
4AZ3 (motor 13-18, Age ≥ 65)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)	1 (100.0)
4AZ4 (motor 13-18, Age ≤ 64)	0 —	0 —	0 —	0 —	0 —
All Reconditioning AN-SNAP Classes	2 (10.5)	7 (36.8)	3 (15.8)	7 (36.8)	19 (100.0)

AN-SNAP class V4	AUSTRALIA — N (%)				All episodes**
	Private residence	Residential Aged Care	Hospital	Other	
4AR1 (motor 67-91)	107 (35.0)	74 (24.2)	44 (14.4)	67 (21.9)	306 (100.0)
4AR2 (motor 50-66, cognition 26-35)	75 (16.0)	161 (34.3)	83 (17.7)	129 (27.5)	469 (100.0)
4AR3 (motor 50-66, cognition 5-25)	26 (9.7)	84 (31.2)	40 (14.9)	107 (39.8)	269 (100.0)
4AR4 (motor 34-49, cognition 31-35)	8 (9.2)	25 (28.7)	19 (21.8)	32 (36.8)	87 (100.0)
4AR5 (motor 34-49, cognition 5-30)	22 (5.3)	152 (36.5)	60 (14.4)	154 (37.0)	416 (100.0)
4AR6 (motor 19-33)	14 (5.1)	105 (38.6)	38 (14.0)	97 (35.7)	272 (100.0)
4AZ3 (motor 13-18, Age ≥ 65)	0 (0.0)	19 (24.4)	12 (15.4)	33 (42.3)	78 (100.0)
4AZ4 (motor 13-18, Age ≤ 64)	0 (0.0)	0 (0.0)	3 (42.9)	3 (42.9)	7 (100.0)
All Reconditioning AN-SNAP Classes	252 (13.2)	620 (32.6)	299 (15.7)	622 (32.7)	1,904 (100.0)

** There were 0 episode(s) in YOUR FACILITY and 111 episodes in AUSTRALIA with unknown interim accommodation

NOTE: Includes only those episodes with mode of episode end equal to interim accommodation

Final accommodation post discharge by AN-SNAP class



NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Final accommodation post discharge by AN-SNAP class




AN-SNAP class V4	YOUR FACILITY — N (%)				
	Private residence	Residential Aged Care	Other	Unknown/Missing	All episodes
4AR1 (motor 67-91)	95 (96.9)	2 (2.0)	1 (1.0)	0	98 (100.0)
4AR2 (motor 50-66, cognition 26-35)	93 (95.9)	2 (2.1)	2 (2.1)	0	97 (100.0)
4AR3 (motor 50-66, cognition 5-25)	22 (91.7)	1 (4.2)	1 (4.2)	0	24 (100.0)
4AR4 (motor 34-49, cognition 31-35)	13 (86.7)	2 (13.3)	0 (0.0)	0	15 (100.0)
4AR5 (motor 34-49, cognition 5-30)	29 (69.0)	12 (28.6)	1 (2.4)	0	42 (100.0)
4AR6 (motor 19-33)	12 (63.2)	7 (36.8)	0 (0.0)	0	19 (100.0)
4AZ3 (motor 13-18, Age ≥ 65)	2 (28.6)	5 (71.4)	0 (0.0)	0	7 (100.0)
4AZ4 (motor 13-18, Age ≤ 64)	0 —	0 —	0 —	0	0 —
All Reconditioning AN-SNAP Classes	266 (88.1)	31 (10.3)	5 (1.7)	0	302 (100.0)

AN-SNAP class V4	AUSTRALIA — N (%)				
	Private residence	Residential Aged Care	Other	Unknown/Missing	All episodes
4AR1 (motor 67-91)	8,006 (94.6)	180 (2.1)	72 (0.9)	207	8,465 (100.0)
4AR2 (motor 50-66, cognition 26-35)	7,976 (90.6)	386 (4.4)	111 (1.3)	332	8,805 (100.0)
4AR3 (motor 50-66, cognition 5-25)	2,545 (82.0)	320 (10.3)	75 (2.4)	165	3,105 (100.0)
4AR4 (motor 34-49, cognition 31-35)	971 (85.1)	86 (7.5)	19 (1.7)	65	1,141 (100.0)
4AR5 (motor 34-49, cognition 5-30)	2,710 (74.9)	526 (14.5)	69 (1.9)	311	3,616 (100.0)
4AR6 (motor 19-33)	1,307 (66.9)	399 (20.4)	66 (3.4)	181	1,953 (100.0)
4AZ3 (motor 13-18, Age ≥ 65)	230 (55.6)	110 (26.6)	14 (3.4)	60	414 (100.0)
4AZ4 (motor 13-18, Age ≤ 64)	41 (61.2)	7 (10.4)	13 (19.4)	6	67 (100.0)
All Reconditioning AN-SNAP Classes	23,786 (86.3)	2,014 (7.3)	439 (1.6)	1,327	27,566 (100.0)

NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Interim and final accommodation post discharge



NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation


Interim and final accommodation post discharge



Accommodation	YOUR FACILITY				AUSTRALIA			
	Interim	(%)	Final	(%)	Interim	(%)	Final	(%)
Private residence	2	(10.5)	266	(88.1)	252	(14.1)	23,786	(90.7)
Residential Aged Care	7	(36.8)	31	(10.3)	620	(34.6)	2,014	(7.7)
Community group home	0	(0.0)	1	(0.3)	4	(0.2)	60	(0.2)
Boarding house	0	(0.0)	0	(0.0)	6	(0.3)	16	(0.1)
Transitional living unit	7	(36.8)	0	(0.0)	416	(23.2)	124	(0.5)
Hospital	3	(15.8)	n.a.		299	(16.7)	n.a.	
Other	0	(0.0)	4	(1.3)	196	(10.9)	239	(0.9)
Missing/Unknown	0		10		111		1,327	
All episodes	19	(100.0)	312	(100.0)	1,904	(100.0)	27,566	(100.0)


NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Carer status post discharge



NOTE: Includes only those episodes whose final accommodation is private residence

Any services received post discharge by carer status



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Carer status and any services received post discharge




Carer status post discharge	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
NO CARER and DOES NOT need one	110	41.7	10,191	44.1
NO CARER and NEEDS one	5	1.9	797	3.5
CARER NOT living in	55	20.8	4,024	17.4
CARER living in - NOT codependent	67	25.4	5,905	25.6
CARER living in - codependent	27	10.2	2,171	9.4
Missing	7		987	
All episodes in private residence	271	100.0	24,075	100.0


Carer status post discharge	Any services received post discharge?			
	YOUR FACILITY		AUSTRALIA	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	53.6	46.4	58.6	41.4
NO CARER and NEEDS one	80.0	20.0	72.4	27.6
CARER NOT living in	85.5	14.5	84.5	15.5
CARER living in - NOT codependent	71.6	28.4	69.3	30.7
CARER living in - codependent	63.0	37.0	68.7	31.3
All episodes in private residence	66.3	33.7	67.3	32.7

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Change in prior accommodation on post discharge




Number of services received post discharge by carer status




NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Type of services received post discharge




NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Type of services received pre and post rehabilitation



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and received services both pre and post episode

Type of services received post discharge by carer status



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Number and type of services received post discharge by carer status – Your facility



Carer status post discharge - YOUR FACILITY						
Services received post discharge	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	110	5	55	67	27	264
Percent of episodes receiving:						
No services	46.4	20.0	14.5	28.4	37.0	33.7
1 service type	22.7	60.0	12.7	14.9	22.2	19.3
2 service types	16.4	20.0	12.7	20.9	7.4	15.9
3 service types	6.4	0.0	29.1	7.5	18.5	12.5
4 or more service types	8.2	0.0	30.9	28.4	14.8	18.6
Service Type received						
Domestic assistance	43.6	40.0	67.3	52.2	48.1	51.1
Social support	3.6	20.0	10.9	16.4	11.1	9.5
Nursing care	7.3	0.0	20.0	17.9	14.8	13.3
Allied health care	12.7	0.0	36.4	28.4	11.1	21.2
Personal care	12.7	40.0	49.1	29.9	33.3	27.3
Meals	8.2	0.0	23.6	28.4	14.8	17.0
Provision of goods & equipment	12.7	0.0	34.5	25.4	11.1	20.1
Transport services	11.8	0.0	32.7	26.9	14.8	20.1
Case management	3.6	0.0	20.0	9.0	0.0	8.0

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Number and type of services received post discharge by carer status - National



Carer status post discharge - AUSTRALIA						
Services received post discharge	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	10,188	797	4,022	5,901	2,171	23,079
Percent of episodes receiving:						
No services	41.4	27.6	15.5	30.7	31.3	32.7
1 service type	23.9	15.7	14.4	19.7	23.1	20.8
2 service types	15.6	16.3	18.1	16.5	16.4	16.4
3 service types	9.4	13.7	16.5	11.6	13.0	11.7
4 or more service types	9.7	26.7	35.4	21.5	16.2	18.4
Service Type received						
Domestic assistance	40.0	51.1	69.9	42.6	45.1	46.7
Social support	7.8	18.8	21.2	14.3	11.3	12.5
Nursing care	12.1	22.3	20.6	18.5	16.7	16.0
Allied health care	20.6	28.5	25.1	29.4	25.1	24.4
Personal care	12.8	35.6	43.0	32.5	26.5	25.1
Meals	9.3	20.8	29.9	16.6	12.1	15.4
Provision of goods & equipment	13.9	15.2	27.9	20.5	19.2	18.6
Transport services	11.7	21.2	32.9	18.5	14.0	17.7
Case management	4.2	12.9	15.7	9.3	7.4	8.1

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Appendix 1: Glossary

AN-SNAP class

The Australian National Sub-Acute and Non-Acute Patient Classification (AN-SNAP) is a casemix classification for sub-acute and non-acute care provided in a variety of treatment settings. Version 4, introduced in July 2016 and used in these reports, uses the episode's impairment, age, weighted FIM motor admission score and FIM cognition score to determine which of 50 inpatient (admitted overnight adult) rehabilitation classes the episode should be assigned to.

Between AN-SNAP V3 and V4 there have been some minor refinements to the positioning of age and FIM score splits, however the greatest change has been the introduction of impairment-specific weights to FIM item scores in the calculation of a motor score, the introduction of reconditioning only classes and the removal of orthopaedic replacement classes (now grouped with all other orthopaedic conditions). Refer Appendix 3 for the full list of classes and the section Impairment-specific weighted FIM scores below for more detail about how the items are weighted. For more information about AN-SNAP class V4 please refer to the AROC website.

AROC

The Australasian Rehabilitation Outcomes Centre (AROC) was established in 2002 and current membership encompasses close to 100% of all Australian and New Zealand rehabilitation facilities. Facilities routinely submit deidentified data to AROC for each rehabilitation episode, including information about demographics, process indicators and functional status.

Benchmark group

In Calendar Year 2015 new benchmark groups were introduced. With the exception of brain injury and spinal cord dysfunction an episode's benchmark group is determined by the country of the submitting facility and can be either Australia or New Zealand. For episodes recorded as brain injury or spinal cord dysfunction (or major multi trauma involving brain injury and/or spinal cord dysfunction) the benchmark group is determined by first admission episodes reported by all specialist (brain/spinal) units in both Australia and New Zealand, calculated separately for traumatic and non-traumatic episodes. The benchmark data set is all episodes during the reporting period in the AROC database.

Appendix 1: Glossary

Casemix-adjusted relative mean

A comparison of some statistics such as length of stay and FIM change is only possible if the groups being compared comprise similar episodes. The specific impairment, level of functional independence, age and other factors relating to the episode have an impact on these statistics. If, for example, your average length of stay were different from the benchmark group, we could not tell if your episodes really were different or if the difference was merely due to the unique casemix.

To overcome this difficulty, it is possible to statistically control for casemix. This is achieved by adjusting measures such as length of stay and FIM change so that the comparison is only made between similar types of episodes.

In this report we have calculated casemix-adjusted relative mean length of stay and casemix-adjusted relative mean FIM change for completed episodes. To do this, we needed to know the LOS (or FIM change) and AN-SNAP class for each episode as well as the mean LOS (or FIM change) for the benchmark group for each AN-SNAP class. We then calculated the difference between each episode LOS (or FIM change) and the mean LOS (or FIM change) of the appropriate AN-SNAP class. These differences were then averaged to produce the casemix-adjusted relative mean. This may be easier to understand as a set of two equations illustrated below.

For each episode calculate:

LOSdiff = episode's LOS - mean LOS appropriate AN-SNAP class.

Casemix-adjusted relative mean = Sum of LOSdiff for all episodes divided by Number of episodes

A casemix-adjusted relative mean length of stay of, say, -2 days would indicate that, on average, your facility has a LOS of 2 days less than similar episodes in the benchmark group. A casemix-adjusted relative mean FIM change of, say, 4 would indicate that, on average, your facility improved 4 FIM points more than similar episodes in the benchmark group. It is important to consider both of these statistics together. For example, your episodes may have stayed longer than similar episodes in the benchmark group, but they may also have achieved a greater functional improvement.

Complete/incomplete episode

An episode is considered "complete" for the purpose of calculating outcome statistics in this report if (A) the mode of episode end was either 1 (discharged to usual accommodation) or 2 (discharged to interim accommodation) AND total FIM score at episode end was greater than 18, or (B) the mode of episode end was 7 (change of care type within sub-acute/non-acute care) AND length of stay greater than 6 days.

Appendix 1: Glossary

Confidence interval for a mean

To decide if a difference between your facility's mean score and the benchmark group's mean is statistically significant, look at the two confidence intervals. If they overlap, the difference is not likely to be statistically significant. For example your facility's mean onset to first admission may be 16 days while the benchmark group's mean is 12 days. These values are certainly different, but the difference may not be statistically significant. If the 95% confidence interval of your data were (13 - 19) (i.e. 13 days to 19 days) and that of the benchmark group data set were (10.5 - 13.5) (i.e. 10.5 days to 13.5 days), the difference is not likely to be statistically significant as the two confidence intervals overlap. Note that this is a conservative comparison and is not as accurate as a formal statistical test.

Data Concatenation

Increasingly some jurisdictions have introduced business rules around data collection that have resulted in episodes of rehabilitation being ended and then re-commenced a few days later. AROC definitions would record these as one episode with the period in between defined as a suspension of rehabilitation. Such business rules result in two (or more) episodes of rehabilitation being reported to AROC when only one full episode should be reported.

Whilst this happens much more frequently in some impairment groups (e.g. spinal cord injury & brain injury) it does impact all impairments to some degree. Reporting of multiple episodes impacts outcomes analysis, resulting in shorter than real length of stays and reduced FIM change being reported.

Concatenated episodes will have a revised Length of stay and FIM change (start details will be taken from the identified primary episode; end details from the identified final episode), and will also have a revised number of suspensions (being the sum across all concatenated 'submitted episodes' plus the number of breaks between 'submitted episodes') and a revised number of suspension days (being the sum across all concatenated 'submitted episodes' plus the sum of all days between 'submitted episodes').

Submitted episodes to AROC are identified for concatenation based on the following rules:

- Subsequent episodes MUST have same impairment code and be from same reporting facility with same MRN and DOB
- Leading episode must be discharged into the hospital system with following episode being admitted from hospital system
- Number of days between episodes being 0-14 days for spinal and 0-7 days for all other impairments

To make it easier for AROC to identify episodes that should be concatenated in January 2014 the data item Mode of Episode Start had an additional code set value added: **9 = recommenced rehabilitation episode following suspension**

Appendix 1: Glossary

Data quality score

The data quality score is the average percent reported for all AROC data items (including impairment specific items where relevant) with the exception of those items that are optional. Path, facility code, facility name, MRN and episode end date are not included as these fields are used to extract the data for reporting.

Functional Independence Measure (FIM)

The Functional Independence Measure (FIM) is used as a tool to assess the functional independence of patients at episode start and end.

- The **FIM motor score** is the sum of the scores obtained for the first thirteen (13) items in the FIM instrument. A higher FIM motor score indicates a greater level of functional independence in motor skills.
- The **FIM cognition score** is the sum of the scores obtained for the final five (5) items in the FIM instrument. A higher FIM cognition score indicates better cognitive function.

FIM change

The change in functional status from the beginning to the end of the episode is measured by the change in FIM score. This is calculated as the FIM score at the end of the episode minus the FIM score at the start of the episode. In some instances the change in total FIM score (the sum of items 1 to 18) is calculated. In other cases either the change in FIM motor score (the sum of items 1 to 13) or the change in FIM cognition score (the sum of items 14 to 18) is calculated.

A higher FIM score corresponds to higher level of function while a lower FIM score represents less functional independence. This means that a positive value for the change in FIM score indicates functional improvement during the episode. A negative value for the change in FIM score indicates a decline in functional independence during the episode.

FIM efficiency

The FIM efficiency indicates the average FIM improvement per day. This statistic is calculated as the mean FIM change divided by the mean length of stay (LOS).

Impairment-specific weighted FIM motor scores

Impairment-specific weighted FIM motor scores are new to the inpatient (admitted overnight adult) rehabilitation AN-SNAP V4 classes. Weights reflect the **relative impact** of each item on the **cost** of caring for the rehabilitation patient. If an item has a weight of more than 1, it will have an impact on the cost of care that is more than average – a weight less than 1 implies the impact will be less than average. Within each impairment type, the weights are scaled to sum to 13 – thus both weighted and unweighted scores range from a minimum of 13 to a maximum of 91. Where impairments are grouped together in the classification, a single set of weights for that group has been derived. The exception is Major Multiple Trauma (MMT) where there were too few episodes to develop relative weights and so all weights were set to 1.

Interquartile range (IQR)

The middle 50% — between the 25% percentile and the 75% percentile.

Length of stay (LOS)

The length of stay (LOS) of an episode is the number of days on which care has been provided. It is calculated as the end date minus the start date, minus the number of leave days during the episode.

Mean

The mean, or average, is a measure of the "centre" of your data. It is calculated by adding all data values and dividing by the number of values. The mean can be used to calculate a total. For example, if the mean length of stay were 21 days for a group of 30 episodes, the total number of bed days could be calculated as 21 multiplied by 30.

Mean or median - which to use?

The mean and the median are both measures of the "centre" of your data. For data that are symmetric about the mean (e.g. normally distributed data), the mean and the median will be close to each other. However they may have very different values for some data sets.

As an example, consider length of stay. Typically, most episodes within a class will have roughly the same length of stay. However, there will be a few episodes that are longer than the others and a smaller number that are very long. These longer lengths of stay have the effect of increasing the mean length of stay, but have little or no effect on the median.

If you want to know how long episodes in this class "typically" stay, you will probably be interested in the median as this gives you the middle value - half the episodes are longer and half the episodes are shorter. If, however, your interest is in allocation of resources and you want to know how long episodes stay on average, or if you want to get an idea of the total number of days of care provided to episodes in this class, you will need to look at the mean. (The total days can be calculated by multiplying the mean with the number in the class).

Median

The median provides the middle value of your data - half the values lie above it and half the values lie below. For example, if your median length of stay were 20 days, half of your episodes would have stayed for 20 days or less, while the other half would have stayed 20 days or longer. Note that the median, unlike the mean, cannot be used to calculate the total number of bed days.

Appendix 1: Glossary

Relative Functional Gain (RFG) and Relative Functional Efficiency (RFE)

FIM change measures the absolute difference between admission FIM and discharge FIM scores, i.e. client 1 had a 10 point improvement (admission 46 - discharge 56) and client 2 also had a ten point improvement (admission 116 - discharge 126). FIM change does not take into account the proportion of FIM change possible, i.e. client 1 improved 10 points out of possible 80 (126-46) and client 2 improved 10 points out of a possible 10 (126-116). So not all patients that improve 10 FIM points are the same. This proportion of FIM change possible is known as the Relative Functional Gain (RFG) and tries to take into account the amount of FIM gain possible. RFG is calculated as follows:

- If actual FIM change > 0 [improved]
 - **(Discharge FIM - Admission FIM)/(126 - Admission FIM)**
 - e.g. $(90 - 50)/(126-50) = 40/76 = 52.6\%$
- If actual FIM change < 0 [declined]
 - **(Discharge FIM - Admission FIM)/ (Admission FIM)**
 - e.g. $(90 - 100)/100 = -10/100 = -10\%$
- If actual FIM change = 0 [no change]
 - 0%

FIM efficiency measures the absolute difference between admission FIM and discharge FIM scores per day, without taking into account the proportion of FIM change possible. The Relative Functional Gain per day is known as the Relative Functional Efficiency (RFE), and is calculated as the RFG divided by the length of stay (LOS).

Submitted versus reporting episodes

Submitted episodes are those submitted to AROC either via direct data entry or upload through AROC Online Services. These episodes have not been concatenated.

The reporting data used by AROC in this report is made up of concatenated episodes. For most episodes there is no difference between the submitted episode and the one used for reporting.

Valid FIM

For an episode to have a Valid FIM flag it must be a complete episode and each of the 18 items on admission and discharge must have been answered with a valid response of 1-7.

Valid LOS

For an episode to have a Valid LOS flag it must be a complete episode with a length of stay ranging between 1 and 500 days.

Version 4 data set

The version 4 (V4) AROC dataset was introduced on 1 July 2012. V4 is designed as a bank of data items, combinations of which are used to describe 6 possible pathways of care (see the AROC website for more information about the different pathways). NOTE: This report utilises only Pathway 3 data (inpatient direct care).

Appendix 2: AROC Impairment Codes

STROKE

Haemorrhagic

- 1.11 Left body involvement
- 1.12 Right body involvement
- 1.13 Bilateral involvement
- 1.14 No paresis
- 1.19 Other Orthopaedic fractures

Ischaemic

- 1.21 Left body involvement (right brain)
- 1.22 Right body involvement (left brain)
- 1.23 Bilateral involvement
- 1.24 No paresis
- 1.29 Other Orthopaedic fractures

BRAIN DYSFUNCTION

Non-traumatic

- 2.11 Sub-arachnoid haemorrhage
- 2.12 Anoxic brain damage
- 2.13 Other non-traumatic brain dysfunction

Traumatic

- 2.21 Open injury
- 2.22 Closed injury

NEUROLOGICAL CONDITIONS

- 3.1 Multiple Sclerosis
- 3.2 Parkinsonism
- 3.3 Polyneuropathy
- 3.4 Guillian-Barre
- 3.5 Cerebral palsy
- 3.8 Neuromuscular disorders
- 3.9 Other neurological conditions

SPINAL CORD DYSFUNCTION

Non traumatic spinal cord dysfunction

- 4.111 Paraplegia, incomplete
- 4.112 Paraplegia, complete
- 4.1211 Quadriplegia, incomplete C1-4
- 4.1212 Quadriplegia, incomplete C5-8
- 4.1221 Quadriplegia, complete C1-4
- 4.1222 Quadriplegia, complete C5-8
- 4.13 Other non-traumatic spinal cord dysfunction

Traumatic spinal cord dysfunction

- 4.211 Paraplegia, incomplete
- 4.212 Paraplegia, complete
- 4.2211 Quadriplegia, incomplete C1-4
- 4.2212 Quadriplegia, incomplete C5-8
- 4.2221 Quadriplegia, complete C1-4
- 4.2222 Quadriplegia, complete C5-8
- 4.23 Other traumatic spinal cord dysfunction

AMPUTATION OF LIMB

Not resulting from trauma

- 5.11 Single upper above elbow
- 5.12 Single upper below elbow
- 5.13 Single lower above knee (includes through knee)
- 5.14 Single lower below knee
- 5.15 Double lower above knee (includes through knee)
- 5.16 Double lower above/below knee
- 5.17 Double lower below knee
- 5.18 Partial foot (single or double)
- 5.19 Other amputation not from trauma

AMPUTATION OF LIMB

Resulting from trauma

- 5.21 Single upper above elbow
- 5.22 Single upper below elbow
- 5.23 Single lower above knee (includes through knee)
- 5.24 Single lower below knee
- 5.25 Double lower above knee (includes through knee)
- 5.26 Double lower above/below knee
- 5.27 Double lower below knee
- 5.28 Partial foot (single or double)
- 5.29 Other amputation from trauma

ARTHRITIS

- 6.1 Rheumatoid arthritis
- 6.2 Osteoarthritis
- 6.9 Other arthritis

PAIN SYNDROMES

- 7.1 Neck pain
- 7.2 Back Pain
- 7.3 Extremity pain
- 7.4 Headache (includes migraine)
- 7.5 Multi-site pain
- 7.9 Other pain (includes abdo/chest wall)

Appendix 2: AROC Impairment Codes

ORTHOPAEDIC CONDITIONS

Fractures (includes dislocation)

- 8.111 Fracture of hip, unilateral (incl. #NOF)
- 8.112 Fracture of hip, bilateral (incl. #NOF)
- 8.12 Fracture of shaft of femur
- 8.13 Fracture of pelvis
- 8.141 Fracture of knee
- 8.142 Fracture of lower leg, ankle, foot
- 8.15 Fracture of upper limb
- 8.16 Fracture of spine
- 8.17 Fracture of multiple sites
- 8.19 Other orthopaedic fracture

Post Orthopaedic Surgery

- 8.211 Unilateral hip replacement
- 8.212 Bilateral hip replacement
- 8.221 Unilateral knee replacement
- 8.222 Bilateral knee replacement
- 8.231 Knee and hip replacement, same side
- 8.232 Knee and hip replacement, diff sides
- 8.24 Shoulder replacement
- 8.25 Post spinal surgery
- 8.26 Other orthopaedic surgery

Soft tissue injury

- 8.3 Soft tissue injury

CARDIAC

- 9.1 Following recent onset of new cardiac impairment
- 9.2 Chronic cardiac insufficiency
- 9.3 Heart and heart/lung transplant

PULMONARY

- 10.1 Chronic obstructive pulmonary disease
- 10.2 Lung transplant
- 10.9 Other pulmonary

BURNS

- 11 Burns

CONGENITAL DEFORMITIES

- 12.1 Spina bifida
- 12.9 Other congenital deformity

OTHER DISABLING IMPAIRMENTS

- 13.1 Lymphoedema
- 13.3 Conversion disorder
- 13.9 Other disabling impairments that cannot be classified into a specific group

MAJOR MULTIPLE TRAUMA

- 14.1 Brain + spinal cord injury
- 14.2 Brain + multiple fracture/amputation
- 14.3 Spinal cord + multi fracture/amputation
- 14.9 Other multiple trauma

DEVELOPMENTAL DISABILITIES

- 15.1 Developmental disabilities (excludes cerebral palsy)

RE-CONDITIONING/RESTORATIVE

- 16.1 Re-conditioning following surgery
- 16.2 Reconditioning following medical illness
- 16.3 Cancer rehabilitation

Appendix 3: AN-SNAP V4 Overnight Rehabilitation Classes



Class Description of AN- SNAP class

4AZ1	Weighted FIM motor score 13- 18, Brain, Spine, MMT, Age ≥ 49
4AZ2	Weighted FIM motor score 13- 18, Brain, Spine, MMT, Age ≤ 48
4AZ3	Weighted FIM motor score 13- 18, All other impairments, Age ≥ 65
4AZ4	Weighted FIM motor score 13- 18, All other impairments, Age ≤ 64
4AA1	Stroke, weighted FIM motor 51- 91, FIM cognition 29- 35
4AA2	Stroke, weighted FIM motor 51- 91, FIM cognition 19- 28
4AA3	Stroke, weighted FIM motor 51- 91, FIM cognition 5- 18
4AA4	Stroke, weighted FIM motor 36- 50, Age ≥ 68
4AA5	Stroke, weighted FIM motor 36- 50, Age ≤ 67
4AA6	Stroke, weighted FIM motor 19- 35, Age ≥ 68
4AA7	Stroke, weighted FIM motor 19- 35, Age ≤ 67
4AB1	Brain dysfunction, weighted FIM motor 71- 91, FIM cognition 26- 35
4AB2	Brain dysfunction, weighted FIM motor 71- 91, FIM cognition 5- 25
4AB3	Brain dysfunction, weighted FIM motor 41- 70, FIM cognition 26- 35
4AB4	Brain dysfunction, weighted FIM motor 41- 70, FIM cognition 17- 25
4AB5	Brain dysfunction, weighted FIM motor 41- 70, FIM cognition 5- 16
4AB6	Brain dysfunction, weighted FIM motor 29- 40
4AB7	Brain dysfunction, weighted FIM motor 19- 28
4AC1	Neurological conditions, weighted FIM motor 62- 91
4AC2	Neurological conditions, weighted FIM motor 43- 61
4AC3	Neurological conditions, weighted FIM motor 19- 42
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42- 91
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19- 41
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34- 91
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19- 33

Class Description of AN- SNAP class

4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68- 91
4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31- 67
4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19- 30
4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19- 91
4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49- 91, FIM cognition 33- 35
4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49- 91, FIM cognition 5- 32
4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38- 48
4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19- 37
4A21	Orthopaedic conditions, all other, weighted FIM motor 68- 91
4A22	Orthopaedic conditions, all other, weighted FIM motor 50- 67
4A23	Orthopaedic conditions, all other, weighted FIM motor 19- 49
4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72- 91
4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55- 71
4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34- 54
4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19- 33
4AP1	Major Multiple Trauma, weighted FIM motor 19- 91
4AR1	Reconditioning, weighted FIM motor 67- 91
4AR2	Reconditioning, weighted FIM motor 50- 66, FIM cognition 26- 35
4AR3	Reconditioning, weighted FIM motor 50- 66, FIM cognition 5- 25
4AR4	Reconditioning, weighted FIM motor 34- 49, FIM cognition 31- 35
4AR5	Reconditioning, weighted FIM motor 34- 49, FIM cognition 5- 30
4AR6	Reconditioning, weighted FIM motor 19- 33
4A91	All other impairments, weighted FIM motor 55- 91
4A92	All other impairments, weighted FIM motor 33- 54
4A93	All other impairments, weighted FIM motor 19- 32
499A	Adult Overnight Rehabilitation - Ungroupable

- **AROC wish to acknowledge the valuable contributions made by:**
 - Members of the Management Advisory Group of the Australasian Rehabilitation Outcomes Centre
 - Members of the Scientific and Clinical Advisory Committee of the Australasian Rehabilitation Outcomes Centre
 - The many staff from the rehabilitation facilities who have spent a great deal of time and care to collect, collate and correct the data, without whose considerable effort these reports would not be possible.
- **Disclaimer**

AROC has made every effort to ensure that the data used in these reports are accurate. Data submitted to AROC are checked for anomalies and facilities are asked to re-submit data prior to the production of AROC reports. We have provided general guidelines on the interpretation of the information reported but would advise readers to use their professional judgement in considering all information contained in this report.
- **Copyright**

This work is copyright. It may be produced in whole or in part for study or training purposes subject to the inclusion of an acknowledgment of the source and no commercial usage or sale. Reproduction for purposes other than those above requires the written permission of AROC.
- **Suggested acknowledgement**

Anywhere Hospital AROC Impairment Specific Report on Reconditioning (Inpatient - pathway 3), January 2018 – December 2018. Australasian Rehabilitation Outcomes Centre (2019).

Australasian **R**ehabilitation **O**utcomes **C**entre
Australian Health Services Research Institute
iC Enterprise 1, Innovation Campus
University of Wollongong NSW 2522
Phone: +61 2 4221 4411
Email: aroc@uow.edu.au
Web: aroc.org.au