

AROC Impairment Specific Report

Reconditioning Report

INPATIENT – PATHWAY 3

1 January 2024 – 31 December 2024

Anywhere Hospital



**Australasian
Faculty of
Rehabilitation
Medicine**







**UNIVERSITY
OF WOLLONGONG
AUSTRALIA**

Table of contents



Reconditioning dashboard.....	3
Data used in this report.....	6
Reconditioning impairment codes.....	7
Reconditioning AN-SNAP classes.....	8
The BIG picture.....	9
Review of FIM item scoring by AN-SNAP class.....	27
Outcomes analysis.....	34
Explanatory data.....	62
Appendix 1: Glossary.....	104
Appendix 2: AROC impairment codes.....	114
Appendix 3: AN-SNAP classes.....	116
Acknowledgements.....	117
AROC contact details.....	118

Reconditioning Dashboard



Reconditioning Dashboard




Key Indicators*	
YOUR FACILITY	AUSTRALIA
Mean Age: 79.0	Mean Age: 79.8
Mortality Rate: 0.6%	Mortality Rate: 0.4%
% with at least one comorbidity: 58%	% with at least one comorbidity: 58%
% with at least one complication: 28%	% with at least one complication: 26%
% episodes with start delays: 12%	% episodes with start delays: 10%
Days between onset and rehab episode: 15.0	Days between onset and rehab episode: 15.2
Days between clinically rehab ready & start date: 0.3	Days between clinically rehab ready & start date: 0.9

* Mean value provided unless otherwise specified



Facility FIM Training*	
FIM Credentialed Staff per 100 Episodes	FIM Credentialed Facility Trainers
7.1 Your Facility	3 Your Facility
6.9 AUSTRALIA (Mean)	2 AROC Suggested Minimum

* This includes all impairments from all wards

Completed Episodes by Facility



Quadrant position – last 5 years



NB: Data from before 2022 is benchmarked using AN-SNAP V4 classes. 2022 onwards benchmarked using AN-SNAP V5 classes.

NOTE: Includes only completed episodes with valid FIM & LOS; where n<20 no dot will be shown

Data used in this report

- Reconditioning episodes discharged during the reporting period (1 January 2024 – 31 December 2024) and time series data covering five years.
- Benchmark group is AUSTRALIA.
- Casemix analysis uses version 5 AN-SNAP classes (Appendix 3). Casemix adjustment is calculated against AUSTRALIA data.
- Unit of counting is by concatenated* episode, not by patient.
- Where there are less than five episodes within a subgroup, summary data are not provided. Missing data and ungroupable AN-SNAP classes are excluded from figures, but are included in tables.
- Facilities will only receive this report when the facility reports a minimum of 20 completed reconditioning episodes.

Note: Appendix 1 (Glossary) contains definitions of concepts referred to in this report. An understanding of these will help with interpretation of the data. This report should be considered in conjunction with the Outcome Benchmarks Report for your facility.

*Refer to Appendix 1 for more details about the process of data concatenation.

Reconditioning impairment codes



Reconditioning episodes were identified as those with the following AROC impairment codes:

- 16.1 – Reconditioning following surgery
- 16.2 – Reconditioning following medical illness
- 16.3 – Cancer rehabilitation

Note: A list of all impairment codes can be found in Appendix 2.

Reconditioning AN-SNAP classes


Levels of functioning for reconditioning are categorised by the following version 5 AN-SNAP classes:

- 5AR1 – Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
- 5AR2 – Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
- 5AR3 – Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
- 5AR4 – Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
- 5AR5 – Reconditioning, Weighted FIM Motor 19 - 47
- 5AZ3 – Weighted FIM Motor score 13-18, All other impairments, Age \geq 79
- 5AZ4 – Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78

Note: A list of all AN-SNAP classes can be found in Appendix 3.

The BIG picture

Volume of episodes by facilities treating reconditioning



NOTE: 284 facilities reported at least one reconditioning episode, with 240 facilities reporting between 20 and 800 episodes in this reporting period.

Proportion of episodes by impairment code and AN-SNAP class




YOUR FACILITY

- 5AR1 (motor 64-91, cognition 29-35) (n=58)
- 5AR2 (motor 64-91, cognition 5-28) (n=22)
- 5AR3 (motor 48-63, cognition 19-35) (n=117)
- 5AR4 (motor 48-63, cognition 5-18) (n=7)
- 5AR5 (motor 19-47) (n=95)
- 5AZ3 (motor 13-18, Age ≥ 79) (n<5)
- 5AZ4 (motor 13-18, Age 18-78) (n=5)
- All Reconditioning (n=310)

AUSTRALIA

- 5AR1 (motor 64-91, cognition 29-35) (n=6,259)
- 5AR2 (motor 64-91, cognition 5-28) (n=1,802)
- 5AR3 (motor 48-63, cognition 19-35) (n=11,322)
- 5AR4 (motor 48-63, cognition 5-18) (n=641)
- 5AR5 (motor 19-47) (n=9,375)
- 5AZ3 (motor 13-18, Age ≥ 79) (n=502)
- 5AZ4 (motor 13-18, Age 18-78) (n=435)
- All Reconditioning (n=30,384)




Proportion of episodes

Episodes by AN-SNAP class and impairment code

AN-SNAP class V5	YOUR FACILITY — N (%)			
	16.1	16.2	16.3	All Reconditioning
5AR1 (motor 64-91, cognition 29-35)	26 (34.2)	29 (13.5)	3 (15.8)	58 (18.7)
5AR2 (motor 64-91, cognition 5-28)	6 (7.9)	14 (6.5)	2 (10.5)	22 (7.1)
5AR3 (motor 48-63, cognition 19-35)	25 (32.9)	87 (40.5)	5 (26.3)	117 (37.7)
5AR4 (motor 48-63, cognition 5-18)	0 (0.0)	6 (2.8)	1 (5.3)	7 (2.3)
5AR5 (motor 19-47)	18 (23.7)	71 (33.0)	6 (31.6)	95 (30.6)
5AZ3 (motor 13-18, Age ≥ 79)	0 (0.0)	3 (1.4)	1 (5.3)	4 (1.3)
5AZ4 (motor 13-18, Age 18-78)	0 (0.0)	4 (1.9)	1 (5.3)	5 (1.6)
Ungroupable	1 (1.3)	1 (0.5)	0 (0.0)	2 (0.6)
All Reconditioning AN-SNAP Classes	76 (100.0)	215 (100.0)	19 (100.0)	310 (100.0)

AN-SNAP class V5	AUSTRALIA — N (%)			
	16.1	16.2	16.3	All Reconditioning
5AR1 (motor 64-91, cognition 29-35)	2,177 (30.0)	3,783 (17.3)	299 (24.7)	6,259 (20.6)
5AR2 (motor 64-91, cognition 5-28)	344 (4.7)	1,390 (6.3)	68 (5.6)	1,802 (5.9)
5AR3 (motor 48-63, cognition 19-35)	2,811 (38.7)	8,060 (36.8)	451 (37.2)	11,322 (37.3)
5AR4 (motor 48-63, cognition 5-18)	72 (1.0)	551 (2.5)	18 (1.5)	641 (2.1)
5AR5 (motor 19-47)	1,719 (23.7)	7,322 (33.4)	334 (27.6)	9,375 (30.9)
5AZ3 (motor 13-18, Age ≥ 79)	64 (0.9)	427 (1.9)	11 (0.9)	502 (1.7)
5AZ4 (motor 13-18, Age 18-78)	62 (0.9)	344 (1.6)	29 (2.4)	435 (1.4)
Ungroupable	11 (0.2)	35 (0.2)	2 (0.2)	48 (0.2)
All Reconditioning AN-SNAP Classes	7,260 (100.0)	21,912 (100.0)	1,212 (100.0)	30,384 (100.0)

Proportion of episodes by AN-SNAP class over time




Episodes by AN-SNAP class over time

AN-SNAP class V5	YOUR FACILITY — N					AUSTRALIA — N				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
5AR1 (motor 64-91, cognition 29-35)	64	53	53	63	58	6,135	6,033	5,737	6,241	6,259
5AR2 (motor 64-91, cognition 5-28)	16	20	8	12	22	1,744	1,768	1,595	1,726	1,802
5AR3 (motor 48-63, cognition 19-35)	124	114	113	106	117	11,659	11,379	11,027	11,364	11,322
5AR4 (motor 48-63, cognition 5-18)	8	12	9	12	7	773	706	707	671	641
5AR5 (motor 19-47)	112	99	101	87	95	8,816	9,128	9,534	9,216	9,375
5AZ3 (motor 13-18, Age ≥ 79)	8	15	12	5	4	573	575	614	584	502
5AZ4 (motor 13-18, Age 18-78)	4	4	4	3	5	416	436	507	412	435
Ungroupable	3	1	0	1	2	27	32	43	67	48
All Reconditioning AN-SNAP Classes	339	318	300	289	310	30,143	30,057	29,764	30,281	30,384

AN-SNAP class V5	YOUR FACILITY — %					AUSTRALIA — %				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
5AR1 (motor 64-91, cognition 29-35)	18.9	16.7	17.7	21.8	18.7	20.4	20.1	19.3	20.6	20.6
5AR2 (motor 64-91, cognition 5-28)	4.7	6.3	2.7	4.2	7.1	5.8	5.9	5.4	5.7	5.9
5AR3 (motor 48-63, cognition 19-35)	36.6	35.8	37.7	36.7	37.7	38.7	37.9	37.0	37.5	37.3
5AR4 (motor 48-63, cognition 5-18)	2.4	3.8	3.0	4.2	2.3	2.6	2.3	2.4	2.2	2.1
5AR5 (motor 19-47)	33.0	31.1	33.7	30.1	30.6	29.2	30.4	32.0	30.4	30.9
5AZ3 (motor 13-18, Age ≥ 79)	2.4	4.7	4.0	1.7	1.3	1.9	1.9	2.1	1.9	1.7
5AZ4 (motor 13-18, Age 18-78)	1.2	1.3	1.3	1.0	1.6	1.4	1.5	1.7	1.4	1.4
Ungroupable	0.9	0.3	0.0	0.3	0.6	0.1	0.1	0.1	0.2	0.2
All Reconditioning AN-SNAP Classes	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Proportion of episodes by impairment code over time





Episodes by impairment code over time



Impairment	YOUR FACILITY — N					AUSTRALIA — N				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
16.1 Reconditioning following surgery	74	78	73	72	76	7,716	7,655	6,821	7,233	7,260
16.2 Reconditioning following medical illness	257	228	214	205	215	21,005	21,051	21,758	21,943	21,912
16.3 Cancer rehabilitation	8	12	13	12	19	1,422	1,351	1,185	1,105	1,212
All Reconditioning	339	318	300	289	310	30,143	30,057	29,764	30,281	30,384

Impairment	YOUR FACILITY — %					AUSTRALIA — %				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
16.1 Reconditioning following surgery	21.8	24.5	24.3	24.9	24.5	25.6	25.5	22.9	23.9	23.9
16.2 Reconditioning following medical illness	75.8	71.7	71.3	70.9	69.4	69.7	70.0	73.1	72.5	72.1
16.3 Cancer rehabilitation	2.4	3.8	4.3	4.2	6.1	4.7	4.5	4.0	3.6	4.0
All Reconditioning	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Reconditioning episodes by age and sex



Reconditioning specific data items




Reconditioning specific data items

		YOUR FACILITY — N					AUSTRALIA — N				
		2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
Has patient fallen in the last 12 months?	Yes	171	148	135	133	148	14,150	13,977	13,595	13,914	14,497
	No	139	148	134	130	143	13,491	13,709	13,397	13,679	14,059
Was patient unable to participate in therapy from day 1?	Yes	34	35	31	29	28	2,911	3,469	3,151	3,254	3,227
	No	276	261	238	234	263	24,732	24,227	23,845	24,331	25,359
Has patient lost >10% of their body weight in the last 12 months?	Yes	47	49	27	40	53	3,807	3,689	3,822	4,029	4,001
	No	261	246	241	223	237	23,495	23,687	23,143	23,557	24,518

		YOUR FACILITY — %					AUSTRALIA — %				
		2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
Has patient fallen in the last 12 months?	Yes	55.2	50.0	50.2	50.6	50.9	51.2	50.5	50.4	50.4	50.8
	No	44.8	50.0	49.8	49.4	49.1	48.8	49.5	49.6	49.6	49.2
Was patient unable to participate in therapy from day 1?	Yes	11.0	11.8	11.5	11.0	9.6	10.5	12.5	11.7	11.8	11.3
	No	89.0	88.2	88.5	89.0	90.4	89.5	87.5	88.3	88.2	88.7
Has patient lost >10% of their body weight in the last 12 months?	Yes	15.3	16.6	10.1	15.2	18.3	13.9	13.5	14.2	14.6	14.0
	No	84.7	83.4	89.9	84.8	81.7	86.1	86.5	85.8	85.4	86.0

Proportion of episodes by frailty score over time



Proportion of episodes by frailty score over time


Frailty	YOUR FACILITY — N					AUSTRALIA — N				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
1 Very Fit	4	1	1	2	0	139	127	143	113	142
2 Well	11	22	17	13	12	1,545	1,583	1,736	1,653	1,565
3 Well, some comorbid	48	49	30	50	42	5,294	4,481	4,636	4,418	4,609
4 Apparently vulnerable	37	36	26	36	47	3,691	3,536	3,414	3,815	4,032
5 Mildly frail	68	59	59	76	72	6,053	6,385	6,132	6,203	6,445
6 Moderately frail	93	82	81	54	76	6,617	6,911	6,412	6,824	7,318
7 Severely frail	21	15	21	11	15	1,383	1,418	1,357	1,308	1,377
8 Terminally ill	3	2	0	0	1	236	217	178	139	151
9 Unknown	20	22	30	19	26	2,236	2,468	2,634	2,929	2,844
Not Entered	34	30	35	28	19	2,949	2,931	3,122	2,879	1,899
All Reconditioning	339	318	300	289	310	30,143	30,057	29,764	30,281	30,382

Frailty	YOUR FACILITY — %					AUSTRALIA — %				
	2020	2021	2022	2023	2024	2020	2021	2022	2023	2024
1 Very Fit	1.2	0.3	0.3	0.7	0.0	0.5	0.4	0.5	0.4	0.5
2 Well	3.2	6.9	5.7	4.5	3.9	5.1	5.3	5.8	5.5	5.2
3 Well, some comorbid	14.2	15.4	10.0	17.3	13.5	17.6	14.9	15.6	14.6	15.2
4 Apparently vulnerable	10.9	11.3	8.7	12.5	15.2	12.2	11.8	11.5	12.6	13.3
5 Mildly frail	20.1	18.6	19.7	26.3	23.2	20.1	21.2	20.6	20.5	21.2
6 Moderately frail	27.4	25.8	27.0	18.7	24.5	22.0	23.0	21.5	22.5	24.1
7 Severely frail	6.2	4.7	7.0	3.8	4.8	4.6	4.7	4.6	4.3	4.5
8 Terminally ill	0.9	0.6	0.0	0.0	0.3	0.8	0.7	0.6	0.5	0.5
9 Unknown	5.9	6.9	10.0	6.6	8.4	7.4	8.2	8.8	9.7	9.4
Not Entered	10.0	9.4	11.7	9.7	6.1	9.8	9.8	10.5	9.5	6.3
All Reconditioning	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Has patient fallen in the last 12 months? by frailty score




AUSTRALIA



Unable to participate in therapy on day one? by frailty score

Rockwood Frailty Score




AUSTRALIA


Has patient lost >10% body weight in the last 12 months? by frailty score

Rockwood Frailty Score

Yes No



Mean age by frailty score



Summary of incomplete episodes

Complete episode analysis	YOUR FACILITY		AUSTRALIA	
	No.	(%)	No.	(%)
Total reporting episodes	310		30,384	
Incomplete episodes	60	(19.4)	5,322	(17.5)

Reason for incomplete:

Discharged home with end FIM=18	1	(1.7)	25	(0.5)
Discharged home with no end FIM	0	(0.0)	32	(0.6)
Discharged to another hospital	23	(38.3)	2,264	(42.5)
Discharged back to acute same hospital	30	(50.0)	2,415	(45.4)
Discharged at own risk	2	(3.3)	245	(4.6)
Change of care type (LOS<1 week)	0	(0.0)	45	(0.8)
Died	2	(3.3)	112	(2.1)
Other/Unknown Discharge	2	(3.3)	184	(3.5)


Impairment Code:	YOUR FACILITY			
	Incomplete Episodes		Complete episodes	
16.1 Reconditioning following surgery	12	(20.0)	64	(25.6)
16.2 Reconditioning following medical illness	44	(73.3)	171	(68.4)
16.3 Cancer rehabilitation	4	(6.7)	15	(6.0)

AN-SNAP Class:

5AR1 (motor 64-91, cognition 29-35)	3	(5.2)	55	(22.0)
5AR2 (motor 64-91, cognition 5-28)	3	(5.2)	19	(7.6)
5AR3 (motor 48-63, cognition 19-35)	13	(22.4)	104	(41.6)
5AR4 (motor 48-63, cognition 5-18)	0	(0.0)	7	(2.8)
5AR5 (motor 19-47)	34	(58.6)	61	(24.4)
5AZ3 (motor 13-18, Age ≥ 79)	2	(3.4)	2	(0.8)
5AZ4 (motor 13-18, Age 18-78)	3	(5.2)	2	(0.8)

Review of FIM item scoring by AN-SNAP class

Interpreting the comparative FIM item scoring charts



The FIM splat provides a graphic presentation of functional status in a radar chart. The 18 FIM items are arranged in order as 'spokes' of a wheel and the scoring levels from 1 (total dependence) to 7 (total independence) run from the centre outwards. The mean FIM item score for each item is indicated — a perfect score would be demonstrated as a large circle. The two FIM splats compare FIM scoring on admission (Figure A) and discharge (Figure B) between YOUR FACILITY and NATIONAL data — differences in the two shaded areas indicate differences in mean admission/discharge scoring. Graphs include completed episodes with valid FIM scoring.


Comparative FIM item scoring

AN-SNAP class 5AR1




5AR1 Admission FIM scores

- YOUR FACILITY (n=55)
- AUSTRALIA (n=5,703)



5AR1 Discharge FIM scores

- YOUR FACILITY (n=55)
- AUSTRALIA (n=5,703)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 5AR2




5AR2 Admission FIM scores

- YOUR FACILITY (n=19)
- AUSTRALIA (n=1,564)



5AR2 Discharge FIM scores

- YOUR FACILITY (n=19)
- AUSTRALIA (n=1,564)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 5AR3




5AR3 Admission FIM scores

- YOUR FACILITY (n=104)
- AUSTRALIA (n=9,767)



5AR3 Discharge FIM scores

- YOUR FACILITY (n=104)
- AUSTRALIA (n=9,767)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 5AR4




5AR4 Admission FIM scores

- YOUR FACILITY (n=7)
- AUSTRALIA (n=517)



5AR4 Discharge FIM scores

- YOUR FACILITY (n=7)
- AUSTRALIA (n=517)



Note: Includes only completed episodes with valid FIM scores


Comparative FIM item scoring

AN-SNAP class 5AR5




5AR5 Admission FIM scores

- YOUR FACILITY (n=61)
- AUSTRALIA (n=6,945)



5AR5 Discharge FIM scores

- YOUR FACILITY (n=61)
- AUSTRALIA (n=6,945)



Note: Includes only completed episodes with valid FIM scores




Outcome analysis

Completed episodes by AN-SNAP class

AN-SNAP class V5	YOUR FACILITY			AUSTRALIA		
	All episodes	Completed episodes	% Complete	All episodes	Completed episodes	% Complete
5AR1 (motor 64-91, cognition 29-35)	58	55	94.8	6,259	5,703	91.1
5AR2 (motor 64-91, cognition 5-28)	22	19	86.4	1,802	1,565	86.8
5AR3 (motor 48-63, cognition 19-35)	117	104	88.9	11,322	9,768	86.3
5AR4 (motor 48-63, cognition 5-18)	7	7	100.0	641	518	80.8
5AR5 (motor 19-47)	95	61	64.2	9,375	6,950	74.1
5AZ3 (motor 13-18, Age ≥ 79)	4	2	50.0	502	284	56.6
5AZ4 (motor 13-18, Age 18-78)	5	2	40.0	435	263	60.5
Ungroupable	2	0	0.0	48	11	22.9
All Reconditioning AN-SNAP Classes	310	250	80.6	30,384	25,062	82.5

NOTE: All outcomes analysis are based on completed episodes. A definition of completed episodes can be found in Appendix 1 (Glossary)

Casemix-adjusted* relative means




Casemix-adjusted relative means with 95% confidence intervals

	YOUR FACILITY		AUSTRALIA
Outcome measures	Casemix-adjusted* relative mean	95% CI	IQR
Length of stay	0.7	-0.8 to 2.3	-6.5 to 3.1
FIM change	0.2	-1.3 to 1.6	-6.6 to 6.5

*Includes only completed episodes with valid FIM scores and LOS

Casemix-adjusted* relative means over time




*Casemix adjusted values based on CY 2024

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown.

Outcome measures – difference from national data



How YOUR FACILITY is different to AUSTRALIA




NOTE: Includes only completed episodes with valid FIM scores and LOS.

Outcome measures – difference from last year




How YOUR FACILITY has changed since 2023

2023




NOTE: Includes only completed episodes with valid FIM scores and LOS.

Mean length of stay by AN-SNAP class over time




NOTE: Includes only completed episodes with valid LOS; where n<5 Mean LOS will not be shown

Mean length of stay by AN-SNAP class




NOTE: Includes only completed episodes with valid LOS; where n<5 Mean LOS will not be shown

Casemix-adjusted relative mean length of stay by AN-SNAP class




NOTE: Includes only completed episodes with valid LOS; where n<5 CARMi LOS will not be shown

Mean FIM change by AN-SNAP class over time




NOTE: Includes only completed episodes with valid FIM scores; where n<5 Mean FIM change will not be shown

Mean FIM change by AN-SNAP class



NOTE: Includes only completed episodes with valid FIM scores; where n<5 Mean FIM change will not be shown

Casemix-adjusted relative mean FIM change by AN-SNAP class




NOTE: Includes only completed episodes with valid FIM scores; where n<5 CARMi FIM change will not be shown

Casemix-adjusted relative mean and mean length of stay and FIM change by AN-SNAP class

AN-SNAP class V5	YOUR FACILITY				AUSTRALIA	
	CARM1 (95%CI)		Mean (95%CI)		Mean (95%CI)	
	LOS	FIM change	LOS	FIM change	LOS	FIM change
5AR1 (motor 64-91, cognition 29-35)	0.2 (-2.0 – 2.4)	-0.2 (-2.0 – 1.6)	12.2 (10.0 – 14.4)	11.5 (9.7 – 13.3)	12.0 (11.9 – 12.2)	11.8 (11.6 – 12.0)
5AR2 (motor 64-91, cognition 5-28)	2.4 (-2.3 – 7.2)	4.6 (1.2 – 7.9)	16.9 (12.2 – 21.6)	17.1 (13.7 – 20.4)	14.5 (14.0 – 14.9)	12.5 (12.1 – 12.9)
5AR3 (motor 48-63, cognition 19-35)	-0.3 (-1.7 – 1.2)	-2.0 (-3.6 – -0.3)	15.6 (14.1 – 17.1)	17.9 (16.3 – 19.5)	15.8 (15.6 – 16.0)	19.9 (19.7 – 20.1)
5AR4 (motor 48-63, cognition 5-18)	3.7 (-16.3 – 23.8)	4.1 (-7.2 – 15.5)	23.7 (3.7 – 43.8)	22.7 (11.3 – 34.1)	20.0 (18.7 – 21.2)	18.6 (17.5 – 19.6)
5AR5 (motor 19-47)	2.8 (-2.0 – 7.6)	3.0 (-1.6 – 7.5)	26.7 (21.9 – 31.5)	29.3 (24.8 – 33.8)	23.9 (23.5 – 24.3)	26.5 (26.1 – 26.8)
5AZ3 (motor 13-18, Age ≥ 79)	—	—	—	—	28.0 (26.2 – 29.9)	23.1 (20.5 – 25.6)
5AZ4 (motor 13-18, Age 18-78)	—	—	—	—	41.3 (36.8 – 45.8)	27.9 (25.0 – 30.8)
All Reconditioning AN-SNAP Classes	0.7 (-0.8 – 2.3)	0.2 (-1.3 – 1.6)	18.1 (16.4 – 19.7)	19.3 (17.7 – 20.9)	17.6 (17.4 – 17.8)	19.5 (19.4 – 19.7)

NOTE: Includes only completed episodes with valid FIM scores and LOS


Casemix-adjusted relative mean length of stay by age group*



*Approximately 20% of all episodes for impairment per age group

NOTE: Includes only completed episodes with valid LOS and age, where n<5 CARMi LOS will not be shown

Casemix-adjusted relative mean FIM change by age group*



*Approximately 20% of all episodes for impairment per age group

NOTE: Includes only completed episodes with valid FIM score and age, where n<5 CARMi FIM change will not be shown

Mean and casemix-adjusted relative mean length of stay and FIM change by age group*


Age group	YOUR FACILITY		AUSTRALIA	
	LOS (95%CI)	FIM change (95%CI)	LOS (95%CI)	FIM change (95%CI)
<75	20.5 (16.5 – 24.6)	18.2 (15.7 – 20.7)	19.2 (18.7 – 19.6)	20.3 (20.0 – 20.7)
75-79	18.4 (13.9 – 23.0)	20.8 (15.4 – 26.2)	17.1 (16.7 – 17.5)	19.8 (19.4 – 20.2)
80-84	16.4 (13.7 – 19.1)	19.8 (16.4 – 23.2)	16.7 (16.4 – 17.0)	19.6 (19.2 – 19.9)
85-89	16.9 (13.6 – 20.2)	17.2 (13.2 – 21.1)	16.9 (16.6 – 17.2)	19.1 (18.7 – 19.4)
90+	17.0 (13.3 – 20.7)	21.2 (17.7 – 24.7)	17.8 (17.5 – 18.1)	18.6 (18.2 – 18.9)

Age group	YOUR FACILITY		AUSTRALIA	
	CARMI LOS (95%CI)	CARMI FIM change (95%CI)	CARMI LOS (95%CI)	CARMI FIM change (95%CI)
<75	3.3 (-0.3 – 6.9)	-0.6 (-3.0 – 1.8)	1.5 (1.1 – 1.9)	1.3 (1.0 – 1.6)
75-79	0.1 (-4.2 – 4.4)	1.2 (-3.5 – 6.0)	-0.3 (-0.6 – 0.1)	0.7 (0.3 – 1.0)
80-84	-0.1 (-2.7 – 2.5)	1.2 (-1.4 – 3.9)	-0.6 (-0.9 – -0.3)	0.2 (-0.1 – 0.5)
85-89	-0.2 (-3.3 – 2.8)	-1.9 (-5.6 – 1.7)	-0.7 (-1.0 – -0.4)	-0.7 (-1.0 – -0.4)
90+	-0.6 (-4.2 – 3.0)	1.3 (-2.0 – 4.6)	-0.5 (-0.8 – -0.2)	-2.1 (-2.4 – -1.7)

*Approximately 20% of all episodes for impairment per age group


NOTE: Includes only completed episodes with valid LOS, FIM score and age

Mean length of stay by frailty score




NOTE: Includes only completed episodes with valid LOS; where n<5 Mean LOS will not be shown

Casemix-adjusted relative mean length of stay by frailty score




NOTE: Includes only completed episodes with valid LOS; where n<5 CARMi LOS will not be shown

National FIM admission and discharge scores by frailty score




NOTE: Includes only completed episodes with valid FIM scores

Mean FIM change by frailty score



NOTE: Includes only completed episodes with valid FIM scores; where n<5 Mean FIM change will not be shown

Casemix-adjusted relative mean FIM change by frailty score



NOTE: Includes only completed episodes with valid FIM scores; where n<5 CARMI FIM change will not be shown


Casemix-adjusted relative mean and mean length of stay and FIM change by frailty score

Frailty	YOUR FACILITY						AUSTRALIA	
	CARMi (95%CI)		Mean (95%CI)				Mean (95%CI)	
	LOS	FIM change	LOS	FIM change	LOS	FIM change	LOS	FIM change
Very Fit	—	—	—	—	—	—	19.5 (16.0 – 23.0)	24.2 (21.2 – 27.2)
Well	-0.2 (-5.9 – 5.5)	5.1 (-1.6 – 11.8)	14.6 (8.9 – 20.4)	20.6 (12.0 – 29.3)	15.8 (15.1 – 16.5)	20.4 (19.7 – 21.0)		
Well, some comorbid	-3.5 (-5.7 – -1.2)	0.8 (-3.1 – 4.7)	12.3 (9.7 – 15.0)	17.7 (13.3 – 22.1)	16.9 (16.4 – 17.3)	19.3 (19.0 – 19.7)		
Apparently vulnerable	3.2 (-0.3 – 6.6)	1.9 (-1.0 – 4.9)	18.4 (14.9 – 21.8)	18.8 (15.4 – 22.2)	17.0 (16.6 – 17.4)	19.7 (19.3 – 20.1)		
Mildly frail	1.9 (-1.7 – 5.4)	-1.1 (-3.8 – 1.7)	19.9 (15.9 – 24.0)	18.8 (15.8 – 21.8)	16.5 (16.2 – 16.8)	19.4 (19.1 – 19.7)		
Moderately frail	1.0 (-2.6 – 4.6)	0.2 (-2.8 – 3.2)	19.7 (15.9 – 23.4)	21.6 (18.3 – 24.9)	19.1 (18.7 – 19.4)	20.4 (20.1 – 20.7)		
Severely frail	4.0 (-9.3 – 17.3)	-0.6 (-10.7 – 9.5)	27.1 (13.8 – 40.4)	23.1 (12.6 – 33.6)	24.1 (23.0 – 25.2)	17.1 (16.1 – 18.1)		
Terminally ill	—	—	—	—	19.1 (15.5 – 22.7)	10.8 (7.0 – 14.6)		

NOTE: Includes only completed episodes with valid FIM scores and LOS

Mean FIM scores and length of stay by reconditioning specific data items – Your facility

YOUR FACILITY




Note: 12 (4.8%) episodes did not record all three items and are excluded from analysis

NOTE: Includes only completed episodes with valid FIM scores and LOS

Mean FIM scores and length of stay by reconditioning specific data items – National


AUSTRALIA



Note: 1,325 (5.3%) episodes did not record all three items and are excluded from analysis


NOTE: Includes only completed episodes with valid FIM scores and LOS

Mean length of stay by reconditioning specific data items




NOTE: Includes only completed episodes with valid LOS

Casemix-adjusted length of stay by reconditioning specific data items




NOTE: Includes only completed episodes with valid LOS

Mean FIM scores by reconditioning specific data items



NOTE: Includes only completed episodes with valid FIM scores

Casemix-adjusted FIM change by reconditioning specific data items




NOTE: Includes only completed episodes with valid FIM scores



Explanatory data




Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities



Number of comorbidities — YOUR FACILITY

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown


Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities



Number of comorbidities — AUSTRALIA

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown


Casemix-adjusted relative mean length of stay and FIM change by number of complications



Number of complications — YOUR FACILITY

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown



Casemix-adjusted relative mean length of stay and FIM change by number of complications



Number of complications — AUSTRALIA

NOTE: Includes only completed episodes with valid FIM scores and LOS; where n<5 the casemix-adjusted relative mean will not be shown

Casemix-adjusted relative mean length of stay by type of complication





CARMILOS — YOUR FACILITY

CARMILOS — AUSTRALIA


* No data included where number of episodes <5
 NOTE: Includes only completed episodes with valid LOS

Casemix-adjusted relative mean FIM change by type of complication




* No data included where number of episodes <5
 NOTE: Includes only completed episodes with valid FIM score


Type of accommodation prior to impairment by AN-SNAP



Carer status prior to impairment



Any services received prior to impairment by carer status



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status


Carer status and any services received prior to impairment

Carer status prior to this impairment	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
NO CARER and DOES NOT need one	162	54.7	15,651	54.0
NO CARER and NEEDS one	22	7.4	1,730	6.0
CARER NOT living in	49	16.6	4,555	15.7
CARER living in - NOT codependent	44	14.9	5,026	17.4
CARER living in - codependent	19	6.4	2,006	6.9
Missing	2		138	
All episodes in private residence	298	100.0	29,106	100.0

Any services received prior to this impairment?				
Carer status prior to this impairment	YOUR FACILITY		AUSTRALIA	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	38.3	61.7	35.0	65.0
NO CARER and NEEDS one	72.7	27.3	49.6	50.4
CARER NOT living in	81.6	18.4	79.9	20.1
CARER living in - NOT codependent	61.4	38.6	52.4	47.6
CARER living in - codependent	42.1	57.9	49.8	50.2
All episodes in private residence	51.7	48.3	47.0	53.0


NOTE: Includes only those episodes coming from private residence and with known carer status

Number of services received prior to impairment by carer status




NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Type of services received prior to impairment



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Type of services received prior to impairment by carer status



NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Number and type of services received prior to impairment by carer status

Services received prior to this impairment	Carer status prior to discharge - YOUR FACILITY						All episodes in private residence
	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent		
Number of episodes in private residence	162	22	49	44	19	296	
Percent of episodes receiving:							
No services	61.7	27.3	18.4	38.6	57.9	48.3	
1 service type	20.4	36.4	16.3	11.4	26.3	19.9	
2 service types	9.3	13.6	14.3	15.9	5.3	11.1	
3 service types	4.3	13.6	14.3	11.4	5.3	7.8	
4 or more service types	4.3	9.1	36.7	22.7	5.3	12.8	
Service Type received							
Domestic assistance	32.7	63.6	79.6	50.0	36.8	45.6	
Social support	6.2	22.7	28.6	22.7	5.3	13.5	
Nursing care	1.9	0.0	8.2	4.5	5.3	3.4	
Allied health care	2.5	0.0	14.3	11.4	5.3	5.7	
Personal care	4.9	9.1	40.8	31.8	15.8	15.9	
Meals	5.6	13.6	30.6	20.5	5.3	12.5	
Provision of goods & equipment	4.9	13.6	22.4	20.5	0.0	10.5	
Transport services	8.0	18.2	32.7	22.7	10.5	15.2	
Case management	3.7	4.5	12.2	9.1	0.0	5.7	

NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Number and type of services received prior to impairment by carer status


Carer status prior to discharge - AUSTRALIA						
Services received prior to this impairment	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	15,651	1,730	4,554	5,024	2,006	28,965
Percent of episodes receiving:						
No services	65.0	50.4	20.1	47.6	50.2	53.0
1 service type	20.6	21.9	25.1	19.5	23.5	21.4
2 service types	7.8	13.5	18.1	11.4	11.4	10.7
3 service types	3.7	7.1	15.0	7.9	6.3	6.6
4 or more service types	2.9	7.1	21.7	13.5	8.6	8.3
Service Type received						
Domestic assistance	31.9	43.1	71.0	43.7	41.4	41.4
Social support	3.7	7.4	19.9	11.0	6.0	7.9
Nursing care	2.1	5.2	10.0	6.1	4.8	4.4
Allied health care	2.1	2.9	9.0	7.4	5.6	4.4
Personal care	4.8	13.1	30.9	20.9	15.3	12.9
Meals	5.5	10.7	23.3	13.7	11.0	10.4
Provision of goods & equipment	3.0	6.3	15.1	10.2	6.9	6.6
Transport services	5.2	9.8	24.9	14.8	10.4	10.6
Case management	2.4	7.5	13.3	6.8	5.3	5.4

NOTE: Includes only those episodes coming from private residence and with known carer status and known services status

Days from referral to rehabilitation episode start




■ Injury to Referral
 ■ Referral to assessment
 ■ Assessment to clinically rehab ready
 ■ Clinically rehab ready to rehab episode start



*No data provided when less than 5 episodes have dates
 NOTE: Includes first admission episodes where all dates have been entered

Mean number of days between dates

Type of delay in episode start



Delays in episode start

	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
Delay in episode start				
No delay	265	87.7	26,709	89.6
Delay in episode start	37	12.3	3,115	10.4
Missing	8		560	
All episodes	310	100.0	30,384	100.0


	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
Reasons for delay in episode start				
Patient related issues	13	35.1	1,114	35.8
Service issues	24	64.9	2,013	64.6
External support issues	0	0.0	35	1.1
Equipment issues	0	0.0	19	0.6
Behavioural issues	1	2.7	32	1.0
Reason(s) not specified	0	0.0	4	0.1

Type of delay in episode end



■ YOUR FACILITY

■ AUSTRALIA



Delays in episode end

Delay in episode end	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
No delay	232	94.7	23,162	94.4
Delay in episode end	13	5.3	1,376	5.6
Missing	3		316	
All episodes	248	100.0	24,854	100.0

Reasons for delay in episode end	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
Patient related issues	3	23.1	643	46.7
Service issues	5	38.5	412	29.9
External support issues	3	23.1	428	31.1
Equipment issues	1	7.7	54	3.9
Behavioural issues	2	15.4	42	3.1
Reason(s) not specified	1	7.7	44	3.2


NOTE: Includes completed episodes only.

Discharge destination by AN-SNAP class




■ Final Accommodation
 ■ Interim Accommodation
 ■ Remaining in Hospital
 ■ Other
 ■ Unknown

YOUR FACILITY



AUSTRALIA



0% 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

Proportion of episodes

Discharge destination by AN-SNAP class

AN-SNAP class V5	YOUR FACILITY — N					AUSTRALIA — N				
	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown
5AR1 (motor 64-91, cognition 29-35)	53	1	3	1	0	5,526	163	503	55	12
5AR2 (motor 64-91, cognition 5-28)	18	1	3	0	0	1,477	68	216	35	6
5AR3 (motor 48-63, cognition 19-35)	97	6	13	1	0	9,045	604	1,537	118	18
5AR4 (motor 48-63, cognition 5-18)	6	1	0	0	0	435	60	133	11	2
5AR5 (motor 19-47)	53	5	34	2	1	5,989	661	2,498	202	25
5AZ3 (motor 13-18, Age ≥ 79)	3	0	1	0	0	220	40	217	23	2
5AZ4 (motor 13-18, Age 18-78)	2	0	3	0	0	230	17	176	12	0
All Reconditioning AN-SNAP Classes	232	14	57	4	1	22,922	1,613	5,280	456	65

AN-SNAP class V5	YOUR FACILITY — %					AUSTRALIA — %				
	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown	Final Accom	Interim Accom	Remaining in Hospital	Other	Unknown
5AR1 (motor 64-91, cognition 29-35)	91.4	1.7	5.2	1.7	0.0	88.3	2.6	8.0	0.9	0.2
5AR2 (motor 64-91, cognition 5-28)	81.8	4.5	13.6	0.0	0.0	82.0	3.8	12.0	1.9	0.3
5AR3 (motor 48-63, cognition 19-35)	82.9	5.1	11.1	0.9	0.0	79.9	5.3	13.6	1.0	0.2
5AR4 (motor 48-63, cognition 5-18)	85.7	14.3	0.0	0.0	0.0	67.9	9.4	20.7	1.7	0.3
5AR5 (motor 19-47)	55.8	5.3	35.8	2.1	1.1	63.9	7.1	26.6	2.2	0.3
5AZ3 (motor 13-18, Age ≥ 79)	75.0	0.0	25.0	0.0	0.0	43.8	8.0	43.2	4.6	0.4
5AZ4 (motor 13-18, Age 18-78)	40.0	0.0	60.0	0.0	0.0	52.9	3.9	40.5	2.8	0.0
All Reconditioning AN-SNAP Classes	75.3	4.5	18.5	1.3	0.3	75.6	5.3	17.4	1.5	0.2

Discharge destination




Interim accommodation post discharge by AN-SNAP class



Private Residence Residential Aged Care Hospital Other

YOUR FACILITY

AUSTRALIA



Proportion of episodes

NOTE: Includes only those episodes with mode of episode end equal to interim accommodation

Interim accommodation post discharge by AN-SNAP class




AN-SNAP class V5	YOUR FACILITY — N (%)				
	Private residence	Residential Aged Care	Hospital	Other	All episodes**
5AR1 (motor 64-91, cognition 29-35)	1 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)
5AR2 (motor 64-91, cognition 5-28)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)	1 (100.0)
5AR3 (motor 48-63, cognition 19-35)	0 (0.0)	5 (83.3)	0 (0.0)	1 (16.7)	6 (100.0)
5AR4 (motor 48-63, cognition 5-18)	0 (0.0)	1 (100.0)	0 (0.0)	0 (0.0)	1 (100.0)
5AR5 (motor 19-47)	1 (20.0)	2 (40.0)	0 (0.0)	2 (40.0)	5 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	0 —	0 —	0 —	0 —	0 —
5AZ4 (motor 13-18, Age 18-78)	0 —	0 —	0 —	0 —	0 —
All Reconditioning AN-SNAP Classes	2 (0.0)	8 (57.1)	0 (0.0)	4 (28.6)	14 (100.0)

AN-SNAP class V5	AUSTRALIA — N (%)				
	Private residence	Residential Aged Care	Hospital	Other	All episodes**
5AR1 (motor 64-91, cognition 29-35)	56 (34.4)	43 (26.4)	26 (16.0)	36 (22.1)	163 (100.0)
5AR2 (motor 64-91, cognition 5-28)	8 (11.8)	29 (42.6)	11 (16.2)	18 (26.5)	68 (100.0)
5AR3 (motor 48-63, cognition 19-35)	82 (13.6)	246 (40.7)	128 (21.2)	128 (21.2)	604 (100.0)
5AR4 (motor 48-63, cognition 5-18)	7 (11.7)	24 (40.0)	6 (10.0)	18 (30.0)	60 (100.0)
5AR5 (motor 19-47)	43 (6.5)	255 (38.6)	114 (17.2)	205 (31.0)	661 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	0 (0.0)	14 (35.0)	4 (10.0)	18 (45.0)	40 (100.0)
5AZ4 (motor 13-18, Age 18-78)	0 (0.0)	2 (11.8)	6 (35.3)	7 (41.2)	17 (100.0)
All Reconditioning AN-SNAP Classes	196 (12.2)	613 (38.0)	295 (18.3)	430 (26.7)	1,613 (100.0)

** There were 0 episode(s) in YOUR FACILITY and 79 episodes in AUSTRALIA with unknown interim accommodation

NOTE: Includes only those episodes with mode of episode end equal to interim accommodation

Final accommodation post discharge by AN-SNAP class



NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Final accommodation post discharge by AN-SNAP class




AN-SNAP class V5	YOUR FACILITY — N (%)				
	Private residence	Residential Aged Care	Other	Unknown/ Missing	All episodes
5AR1 (motor 64-91, cognition 29-35)	53 (98.1)	0 (0.0)	0 (0.0)	1	54 (100.0)
5AR2 (motor 64-91, cognition 5-28)	18 (94.7)	1 (5.3)	0 (0.0)	0	19 (100.0)
5AR3 (motor 48-63, cognition 19-35)	92 (89.3)	9 (8.7)	0 (0.0)	2	103 (100.0)
5AR4 (motor 48-63, cognition 5-18)	5 (71.4)	2 (28.6)	0 (0.0)	0	7 (100.0)
5AR5 (motor 19-47)	43 (74.1)	12 (20.7)	0 (0.0)	3	58 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	3 (100.0)	0 (0.0)	0 (0.0)	0	3 (100.0)
5AZ4 (motor 13-18, Age 18-78)	1 (50.0)	1 (50.0)	0 (0.0)	0	2 (100.0)
All Reconditioning AN-SNAP Classes	215 (87.4)	25 (10.2)	0 (0.0)	6	246 (100.0)

AN-SNAP class V5	AUSTRALIA — N (%)				
	Private residence	Residential Aged Care	Other	Unknown/ Missing	All episodes
5AR1 (motor 64-91, cognition 29-35)	5,520 (97.0)	68 (1.2)	32 (0.6)	69	5,689 (100.0)
5AR2 (motor 64-91, cognition 5-28)	1,428 (92.4)	66 (4.3)	16 (1.0)	35	1,545 (100.0)
5AR3 (motor 48-63, cognition 19-35)	8,783 (91.0)	493 (5.1)	114 (1.2)	259	9,649 (100.0)
5AR4 (motor 48-63, cognition 5-18)	405 (81.8)	67 (13.5)	10 (2.0)	13	495 (100.0)
5AR5 (motor 19-47)	5,307 (79.8)	880 (13.2)	161 (2.4)	302	6,650 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	147 (56.5)	79 (30.4)	17 (6.5)	17	260 (100.0)
5AZ4 (motor 13-18, Age 18-78)	175 (70.9)	34 (13.8)	16 (6.5)	22	247 (100.0)
All Reconditioning AN-SNAP Classes	21,765 (88.7)	1,687 (6.9)	366 (1.5)	717	24,535 (100.0)

NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Interim and final accommodation post discharge




NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Interim and final accommodation post discharge

Accommodation	YOUR FACILITY				AUSTRALIA			
	Interim	(%)	Final	(%)	Interim	(%)	Final	(%)
Private residence	2	(14.3)	215	(89.6)	196	(12.8)	21,765	(91.4)
Residential Aged Care	8	(57.1)	25	(10.4)	613	(40.0)	1,687	(7.1)
Community group home	0	(0.0)	0	(0.0)	7	(0.5)	50	(0.2)
Boarding house	0	(0.0)	0	(0.0)	4	(0.3)	19	(0.1)
Transitional living unit	4	(28.6)	0	(0.0)	292	(19.0)	152	(0.6)
Hospital	0	(0.0)	n.a.		295	(19.2)	n.a.	
Other	0	(0.0)	0	(0.0)	127	(8.3)	145	(0.6)
Missing/Unknown	0		6		79		717	
All episodes	14	(100.0)	246	(100.0)	1,613	(100.0)	24,535	(100.0)


NOTE: Includes only those episodes with mode of episode end equal to either final or interim accommodation

Carer status post discharge



NOTE: Includes only those episodes whose final accommodation is private residence

Any services received post discharge by carer status



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status


Carer status and any services received post discharge

Carer status post discharge	YOUR FACILITY		AUSTRALIA	
	No.	%	No.	%
NO CARER and DOES NOT need one	103	48.4	10,340	47.5
NO CARER and NEEDS one	11	5.2	849	3.9
CARER NOT living in	45	21.1	4,048	18.6
CARER living in - NOT codependent	41	19.2	4,684	21.5
CARER living in - codependent	13	6.1	1,828	8.4
Missing	5		271	
All episodes in private residence	218	100.0	22,020	100.0


Carer status post discharge	Any services received post discharge?			
	YOUR FACILITY		AUSTRALIA	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	50.5	49.5	50.2	49.8
NO CARER and NEEDS one	100.0	0.0	68.3	31.7
CARER NOT living in	86.7	13.3	81.6	18.4
CARER living in - NOT codependent	70.7	29.3	70.2	29.8
CARER living in - codependent	61.5	38.5	64.4	35.6
All episodes in private residence	65.3	34.7	62.3	37.7

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Change in prior accommodation on post discharge




Number of services received post discharge by carer status




NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Type of services received post discharge



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status


Type of services received pre and post rehabilitation



YOUR FACILITY (n=99)

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and received services both pre and post episode

Type of services received post discharge by carer status



NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Number and type of services received post discharge by carer status – Your facility

Services received post discharge	Carer status post discharge - YOUR FACILITY						All episodes in private residence
	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent		
Number of episodes in private residence	103	11	45	41	13		213
Percent of episodes receiving:							
No services	49.5	0.0	13.3	29.3	38.5		34.7
1 service type	21.4	36.4	17.8	22.0	0.0		20.2
2 service types	13.6	18.2	17.8	14.6	23.1		15.5
3 service types	4.9	9.1	20.0	7.3	23.1		9.9
4 or more service types	10.7	36.4	31.1	26.8	15.4		19.7
Service Type received							
Domestic assistance	34.0	81.8	75.6	48.8	53.8		49.3
Social support	10.7	18.2	15.6	24.4	15.4		15.0
Nursing care	3.9	9.1	15.6	22.0	23.1		11.3
Allied health care	20.4	27.3	22.2	17.1	15.4		20.2
Personal care	9.7	36.4	48.9	29.3	23.1		23.9
Meals	7.8	27.3	28.9	26.8	15.4		17.4
Provision of goods & equipment	9.7	36.4	31.1	14.6	23.1		17.4
Transport services	11.7	27.3	24.4	34.1	23.1		20.2
Case management	7.8	27.3	6.7	14.6	7.7		9.9

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

Number and type of services received post discharge by carer status - National



Carer status post discharge - AUSTRALIA						
Services received post discharge	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	10,337	849	4,048	4,683	1,828	21,745
Percent of episodes receiving:						
No services	49.8	31.7	18.4	29.8	35.6	37.7
1 service type	21.7	17.4	15.1	20.0	19.1	19.7
2 service types	12.1	17.9	16.1	15.5	14.6	14.0
3 service types	7.6	13.3	18.2	11.6	11.8	11.0
4 or more service types	8.9	19.7	32.2	23.1	18.9	17.5
Service Type received						
Domestic assistance	33.3	50.1	67.4	46.5	46.0	44.2
Social support	6.7	14.6	21.2	13.7	9.2	11.4
Nursing care	9.1	16.5	17.9	16.8	14.2	13.1
Allied health care	20.3	25.2	28.9	32.2	24.6	25.0
Personal care	10.5	30.2	39.6	31.4	26.1	22.5
Meals	7.6	15.3	26.3	16.0	14.8	13.8
Provision of goods & equipment	10.6	15.5	23.1	19.7	18.9	15.8
Transport services	10.3	16.5	30.4	19.7	16.6	16.8
Case management	5.6	15.5	16.1	11.9	8.0	9.5

NOTE: Includes only those episodes whose final accommodation is private residence and with known carer status and known services status

AN-SNAP class

The Australian National Sub-Acute and Non-Acute Patient Classification (AN-SNAP) is a casemix classification for sub-acute and non-acute care provided in a variety of treatment settings. Version 5, introduced in July 2022 and used in these reports, uses the episode's impairment, age, weighted FIM motor admission score and FIM cognition score to determine which of 48 inpatient (admitted overnight adult) rehabilitation classes the episode should be assigned to.

Between AN-SNAP V4 and V5 there have been some minor refinements to the positioning of age and FIM score splits, and minor revisions to the impairment-specific weights used for the FIM item scores in the calculation of a motor score; orthopaedic replacement classes (lost in Version 4) have returned and brain injury classes are now split first on cognition FIM scores and second on motor FIM scores. Refer Appendix 3 for the full list of classes and the section Impairment specific weighted FIM scores below for more detail about how the items are weighted. For more information about AN-SNAP class V5 please refer to the AROC website.

AROC

The Australasian Rehabilitation Outcomes Centre (AROC) is the Australian and New Zealand rehabilitation medicine **integrated outcomes centre** that collects rehabilitation outcome measures at point-of-care from both private and public rehabilitation services across both countries. Established in 2002 it is a joint initiative of the Australasian rehabilitation sector (providers, payers, regulators and consumers) and current membership encompasses close to 100% of all Australian and New Zealand rehabilitation services, who routinely submit deidentified data to AROC for each rehabilitation episode, including information about demographics, process indicators and functional status.

Benchmark group

Benchmark groups are set nationally for all conditions except for those episodes recorded as brain injury or spinal cord injury (these include those with a major multi trauma involving brain and/or spinal cord injury). Benchmark groups for episodes of brain injury and spinal cord injury are set separately for traumatic and non-traumatic episodes by first admission episodes reported by specialist units binationally.

For Australian episodes and those episodes with a brain injury or spinal cord injury benchmarks are calculated each reporting period using all episodes submitted to AROC during the current reporting period. Commencing with the Calendar Year 2024 benchmark reports New Zealand episodes are benchmarked using the previously published CY2023 New Zealand benchmarks due to decreased episode volume.

Appendix 1: Glossary

Casemix-adjusted relative mean

A comparison of some statistics such as length of stay and FIM change is only possible if the groups being compared comprise similar episodes. The specific impairment, level of functional independence, age and other factors relating to the episode have an impact on these statistics. If, for example, your mean length of stay were different from the benchmark group, we could not tell if your episodes really were different or if the difference was merely due to the unique casemix.

To overcome this difficulty, it is possible to statistically control for casemix. This is achieved by adjusting measures such as length of stay and FIM change so that the comparison is only made between similar types of episodes.

In this report we have calculated casemix-adjusted relative mean length of stay and casemix-adjusted relative mean FIM change for completed episodes. To do this, we needed to know the LOS (or FIM change) and AN-SNAP class for each episode as well as the mean LOS (or FIM change) for the benchmark group for each AN-SNAP class. We then calculated the difference between each episode LOS (or FIM change) and the mean LOS (or FIM change) of the appropriate AN-SNAP class. These differences were then averaged to produce the casemix-adjusted relative mean. This may be easier to understand as a set of two equations illustrated below.

For each episode calculate:

LOSdiff = episode’s LOS – mean LOS appropriate AN-SNAP class.

Casemix-adjusted relative mean = Sum of LOSdiff for all episodes divided by Number of episodes

A casemix-adjusted relative mean length of stay of, say, -2 days would indicate that, on average, your facility has a LOS of 2 days less than similar episodes in the benchmark group. A casemix-adjusted relative mean FIM change of, say, 4 would indicate that, on average, your facility improved 4 FIM points more than similar episodes in the benchmark group. It is important to consider both of these statistics together. For example, your episodes may have stayed longer than similar episodes in the benchmark group, but they may also have achieved a greater functional improvement.

Complete/incomplete episode

An episode is considered “complete” for the purpose of calculating outcome statistics in this report if (A) the mode of episode end was either 1 (discharged to usual accommodation) or 2 (discharged to interim accommodation) AND total FIM score at episode end was greater than 18, or (B) the mode of episode end was 7 (change of care type within sub-acute/non-acute care) AND length of stay greater than 6 days.

Confidence interval for a mean

To decide if a difference between your facility's mean score and the benchmark group's mean is statistically significant, look at the two confidence intervals. If they overlap, the difference is not likely to be statistically significant. For example your facility's mean onset to first admission may be 16 days while the benchmark group's mean is 12 days. These values are certainly different, but the difference may not be statistically significant. If the 95% confidence interval of your data were (13 – 19) (i.e. 13 days to 19 days) and that of the benchmark group data set were (10.5 – 13.5) (i.e. 10.5 days to 13.5 days), the difference is not likely to be statistically significant as the two confidence intervals overlap. Note that this is a conservative comparison and is not as accurate as a formal statistical test.

COVID-19

The immediate impact of COVID-19 in 2020 on rehabilitation was a 12% decline in the number of rehabilitation episodes following temporary suspension of elective surgeries, ward re-assignments and closures, and fewer traumatic accidents. There is still an ongoing impact of COVID-19 on rehabilitation in the form of reduced inpatient beds, increased patient complexity and staffing issues.

The extent of the impact of COVID-19 on the demand for rehabilitation in both the inpatient or community rehabilitation is still being realised. To help measure the impact of COVID, and importantly long COVID, AROC added COVID specific impairment codes, comorbidity and complication codes to the AROC datasets effective July 2022. Appendix 2 lists the COVID impairment codes, which map to AN-SNAP V5 classes 5A91-5A93 & 5AZ3-5AZ4. COVID related data provided to AROC through the adjunct data collection along with entries in the patient comment field have been mapped to the new COVID codes.

- **Guidelines for the collection and coding of COVID-19 AROC data** can be found at <https://documents.uow.edu.au/content/groups/public/@web/@chsd/@aroc/documents/doc/uow272916.pdf>
- **The AROC COVID Coding Decision Tree** can be found at <https://documents.uow.edu.au/content/groups/public/@web/@chsd/@aroc/documents/doc/uow272917.pdf>
- Updated **Data Collection Forms** can be found at <https://ahsri.atlassian.net/wiki/spaces/AD/pages/17268778/Data+Collection+Forms>
- Services who do not have access to the new COVID codes are asked to identify patients who have had COVID-19 in the AROC data set services by entering the relevant **COVID-19 impairment code, comorbidity or complication** (as appropriate) in the patient comment field.

COVID-19 (cont.)

The potential sequelae of COVID-19 appear to be numerous, so the functional deficits of these patients that result in the need for rehabilitation can be quite varied. To enable comprehensive reporting of rehabilitation outcomes for these patients, the National COVID-19 rehabilitation adjunct data collection was created, in collaboration with the NSW Agency for Clinical Innovation's Rehabilitation Community of Practice.

The national COVID-19 rehabilitation adjunct data collection covers all care settings – in-reach, inpatient and ambulatory – and services do not need to be an AROC member to participate. The data collection is to be completed for **ALL** patients who have received a positive diagnosis of COVID-19 and are now participating in rehabilitation in any care setting (even if COVID codes have been used in the AROC data collection). Where possible and appropriate, the National COVID-19 rehabilitation adjunct data will be linked with the AROC inpatient and/or ambulatory data collections.

The National COVID-19 rehabilitation adjunct data collection is entered online at <https://apps.ahsri.uow.edu.au/redcap/surveys/?s=DR4AE3FHAX>.

All relevant data items must be known prior to commencing data entry as there is no save and resume function. For convenience a data collection form is provided as an optional mechanism to collect the data (available here <https://apps.ahsri.uow.edu.au/downloads/CovidCollection.pdf>).

Data Concatenation

Increasingly some jurisdictions have introduced business rules around data collection that have resulted in episodes of rehabilitation being ended and then re-commenced a few days later. AROC definitions would record these as one episode with the period in between defined as a suspension of rehabilitation. Such business rules result in two (or more) episodes of rehabilitation being reported to AROC when only one full episode should be reported.

Whilst this happens much more frequently in some impairment groups (e.g. spinal cord injury & brain injury) it does impact all impairments to some degree. Reporting of multiple episodes impacts outcomes analysis, resulting in shorter than real length of stays and reduced FIM change being reported.

Concatenated episodes will have a revised Length of stay and FIM change (start details will be taken from the identified primary episode; end details from the identified final episode), and will also have a revised number of suspensions (being the sum across all concatenated 'submitted episodes' plus the number of breaks between 'submitted episodes') and a revised number of suspension days (being the sum across all concatenated 'submitted episodes' plus the sum of all days between 'submitted episodes').

Submitted episodes to AROC are identified for concatenation based on the following rules:

- Subsequent episodes MUST have same impairment code and be from same reporting facility with same MRN and DOB
- Leading episode must be discharged into the hospital system with following episode being admitted from hospital system
- Number of days between episodes being 0-14 days for spinal and 0-7 days for all other impairments

To make it easier for AROC to identify episodes that should be concatenated in January 2014 the data item Mode of Episode Start had an additional code set value added: **9 = recommenced rehabilitation episode following suspension**

Data completeness score

The data completeness score is the average percent reported for all AROC data items (including impairment specific items where relevant) with the exception of those items that are optional. Path, facility code, facility name, MRN and episode end date are not included as these fields are used to extract the data for reporting.

Functional Independence Measure (FIM)

The Functional Independence Measure (FIM) is used as a tool to assess the functional independence of patients at episode start and end.

- The **FIM motor score** is the sum of the scores obtained for the first thirteen (13) items in the FIM instrument. A higher FIM motor score indicates a greater level of functional independence in motor skills.
- The **FIM cognition score** is the sum of the scores obtained for the final five (5) items in the FIM instrument. A higher FIM cognition score indicates better cognitive function.

FIM change

The change in functional status from the beginning to the end of the episode is measured by the change in FIM score. This is calculated as the FIM score at the end of the episode minus the FIM score at the start of the episode. In some instances the change in total FIM score (the sum of items 1 to 18) is calculated. In other cases either the change in FIM motor score (the sum of items 1 to 13) or the change in FIM cognition score (the sum of items 14 to 18) is calculated.

A higher FIM score corresponds to higher level of function while a lower FIM score represents less functional independence. This means that a positive value for the change in FIM score indicates functional improvement during the episode. A negative value for the change in FIM score indicates a decline in functional independence during the episode.

FIM efficiency

The FIM efficiency indicates the average FIM improvement per day. This statistic is calculated as the mean FIM change divided by the mean length of stay (LOS).

Impairment-specific weighted FIM motor scores

AN-SNAP v5, like Version 4, uses impairment-specific weighted FIM motor scores in the inpatient (admitted overnight adult) rehabilitation classes. Weights reflect the relative impact of each item on the cost of caring for the rehabilitation patient. If an item has a weight of more than 1, it will have an impact on the cost of care that is more than average – a weight less than 1 implies the impact will be less than average. Within each impairment type, the weights are scaled to sum to 13 – thus both weighted and unweighted scores range from a minimum of 13 to a maximum of 91. Where impairments are grouped together in the classification, a single set of weights for that group has been derived. The exception is the FIM motor item stairs where all weights were set to 1.

Interquartile range (IQR)

The middle 50% — between the 25% percentile and the 75% percentile.

Length of stay (LOS)

The length of stay (LOS) of an episode is the number of days on which care has been provided. It is calculated as the end date minus the start date, minus the number of leave days during the episode.

Mean

The mean, or average, is a measure of the "centre" of your data. It is calculated by adding all data values and dividing by the number of values. The mean can be used to calculate a total. For example, if the mean length of stay were 21 days for a group of 30 episodes, the total number of bed days could be calculated as 21 multiplied by 30.

Mean or median - which to use?

The mean and the median are both measures of the "centre" of your data. For data that are symmetric about the mean (e.g. normally distributed data), the mean and the median will be close to each other. However they may have very different values for some data sets.

As an example, consider length of stay. Typically, most episodes within a class will have roughly the same length of stay. However, there will be a few episodes that are longer than the others and a smaller number that are very long. These longer lengths of stay have the effect of increasing the mean length of stay, but have little or no effect on the median.

If you want to know how long episodes in this class "typically" stay, you will probably be interested in the median as this gives you the middle value - half the episodes are longer and half the episodes are shorter. If, however, your interest is in allocation of resources and you want to know how long episodes stay on average, or if you want to get an idea of the total number of days of care provided to episodes in this class, you will need to look at the mean. (The total days can be calculated by multiplying the mean with the number in the class).

Median

The median provides the middle value of your data – half the values lie above it and half the values lie below. For example, if your median length of stay were 20 days, half of your episodes would have stayed for 20 days or less, while the other half would have stayed 20 days or longer. Note that the median, unlike the mean, cannot be used to calculate the total number of bed days.

Appendix 1: Glossary

Relative Functional Gain (RFG) and Relative Functional Efficiency (RFE)

FIM change measures the absolute difference between admission FIM and discharge FIM scores, i.e. client 1 had a 10 point improvement (admission 46 - discharge 56) and client 2 also had a ten point improvement (admission 116 - discharge 126). FIM change does not take into account the proportion of FIM change possible, i.e. client 1 improved 10 points out of possible 80 (126-46) and client 2 improved 10 points out of a possible 10 (126-116). So not all patients that improve 10 FIM points are the same. This proportion of FIM change possible is known as the Relative Functional Gain (RFG) and tries to take into account the amount of FIM gain possible. RFG is calculated as follows:

- If actual FIM change > 0 [improved]
 - **(Discharge FIM - Admission FIM)/(126 - Admission FIM)**
 - e.g. $(90 - 50)/(126-50) = 40/76 = 52.6\%$
- If actual FIM change < 0 [declined]
 - **(Discharge FIM - Admission FIM)/ (Admission FIM)**
 - e.g. $(90 - 100)/100 = -10/100 = -10\%$
- If actual FIM change = 0 [no change]
 - 0%

FIM efficiency measures the absolute difference between admission FIM and discharge FIM scores per day, without taking into account the proportion of FIM change possible. The Relative Functional Gain per day is known as the Relative Functional Efficiency (RFE), and is calculated as the RFG divided by the length of stay (LOS).

Submitted versus reporting episodes

Submitted episodes are those submitted to AROC either via direct data entry or upload through AROC Online Services. These episodes have not been concatenated.

The reporting data used by AROC in this report is made up of concatenated episodes. For most episodes there is no difference between the submitted episode and the one used for reporting.

Appendix 1: Glossary



Valid FIM

For an episode to have a Valid FIM flag it must be a complete episode and each of the 18 items on admission and discharge must have been answered with a valid response of 1-7. The Valid FIM flag is used in analysis which measures FIM scores as an outcome.

Valid LOS

For an episode to have a Valid LOS flag it must be a complete episode with a length of stay ranging between 1 and 500 days. The Valid LOS flag is used in analysis which measures LOS as an outcome.

Version 4 data set

The version 4 (V4) AROC dataset was introduced on 1 July 2012. V4 is designed as a bank of data items, combinations of which are used to describe 4 possible pathways of care (see the AROC website for more information about the different pathways). NOTE: This report utilises only Pathway 3 data (inpatient direct care).

Appendix 2: AROC Impairment Codes

STROKE

Haemorrhagic

- 1.11 Left body involvement
- 1.12 Right body involvement
- 1.13 Bilateral involvement
- 1.14 No paresis
- 1.19 Other haemorrhagic stroke

Ischaemic

- 1.21 Left body involvement (right brain)
- 1.22 Right body involvement (left brain)
- 1.23 Bilateral involvement
- 1.24 No paresis
- 1.29 Other ischaemic stroke

BRAIN DYSFUNCTION

Non-traumatic

- 2.11 Sub-arachnoid haemorrhage
- 2.12 Anoxic brain damage
- 2.13 Other non-traumatic brain dysfunction

Traumatic

- 2.21 Open injury
- 2.22 Closed injury

NEUROLOGICAL CONDITIONS

- 3.1 Multiple Sclerosis
- 3.2 Parkinsonism
- 3.3 Polyneuropathy
- 3.4 Guillian-Barre
- 3.5 Cerebral palsy
- 3.8 Neuromuscular disorders
- 3.9 Other neurological conditions

SPINAL CORD DYSFUNCTION

Non traumatic spinal cord dysfunction

- 4.111 Paraplegia, incomplete
- 4.112 Paraplegia, complete
- 4.1211 Quadriplegia, incomplete C1-4
- 4.1212 Quadriplegia, incomplete C5-8
- 4.1221 Quadriplegia, complete C1-4
- 4.1222 Quadriplegia, complete C5-8
- 4.13 Other non-traumatic spinal cord dysfunction

Traumatic spinal cord dysfunction

- 4.211 Paraplegia, incomplete
- 4.212 Paraplegia, complete
- 4.2211 Quadriplegia, incomplete C1-4
- 4.2212 Quadriplegia, incomplete C5-8
- 4.2221 Quadriplegia, complete C1-4
- 4.2222 Quadriplegia, complete C5-8
- 4.23 Other traumatic spinal cord dysfunction

AMPUTATION OF LIMB

Not resulting from trauma

- 5.11 Single upper above elbow
- 5.12 Single upper below elbow
- 5.13 Single lower above knee (includes through knee)
- 5.14 Single lower below knee
- 5.15 Double lower above knee (includes through knee)
- 5.16 Double lower above/below knee
- 5.17 Double lower below knee
- 5.18 Partial foot (single or double)
- 5.19 Other amputation not from trauma

AMPUTATION OF LIMB

Resulting from trauma

- 5.21 Single upper above elbow
- 5.22 Single upper below elbow
- 5.23 Single lower above knee (includes through knee)
- 5.24 Single lower below knee
- 5.25 Double lower above knee (includes through knee)
- 5.26 Double lower above/below knee
- 5.27 Double lower below knee
- 5.28 Partial foot (single or double)
- 5.29 Other amputation from trauma

ARTHRITIS

- 6.1 Rheumatoid arthritis
- 6.2 Osteoarthritis
- 6.9 Other arthritis

PAIN SYNDROMES

- 7.1 Neck pain
- 7.2 Back Pain
- 7.3 Extremity pain
- 7.4 Headache (includes migraine)
- 7.5 Multi-site pain
- 7.9 Other pain (includes abdo/chest wall)

Appendix 2: AROC Impairment Codes

ORTHOPAEDIC CONDITIONS

Fractures (includes dislocation)

- 8.111 Fracture of hip, unilateral (incl. #NOF)
- 8.112 Fracture of hip, bilateral (incl. #NOF)
- 8.12 Fracture of shaft of femur
- 8.13 Fracture of pelvis
- 8.141 Fracture of knee
- 8.142 Fracture of lower leg, ankle, foot
- 8.15 Fracture of upper limb
- 8.16 Fracture of spine
- 8.17 Fracture of multiple sites
- 8.19 Other orthopaedic fracture

Post Orthopaedic Surgery

- 8.211 Unilateral hip replacement
- 8.212 Bilateral hip replacement
- 8.221 Unilateral knee replacement
- 8.222 Bilateral knee replacement
- 8.231 Knee and hip replacement, same side
- 8.232 Knee and hip replacement, diff sides
- 8.24 Shoulder replacement
- 8.25 Post spinal surgery
- 8.26 Other orthopaedic surgery

Soft tissue injury

- 8.3 Soft tissue injury

CARDIAC

- 9.1 Following recent onset of new cardiac impairment
- 9.2 Chronic cardiac insufficiency
- 9.3 Heart and heart/lung transplant

PULMONARY

- 10.1 Chronic obstructive pulmonary disease
- 10.2 Lung transplant
- 10.9 Other pulmonary

BURNS

- 11 Burns

CONGENITAL DEFORMITIES

- 12.1 Spina bifida
- 12.9 Other congenital deformity

OTHER DISABLING IMPAIRMENTS

- 13.1 Lymphoedema
- 13.3 Conversion disorder
- 13.9 Other disabling impairments that cannot be classified into a specific group

MAJOR MULTIPLE TRAUMA

- 14.1 Brain + spinal cord injury
- 14.2 Brain + multiple fracture/amputation
- 14.3 Spinal cord + multi fracture/amputation
- 14.9 Other multiple trauma

DEVELOPMENTAL DISABILITIES

- 15.1 Developmental disabilities (excludes cerebral palsy)

RE-CONDITIONING/RESTORATIVE

- 16.1 Re-conditioning following surgery
- 16.2 Reconditioning following medical illness
- 16.3 Cancer rehabilitation

COVID-19 CONDITIONS

- 18.1 COVID-19 with pulmonary issues
- 18.2 COVID-19 with deconditioning
- 18.9 COVID-19 all other

Appendix 3: AN-SNAP V5 Overnight Rehabilitation Classes



Class	Description of AN-SNAP class
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36
5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20

Class	Description of AN-SNAP class
5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5A91	All other impairments, Weighted FIM Motor 61 - 91
5A92	All other impairments, Weighted FIM Motor 42 - 60
5A93	All other impairments, Weighted FIM Motor 19 - 41
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78

- **AROC wish to acknowledge the valuable contributions made by:**
 - Members of the Management Advisory Group of the Australasian Rehabilitation Outcomes Centre
 - The many staff from the rehabilitation facilities who have spent a great deal of time and care to collect, collate and correct the data, without whose considerable effort these reports would not be possible.
- **Disclaimer**

AROC has made every effort to ensure that the data used in these reports are accurate. Data submitted to AROC are checked for anomalies and facilities are asked to re-submit data prior to the production of AROC reports. We have provided general guidelines on the interpretation of the information reported but would advise readers to use their professional judgement in considering all information contained in this report.
- **Copyright**

This work is copyright. It may be produced in whole or in part for study or training purposes subject to the inclusion of an acknowledgment of the source and no commercial usage or sale. Reproduction for purposes other than those above requires the written permission of AROC.
- **Suggested acknowledgement**

Anywhere Hospital AROC Impairment Specific Report on Reconditioning (Inpatient - pathway 3), 1 January 2024 – 31 December 2024. Australasian Rehabilitation Outcomes Centre (2025).

Australasian **R**ehabilitation **O**utcomes **C**entre
Faculty of Science, Medicine and Health
University of Wollongong NSW 2522

 +61 2 4221 4411

 aroc@uow.edu.au

 aroc.org.au

 @uowaroc