

# AROC Impairment Specific Report

## Stroke Report

INPATIENT – PATHWAY 3

1 January 2025 – 31 December 2025

Anywhere Hospital



**Australasian  
Faculty of  
Rehabilitation  
Medicine**



**UNIVERSITY  
OF WOLLONGONG  
AUSTRALIA**

# Table of contents

What's changed in this report?.....	3
Stroke dashboard.....	4
Data used in this report.....	6
Stroke impairment codes.....	7
Stroke AN-SNAP classes.....	8
The BIG picture.....	9
Review of FIM item scoring by AN-SNAP class.....	20
Outcomes analysis.....	32
Explanatory data.....	52
Appendix 1: Glossary.....	103
Appendix 2: AROC impairment codes.....	113
Appendix 3: AN-SNAP V5 Overnight Rehabilitation Classes.....	115
Appendix 4: Rehabilitation outcomes at your facility over time.....	116
Appendix 5: How AROC reports FIM efficiency.....	117
Acknowledgements.....	118
AROC contact details.....	119





# What's changed in this report?

As part of AROC's routine quality assurance processes, we recently undertook a review of how **FIM Efficiency** is calculated and presented across our reporting outputs. Our review identified some inconsistencies in terminology (e.g. FIM gain vs FIM efficiency), the use of daily versus weekly rates, and the method used to summarise FIM efficiency across groups.

To address this, AROC has **standardised the calculation approach** for FIM Efficiency across all reporting products to ensure that FIM efficiency is reported as a **weekly rate calculated as the mean of individual episode FIM efficiencies within a group** (e.g. AN-SNAP class, service or national level).

As a result of this standardisation, some FIM efficiency benchmark values and casemix-adjusted FIM efficiency results may differ slightly from those reported previously. The underlying episode data and FIM scores are unchanged. Where tables or figures have been affected by this update, this has been indicated in the relevant footnotes.



Further information about the calculation of FIM efficiency is provided in Appendix 5.



# Stroke Dashboard


Key Indicators*	
YOUR FACILITY CY25	AUSTRALIA CY25
Age: 72.6	Age: 72.8
Mortality Rate: 0.0%	Mortality Rate: 0.3%
% with at least one comorbidity: 57%	% with at least one comorbidity: 53%
% with at least one complication: 26%	% with at least one complication: 31%
% episodes with start delays: 20%	% episodes with start delays: 22%
Days between onset and rehab episode: 16.0	Days between onset and rehab episode: 14.0
Days between clinically rehab ready & start date: 0.7	Days between clinically rehab ready & start date: 1.2

\* Mean value provided unless otherwise specified

Facility FIM Training*	
FIM Credentialed Staff per 100 Episodes	FIM Credentialed Facility Trainers
 7.1 YOUR FACILITY CY25	3 Your Facility
 7.2 AUSTRALIA CY25 (Mean)	2 AROC Suggested Minimum

\*This includes all impairments from all wards

## Proportion of completed Episodes by Facility



# Data used in this report

- Stroke episodes discharged during the reporting period (1 January 2025 – 31 December 2025) and time series data covering five years.
- Benchmark group is AUSTRALIA.
- Casemix analysis uses version 5 AN-SNAP classes (Appendix 3). Casemix adjustment is calculated against AUSTRALIA data.
- Unit of counting is by concatenated\* episode, not by patient.
- Summary data (e.g. means, confidence intervals) are excluded from figures and tables when the number of episodes within a subgroup is less than 5.
- Missing data and ungroupable AN-SNAP classes excluded from figures and tables are noted in the inclusion footnote.
- Facilities will only receive this report when the facility reports a minimum of 20 completed stroke episodes.

Note: Appendix 1 (Glossary) contains definitions of concepts referred to in this report. An understanding of these will help with interpretation of the data. This report should be considered in conjunction with the Outcome Benchmarks Report for your facility.

\*Refer to Appendix 1 for more details about the process of data concatenation.

Stroke episodes were identified as those with the following AROC impairment codes:

- 1.11 — Haemorrhagic — Left body involvement
- 1.12 — Haemorrhagic — Right body involvement
- 1.13 — Haemorrhagic — Bilateral involvement
- 1.14 — Haemorrhagic — No paresis
- 1.19 — Haemorrhagic — Other stroke
  
- 1.21 — Ischaemic — Left body involvement (right brain)
- 1.22 — Ischaemic — Right body involvement (left brain)
- 1.23 — Ischaemic — Bilateral involvement
- 1.24 — Ischaemic — No paresis
- 1.29 — Ischaemic — Other stroke

Note: A list of all impairment codes can be found in Appendix 2

# Stroke AN-SNAP classes


Levels of functioning for stroke are categorised by the following version 5 AN-SNAP classes:

- 5AA1            Stroke, weighted FIM Motor 63 - 91, FIM Cognition 30 - 35
- 5AA2            Stroke, weighted FIM Motor 63 - 91, FIM Cognition 21 - 29
- 5AA3            Stroke, weighted FIM Motor 63 - 91, FIM Cognition 5 - 20
- 5AA4            Stroke, weighted FIM Motor 44 - 62, FIM Cognition 18 - 35
- 5AA5            Stroke, weighted FIM Motor 44 - 62, FIM Cognition 5 - 17
- 5AA6            Stroke, weighted FIM Motor 19 - 43, Age  $\geq$  80
- 5AA7            Stroke, weighted FIM Motor 19 - 43, Age 67 - 79
- 5AA8            Stroke, weighted FIM Motor 19 - 43 Age 18 - 66
- 5AZ3            weighted FIM Motor score 13-18, All other impairments, Age  $\geq$  79
- 5AZ4            weighted FIM Motor score 13-18, All other impairments, Age 18 - 78

NOTE: A list of all AN SNAP classes can be found in Appendix 3


# The BIG Picture

# Volume of stroke episodes by facility



NOTE: 250 facilities reported at least one stroke episode, with 141 facilities reporting between 20 and 287 episodes in this reporting period

# Proportion of episodes by impairment and AN-SNAP class




# Summary of episodes by impairment and AN-SNAP class


AN-SNAP class V5	YOUR FACILITY CY25					
	1.1 Haemorrhagic		1.2 Ischaemic		All Stroke	
	N	%	N	%	N	%
5AA1 (motor 63-91, cognition 30-35)	0	0.0	10	13.2	10	9.4
5AA2 (motor 63-91, cognition 21-29)	3	10.0	5	6.6	8	7.5
5AA3 (motor 63-91, cognition 5-20)	5	16.7	6	7.9	11	10.4
5AA4 (motor 44-62, cognition 18-35)	6	20.0	17	22.4	23	21.7
5AA5 (motor 44-62, cognition 5-17)	2	6.7	4	5.3	6	5.7
5AA6 (motor 19-43, Age ≥ 80)	5	16.7	8	10.5	13	12.3
5AA7 (motor 19-43, Age 67-79)	2	6.7	9	11.8	11	10.4
5AA8 (motor 19-43, Age ≤ 66)	1	3.3	8	10.5	9	8.5
5AZ3 (motor 13-18, Age ≥ 79)	2	6.7	3	3.9	5	4.7
5AZ4 (motor 13-18, Age ≤ 78)	4	13.3	6	7.9	10	9.4
599A (Ungroupable)	0	0.0	0	0.0	0	0.0
<b>All Stroke AN-SNAP Classes</b>	<b>30</b>	<b>100.0</b>	<b>76</b>	<b>100.0</b>	<b>106</b>	<b>100.0</b>

AN-SNAP class V5	AUSTRALIA CY25					
	1.1 Haemorrhagic		1.2 Ischaemic		All Stroke	
	N	%	N	%	N	%
5AA1 (motor 63-91, cognition 30-35)	268	10.7	929	12.5	1,197	12.0
5AA2 (motor 63-91, cognition 21-29)	229	9.1	763	10.3	992	10.0
5AA3 (motor 63-91, cognition 5-20)	99	4.0	338	4.5	437	4.4
5AA4 (motor 44-62, cognition 18-35)	530	21.2	1,815	24.4	2,345	23.6
5AA5 (motor 44-62, cognition 5-17)	103	4.1	276	3.7	379	3.8
5AA6 (motor 19-43, Age ≥ 80)	286	11.4	951	12.8	1,237	12.4
5AA7 (motor 19-43, Age 67-79)	291	11.6	815	11.0	1,106	11.1
5AA8 (motor 19-43, Age ≤ 66)	276	11.0	605	8.1	881	8.9
5AZ3 (motor 13-18, Age ≥ 79)	119	4.8	401	5.4	520	5.2
5AZ4 (motor 13-18, Age ≤ 78)	297	11.9	535	7.2	832	8.4
599A (Ungroupable)	5	0.2	14	0.2	19	0.2
<b>All Stroke AN-SNAP Classes</b>	<b>2,503</b>	<b>100.0</b>	<b>7,442</b>	<b>100.0</b>	<b>9,945</b>	<b>100.0</b>


# Proportion of episodes by AN-SNAP class



# Proportion of episodes by impairment



# Proportion of episodes by AN-SNAP class over time




# Number of episodes by AN-SNAP class over time

AN-SNAP class V5	YOUR FACILITY — N					AUSTRALIA — N				
	CY21	CY22	CY23	CY24	CY25	CY21	CY22	CY23	CY24	CY25
5AA1 (motor 63-91, cognition 30-35)	7	20	8	16	10	1,215	1,245	1,286	1,231	1,197
5AA2 (motor 63-91, cognition 21-29)	16	7	12	8	8	1,026	941	973	1,022	992
5AA3 (motor 63-91, cognition 5-20)	4	4	3	9	11	429	395	435	468	437
5AA4 (motor 44-62, cognition 18-35)	35	27	22	30	23	2,409	2,354	2,399	2,411	2,345
5AA5 (motor 44-62, cognition 5-17)	1	4	7	4	6	450	404	388	428	379
5AA6 (motor 19-43, Age ≥ 80)	12	15	15	11	13	1,209	1,190	1,197	1,174	1,237
5AA7 (motor 19-43, Age 67-79)	13	11	14	10	11	1,071	1,081	1,147	1,121	1,106
5AA8 (motor 19-43, Age ≤ 66)	11	5	7	10	9	777	840	792	857	881
5AZ3 (motor 13-18, Age ≥ 79)	4	5	9	3	5	501	565	563	523	520
5AZ4 (motor 13-18, Age ≤ 78)	11	10	9	14	10	769	801	820	818	832
599A (Ungroupable)	1	1	0	1	0	12	15	18	21	19
<b>All Stroke AN-SNAP Classes</b>	<b>115</b>	<b>109</b>	<b>106</b>	<b>116</b>	<b>106</b>	<b>9,868</b>	<b>9,831</b>	<b>10,018</b>	<b>10,074</b>	<b>9,945</b>

AN-SNAP class V5	YOUR FACILITY — %					AUSTRALIA — %				
	CY21	CY22	CY23	CY24	CY25	CY21	CY22	CY23	CY24	CY25
5AA1 (motor 63-91, cognition 30-35)	6.1	18.3	7.5	13.8	9.4	12.3	12.7	12.8	12.2	12.0
5AA2 (motor 63-91, cognition 21-29)	13.9	6.4	11.3	6.9	7.5	10.4	9.6	9.7	10.1	10.0
5AA3 (motor 63-91, cognition 5-20)	3.5	3.7	2.8	7.8	10.4	4.3	4.0	4.3	4.6	4.4
5AA4 (motor 44-62, cognition 18-35)	30.4	24.8	20.8	25.9	21.7	24.4	23.9	23.9	23.9	23.6
5AA5 (motor 44-62, cognition 5-17)	0.9	3.7	6.6	3.4	5.7	4.6	4.1	3.9	4.2	3.8
5AA6 (motor 19-43, Age ≥ 80)	10.4	13.8	14.2	9.5	12.3	12.3	12.1	11.9	11.7	12.4
5AA7 (motor 19-43, Age 67-79)	11.3	10.1	13.2	8.6	10.4	10.9	11.0	11.4	11.1	11.1
5AA8 (motor 19-43, Age ≤ 66)	9.6	4.6	6.6	8.6	8.5	7.9	8.5	7.9	8.5	8.9
5AZ3 (motor 13-18, Age ≥ 79)	3.5	4.6	8.5	2.6	4.7	5.1	5.7	5.6	5.2	5.2
5AZ4 (motor 13-18, Age ≤ 78)	9.6	9.2	8.5	12.1	9.4	7.8	8.1	8.2	8.1	8.4
599A (Ungroupable)	0.9	0.9	0.0	0.9	0.0	0.1	0.2	0.2	0.2	0.2
<b>All Stroke AN-SNAP Classes</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

# Proportion of episodes by impairment over time



# Number of episodes by impairment over time

Impairment	YOUR FACILITY — N					AUSTRALIA — N				
	CY21	CY22	CY23	CY24	CY25	CY21	CY22	CY23	CY24	CY25
1.1 Haemorrhagic	32	23	28	24	30	2,648	2,577	2,681	2,567	2,503
1.2 Ischaemic	83	86	78	92	76	7,220	7,254	7,337	7,507	7,442
<b>All Stroke</b>	<b>115</b>	<b>109</b>	<b>106</b>	<b>116</b>	<b>106</b>	<b>9,868</b>	<b>9,831</b>	<b>10,018</b>	<b>10,074</b>	<b>9,945</b>

Impairment	YOUR FACILITY — %					AUSTRALIA — %				
	CY21	CY22	CY23	CY24	CY25	CY21	CY22	CY23	CY24	CY25
1.1 Haemorrhagic	27.8	21.1	26.4	20.7	28.3	26.8	26.2	26.8	25.5	25.2
1.2 Ischaemic	72.2	78.9	73.6	79.3	71.7	73.2	73.8	73.2	74.5	74.8
<b>All Stroke</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

# Summary of your incomplete episodes

Complete episode analysis	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	(%)	N	(%)
Total reporting episodes	106		9,945	
Incomplete episodes	16	(15.1)	1,888	(19.0)

## Reason for incomplete:

Discharged home with end FIM=18	0	(0.0)	23	(1.2)
Discharged home with no end FIM	0	(0.0)	19	(1.0)
Discharged to another hospital	10	(62.5)	810	(42.9)
Discharged back to acute same hospital	4	(25.0)	819	(43.4)
Discharged at own risk	2	(12.5)	98	(5.2)
Change of care type (LOS<1 week)	0	(0.0)	12	(0.6)
Died	0	(0.0)	34	(1.8)
Other/Unknown Discharge	0	(0.0)	73	(3.9)

Impairment:	YOUR FACILITY CY25			
	Incomplete Episodes		Complete episodes	


1.1 Haemorrhagic	4	(25.0)	26	(28.9)
1.2 Ischaemic	12	(75.0)	64	(71.1)

## AN-SNAP Class:

5AA1 (motor 63-91, cognition 30-35)	2	(14.3)	8	(9.8)
5AA2 (motor 63-91, cognition 21-29)	0	(0.0)	8	(9.8)
5AA3 (motor 63-91, cognition 5-20)	2	(14.3)	9	(11.0)
5AA4 (motor 44-62, cognition 18-35)	1	(7.1)	22	(26.8)
5AA5 (motor 44-62, cognition 5-17)	1	(7.1)	5	(6.1)
5AA6 (motor 19-43, Age ≥ 80)	5	(35.7)	8	(9.8)
5AA7 (motor 19-43, Age 67-79)	1	(7.1)	10	(12.2)
5AA8 (motor 19-43, Age ≤ 66)	1	(7.1)	8	(9.8)
5AZ3 (motor 13-18, Age ≥ 79)	1	(7.1)	4	(4.9)
5AZ4 (motor 13-18, Age ≤ 78)	2	(14.3)	8	(9.8)

# Review of FIM item scoring by AN-SNAP class

# Interpreting the comparative FIM item scoring charts




The FIM splat provides a graphic presentation of functional status in a radar chart. The 18 FIM items are arranged in order as 'spokes' of a wheel and the scoring levels from 1 (total dependence) to 7 (total independence) run from the centre outwards. The mean FIM item score for each item is indicated — a perfect score would be demonstrated as a large circle. The two FIM splats compare FIM scoring on admission (Figure A) and discharge (Figure B) between YOUR FACILITY and NATIONAL data — differences in the two shaded areas indicate differences in mean admission/discharge scoring. Graphs include completed episodes with valid FIM scoring.

# Comparative FIM item scoring AN-SNAP class 5AA 1


## 5AA 1 Admission FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=1,118)



## 5AA 1 Discharge FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=1,118)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA2


## 5AA2 Admission FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=900)



## 5AA2 Discharge FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=900)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA3


## 5AA3 Admission FIM scores

- YOUR FACILITY CY25 (n=9)
- AUSTRALIA CY25 (n=383)



## 5AA3 Discharge FIM scores

- YOUR FACILITY CY25 (n=9)
- AUSTRALIA CY25 (n=383)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA4


## 5AA4 Admission FIM scores

- YOUR FACILITY CY25 (n=22)
- AUSTRALIA CY25 (n=2,062)



## 5AA4 Discharge FIM scores

- YOUR FACILITY CY25 (n=22)
- AUSTRALIA CY25 (n=2,062)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA5


## 5AA5 Admission FIM scores

- YOUR FACILITY CY25 (n=5)
- AUSTRALIA CY25 (n=302)



## 5AA5 Discharge FIM scores

- YOUR FACILITY CY25 (n=5)
- AUSTRALIA CY25 (n=302)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA6


## 5AA6 Admission FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=936)



## 5AA6 Discharge FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=936)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA7


## 5AA7 Admission FIM scores

- YOUR FACILITY CY25 (n=10)
- AUSTRALIA CY25 (n=839)



## 5AA7 Discharge FIM scores

- YOUR FACILITY CY25 (n=10)
- AUSTRALIA CY25 (n=839)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AA8


## 5AA8 Admission FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=686)



## 5AA8 Discharge FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=686)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AZ3


## 5AZ3 Admission FIM scores

- YOUR FACILITY CY25 (n<5)
- AUSTRALIA CY25 (n=309)



## 5AZ3 Discharge FIM scores

- YOUR FACILITY CY25 (n<5)
- AUSTRALIA CY25 (n=309)




INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.

# Comparative FIM item scoring AN-SNAP class 5AZ4


## 5AZ4 Admission FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=506)



## 5AZ4 Discharge FIM scores

- YOUR FACILITY CY25 (n=8)
- AUSTRALIA CY25 (n=506)



INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary at the end of this report  
 DATA SUPPRESSION: when <5 episodes data is suppressed.



# Outcomes Analysis

# Summary of completed episodes by AN-SNAP class and impairment


AN-SNAP class V5	YOUR FACILITY CY25			AUSTRALIA CY25		
	All episodes	Completed episodes	% Complete	All episodes	Completed episodes	% Complete
5AA1 (motor 63-91, cognition 30-35)	10	8	80.0	1,197	1,118	93.4
5AA2 (motor 63-91, cognition 21-29)	8	8	100.0	992	901	90.8
5AA3 (motor 63-91, cognition 5-20)	11	9	81.8	437	383	87.6
5AA4 (motor 44-62, cognition 18-35)	23	22	95.7	2,345	2,063	88.0
5AA5 (motor 44-62, cognition 5-17)	6	5	83.3	379	302	79.7
5AA6 (motor 19-43, Age ≥ 80)	13	8	61.5	1,237	937	75.7
5AA7 (motor 19-43, Age 67-79)	11	10	90.9	1,106	839	75.9
5AA8 (motor 19-43, Age ≤ 66)	9	8	88.9	881	686	77.9
5AZ3 (motor 13-18, Age ≥ 79)	5	4	80.0	520	311	59.8
5AZ4 (motor 13-18, Age ≤ 78)	10	8	80.0	832	507	60.9
<b>All Stroke AN-SNAP Classes*</b>	<b>106</b>	<b>90</b>	<b>84.9</b>	<b>9,926</b>	<b>8,047</b>	<b>81.1</b>

Impairment	YOUR FACILITY CY25			AUSTRALIA CY25		
	All episodes	Completed episodes	% Complete	All episodes	Completed episodes	% Complete
1.1 Haemorrhagic	30	26	86.7	2,503	2,015	80.5
1.2 Ischaemic	76	64	84.2	7,442	6,042	81.2
<b>All Stroke</b>	<b>106</b>	<b>90</b>	<b>84.9</b>	<b>9,945</b>	<b>8,057</b>	<b>81.0</b>

NOTE: All outcomes analysis are based on completed episodes (excluding 599A). A definition of completed episodes can be found in Appendix 1 (Glossary).

\* Excludes episodes with ungroupable AN-SNAP class (599A)


# Casemix-adjusted\* relative means



Outcome measure	YOUR FACILITY CY25		AUSTRALIA CY25
	Casemix-adjusted* relative mean	95% CI	National IQR
Length of stay	-0.5	-4.3 to 3.2	-10.0 to 6.0
FIM change	-0.7	-3.7 to 2.4	-8.7 to 8.7

INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary.


# Casemix-adjusted\* relative means over time



\*Casemix adjusted values are based on CY25  
 INCLUDES: complete episodes with valid LOS (<=500 days), valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary.

# Outcome measures – difference from National


## How YOUR FACILITY is different to AUSTRALIA



INCLUDES: Age (valid age), LOS (complete with Valid LOS (<500 days), FIM admission/discharge/change (Complete with Valid FIM), FIM efficiency (Complete Valid LOS and Valid FIM), Disch private residence (Complete episode). The definition of a complete episode can be found in the glossary at the end of this report.  
 UPDATE: The calculation of FIM efficiency (per week) has changed in this figure from a group rate to a group mean (of the individual episode-level FIM efficiencies per week within the group). For more details please refer to Appendix 5.


# Outcome measures – difference from last year

## How YOUR FACILITY has changed since CY24




INCLUDES: Age (valid age), LOS (complete with Valid LOS (<500 days), FIM admission/discharge/change (Complete with Valid FIM), FIM efficiency (Complete Valid LOS and Valid FIM), Disch private residence (Complete episode). The definition of a complete episode can be found in the glossary at the end of this report.  
 UPDATE: The calculation of FIM efficiency (per week) has changed in this figure from a group rate to a group mean (of the individual episode-level FIM efficiencies per week within the group). For more details please refer to Appendix 5.

# Mean length of stay by AN-SNAP class over time




INCLUDES: complete episodes with valid LOS (<500 days) and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary.  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Mean length of stay by AN-SNAP class




INCLUDES: complete episodes with valid LOS (<500 days) and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Casemix-adjusted relative mean length of stay by AN-SNAP class




INCLUDES: complete episodes with valid LOS (<500 days) and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Mean length of stay by impairment




INCLUDES: complete episodes with valid LOS (<500 days).. The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed..

# Casemix-adjusted relative mean length of stay by impairment




INCLUDES: complete episodes with valid LOS (<500 days) and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Mean FIM change by AN-SNAP class over time




INCLUDES: complete episodes with valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Mean FIM change by AN-SNAP class




INCLUDES: complete episodes with valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Casemix-adjusted relative mean FIM change by AN-SNAP class




INCLUDES: complete episodes with valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Mean FIM change by impairment



INCLUDES: complete episodes with valid FIM score. The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

# Casemix-adjusted relative mean FIM change by impairment



INCLUDES: complete episodes with valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
DATA SUPPRESSION: when <5 episodes summary data is suppressed..


# Case-mix-adjusted relative mean and mean length of stay and FIM change by AN-SNAP class and impairment

AN-SNAP class V5	YOUR FACILITY CY25						AUSTRALIA CY25			
	CARM1 (95%CI)			Mean (95%CI)			Mean (95%CI)			
	LOS	FIM change		LOS	FIM change		LOS	FIM change		
5AA1 (motor 63-91, cognition 30-35)	1.2 (-4.7 – 7.2)	3.2 (-3.2 – 9.6)	13.3 (7.4 – 19.1)	14.3 (8.2 – 20.3)	12.1 (11.7 – 12.5)	11.4 (11.0 – 11.9)				
5AA2 (motor 63-91, cognition 21-29)	-3.8 (-8.4 – 0.8)	-0.7 (-8.6 – 7.3)	13.3 (8.6 – 17.9)	13.0 (5.0 – 21.0)	17.0 (16.2 – 17.8)	13.7 (13.1 – 14.2)				
5AA3 (motor 63-91, cognition 5-20)	4.7 (-5.8 – 15.2)	3.0 (-0.2 – 6.2)	32.2 (21.7 – 42.7)	20.8 (17.6 – 23.9)	27.5 (25.3 – 29.8)	18.1 (17.1 – 19.1)				
5AA4 (motor 44-62, cognition 18-35)	1.4 (-3.3 – 6.0)	-1.7 (-5.5 – 2.1)	22.1 (17.6 – 26.7)	23.9 (19.9 – 27.8)	21.0 (20.5 – 21.6)	26.3 (25.8 – 26.7)				
5AA5 (motor 44-62, cognition 5-17)	5.8 (-10.3 – 21.8)	-9.7 (-17.1 – -2.2)	35.0 (18.9 – 51.1)	19.4 (11.9 – 26.9)	29.2 (26.9 – 31.6)	29.1 (27.5 – 30.7)				
5AA6 (motor 19-43, Age ≥ 80)	-9.9 (-17.3 – -2.5)	-3.6 (-13.1 – 5.9)	23.9 (17.6 – 30.2)	27.1 (17.0 – 37.3)	35.0 (33.5 – 36.4)	31.2 (30.1 – 32.4)				
5AA7 (motor 19-43, Age 67-79)	-1.4 (-19.8 – 17.0)	-3.0 (-16.6 – 10.7)	39.6 (21.2 – 58.0)	34.5 (20.8 – 48.2)	41.0 (39.4 – 42.6)	37.4 (36.2 – 38.7)				
5AA8 (motor 19-43, Age ≤ 66)	-15.1 (-30.6 – 0.4)	0.8 (-16.4 – 17.9)	41.4 (26.8 – 55.9)	42.0 (25.1 – 58.9)	58.1 (55.2 – 61.1)	41.7 (40.3 – 43.2)				
5AZ3 (motor 13-18, Age ≥ 79)	—	—	—	—	44.2 (41.5 – 46.9)	20.2 (17.8 – 22.6)				
5AZ4 (motor 13-18, Age ≤ 78)	6.9 (-11.1 – 24.8)	-0.2 (-16.2 – 15.9)	75.1 (56.9 – 93.4)	33.5 (16.8 – 50.2)	68.7 (65.1 – 72.2)	34.4 (32.0 – 36.8)				
<b>All Stroke AN-SNAP Classes*</b>	<b>-0.5 (-4.3 – 3.2)</b>	<b>-0.7 (-3.7 – 2.4)</b>	<b>32.0 (27.1 – 37.0)</b>	<b>25.6 (22.1 – 29.1)</b>	<b>30.7 (30.1 – 31.3)</b>	<b>25.9 (25.5 – 26.2)</b>				

Impairment	YOUR FACILITY CY25						AUSTRALIA CY25			
	CARM1 (95%CI)			Mean (95%CI)			Mean (95%CI)			
	LOS	FIM change		LOS	FIM change		LOS	FIM change		
1.1 Haemorrhagic	2.3 (-5.6 – 10.1)	2.9 (-2.2 – 8.1)	37.6 (27.0 – 48.3)	30.1 (24.6 – 35.6)	34.2 (32.8 – 35.5)	28.1 (27.3 – 29.0)				
1.2 Ischaemic	-1.7 (-6.0 – 2.6)	-2.1 (-5.9 – 1.6)	29.8 (24.3 – 35.2)	23.7 (19.4 – 28.0)	29.6 (28.9 – 30.2)	25.1 (24.7 – 25.5)				
<b>All Stroke</b>	<b>-0.5 (-4.3 – 3.2)</b>	<b>-0.7 (-3.7 – 2.4)</b>	<b>32.0 (27.1 – 37.0)</b>	<b>25.6 (22.1 – 29.1)</b>	<b>30.7 (30.1 – 31.3)</b>	<b>25.9 (25.5 – 26.2)</b>				

INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary.  
DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Casemix-adjusted relative mean length of stay by age group\*




INCLUDES: complete episodes with valid age (15-110), valid LOS (<500 days) and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary

DATA SUPPRESSION: when <5 episodes summary data is suppressed

\* Approximately 20% total population per age group.

# Casemix-adjusted relative mean FIM change by age group\*



INCLUDES: complete episodes with valid age (15-110), valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary

DATA SUPPRESSION: when <5 episodes summary data is suppressed

\* Approximately 20% total population per age group.

# Mean and casemix-adjusted relative mean length of stay and FIM change by age group\*

Age group	YOUR FACILITY CY25		AUSTRALIA CY25	
	Mean LOS (95% CI)	Mean FIM change (95% CI)	Mean LOS (95% CI)	Mean FIM change (95% CI)
<65	33.3 (23.1 – 43.5)	25.0 (17.2 – 32.8)	39.3 (37.6 – 41.0)	27.9 (27.0 – 28.8)
65-74	36.5 (23.3 – 49.6)	29.6 (20.4 – 38.8)	30.3 (29.1 – 31.4)	27.1 (26.2 – 27.9)
75-79	39.3 (24.3 – 54.3)	26.7 (19.2 – 34.2)	27.4 (26.3 – 28.6)	25.6 (24.6 – 26.5)
80-84	29.4 (20.4 – 38.5)	25.6 (20.0 – 31.2)	27.4 (26.1 – 28.6)	25.2 (24.3 – 26.1)
85+	22.1 (17.0 – 27.2)	21.1 (15.2 – 27.0)	26.1 (25.2 – 27.0)	22.6 (21.8 – 23.4)

Age group	YOUR FACILITY CY25		AUSTRALIA CY25	
	CARMI LOS (95% CI)	CARMI FIM change (95% CI)	CARMI LOS (95% CI)	CARMI FIM change (95% CI)
<65	-2.6 (-10.9 – 5.7)	-2.1 (-8.5 – 4.2)	4.2 (2.8 – 5.5)	1.2 (0.5 – 1.9)
65-74	1.7 (-5.9 – 9.3)	5.6 (-1.0 – 12.3)	-1.4 (-2.2 – -0.5)	0.6 (-0.1 – 1.3)
75-79	3.6 (-10.0 – 17.2)	-2.0 (-11.6 – 7.5)	-2.6 (-3.5 – -1.7)	-0.6 (-1.3 – 0.2)
80-84	1.6 (-5.0 – 8.2)	1.5 (-4.5 – 7.6)	0.7 (-0.4 – 1.8)	1.1 (0.2 – 1.9)
85+	-4.9 (-11.3 – 1.4)	-6.3 (-11.5 – -1.1)	-1.8 (-2.6 – -1.1)	-2.5 (-3.2 – -1.8)


INCLUDES: complete episodes with valid age (15-110), valid LOS (<500 days), valid FIM score and a groupable AN-SNAP (not 599A). The definition of a complete episode can be found in the glossary  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed.

\* Approximately 20% total population per age group



# Explanatory data

# Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities




## Number of comorbidities — YOUR FACILITY CY25

INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported comorbidities. The definition of a complete episode can be found in the glossary.

DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Casemix-adjusted relative mean length of stay and FIM change by number of comorbidities



## Number of comorbidities — AUSTRALIA CY25


INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported comorbidities. The definition of a complete episode can be found in the glossary.

DATA SUPPRESSION: when <5 episodes summary data is suppressed






# Casemix-adjusted relative mean length of stay and FIM change by number of complications



INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported complications. The definition of a complete episode can be found in the glossary at the end of this report.  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Casemix-adjusted relative mean length of stay and FIM change by number of complications




Number of complications — AUSTRALIA CY25


INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported complications. The definition of a complete episode can be found in the glossary at the end of this report.

DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Casemix-adjusted relative mean length of stay by type of complication




**CARMi LOS — YOUR FACILITY CY25**




**CARMi LOS — AUSTRALIA CY25**

INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported complications. The definition of a complete episode can be found in the glossary.  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed  
 NOTE: When comparing between Your Facility and National please be aware that the X-axis are not the same

# Casemix-adjusted relative mean FIM change by type of complication



CARMi FIM change — YOUR FACILITY CY25




CARMi FIM change — AUSTRALIA CY25

INCLUDES: complete episodes with valid LOS (<500 days), valid FIM score, a groupable AN-SNAP class (not 599A) and reported complications. The definition of a complete episode can be found in the glossary.

DATA SUPPRESSION: when <5 episodes summary data is suppressed

NOTE: When comparing between Your Facility and National please be aware that the X-axis are not the same

# Type of accommodation prior to impairment



INCLUDES: Episodes that reported a prior accommodation  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed


# Type of accommodation prior to impairment

YOUR FACILITY CY25 — N (%)					
Impairment	Private residence	Residential Aged Care	Other	Unknown	All episodes
1.1 Haemorrhagic	26 (86.7)	1 (3.3)	1 (3.3)	2	30 (100.0)
1.2 Ischaemic	72 (94.7)	1 (1.3)	3 (3.9)	0	76 (100.0)
<b>All Stroke</b>	<b>98 (92.5)</b>	<b>2 (1.9)</b>	<b>4 (3.8)</b>	<b>2</b>	<b>106 (100.0)</b>

AUSTRALIA CY25 — N (%)					
Impairment	Private residence	Residential Aged Care	Other	Unknown	All episodes
1.1 Haemorrhagic	2,355 (94.1)	82 (3.3)	39 (1.6)	27	2,503 (100.0)
1.2 Ischaemic	6,905 (92.8)	237 (3.2)	94 (1.3)	206	7,442 (100.0)
<b>All Stroke</b>	<b>9,260 (93.1)</b>	<b>319 (3.2)</b>	<b>133 (1.3)</b>	<b>233</b>	<b>9,945 (100.0)</b>


DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Carer status prior to impairment



INCLUDES: episodes coming from private residence and with known carer status

# Any services received prior to impairment by carer status



**YOUR FACILITY CY25 (n=98)**

**AUSTRALIA CY25 (n=9,230)**

INCLUDES: episodes coming from private residence with known carer status and services received prior completed  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed


# Carer status and any services received prior to impairment

Carer status prior to this impairment	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
NO CARER and DOES NOT need one	74	75.5	6,784	73.5
NO CARER and NEEDS one	4	4.1	288	3.1
CARER NOT living in	10	10.2	643	7.0
CARER living in - NOT codependent	5	5.1	1,162	12.6
CARER living in - codependent	5	5.1	356	3.9
Missing	0		27	
<b>All episodes in private residence</b>	<b>98</b>	<b>100.0</b>	<b>9,260</b>	<b>100.0</b>

Carer status prior to this impairment	Any services received prior to this impairment?			
	YOUR FACILITY CY25		AUSTRALIA CY25	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	10.8	89.2	15.9	84.1
NO CARER and NEEDS one	—	—	27.4	72.6
CARER NOT living in	50.0	50.0	77.8	22.2
CARER living in - NOT codependent	40.0	60.0	42.1	57.9
CARER living in - codependent	40.0	60.0	37.4	62.6
<b>All episodes in private residence</b>	<b>18.4</b>	<b>81.6</b>	<b>24.7</b>	<b>75.3</b>


INCLUDES: episodes coming from private residence with known carer status and services received prior completed  
DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Number of services received prior to impairment by carer status




INCLUDES: episodes coming from private residence with known carer status and services received prior completed  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Type of services received prior to impairment



INCLUDES: episodes coming from private residence with services received prior completed  
 DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Type of services received prior to impairment by carer status



INCLUDES: episodes coming from private residence and with known carer status and known services status.  
DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Number and type of services received prior to impairment by carer status

Carer status prior to discharge - YOUR FACILITY CY25						
Services received prior to this impairment	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	74	4	10	5	5	<b>98</b>
<b>Percent of episodes receiving:</b>						
No services	89.2	75.0	50.0	60.0	60.0	<b>81.6</b>
1 service type	8.1	25.0	40.0	0.0	0.0	<b>11.2</b>
2 service types	2.7	0.0	0.0	0.0	0.0	<b>2.0</b>
3 service types	0.0	0.0	10.0	0.0	0.0	<b>1.0</b>
4 or more service types	0.0	0.0	0.0	40.0	40.0	<b>4.1</b>
<b>Service Type received</b>						
Domestic assistance	8.1	0.0	40.0	40.0	40.0	<b>14.3</b>
Social support	1.4	0.0	10.0	20.0	40.0	<b>5.1</b>
Nursing care	0.0	0.0	0.0	0.0	20.0	<b>1.0</b>
Allied health care	0.0	0.0	10.0	40.0	40.0	<b>5.1</b>
Personal care	1.4	0.0	10.0	40.0	20.0	<b>5.1</b>
Meals	1.4	25.0	0.0	20.0	40.0	<b>5.1</b>
Provision of goods & equipment	1.4	0.0	0.0	40.0	40.0	<b>5.1</b>
Transport services	0.0	0.0	0.0	20.0	40.0	<b>3.1</b>
Case management	0.0	0.0	0.0	40.0	40.0	<b>4.1</b>

INCLUDES: episodes coming from private residence and with known carer status and known services status.  
DATA SUPPRESSION: when <5 episodes summary data is suppressed


# Number and type of services received prior to impairment by carer status

Carer status prior to discharge - AUSTRALIA CY25						
Services received prior to this impairment	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	6,781	288	643	1,162	356	<b>9,230</b>
<b>Percent of episodes receiving:</b>						
No services	84.1	72.6	22.2	57.9	62.6	<b>75.3</b>
1 service type	10.3	15.6	21.5	13.3	18.8	<b>12.0</b>
2 service types	3.2	5.9	19.4	9.8	5.9	<b>5.4</b>
3 service types	1.4	2.1	15.6	7.9	4.5	<b>3.3</b>
4 or more service types	1.0	3.8	21.2	10.8	8.1	<b>4.0</b>
<b>Service Type received</b>						
Domestic assistance	14.0	24.0	68.1	35.1	31.5	<b>21.4</b>
Social support	1.8	3.5	24.3	9.6	5.6	<b>4.5</b>
Nursing care	0.5	1.4	8.4	3.3	3.4	<b>1.5</b>
Allied health care	1.2	1.7	9.5	6.4	5.1	<b>2.6</b>
Personal care	1.5	2.8	23.2	13.3	7.0	<b>4.7</b>
Meals	1.7	4.5	22.4	12.2	9.8	<b>4.8</b>
Provision of goods & equipment	1.3	2.8	19.3	11.9	7.0	<b>4.2</b>
Transport services	2.0	7.3	27.7	13.6	9.3	<b>5.7</b>
Case management	1.3	2.1	18.0	6.0	5.9	<b>3.3</b>

INCLUDES: episodes coming from private residence and with known carer status and known services status.  
DATA SUPPRESSION: when <5 episodes summary data is suppressed

# Days from injury to episode start with an acute admission by AN-SNAP class


■ Injury to acute admission      ■ Acute admission to rehabilitation episode start



INCLUDES: first direct care admission episodes with valid date of onset, valid date of acute admission, valid episodes start date and a groupable AN-SNAP class (not 599A)  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed


# Days from referral to rehabilitation episode start

■ Injury to Referral    
 ■ Referral to assessment    
 ■ Assessment to clinically rehab ready    
 ■ Clinically rehab ready to rehab episode start



INCLUDES: first direct care admission episodes with valid date of onset, valid referral date, valid assessment date, valid clinically rehabilitation ready date and valid episode start date  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Reason for delay in episode start



INCLUDES: first direct care admission episodes with a delay in episode start

# Summary of delays in episode start


Delay in episode start	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
No delay	85	80.2	7,537	78.2
Delay in episode start	21	19.8	2,096	21.8
Missing	0		312	
<b>All episodes</b>	<b>106</b>	<b>100.0</b>	<b>9,945</b>	<b>100.0</b>

Reasons for delay in episode start	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
Patient related issues	5	23.8	405	19.3
Service issues	17	81.0	1750	83.5
External support issues	0	0.0	22	1.0
Equipment issues	0	0.0	5	0.2
Behavioural issues	0	0.0	21	1.0
Reason(s) not specified	0	0.0	(n<5)	—

DATA SUPPRESSION: when <5 episodes in NATIONAL data counts and summary data is suppressed


# Days from community ready to discharge

■ Community ready to episode end (where a delay was reported)



INCLUDES: complete episodes with a delay in discharge and valid community ready date and episode end date  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Reasons for delay in discharge



INCLUDES: complete episodes with recorded delay in episode end.  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.

# Summary of reasons for delays in episode end


Delay in episode end	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
No delay	80	90.9	6,878	88.9
Delay in episode end	8	9.1	860	11.1
Missing	0		144	
<b>All episodes</b>	<b>88</b>	<b>100.0</b>	<b>7,882</b>	<b>100.0</b>

Reasons for delay in episode end	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
Patient related issues	2	25.0	135	15.7
Service issues	3	37.5	292	34.0
External support issues	4	50.0	440	51.2
Equipment issues	0	0.0	62	7.2
Behavioural issues	1	12.5	78	9.1
Reason(s) not specified	0	0.0	38	4.4

INCLUDES: complete episodes

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.

# Mode of episode end by AN-SNAP class



INCLUDES: complete episodes with a groupable AN-SNAP class (not 599A) and completed mode of episode end  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.


# Mode of episode end by AN-SNAP class

AN-SNAP class V5	YOUR FACILITY CY25 — N					AUSTRALIA CY25 — N				
	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown
5AA1 (motor 63-91, cognition 30-35)	8	0	1	1	0	1,084	33	68	10	(n<5)
5AA2 (motor 63-91, cognition 21-29)	7	1	0	0	0	861	31	90	10	0
5AA3 (motor 63-91, cognition 5-20)	8	1	2	0	0	335	30	62	10	0
5AA4 (motor 44-62, cognition 18-35)	20	1	1	1	0	1,899	106	307	32	(n<5)
5AA5 (motor 44-62, cognition 5-17)	3	0	3	0	0	245	35	93	6	0
5AA6 (motor 19-43, Age ≥ 80)	6	1	6	0	0	717	136	358	25	(n<5)
5AA7 (motor 19-43, Age 67-79)	7	3	1	0	0	681	96	290	38	(n<5)
5AA8 (motor 19-43, Age ≤ 66)	6	1	2	0	0	542	87	237	14	(n<5)
5AZ3 (motor 13-18, Age ≥ 79)	2	2	1	0	0	202	80	211	26	(n<5)
5AZ4 (motor 13-18, Age ≤ 78)	7	1	2	0	0	332	88	387	25	0
<b>All Stroke AN-SNAP Classes</b>	<b>74</b>	<b>11</b>	<b>19</b>	<b>2</b>	<b>0</b>	<b>6,898</b>	<b>722</b>	<b>2,103</b>	<b>196</b>	<b>7</b>

AN-SNAP class V5	YOUR FACILITY CY25 — %					AUSTRALIA CY25 — %				
	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown
5AA1 (motor 63-91, cognition 30-35)	80.0	0.0	10.0	10.0	0.0	90.6	2.8	5.7	0.8	—
5AA2 (motor 63-91, cognition 21-29)	87.5	12.5	0.0	0.0	0.0	86.8	3.1	9.1	1.0	0.0
5AA3 (motor 63-91, cognition 5-20)	72.7	9.1	18.2	0.0	0.0	76.7	6.9	14.2	2.3	0.0
5AA4 (motor 44-62, cognition 18-35)	87.0	4.3	4.3	4.3	0.0	81.0	4.5	13.1	1.4	—
5AA5 (motor 44-62, cognition 5-17)	50.0	0.0	50.0	0.0	0.0	64.6	9.2	24.5	1.6	0.0
5AA6 (motor 19-43, Age ≥ 80)	46.2	7.7	46.2	0.0	0.0	58.0	11.0	28.9	2.0	—
5AA7 (motor 19-43, Age 67-79)	63.6	27.3	9.1	0.0	0.0	61.6	8.7	26.2	3.4	—
5AA8 (motor 19-43, Age ≤ 66)	66.7	11.1	22.2	0.0	0.0	61.5	9.9	26.9	1.6	—
5AZ3 (motor 13-18, Age ≥ 79)	40.0	40.0	20.0	0.0	0.0	38.8	15.4	40.6	5.0	—
5AZ4 (motor 13-18, Age ≤ 78)	70.0	10.0	20.0	0.0	0.0	39.9	10.6	46.5	3.0	0.0
<b>All Stroke AN-SNAP Classes</b>	<b>69.8</b>	<b>10.4</b>	<b>17.9</b>	<b>1.9</b>	<b>0.0</b>	<b>69.5</b>	<b>7.3</b>	<b>21.2</b>	<b>2.0</b>	<b>0.1</b>

INCLUDES: complete episodes with a groupable AN-SNAP class (not 599A) and completed mode of episode end  
DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.

# Mode of episode end by impairment



INCLUDES: complete episodes with a completed mode of episode end  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.


# Summary of mode of episode end by impairment

Impairment	YOUR FACILITY CY25 — N					AUSTRALIA CY25 — N				
	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown
1.1 Haemorrhagic	22	3	5	0	0	1,718	161	579	45	0
1.2 Ischaemic	52	8	14	2	0	5,193	563	1,526	151	9
<b>All Stroke</b>	<b>74</b>	<b>11</b>	<b>19</b>	<b>2</b>	<b>0</b>	<b>6,911</b>	<b>724</b>	<b>2,105</b>	<b>196</b>	<b>9</b>

Impairment	YOUR FACILITY CY25 — %					AUSTRALIA CY25 — %				
	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown	Final Destination	Interim Destination	Remaining in Hospital	Other	Unknown
1.1 Haemorrhagic	73.3	10.0	16.7	0.0	0.0	68.6	6.4	23.1	1.8	0.0
1.2 Ischaemic	68.4	10.5	18.4	2.6	0.0	69.8	7.6	20.5	2.0	0.1
<b>All Stroke</b>	<b>69.8</b>	<b>10.4</b>	<b>17.9</b>	<b>1.9</b>	<b>0.0</b>	<b>69.5</b>	<b>7.3</b>	<b>21.2</b>	<b>2.0</b>	<b>0.1</b>


INCLUDES: complete episodes with a completed mode of episode end  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.

# Mode of episode end



NOTE: episodes where mode of episode end is death, discharged own risk or other are not shown in the left bar – these account for the difference from 100%

# Interim destination post discharge by AN-SNAP class



INCLUDES: episodes where mode of episode end is interim with a groupable AN-SNAP class (not 599A) and known interim destination  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.

# Summary of interim destination post discharge by AN-SNAP class

AN-SNAP class V5	YOUR FACILITY CY25 — N (%)				
	Private residence	Care	Hospital	Other	All episodes**
5AA1 (motor 63-91, cognition 30-35)	0 —	0 —	0 —	0 —	0 —
5AA2 (motor 63-91, cognition 21-29)	1 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)
5AA3 (motor 63-91, cognition 5-20)	1 (100.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)
5AA4 (motor 44-62, cognition 18-35)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (100.0)
5AA5 (motor 44-62, cognition 5-17)	0 —	0 —	0 —	0 —	0 —
5AA6 (motor 19-43, Age ≥ 80)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)	1 (100.0)
5AA7 (motor 19-43, Age 67-79)	0 (0.0)	2 (66.7)	1 (33.3)	0 (0.0)	3 (100.0)
5AA8 (motor 19-43, Age ≤ 66)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)	1 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	0 (0.0)	1 (50.0)	1 (50.0)	0 (0.0)	2 (100.0)
5AZ4 (motor 13-18, Age ≤ 78)	0 (0.0)	0 (0.0)	1 (100.0)	0 (0.0)	1 (100.0)
<b>All Stroke AN-SNAP Classes</b>	<b>2 (18.2)</b>	<b>3 (27.3)</b>	<b>5 (45.5)</b>	<b>0 (0.0)</b>	<b>11 (100.0)</b>


AN-SNAP class V5	AUSTRALIA CY25 — N (%)				
	Private residence	Care	Hospital	Other	All episodes**
5AA1 (motor 63-91, cognition 30-35)	14 (42.4)	6 (18.2)	(n<5) —	8 (24.2)	33 (100.0)
5AA2 (motor 63-91, cognition 21-29)	17 (54.8)	5 (16.1)	(n<5) —	5 (16.1)	31 (100.0)
5AA3 (motor 63-91, cognition 5-20)	8 (26.7)	7 (23.3)	8 (26.7)	7 (23.3)	30 (100.0)
5AA4 (motor 44-62, cognition 18-35)	20 (18.9)	30 (28.3)	34 (32.1)	15 (14.2)	106 (100.0)
5AA5 (motor 44-62, cognition 5-17)	(n<5) —	8 (22.9)	13 (37.1)	8 (22.9)	35 (100.0)
5AA6 (motor 19-43, Age ≥ 80)	6 (4.4)	64 (47.1)	38 (27.9)	23 (16.9)	136 (100.0)
5AA7 (motor 19-43, Age 67-79)	9 (9.4)	35 (36.5)	35 (36.5)	13 (13.5)	96 (100.0)
5AA8 (motor 19-43, Age ≤ 66)	15 (17.2)	8 (9.2)	46 (52.9)	16 (18.4)	87 (100.0)
5AZ3 (motor 13-18, Age ≥ 79)	(n<5) —	44 (55.0)	24 (30.0)	7 (8.8)	80 (100.0)
5AZ4 (motor 13-18, Age ≤ 78)	(n<5) —	24 (27.3)	40 (45.5)	18 (20.5)	88 (100.0)
<b>All Stroke AN-SNAP Classes</b>	<b>98 (13.6)</b>	<b>231 (32.0)</b>	<b>245 (33.9)</b>	<b>120 (16.6)</b>	<b>722 (100.0)</b>

\*\* There was 1 episode(s) in YOUR FACILITY CY25 and 28 episodes in AUSTRALIA CY25 with unknown interim destination

INCLUDES: episodes where mode of episode end is interim and a groupable AN-SNAP class (not 599A)

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Interim destination post discharge by impairment



INCLUDES: episodes where mode of episode end is interim and interim destination is known  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Summary of interim destination post discharge by impairment

Impairment	YOUR FACILITY CY25 — N (%)					All episodes**
	Private residence	Residential Aged Care	Hospital	Other		
1.1 Haemorrhagic	1 (33.3)	1 (33.3)	1 (33.3)	0 (0.0)		3 (100.0)
1.2 Ischaemic	1 (12.5)	2 (25.0)	4 (50.0)	0 (0.0)		8 (100.0)
<b>All Stroke</b>	<b>2 (18.2)</b>	<b>3 (27.3)</b>	<b>5 (45.5)</b>	<b>0 (0.0)</b>		<b>11 (100.0)</b>


Impairment	AUSTRALIA CY25 — N (%)					All episodes**
	Private residence	Residential Aged Care	Hospital	Other		
1.1 Haemorrhagic	21 (13.0)	46 (28.6)	56 (34.8)	30 (18.6)		161 (100.0)
1.2 Ischaemic	78 (13.9)	185 (32.9)	189 (33.6)	91 (16.2)		563 (100.0)
<b>All Stroke</b>	<b>99 (13.7)</b>	<b>231 (31.9)</b>	<b>245 (33.8)</b>	<b>121 (16.7)</b>		<b>724 (100.0)</b>

\*\* There was 1 episode(s) in YOUR FACILITY CY25 and 28 episodes in AUSTRALIA CY25 with unknown interim destination

INCLUDES: episodes where mode of episode end is interim and interim destination is known

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Final destination post discharge by AN-SNAP class



INCLUDES: episodes where mode of episode end is final or interim, a groupable AN-SNAP class (not 599A) and final destination is known  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Summary of final destination post discharge by AN-SNAP class


AN-SNAP class V5	Private residence	YOUR FACILITY CY25 — N (%)				All episodes
		Residential	Other	Missing		
		Aged Care				
5AA1 (motor 63-91, cognition 30-35)	8 (100.0)	0 (0.0)	0 (0.0)	0	8 (100.0)	
5AA2 (motor 63-91, cognition 21-29)	7 (87.5)	0 (0.0)	1 (12.5)	0	8 (100.0)	
5AA3 (motor 63-91, cognition 5-20)	8 (88.9)	1 (11.1)	0 (0.0)	0	9 (100.0)	
5AA4 (motor 44-62, cognition 18-35)	18 (85.7)	2 (9.5)	1 (4.8)	0	21 (100.0)	
5AA5 (motor 44-62, cognition 5-17)	3 (100.0)	0 (0.0)	0 (0.0)	0	3 (100.0)	
5AA6 (motor 19-43, Age ≥ 80)	4 (57.1)	2 (28.6)	1 (14.3)	0	7 (100.0)	
5AA7 (motor 19-43, Age 67-79)	6 (66.7)	2 (22.2)	1 (11.1)	1	9 (100.0)	
5AA8 (motor 19-43, Age ≤ 66)	7 (100.0)	0 (0.0)	0 (0.0)	0	7 (100.0)	
5AZ3 (motor 13-18, Age ≥ 79)	1 (25.0)	2 (50.0)	1 (25.0)	0	4 (100.0)	
5AZ4 (motor 13-18, Age ≤ 78)	4 (50.0)	3 (37.5)	1 (12.5)	0	8 (100.0)	
<b>All Stroke AN-SNAP Classes</b>	<b>66 (78.6)</b>	<b>12 (14.3)</b>	<b>5 (6.0)</b>	<b>1</b>	<b>84 (100.0)</b>	

AN-SNAP class V5	Private residence	AUSTRALIA CY25 — N (%)				All episodes
		Residential	Other	Missing		
		Aged Care				
5AA1 (motor 63-91, cognition 30-35)	1033 (92.5)	9 (0.8)	9 (0.8)	66	1117 (100.0)	
5AA2 (motor 63-91, cognition 21-29)	815 (91.4)	23 (2.6)	8 (0.9)	46	892 (100.0)	
5AA3 (motor 63-91, cognition 5-20)	311 (85.2)	19 (5.2)	10 (2.7)	25	365 (100.0)	
5AA4 (motor 44-62, cognition 18-35)	1810 (90.3)	70 (3.5)	51 (2.5)	74	2005 (100.0)	
5AA5 (motor 44-62, cognition 5-17)	228 (81.4)	27 (9.6)	11 (3.9)	14	280 (100.0)	
5AA6 (motor 19-43, Age ≥ 80)	558 (65.4)	218 (25.6)	47 (5.5)	30	853 (100.0)	
5AA7 (motor 19-43, Age 67-79)	605 (77.9)	94 (12.1)	26 (3.3)	52	777 (100.0)	
5AA8 (motor 19-43, Age ≤ 66)	522 (83.0)	11 (1.7)	45 (7.2)	51	629 (100.0)	
5AZ3 (motor 13-18, Age ≥ 79)	93 (33.0)	163 (57.8)	15 (5.3)	11	282 (100.0)	
5AZ4 (motor 13-18, Age ≤ 78)	243 (57.9)	90 (21.4)	49 (11.7)	38	420 (100.0)	
<b>All Stroke AN-SNAP Classes</b>	<b>6218 (81.6)</b>	<b>724 (9.5)</b>	<b>271 (3.6)</b>	<b>407</b>	<b>7620 (100.0)</b>	

INCLUDES: episodes where mode of episode end is final or interim, a groupable AN-SNAP class (not 599A) and final destination is known

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Final destination post discharge by impairment



INCLUDES: episodes where mode of episode end is final or interim and final destination is reported (includes episodes with reported "Unknown" destination)  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Summary of final destination post discharge by impairment

## YOUR FACILITY CY25 — N (%)

### Residential Aged

Impairment	Private residence	Care	Other	Missing	All episodes
1.1 Haemorrhagic	19 (76.0)	4 (16.0)	2 (8.0)	0	25 (100.0)
1.2 Ischaemic	47 (79.7)	8 (13.6)	4 (6.8)	1	59 (100.0)
<b>All Stroke</b>	<b>66 (78.6)</b>	<b>12 (14.3)</b>	<b>6 (7.1)</b>	<b>1</b>	<b>84 (100.0)</b>

## AUSTRALIA CY25 — N (%)


### Residential Aged

Impairment	Private residence	Care	Other	Missing	All episodes
1.1 Haemorrhagic	1,553 (82.7)	143 (7.6)	74 (3.9)	109	1,879 (100.0)
1.2 Ischaemic	4,676 (81.2)	583 (10.1)	198 (3.4)	299	5,756 (100.0)
<b>All Stroke</b>	<b>6,229 (81.6)</b>	<b>726 (9.5)</b>	<b>272 (3.6)</b>	<b>408</b>	<b>7,635 (100.0)</b>

INCLUDES: episodes where mode of episode end is final or interim and final destination is reported (includes episodes with reported "Unknown" destination)

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Interim and final destination post discharge



INCLUDES: episodes where mode of episode end is interim or final destination and destination is known.

# Interim and final destination post discharge


Discharge destination	YOUR FACILITY CY25				AUSTRALIA CY25			
	Interim	(%)	Final	(%)	Interim	(%)	Final	(%)
Private residence	2	(20.0%)	66	(82.5%)	98	(21.8%)	6,218	(87.9)
Residential Aged Care	3	(30.0%)	12	(15.0%)	231	(51.4%)	724	(10.2)
Community group home	0	(0.0%)	0	(0.0%)	(n<5)	—	42	(0.6)
Boarding house	0	(0.0%)	0	(0.0%)	(n<5)	—	5	(0.1)
Transitional living unit	0	(0.0%)	1	(1.3%)	78	(17.4%)	30	(0.4)
Hospital	5	(50.0%)	n.a.		245	(54.6%)	n.a.	
Other	0	(0.0%)	1	(1.3%)	36	(8.0%)	57	(0.8)
Missing/Unknown	1		5		28		544	
<b>All episodes</b>	<b>11</b>	<b>(100.0)</b>	<b>85</b>	<b>(100.0)</b>	<b>477</b>	<b>(100.0)</b>	<b>7,620</b>	<b>(100.0)</b>

INCLUDES: episodes where mode of episode end is interim or final destination

DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed.


n.a. Not applicable as "Hospital" not part of final destination codeset

# Carer status post discharge



INCLUDES: episodes where final destination is private residence and carer status is known  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Any services received post discharge by carer status



**YOUR FACILITY CY25 (n=69)**

**AUSTRALIA CY25 (n=6,182)**

INCLUDES: episodes where final destination is private residence, known carer status and services received provided  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed


# Summary of carer status and any services received post discharge

Carer status post discharge	YOUR FACILITY CY25		AUSTRALIA CY25	
	N	%	N	%
NO CARER and DOES NOT need one	25	36.2	2,537	41.0
NO CARER and NEEDS one	4	5.8	156	2.5
CARER NOT living in	7	10.1	801	13.0
CARER living in - NOT codependent	25	36.2	2,217	35.9
CARER living in - codependent	8	11.6	473	7.6
Missing	0		102	
<b>All episodes in private residence</b>	<b>69</b>	<b>100.0</b>	<b>6,286</b>	<b>100.0</b>

Carer status post discharge	Any services received post discharge?			
	YOUR FACILITY CY25		AUSTRALIA CY25	
	Yes (%)	No (%)	Yes (%)	No (%)
NO CARER and DOES NOT need one	72.0	28.0	59.8	40.2
NO CARER and NEEDS one	—	—	72.3	27.7
CARER NOT living in	85.7	14.3	89.3	10.7
CARER living in - NOT codependent	68.0	32.0	78.4	21.6
CARER living in - codependent	62.5	37.5	69.5	30.5
<b>All episodes in private residence</b>	<b>72.5</b>	<b>27.5</b>	<b>71.3</b>	<b>28.7</b>


INCLUDES: episodes where final destination is private residence, known carer status and services received provided

# Change in prior accommodation post discharge




INCLUDES: episodes where accommodation prior and final discharge destination are recorded, and if coming from / going to a private residence, carer status prior and post discharge are also recorded

# Number of services received post discharge by carer status




INCLUDES: episodes where final destination is private residence, known carer status and services received provided  
 DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Type of services received post discharge




INCLUDES: episodes where final destination is private residence and services received provided

# Type of services received pre and post rehabilitation



INCLUDES: episodes where final destination is private residence and with known carer status and received services both pre and post the episode

# Type of services received post discharge by carer status



NOTE: episodes where final destination is private residence and with known carer status and known services status  
DATA SUPPRESSION: when <5 episodes meet the inclusion criteria above, data is suppressed

# Number and type of services received post discharge – Your facility

Carer status post discharge - YOUR FACILITY CY25						
Services received post discharge	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	25	4	7	25	8	<b>69</b>
<b>Percent of episodes receiving:</b>						
No services	28.0	0.0	14.3	32.0	37.5	<b>27.5</b>
1 service type	48.0	50.0	14.3	16.0	0.0	<b>27.5</b>
2 service types	4.0	0.0	42.9	8.0	37.5	<b>13.0</b>
3 service types	8.0	0.0	0.0	8.0	12.5	<b>7.2</b>
4 or more service types	12.0	50.0	28.6	36.0	12.5	<b>24.6</b>
<b>Service Type received</b>						
Domestic assistance	24.0	50.0	57.1	44.0	25.0	<b>36.2</b>
Social support	12.0	25.0	14.3	28.0	12.5	<b>18.8</b>
Nursing care	8.0	25.0	0.0	4.0	0.0	<b>5.8</b>
Allied health care	52.0	50.0	71.4	60.0	62.5	<b>58.0</b>
Personal care	16.0	50.0	28.6	36.0	50.0	<b>30.4</b>
Meals	12.0	75.0	14.3	16.0	12.5	<b>17.4</b>
Provision of goods & equipment	12.0	25.0	0.0	28.0	25.0	<b>18.8</b>
Transport services	8.0	25.0	14.3	32.0	12.5	<b>18.8</b>
Case management	8.0	25.0	14.3	28.0	12.5	<b>17.4</b>

NOTE: episodes where final destination is private residence and with known carer status and known services status

# Number and type of services received post discharge – National

Carer status post discharge - AUSTRALIA CY25						
Services received post discharge	NO CARER and DOES NOT need one	NO CARER and NEEDS one	CARER NOT living in	CARER living in - NOT codependent	CARER living in - codependent	All episodes in private residence
Number of episodes in private residence	2,537	155	801	2,217	472	<b>6,182</b>
<b>Percent of episodes receiving:</b>						
No services	40.2	27.7	10.7	21.6	30.5	<b>28.7</b>
1 service type	32.2	23.2	16.9	27.5	22.2	<b>27.5</b>
2 service types	11.9	16.8	17.1	15.9	16.1	<b>14.5</b>
3 service types	6.9	7.7	13.0	10.4	11.7	<b>9.3</b>
4 or more service types	8.6	24.5	41.9	24.6	19.5	<b>19.9</b>
<b>Service Type received</b>						
Domestic assistance	21.2	38.7	61.9	35.9	31.1	<b>32.9</b>
Social support	5.8	21.9	25.7	14.7	12.7	<b>12.5</b>
Nursing care	6.1	17.4	17.0	11.0	12.5	<b>10.1</b>
Allied health care	46.7	50.3	61.3	63.5	54.0	<b>55.3</b>
Personal care	8.7	21.3	37.0	28.4	23.1	<b>20.8</b>
Meals	4.7	14.8	23.1	12.6	10.0	<b>10.5</b>
Provision of goods & equipment	10.1	21.9	30.1	22.7	21.4	<b>18.4</b>
Transport services	10.8	21.9	36.6	21.4	15.9	<b>18.6</b>
Case management	7.0	16.1	27.6	18.7	15.5	<b>14.8</b>

NOTE: episodes where final destination is private residence and with known carer status and known services status

## AN-SNAP class

The Australian National Sub-Acute and Non-Acute Patient Classification (AN-SNAP) is a casemix classification for sub-acute and non-acute care provided in a variety of treatment settings. Version 5, introduced in July 2022 and used in these reports, uses the episode's impairment, age, weighted FIM motor admission score and FIM cognition score to determine which of 48 inpatient (admitted overnight adult) rehabilitation classes the episode should be assigned to.

Between AN-SNAP V4 and V5 there have been some minor refinements to the positioning of age and FIM score splits, and minor revisions to the impairment-specific weights used for the FIM item scores in the calculation of a motor score; orthopaedic replacement classes (lost in Version 4) have returned and brain injury classes are now split first on cognition FIM scores and second on motor FIM scores. Refer Appendix 3 for the full list of classes and the section Impairment specific weighted FIM scores below for more detail about how the items are weighted. For more information about AN-SNAP class V5 please refer to the AROC website.

## AROC

The Australasian Rehabilitation Outcomes Centre (AROC) is the Australian and New Zealand rehabilitation medicine **integrated outcomes centre** that collects rehabilitation outcome measures at point-of-care from both private and public rehabilitation services across both countries. Established in 2002 it is a joint initiative of the Australasian rehabilitation sector (providers, payers, regulators and consumers) and current membership encompasses close to 100% of all Australian and New Zealand rehabilitation services, who routinely submit deidentified data to AROC for each rehabilitation episode, including information about demographics, process indicators and functional status.

## Benchmark group

Benchmark groups are set nationally for all conditions except for those episodes recorded as brain injury or spinal cord injury (these include those with a major multi trauma involving brain and/or spinal cord injury). Benchmark groups for episodes of brain injury and spinal cord injury are set separately for traumatic and non-traumatic episodes by first admission episodes reported by specialist units binationally.

For Australian episodes and those episodes with a brain injury or spinal cord injury benchmarks are calculated each reporting period using all episodes submitted to AROC during the current reporting period. Commencing with the Calendar Year 2024 benchmark reports New Zealand episodes are benchmarked using the previously published CY2023 New Zealand benchmarks due to decreased episode volume.

# Appendix 1 Glossary

## Casemix-adjusted relative mean

A comparison of some statistics such as length of stay and FIM change is only possible if the groups being compared comprise similar episodes. The specific impairment, level of functional independence, age and other factors relating to the episode have an impact on these statistics. If, for example, your mean length of stay were different from the benchmark group, we could not tell if your episodes really were different or if the difference was merely due to the unique casemix.

To overcome this difficulty, it is possible to statistically control for casemix. This is achieved by adjusting measures such as length of stay and FIM change so that the comparison is only made between similar types of episodes.

In this report we have calculated casemix-adjusted relative mean length of stay and casemix-adjusted relative mean FIM change for completed episodes. To do this, we needed to know the LOS (or FIM change) and AN-SNAP class for each episode as well as the mean LOS (or FIM change) for the benchmark group for each AN-SNAP class. We then calculated the difference between each episode LOS (or FIM change) and the mean LOS (or FIM change) of the appropriate AN-SNAP class. These differences were then averaged to produce the casemix-adjusted relative mean. This may be easier to understand as a set of two equations illustrated below.

**For each episode calculate:**

**LOSdiff = episode's LOS – mean LOS appropriate AN-SNAP class.**

**Casemix-adjusted relative mean = Sum of LOSdiff for all episodes divided by Number of episodes**

A casemix-adjusted relative mean length of stay of, say, -2 days would indicate that, on average, your facility has a LOS of 2 days less than similar episodes in the benchmark group. A casemix-adjusted relative mean FIM change of, say, 4 would indicate that, on average, your facility improved 4 FIM points more than similar episodes in the benchmark group. It is important to consider both of these statistics together. For example, your episodes may have stayed longer than similar episodes in the benchmark group, but they may also have achieved a greater functional improvement.

## Complete/incomplete episode

An episode is considered "complete" for the purpose of calculating outcome statistics in this report if (A) the mode of episode end was either 1 (discharged to usual destination) or 2 (discharged to interim destination) AND total FIM score at episode end was greater than 18, or (B) the mode of episode end was 7 (change of care type within sub-acute/non-acute care) AND length of stay greater than 6 days.

## Confidence interval for a mean

To decide if a difference between your facility's mean score and the benchmark group's mean is statistically significant, look at the two confidence intervals. If they overlap, the difference is not likely to be statistically significant. For example your facility's mean onset to first admission may be 16 days while the benchmark group's mean is 12 days. These values are certainly different, but the difference may not be statistically significant. If the 95% confidence interval of your data were (13 – 19) (i.e. 13 days to 19 days) and that of the benchmark group data set were (10.5 – 13.5) (i.e. 10.5 days to 13.5 days), the difference is not likely to be statistically significant as the two confidence intervals overlap. Note that this is a conservative comparison and is not as accurate as a formal statistical test.

## COVID-19

The immediate impact of COVID-19 in 2020 on rehabilitation was a 12% decline in the number of rehabilitation episodes following temporary suspension of elective surgeries, ward re-assignments and closures, and fewer traumatic accidents. There is still an ongoing impact of COVID-19 on rehabilitation in the form of reduced inpatient beds, increased patient complexity and staffing issues.

The extent of the impact of COVID-19 on the demand for rehabilitation in both the inpatient or community rehabilitation is still being realised. To help measure the impact of COVID, and importantly long COVID, AROC added COVID specific impairment codes, comorbidity and complication codes to the AROC datasets effective July 2022. Appendix 2 lists the COVID impairment codes, which map to AN-SNAP V5 classes 5A91-5A93 & 5AZ3-5AZ4. COVID related data provided to AROC through the adjunct data collection along with entries in the patient comment field have been mapped to the new COVID codes.

- **Guidelines for the collection and coding of COVID-19 AROC data** can be found at <https://documents.uow.edu.au/content/groups/public/@web/@chsd/@aroc/documents/doc/uow272916.pdf>
- **The AROC COVID Coding Decision Tree** can be found at <https://documents.uow.edu.au/content/groups/public/@web/@chsd/@aroc/documents/doc/uow272917.pdf>
- Updated **Data Collection Forms** can be found at <https://ahsri.atlassian.net/wiki/spaces/AD/pages/17268778/Data+Collection+Forms>
- Services who do not have access to the new COVID codes are asked to identify patients who have had COVID-19 in the AROC data set services by entering the relevant **COVID-19 impairment code, comorbidity or complication** (as appropriate) in the patient comment field.

## COVID-19 (cont.)

The potential sequelae of COVID-19 appear to be numerous, so the functional deficits of these patients that result in the need for rehabilitation can be quite varied. To enable comprehensive reporting of rehabilitation outcomes for these patients, the National COVID-19 rehabilitation adjunct data collection was created, in collaboration with the NSW Agency for Clinical Innovation's Rehabilitation Community of Practice.

The national COVID-19 rehabilitation adjunct data collection covers all care settings – in-reach, inpatient and ambulatory – and services do not need to be an AROC member to participate. The data collection is to be completed for **ALL** patients who have received a positive diagnosis of COVID-19 and are now participating in rehabilitation in any care setting (even if COVID codes have been used in the AROC data collection). Where possible and appropriate, the National COVID-19 rehabilitation adjunct data will be linked with the AROC inpatient and/or ambulatory data collections.

The National COVID-19 rehabilitation adjunct data collection is entered online at

<https://apps.ahsri.uow.edu.au/redcap/surveys/?s=DR4AE3FHAX>

All relevant data items must be known prior to commencing data entry as there is no save and resume function. For convenience a data collection form is provided as an optional mechanism to collect the data (available here

<https://apps.ahsri.uow.edu.au/downloads/CovidCollection.pdf>).

## Data Concatenation

Increasingly some jurisdictions have introduced business rules around data collection that have resulted in episodes of rehabilitation being ended and then re-commenced a few days later. AROC definitions would record these as one episode with the period in between defined as a suspension of rehabilitation. Such business rules result in two (or more) episodes of rehabilitation being reported to AROC when only one full episode should be reported.

Whilst this happens much more frequently in some impairment groups (e.g. spinal cord injury & brain injury) it does impact all impairments to some degree. Reporting of multiple episodes impacts outcomes analysis, resulting in shorter than real length of stays and reduced FIM change being reported.

Concatenated episodes will have a revised Length of stay and FIM change (start details will be taken from the identified primary episode; end details from the identified final episode), and will also have a revised number of suspensions (being the sum across all concatenated 'submitted episodes' plus the number of breaks between 'submitted episodes') and a revised number of suspension days (being the sum across all concatenated 'submitted episodes' plus the sum of all days between 'submitted episodes').

Submitted episodes to AROC are identified for concatenation based on the following rules:

- Subsequent episodes MUST have same impairment code and be from same reporting facility with same MRN and DOB.
- Leading episode must be discharged into the hospital system with following episode being admitted from hospital system.
- Number of days between episodes being 0-14 days for spinal and 0-7 days for all other impairments.

To make it easier for AROC to identify episodes that should be concatenated in January 2014 the data item Mode of Episode Start had an additional code set value added: **9 = recommenced rehabilitation episode following suspension.**

## Data completeness score

The data completeness score is the average percent reported for all AROC data items (including impairment specific items where relevant) with the exception of those items that are optional. Path, facility code, facility name, MRN and episode end date are not included as these fields are used to extract the data for reporting.

## Functional Independence Measure (FIM)

The Functional Independence Measure (FIM) is used as a tool to assess the functional independence of patients at episode start and end.

- The **FIM motor score** is the sum of the scores obtained for the first thirteen (13) items in the FIM instrument. A higher FIM motor score indicates a greater level of functional independence in motor skills.
- The **FIM cognition score** is the sum of the scores obtained for the final five (5) items in the FIM instrument. A higher FIM cognition score indicates better cognitive function.

## FIM change

The change in functional status from the beginning to the end of the episode is measured by the change in FIM score. This is calculated as the FIM score at the end of the episode minus the FIM score at the start of the episode. In some instances the change in total FIM score (the sum of items 1 to 18) is calculated. In other cases either the change in FIM motor score (the sum of items 1 to 13) or the change in FIM cognition score (the sum of items 14 to 18) is calculated.

A higher FIM score corresponds to higher level of function while a lower FIM score represents less functional independence. This means that a positive value for the change in FIM score indicates functional improvement during the episode. A negative value for the change in FIM score indicates a decline in functional independence during the episode.

## FIM efficiency

AROC reports FIM efficiency as the rate of functional improvement per week. It can be reported at the episode level or group level (e.g. AN-SNAP class, service, national). At the episode level, FIM efficiency is calculated as FIM change divided by length of stay (LOS, in days), multiplied by seven to express the rate of improvement per week. At the group level, FIM efficiency is calculated as the mean of the individual episode-level FIM efficiencies per week within the group.

## Impairment-specific weighted FIM motor scores

AN-SNAP v5, like Version 4, uses impairment-specific weighted FIM motor scores in the inpatient (admitted overnight adult) rehabilitation classes. Weights reflect the relative impact of each item on the cost of caring for the rehabilitation patient. If an item has a weight of more than 1, it will have an impact on the cost of care that is more than average – a weight less than 1 implies the impact will be less than average. Within each impairment type, the weights are scaled to sum to 13 – thus both weighted and unweighted scores range from a minimum of 13 to a maximum of 91. Where impairments are grouped together in the classification, a single set of weights for that group has been derived. The exception is the FIM motor item stairs where all weights were set to 1.

## Interquartile range (IQR)

The middle 50% — between the 25% percentile and the 75% percentile.

## Length of stay (LOS)

The length of stay (LOS) of an episode is the number of days on which care has been provided. It is calculated as the end date minus the start date, minus the number of leave days during the episode.

## Mean

The mean, or average, is a measure of the "centre" of your data. It is calculated by adding all data values and dividing by the number of values. The mean can be used to calculate a total. For example, if the mean length of stay were 21 days for a group of 30 episodes, the total number of bed days could be calculated as 21 multiplied by 30.

## Mean or median - which to use?

The mean and the median are both measures of the "centre" of your data. For data that are symmetric about the mean (e.g. normally distributed data), the mean and the median will be close to each other. However they may have very different values for some data sets.

As an example, consider length of stay. Typically, most episodes within a class will have roughly the same length of stay. However, there will be a few episodes that are longer than the others and a smaller number that are very long. These longer lengths of stay have the effect of increasing the mean length of stay, but have little or no effect on the median.

If you want to know how long episodes in this class "typically" stay, you will probably be interested in the median as this gives you the middle value - half the episodes are longer and half the episodes are shorter. If, however, your interest is in allocation of resources and you want to know how long episodes stay on average, or if you want to get an idea of the total number of days of care provided to episodes in this class, you will need to look at the mean. (The total days can be calculated by multiplying the mean with the number in the class).

## Median

The median provides the middle value of your data – half the values lie above it and half the values lie below. For example, if your median length of stay were 20 days, half of your episodes would have stayed for 20 days or less, while the other half would have stayed 20 days or longer. Note that the median, unlike the mean, cannot be used to calculate the total number of bed days.

## Relative Functional Gain (RFG)

FIM change measures the absolute difference between admission FIM and discharge FIM scores, i.e. client 1 had a 10 point improvement (admission 46 - discharge 56) and client 2 also had a ten point improvement (admission 116 - discharge 126). FIM change does not take into account the proportion of FIM change possible, i.e. client 1 improved 10 points out of possible 80 (126-46) and client 2 improved 10 points out of a possible 10 (126-116). So not all patients that improve 10 FIM points are the same. This proportion of FIM change possible is known as the Relative Functional Gain (RFG) and tries to take into account the amount of FIM gain possible. RFG is calculated as follows:

- If actual FIM change > 0 [improved]
  - $(\text{Discharge FIM} - \text{Admission FIM}) / (126 - \text{Admission FIM})$ 
    - e.g.  $(90 - 50) / (126 - 50) = 40 / 76 = 52.6\%$
- If actual FIM change < 0 [declined]
  - $(\text{Discharge FIM} - \text{Admission FIM}) / (\text{Admission FIM})$ 
    - e.g.  $(90 - 100) / 100 = -10 / 100 = -10\%$
- If actual FIM change = 0 [no change]
  - 0%

## Submitted versus reporting episodes

Submitted episodes are those submitted to AROC either via direct data entry or upload through AROC Online Services. These episodes have not been concatenated.

The reporting data used by AROC in this report is made up of concatenated episodes. For most episodes there is no difference between the submitted episode and the one used for reporting.

# Appendix 1: Glossary

## **Valid FIM**

For an episode to have a Valid FIM flag it must be a complete episode and each of the 18 items on admission and discharge must have been answered with a valid response of 1-7. The Valid FIM flag is used in analysis which measures FIM scores as an outcome.

## **Valid LOS**

For an episode to have a Valid LOS flag it must be a complete episode with a length of stay ranging between 1 and 500 days. The Valid LOS flag is used in analysis which measures LOS as an outcome.

## **Version 4 data set**

The version 4 (V4) AROC dataset was introduced on 1 July 2012. V4 is designed as a bank of data items, combinations of which are used to describe 4 possible pathways of care (see the AROC website for more information about the different pathways). NOTE: This report utilises only Pathway 3 data (inpatient direct care).

# Appendix 2: AROC Impairment Codes

## STROKE

### Haemorrhagic

- 1.11 Left body involvement
- 1.12 Right body involvement
- 1.13 Bilateral involvement
- 1.14 No paresis
- 1.19 Other haemorrhagic stroke

### Ischaemic

- 1.21 Left body involvement (right brain)
- 1.22 Right body involvement (left brain)
- 1.23 Bilateral involvement
- 1.24 No paresis
- 1.29 Other ischaemic stroke

## BRAIN INJURY

### Non-traumatic

- 2.11 Sub-arachnoid haemorrhage
- 2.12 Anoxic brain damage
- 2.13 Other non-traumatic brain injury

### Traumatic

- 2.21 Open injury
- 2.22 Closed injury

## NEUROLOGICAL CONDITIONS

- 3.1 Multiple Sclerosis
- 3.2 Parkinsonism
- 3.3 Polyneuropathy
- 3.4 Guillian-Barre
- 3.5 Cerebral palsy
- 3.8 Neuromuscular disorders
- 3.9 Other neurological conditions

## SPINAL CORD INJURY

### Non traumatic spinal cord injury

- 4.111 Paraplegia, incomplete
- 4.112 Paraplegia, complete
- 4.1211 Quadriplegia, incomplete C1-4
- 4.1212 Quadriplegia, incomplete C5-8
- 4.1221 Quadriplegia, complete C1-4
- 4.1222 Quadriplegia, complete C5-8
- 4.13 Other non-traumatic spinal cord injury

### Traumatic spinal cord injury

- 4.211 Paraplegia, incomplete
- 4.212 Paraplegia, complete
- 4.2211 Quadriplegia, incomplete C1-4
- 4.2212 Quadriplegia, incomplete C5-8
- 4.2221 Quadriplegia, complete C1-4
- 4.2222 Quadriplegia, complete C5-8
- 4.23 Other traumatic spinal cord injury

## AMPUTATION OF LIMB

### Not resulting from trauma

- 5.11 Single upper above elbow
- 5.12 Single upper below elbow
- 5.13 Single lower above knee (includes through knee)
- 5.14 Single lower below knee
- 5.15 Double lower above knee (includes through knee)
- 5.16 Double lower above/below knee
- 5.17 Double lower below knee
- 5.18 Partial foot (single or double)
- 5.19 Other amputation not from trauma

## AMPUTATION OF LIMB

### Resulting from trauma

- 5.21 Single upper above elbow
- 5.22 Single upper below elbow
- 5.23 Single lower above knee (includes through knee)
- 5.24 Single lower below knee
- 5.25 Double lower above knee (includes through knee)
- 5.26 Double lower above/below knee
- 5.27 Double lower below knee
- 5.28 Partial foot (single or double)
- 5.29 Other amputation from trauma

## ARTHRITIS

- 6.1 Rheumatoid arthritis
- 6.2 Osteoarthritis
- 6.9 Other arthritis

## PAIN SYNDROMES

- 7.1 Neck pain
- 7.2 Back Pain
- 7.3 Extremity pain
- 7.4 Headache (includes migraine)
- 7.5 Multi-site pain
- 7.9 Other pain (includes abdo/chest wall)

# Appendix 2: AROC Impairment Codes

## ORTHOPAEDIC CONDITIONS

### Fractures (includes dislocation)

- 8.111 Fracture of hip, unilateral (incl. #NOF)
- 8.112 Fracture of hip, bilateral (incl. #NOF)
- 8.12 Fracture of shaft of femur
- 8.13 Fracture of pelvis
- 8.141 Fracture of knee
- 8.142 Fracture of lower leg, ankle, foot
- 8.15 Fracture of upper limb
- 8.16 Fracture of spine
- 8.17 Fracture of multiple sites
- 8.19 Other orthopaedic fracture

### Post Orthopaedic Surgery

- 8.211 Unilateral hip replacement
- 8.212 Bilateral hip replacement
- 8.221 Unilateral knee replacement
- 8.222 Bilateral knee replacement
- 8.231 Knee and hip replacement, same side
- 8.232 Knee and hip replacement, diff sides
- 8.24 Shoulder replacement
- 8.25 Post spinal surgery
- 8.26 Other orthopaedic surgery

### Soft tissue injury

- 8.3 Soft tissue injury

## CARDIAC

- 9.1 Following recent onset of new cardiac impairment
- 9.2 Chronic cardiac insufficiency
- 9.3 Heart and heart/lung transplant

## PULMONARY

- 10.1 Chronic obstructive pulmonary disease
- 10.2 Lung transplant
- 10.9 Other pulmonary

## BURNS

- 11 Burns

## CONGENITAL DISORDERS

- 12.1 Spina bifida
- 12.9 Other congenital disorder

## OTHER DISABLING IMPAIRMENTS

- 13.1 Lymphoedema
- 13.3 Functional Neurological Disorder (conversion disorder)
- 13.9 Other disabling impairments that cannot be classified into a specific group

## MAJOR MULTIPLE TRAUMA

- 14.1 Brain + spinal cord injury
- 14.2 Brain + multiple fracture/amputation
- 14.3 Spinal cord + multi fracture/amputation
- 14.9 Other multiple trauma

## DEVELOPMENTAL DISABILITIES

- 15.1 Developmental disabilities (excludes cerebral palsy)

## RE-CONDITIONING/RESTORATIVE

- 16.1 Re-conditioning following surgery
- 16.2 Reconditioning following medical illness
- 16.3 Cancer rehabilitation

## COVID-19 CONDITIONS

- 18.1 COVID-19 with pulmonary issues
- 18.2 COVID-19 with deconditioning
- 18.9 COVID-19 all other

# Appendix 3: AN-SNAP V5 Overnight Rehabilitation Classes

## Class Description of AN-SNAP Class

- 5AZ1** Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59
- 5AZ2** Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age <= 58
- 5AZ3** Weighted FIM Motor score 13-18, All other impairments, Age >= 79
- 5AZ4** Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78
- 5AA1** Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35
- 5AA2** Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29
- 5AA3** Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20
- 5AA4** Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35
- 5AA5** Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17
- 5AA6** Stroke, Weighted FIM Motor 19 - 43, Age >= 80
- 5AA7** Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79
- 5AA8** Stroke, Weighted FIM Motor 19 - 43, Age 18 - 66
- 5AB1** Brain injury, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91
- 5AB2** Brain injury, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58
- 5AB3** Brain injury, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91
- 5AB4** Brain injury, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49
- 5AB5** Brain injury, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91
- 5AB6** Brain injury, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38
- 5AC1** Neurological conditions, Weighted FIM Motor 70 - 91
- 5AC2** Neurological conditions, Weighted FIM Motor 50 - 69
- 5AC3** Neurological conditions, Weighted FIM Motor 19 - 49
- 5AD1** Spinal cord injury, Weighted FIM Motor 55 - 91
- 5AD2** Spinal cord injury, Weighted FIM Motor 37 - 54
- 5AD3** Spinal cord injury, Weighted FIM Motor 19 - 36


## Class Description of AN-SNAP Class

- 5AE1** Amputation of limb, Weighted FIM Motor 19 - 91
- 5AH1** Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
- 5AH2** Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
- 5AH3** Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
- 5AH4** Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
- 5A41** Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
- 5A42** Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
- 5A43** Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
- 5A21** Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
- 5A22** Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
- 5A23** Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
- 5A31** Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
- 5A32** Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
- 5A33** Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
- 5AP1** Major Multiple Trauma, Weighted FIM Motor 51 - 91
- 5AP2** Major Multiple Trauma, Weighted FIM Motor 19 - 50
- 5AR1** Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
- 5AR2** Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
- 5AR3** Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
- 5AR4** Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
- 5AR5** Reconditioning, Weighted FIM Motor 19 - 47
- 5A91** All other impairments, Weighted FIM Motor 61 - 91
- 5A92** All other impairments, Weighted FIM Motor 42 - 60
- 5A93** All other impairments, Weighted FIM Motor 19 - 41
- 599A** (Ungroupable)

# Appendix 4: Rehabilitation outcomes at your facility over time

The quadrant graphs below show your facility's position on the quadrant graph over the last five calendar year benchmark reports. The graph on the right shows the same data as the graph on the left but has been rescaled to fit all your data; axis labels are provided.

Unlike all other time series data presented in this report, each facility marker on the quadrant graphs below is calculated using that calendar year's benchmarks. This means the position will be identical to that calendar year's report (e.g. CY24 position is calculated using the CY24 benchmarks and will be in the same position as it appears on your CY24 report quadrant graph).



NCLUDES: complete episodes with valid LOS (<500 days), valid FIM score and a groupable AN-SNAP class (not 599A). The definition of a complete episode can be found in the glossary at the end of this report.  
 NOTE 1: Benchmarks for the years before 2022 were created using AN-SNAP V4 classes, while benchmarks from 2022 and onwards used AN-SNAP V5 classes.  
 NOTE 2: facility marker will not be shown in either graph for each year where <20 episodes. Facility markers outside the published scale (left) will appear in the rescaled graph on the right.

# Appendix 5: How AROC reports FIM efficiency

FIM efficiency represents the rate of functional improvement over time. FIM efficiency reported by AROC indicates the typical improvement in FIM score over a one-week period.

AROC reports FIM efficiency at both the **episode level** and the **group level** (e.g. AN-SNAP class, service, or national level).

## **EPIISODE LEVEL**

At the episode level, FIM efficiency is calculated by dividing the amount of functional improvement (FIM change) by the length of stay in days (LOS) for the episode.

This produces a daily rate of improvement, which is multiplied by seven to express the rate of improvement per week.

Episode-level FIM efficiency is available in data extracts only. In reporting outputs, episode-level values are used to calculate group-level FIM efficiency.

## **GROUP LEVEL**

At the group level, FIM efficiency is calculated as the mean of the individual episode-level FIM efficiencies per week within the group.

Groups may include episodes within an AN-SNAP class, service, state or national dataset.

This approach reflects the mean efficiency of individual episodes within the group and allows AROC to calculate 95% confidence intervals for the reported values.

- **AROC wish to acknowledge the valuable contributions made by:**
  - Members of the Management Advisory Group of the Australasian Rehabilitation Outcomes Centre
  - The many staff from the rehabilitation facilities who have spent a great deal of time and care to collect, collate and correct the data, without whose considerable effort these reports would not be possible.
- **Disclaimer**

AROC has made every effort to ensure that the data used in these reports are accurate. Data submitted to AROC are checked for anomalies and facilities are asked to re-submit data prior to the production of AROC reports. We have provided general guidelines on the interpretation of the information reported but would advise readers to use their professional judgement in considering all information contained in this report.
- **Copyright**

This work is copyright. It may be produced in whole or in part for study or training purposes subject to the inclusion of an acknowledgment of the source and no commercial usage or sale. Reproduction for purposes other than those above requires the written permission of AROC.
- **Suggested acknowledgement**

Anywhere Hospital AROC Impairment Specific Report on Stroke (Inpatient - pathway 3), 1 January 2025 – 31 December 2025. Australasian Rehabilitation Outcomes Centre (2026).

**A**ustralasian **R**ehabilitation **O**utcomes **C**entre  
Faculty of Science, Medicine and Health  
Mike Codd Building, Innovation Campus  
University of Wollongong NSW 2522

 aroc@uow.edu.au

 aroc.org.au