

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2015 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	5	94.4 (76.7 - 112.1)	43.4 (8.6 - 78.2)	3.2	5	94.4 (76.7 - 112.1)	43.4 (8.6 - 78.2)	3.2
4AZ2*	2	n.a	n.a	n.a	3	n.a	n.a	n.a	5	91.8 (35.5 - 148.1)	70.6 (59.9 - 81.3)	5.4
4AZ3	1,127	37.4 (35.8 - 38.9)	22.1 (20.7 - 23.4)	4.1	298	31.6 (28.8 - 34.3)	25.7 (22.7 - 28.7)	5.7	1,425	36.2 (34.8 - 37.5)	22.8 (21.6 - 24.1)	4.4
4AZ4	268	60.2 (53.8 - 66.6)	33.3 (30.1 - 36.4)	3.9	38	34.6 (25.6 - 43.6)	20.4 (13.4 - 27.5)	4.1	306	57.0 (51.2 - 62.8)	31.7 (28.7 - 34.6)	3.9
4AA1	1,517	15.4 (14.6 - 16.2)	14.9 (14.4 - 15.4)	6.8	643	15.4 (14.7 - 16.1)	15.8 (15.1 - 16.4)	7.2	2,160	15.4 (14.8 - 16.0)	15.1 (14.7 - 15.6)	6.9
4AA2	1,126	19.6 (18.9 - 20.4)	17.8 (17.1 - 18.5)	6.3	381	18.8 (17.9 - 19.7)	18.5 (17.6 - 19.4)	6.9	1,507	19.4 (18.8 - 20.1)	18.0 (17.4 - 18.5)	6.5
4AA3	366	26.9 (24.9 - 28.9)	21.9 (20.4 - 23.3)	5.7	73	23.3 (20.6 - 25.9)	19.4 (16.7 - 22.2)	5.8	439	26.3 (24.5 - 28.0)	21.5 (20.2 - 22.8)	5.7
4AA4	703	28.5 (27.3 - 29.8)	28.0 (26.9 - 29.2)	6.9	231	26.3 (24.5 - 28.1)	26.1 (24.3 - 27.8)	6.9	934	28.0 (27.0 - 29.0)	27.5 (26.6 - 28.5)	6.9
4AA5	288	35.7 (32.8 - 38.6)	35.3 (33.6 - 37.0)	6.9	31	25.3 (20.6 - 29.9)	28.9 (23.6 - 34.3)	8.0	319	34.7 (32.0 - 37.3)	34.7 (33.0 - 36.3)	7.0
4AA6	810	41.1 (39.5 - 42.8)	29.7 (28.2 - 31.1)	5.1	180	41.7 (38.3 - 45.0)	26.7 (24.0 - 29.5)	4.5	990	41.2 (39.7 - 42.7)	29.1 (27.9 - 30.4)	4.9
4AA7	354	56.8 (53.4 - 60.3)	43.3 (41.1 - 45.4)	5.3	39	56.5 (41.9 - 71.1)	32.0 (27.5 - 36.5)	4.0	393	56.8 (53.3 - 60.2)	42.2 (40.1 - 44.2)	5.2
4AB1-7*												
4AC1	727	14.9 (14.1 - 15.7)	11.6 (10.9 - 12.2)	5.4	805	13.7 (13.1 - 14.2)	12.8 (12.2 - 13.3)	6.5	1,532	14.3 (13.8 - 14.8)	12.2 (11.8 - 12.6)	6.0
4AC2	539	21.4 (20.1 - 22.7)	20.5 (19.4 - 21.6)	6.7	538	18.9 (18.0 - 19.8)	18.9 (18.0 - 19.8)	7.0	1,077	20.2 (19.4 - 21.0)	19.7 (19.0 - 20.4)	6.8
4AC3	420	36.0 (32.9 - 39.1)	23.1 (21.2 - 24.9)	4.5	201	24.7 (22.2 - 27.3)	20.2 (17.9 - 22.6)	5.7	621	32.4 (30.1 - 34.6)	22.2 (20.7 - 23.6)	4.8
4AD1-4*												
4AE1	45	22.1 (17.0 - 27.2)	3.7 (2.5 - 4.9)	1.2	11	13.3 (6.7 - 19.8)	5.2 (3.4 - 7.0)	2.7	56	20.4 (16.0 - 24.7)	4.0 (2.9 - 5.0)	1.4
4AE2	578	32.9 (31.0 - 34.7)	17.1 (16.2 - 18.0)	3.6	129	29.6 (25.6 - 33.5)	17.6 (16.0 - 19.3)	4.2	707	32.3 (30.6 - 33.9)	17.2 (16.4 - 18.0)	3.7
4AE3	92	50.3 (44.3 - 56.3)	24.3 (20.4 - 28.3)	3.4	12	32.6 (12.6 - 52.5)	21.8 (10.7 - 32.8)	4.7	104	48.3 (42.4 - 54.1)	24.0 (20.3 - 27.8)	3.5
4AE4	182	28.4 (24.6 - 32.2)	12.3 (10.5 - 14.0)	3.0	24	31.2 (19.5 - 42.9)	10.1 (6.6 - 13.5)	2.3	206	28.8 (25.2 - 32.3)	12.0 (10.4 - 13.6)	2.9
4AH1	2,378	16.5 (16.0 - 16.9)	16.2 (15.8 - 16.5)	6.9	3,562	17.9 (17.5 - 18.3)	16.7 (16.5 - 17.0)	6.5	5,940	17.3 (17.0 - 17.6)	16.5 (16.3 - 16.7)	6.7
4AH2	2,439	19.6 (19.1 - 20.1)	18.4 (18.0 - 18.9)	6.6	2,595	19.2 (18.8 - 19.6)	19.0 (18.7 - 19.4)	6.9	5,034	19.4 (19.1 - 19.7)	18.7 (18.5 - 19.0)	6.8
4AH3	1,602	24.8 (23.9 - 25.7)	26.0 (25.4 - 26.6)	7.3	1,264	26.6 (25.8 - 27.5)	27.3 (26.6 - 27.9)	7.2	2,866	25.6 (25.0 - 26.2)	26.6 (26.1 - 27.0)	7.3
4AH4	1,771	30.0 (29.1 - 30.9)	29.0 (28.2 - 29.8)	6.8	878	31.4 (30.2 - 32.5)	28.8 (27.7 - 29.9)	6.4	2,649	30.4 (29.7 - 31.1)	28.9 (28.3 - 29.6)	6.7
4A21 Ortho Replacements	1,144	10.7 (10.3 - 11.1)	10.7 (10.3 - 11.0)	7.0	14,858	9.9 (9.8 - 10.0)	10.7 (10.6 - 10.8)	7.5	16,002	10.0 (9.9 - 10.1)	10.7 (10.6 - 10.8)	7.5
4A22 Ortho Replacements	1,954	13.7 (13.4 - 14.1)	21.0 (20.7 - 21.4)	10.7	8,135	12.5 (12.3 - 12.7)	21.5 (21.3 - 21.6)	12.0	10,089	12.7 (12.6 - 12.9)	21.4 (21.3 - 21.5)	11.8
4A23 Ortho Replacements	674	21.1 (20.1 - 22.2)	32.3 (31.3 - 33.3)	10.7	796	20.0 (19.2 - 20.8)	30.9 (30.0 - 31.8)	10.8	1,470	20.6 (19.9 - 21.2)	31.5 (30.8 - 32.2)	10.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2015 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	103	12.1 (9.5 - 14.7)	8.6 (7.3 - 9.9)	5.0	207	11.4 (10.4 - 12.3)	10.4 (9.6 - 11.2)	6.4	310	11.6 (10.6 - 12.7)	9.8 (9.1 - 10.5)	5.9
4A22 Ortho Soft Tissue Injury	227	15.1 (13.9 - 16.4)	18.2 (17.0 - 19.4)	8.4	340	16.0 (15.0 - 17.1)	18.4 (17.4 - 19.4)	8.0	567	15.7 (14.9 - 16.5)	18.3 (17.5 - 19.1)	8.2
4A23 Ortho Soft Tissue Injury	164	22.2 (19.2 - 25.2)	22.1 (19.9 - 24.4)	7.0	108	17.9 (15.9 - 19.8)	19.7 (16.8 - 22.5)	7.7	272	20.5 (18.5 - 22.5)	21.2 (19.4 - 22.9)	7.2
4A21 Ortho Other	300	12.5 (11.4 - 13.5)	10.3 (9.5 - 11.1)	5.8	3,295	10.9 (10.6 - 11.2)	11.4 (11.2 - 11.6)	7.3	3,595	11.0 (10.7 - 11.3)	11.3 (11.1 - 11.5)	7.2
4A22 Ortho Other	445	17.2 (16.2 - 18.2)	20.7 (19.9 - 21.5)	8.4	2,398	14.9 (14.4 - 15.3)	21.5 (21.2 - 21.8)	10.1	2,843	15.2 (14.8 - 15.6)	21.4 (21.1 - 21.7)	9.8
4A23 Ortho Other	267	29.1 (26.9 - 31.4)	31.7 (30.0 - 33.5)	7.6	348	26.7 (24.8 - 28.7)	28.7 (27.3 - 30.1)	7.5	615	27.8 (26.3 - 29.2)	30.0 (28.9 - 31.1)	7.6
4A31 Pain	221	11.6 (10.5 - 12.7)	8.3 (7.5 - 9.1)	5.0	1,465	11.9 (11.6 - 12.3)	6.7 (6.4 - 6.9)	3.9	1,686	11.9 (11.6 - 12.2)	6.9 (6.6 - 7.1)	4.0
4A32 Pain	431	15.0 (14.1 - 15.9)	16.9 (16.0 - 17.7)	7.9	1,067	15.1 (14.7 - 15.6)	16.9 (16.4 - 17.4)	7.8	1,498	15.1 (14.7 - 15.5)	16.9 (16.5 - 17.3)	7.8
4A33 Pain	246	20.7 (19.2 - 22.2)	23.2 (21.7 - 24.7)	7.8	261	19.3 (18.1 - 20.6)	22.3 (20.9 - 23.8)	8.1	507	20.0 (19.0 - 21.0)	22.8 (21.7 - 23.8)	8.0
4A34 Pain	84	23.2 (20.2 - 26.2)	30.4 (26.2 - 34.6)	9.2	38	24.9 (20.1 - 29.7)	26.8 (21.6 - 32.0)	7.5	122	23.7 (21.2 - 26.3)	29.3 (25.9 - 32.6)	8.6
4A31 Cardiac	172	11.6 (10.4 - 12.8)	9.6 (8.6 - 10.7)	5.8	846	10.9 (10.0 - 11.8)	10.3 (9.9 - 10.7)	6.6	1,018	11.0 (10.3 - 11.8)	10.2 (9.8 - 10.6)	6.5
4A32 Cardiac	350	14.5 (13.5 - 15.4)	18.4 (17.5 - 19.4)	8.9	1,272	13.4 (13.0 - 13.7)	19.2 (18.8 - 19.6)	10.0	1,622	13.6 (13.3 - 14.0)	19.0 (18.6 - 19.4)	9.8
4A33 Cardiac	192	18.7 (16.9 - 20.6)	22.6 (20.7 - 24.5)	8.4	211	17.7 (16.6 - 18.7)	23.2 (21.7 - 24.8)	9.2	403	18.2 (17.1 - 19.2)	23.0 (21.7 - 24.2)	8.8
4A34 Cardiac	61	24.1 (20.4 - 27.8)	29.8 (25.3 - 34.3)	8.7	24	23.8 (18.4 - 29.2)	31.8 (23.9 - 39.8)	9.4	85	24.0 (20.9 - 27.0)	30.4 (26.5 - 34.3)	8.9
4A31 Pulmonary	159	11.3 (10.3 - 12.2)	9.1 (8.0 - 10.1)	5.6	365	11.8 (11.1 - 12.4)	10.4 (9.8 - 11.1)	6.2	524	11.6 (11.1 - 12.1)	10.0 (9.4 - 10.6)	6.0
4A32 Pulmonary	353	14.1 (13.1 - 15.0)	17.2 (16.3 - 18.1)	8.6	628	14.3 (13.8 - 14.8)	17.6 (16.9 - 18.2)	8.6	981	14.2 (13.8 - 14.7)	17.4 (16.9 - 17.9)	8.6
4A33 Pulmonary	175	19.1 (17.2 - 20.9)	24.1 (22.0 - 26.3)	8.9	155	16.7 (15.5 - 18.0)	20.7 (18.7 - 22.8)	8.7	330	18.0 (16.8 - 19.1)	22.5 (21.0 - 24.0)	8.8
4A34 Pulmonary	53	22.5 (19.1 - 25.9)	22.6 (17.2 - 28.0)	7.0	17	18.8 (12.5 - 25.0)	21.1 (13.6 - 28.7)	7.9	70	21.6 (18.6 - 24.6)	22.3 (17.8 - 26.7)	7.2
4AP1*	320	30.7 (27.1 - 34.3)	26.4 (24.4 - 28.4)	6.0	335	38.0 (34.3 - 41.6)	31.8 (29.9 - 33.7)	5.9	655	34.4 (31.8 - 37.0)	29.2 (27.8 - 30.5)	5.9
4AR1	2,466	13.8 (13.5 - 14.2)	9.4 (9.1 - 9.7)	4.7	6,193	12.5 (12.3 - 12.7)	10.8 (10.6 - 10.9)	6.0	8,659	12.9 (12.7 - 13.1)	10.4 (10.2 - 10.5)	5.6
4AR2	2,753	17.2 (16.8 - 17.6)	17.5 (17.1 - 17.9)	7.1	5,346	16.1 (15.9 - 16.4)	18.1 (17.8 - 18.3)	7.8	8,099	16.5 (16.3 - 16.7)	17.9 (17.7 - 18.1)	7.6
4AR3	1,323	18.7 (18.0 - 19.4)	18.1 (17.4 - 18.7)	6.8	1,311	17.6 (17.1 - 18.1)	18.0 (17.5 - 18.6)	7.2	2,634	18.1 (17.7 - 18.6)	18.1 (17.6 - 18.5)	7.0
4AR4	982	22.6 (21.6 - 23.6)	23.6 (22.7 - 24.5)	7.3	912	21.9 (21.1 - 22.6)	22.2 (21.4 - 23.0)	7.1	1,894	22.3 (21.6 - 22.9)	22.9 (22.3 - 23.5)	7.2
4AR5	1,049	22.8 (21.5 - 24.2)	21.1 (20.1 - 22.0)	6.5	704	21.1 (20.3 - 22.0)	20.4 (19.4 - 21.5)	6.8	1,753	22.1 (21.3 - 23.0)	20.8 (20.1 - 21.5)	6.6
4AR6	1,052	28.3 (27.0 - 29.7)	25.0 (23.8 - 26.1)	6.2	484	26.5 (24.4 - 28.5)	23.3 (21.7 - 24.9)	6.2	1,536	27.8 (26.6 - 28.9)	24.4 (23.5 - 25.4)	6.2
4A91	351	15.5 (14.2 - 16.8)	14.1 (13.1 - 15.2)	6.4	426	14.0 (13.3 - 14.6)	11.5 (10.7 - 12.2)	5.7	777	14.7 (14.0 - 15.3)	12.7 (12.0 - 13.3)	6.0
4A92	200	22.3 (18.9 - 25.7)	20.9 (19.0 - 22.7)	6.5	54	18.6 (16.1 - 21.2)	21.1 (18.0 - 24.2)	7.9	254	21.5 (18.8 - 24.2)	20.9 (19.3 - 22.5)	6.8
4A93	64	33.3 (23.7 - 42.8)	22.6 (18.0 - 27.2)	4.8	20	22.7 (17.1 - 28.2)	24.9 (16.6 - 33.1)	7.7	84	30.7 (23.3 - 38.2)	23.1 (19.1 - 27.1)	5.3
Missing or excluded*	9,370				5,627				14,997			
All episodes	45,039	22.7 (22.5 - 22.9)	20.1 (19.9 - 20.2)	6.2	70,187	14.8 (14.7 - 14.9)	16.3 (16.2 - 16.3)	7.7	115,226	17.7 (17.6 - 17.8)	17.7 (17.6 - 17.7)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2015 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	190	118.9 (105.4 - 132.5)	34.0 (29.6 - 38.4)	2.0	36	96.2 (64.0 - 128.4)	53.9 (40.8 - 67.0)	3.9	226	115.3 (102.8 - 127.8)	37.1 (32.8 - 41.5)	2.3
3-203	429	41.3 (38.4 - 44.2)	22.0 (19.6 - 24.4)	3.7	89	27.6 (23.4 - 31.7)	29.0 (22.4 - 35.6)	7.4	518	38.9 (36.4 - 41.5)	23.2 (20.9 - 25.5)	4.2
3-204	1,637	14.9 (14.3 - 15.5)	11.8 (11.4 - 12.2)	5.6	620	14.5 (13.9 - 15.1)	13.3 (12.7 - 13.9)	6.4	2,257	14.8 (14.4 - 15.2)	12.2 (11.9 - 12.6)	5.8
3-205	222	25.6 (23.0 - 28.3)	16.8 (15.4 - 18.3)	4.6	35	22.5 (18.0 - 26.9)	16.1 (12.5 - 19.7)	5.0	257	25.2 (22.9 - 27.6)	16.7 (15.4 - 18.1)	4.6
3-206	1,271	22.0 (21.0 - 22.9)	24.2 (23.6 - 24.8)	7.7	498	20.6 (19.7 - 21.5)	23.0 (22.2 - 23.8)	7.8	1,769	21.6 (20.9 - 22.3)	23.9 (23.4 - 24.3)	7.7
3-207	129	28.4 (25.4 - 31.4)	25.2 (22.4 - 28.1)	6.2	34	24.6 (21.3 - 27.8)	21.4 (17.1 - 25.8)	6.1	163	27.6 (25.1 - 30.1)	24.4 (22.0 - 26.9)	6.2
3-208	1,230	36.1 (34.9 - 37.3)	26.9 (25.8 - 28.0)	5.2	305	35.5 (33.2 - 37.9)	25.0 (23.1 - 26.8)	4.9	1,535	36.0 (34.9 - 37.0)	26.5 (25.6 - 27.5)	5.2
3-209	1,065	50.3 (48.3 - 52.4)	37.8 (36.6 - 39.0)	5.3	135	42.6 (36.8 - 48.4)	28.4 (25.2 - 31.6)	4.7	1,200	49.5 (47.6 - 51.4)	36.7 (35.6 - 37.9)	5.2
3-210	177	13.1 (12.0 - 14.3)	11.6 (10.4 - 12.9)	6.2	144	13.8 (12.5 - 15.1)	14.8 (13.6 - 16.0)	7.5	321	13.4 (12.6 - 14.3)	13.1 (12.2 - 13.9)	6.8
3-211	453	17.2 (15.4 - 18.9)	12.9 (12.0 - 13.7)	5.2	181	18.1 (16.4 - 19.9)	18.2 (16.7 - 19.7)	7.0	634	17.4 (16.1 - 18.8)	14.4 (13.6 - 15.2)	5.8
3-212	144	22.7 (19.3 - 26.0)	17.1 (15.3 - 18.9)	5.3	45	20.5 (16.6 - 24.5)	21.4 (18.1 - 24.6)	7.3	189	22.1 (19.4 - 24.9)	18.1 (16.5 - 19.7)	5.7
3-213	175	31.8 (27.0 - 36.7)	20.1 (18.3 - 21.9)	4.4	36	26.4 (21.5 - 31.4)	25.6 (21.2 - 29.9)	6.8	211	30.9 (26.8 - 35.0)	21.0 (19.3 - 22.8)	4.8
3-214	463	33.4 (30.8 - 35.9)	34.2 (32.4 - 36.0)	7.2	177	29.8 (26.8 - 32.8)	27.2 (24.6 - 29.7)	6.4	640	32.4 (30.3 - 34.4)	32.3 (30.8 - 33.8)	7.0
3-215	100	61.4 (53.4 - 69.4)	41.5 (35.6 - 47.4)	4.7	26	57.3 (45.8 - 68.7)	33.6 (21.5 - 45.6)	4.1	126	60.5 (53.8 - 67.3)	39.9 (34.6 - 45.2)	4.6
3-216	638	13.9 (13.2 - 14.6)	10.7 (10.0 - 11.3)	5.4	682	13.2 (12.6 - 13.8)	11.7 (11.1 - 12.2)	6.2	1,320	13.6 (13.1 - 14.0)	11.2 (10.8 - 11.6)	5.8
3-217	472	20.9 (19.4 - 22.3)	18.5 (17.5 - 19.6)	6.2	531	18.2 (17.3 - 19.0)	18.8 (18.0 - 19.6)	7.2	1,003	19.4 (18.6 - 20.3)	18.7 (18.0 - 19.3)	6.7
3-218	583	33.0 (30.6 - 35.4)	23.6 (22.2 - 25.1)	5.0	336	22.8 (21.1 - 24.5)	20.0 (18.3 - 21.7)	6.1	919	29.3 (27.6 - 30.9)	22.3 (21.2 - 23.4)	5.3
3-219	48	47.2 (35.0 - 59.4)	25.4 (17.8 - 32.9)	3.8	11	31.6 (11.7 - 51.6)	11.7 (2.8 - 20.6)	2.6	59	44.3 (33.7 - 54.9)	22.8 (16.4 - 29.2)	3.6
3-220	11	22.6 (8.4 - 36.8)	2.9 (0.7 - 5.1)	0.9	2	n.a	n.a	n.a	13	20.5 (8.3 - 32.8)	2.7 (0.8 - 4.5)	0.9
3-221	221	29.0 (24.4 - 33.6)	16.9 (15.3 - 18.5)	4.1	40	22.8 (18.9 - 26.7)	12.9 (10.2 - 15.5)	3.9	261	28.1 (24.1 - 32.0)	16.3 (14.9 - 17.7)	4.1
3-222	277	72.9 (65.9 - 79.8)	29.2 (26.8 - 31.6)	2.8	9	34.3 (21.1 - 47.5)	17.0 (9.6 - 24.4)	3.5	286	71.7 (64.9 - 78.4)	28.8 (26.4 - 31.2)	2.8
3-223	41	89.4 (67.4 - 111.3)	39.3 (32.7 - 45.8)	3.1	1	n.a	n.a	n.a	42	88.5 (67.0 - 109.9)	39.1 (32.7 - 45.5)	3.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2015 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	218	23.9 (21.5 - 26.2)	5.8 (5.1 - 6.4)	1.7	38	19.7 (12.7 - 26.7)	5.9 (4.6 - 7.2)	2.1	256	23.3 (21.0 - 25.5)	5.8 (5.2 - 6.4)	1.7
3-225	688	36.2 (34.2 - 38.1)	19.6 (18.6 - 20.5)	3.8	139	31.4 (27.3 - 35.5)	18.7 (16.9 - 20.5)	4.2	827	35.4 (33.6 - 37.1)	19.4 (18.6 - 20.3)	3.8
3-226	993	16.5 (15.8 - 17.2)	17.8 (17.0 - 18.6)	7.6	2,832	14.0 (13.7 - 14.3)	12.2 (11.9 - 12.6)	6.1	3,825	14.7 (14.4 - 14.9)	13.7 (13.3 - 14.0)	6.5
3-227	2,572	15.9 (15.4 - 16.3)	13.4 (13.1 - 13.7)	5.9	3,837	16.5 (16.2 - 16.8)	14.9 (14.6 - 15.1)	6.3	6,409	16.2 (16.0 - 16.5)	14.3 (14.1 - 14.5)	6.2
3-228	2,203	20.7 (20.1 - 21.2)	21.9 (21.5 - 22.3)	7.4	2,293	21.7 (21.2 - 22.3)	22.4 (22.1 - 22.8)	7.2	4,496	21.2 (20.8 - 21.6)	22.2 (21.9 - 22.4)	7.3
3-229	2,921	27.7 (27.0 - 28.4)	27.9 (27.3 - 28.4)	7.0	1,931	28.9 (28.2 - 29.7)	28.4 (27.8 - 29.1)	6.9	4,852	28.2 (27.7 - 28.7)	28.1 (27.7 - 28.5)	7.0
3-230	696	26.8 (25.7 - 27.9)	24.4 (23.0 - 25.8)	6.4	327	27.7 (25.8 - 29.5)	23.4 (21.4 - 25.3)	5.9	1,023	27.1 (26.1 - 28.0)	24.1 (23.0 - 25.2)	6.2
3-231	545	10.4 (9.8 - 11.0)	7.8 (7.3 - 8.3)	5.2	9,073	9.7 (9.6 - 9.8)	8.2 (8.1 - 8.3)	5.9	9,618	9.7 (9.6 - 9.9)	8.2 (8.1 - 8.2)	5.9
3-232	2,527	13.0 (12.7 - 13.4)	19.1 (18.8 - 19.4)	10.3	13,860	11.6 (11.4 - 11.7)	18.6 (18.5 - 18.7)	11.2	16,387	11.8 (11.7 - 11.9)	18.7 (18.6 - 18.8)	11.1
3-233	710	21.1 (20.1 - 22.2)	32.0 (31.0 - 33.0)	10.6	865	19.8 (19.0 - 20.5)	30.6 (29.7 - 31.5)	10.8	1,575	20.4 (19.8 - 21.0)	31.2 (30.6 - 31.9)	10.7
3-234	315	12.1 (11.0 - 13.3)	8.7 (7.9 - 9.4)	5.0	2,986	10.8 (10.5 - 11.2)	10.4 (10.2 - 10.6)	6.7	3,301	11.0 (10.6 - 11.3)	10.3 (10.1 - 10.4)	6.6
3-235	595	15.7 (14.9 - 16.5)	18.3 (17.7 - 19.0)	8.2	2,934	14.2 (13.8 - 14.5)	19.9 (19.6 - 20.2)	9.8	3,529	14.4 (14.1 - 14.8)	19.6 (19.4 - 19.9)	9.5
3-236	615	24.2 (22.7 - 25.6)	26.3 (25.1 - 27.4)	7.6	778	21.6 (20.5 - 22.6)	25.8 (24.9 - 26.7)	8.4	1,393	22.7 (21.8 - 23.6)	26.0 (25.3 - 26.7)	8.0
3-237	782	15.8 (15.0 - 16.6)	18.7 (17.8 - 19.6)	8.3	2,355	13.0 (12.6 - 13.4)	16.5 (16.1 - 16.9)	8.9	3,137	13.7 (13.3 - 14.1)	17.1 (16.7 - 17.4)	8.7
3-238	73	16.8 (13.4 - 20.1)	8.9 (7.7 - 10.2)	3.7	62	18.4 (14.4 - 22.4)	11.3 (9.8 - 12.9)	4.3	135	17.5 (15.0 - 20.1)	10.0 (9.0 - 11.1)	4.0
3-239	195	23.9 (21.5 - 26.2)	23.4 (21.7 - 25.0)	6.9	173	28.5 (25.2 - 31.9)	27.4 (26.0 - 28.7)	6.7	368	26.1 (24.0 - 28.1)	25.2 (24.1 - 26.3)	6.8
3-240	75	49.4 (40.7 - 58.2)	41.9 (37.9 - 45.8)	5.9	104	61.6 (53.5 - 69.7)	48.6 (46.0 - 51.1)	5.5	179	56.5 (50.5 - 62.5)	45.8 (43.5 - 48.0)	5.7
3-241	19	84.8 (51.1 - 118.6)	53.9 (43.0 - 64.8)	4.4	16	72.7 (52.5 - 92.9)	60.0 (45.5 - 74.5)	5.8	35	79.3 (58.7 - 99.8)	56.7 (47.8 - 65.6)	5.0
3-242	2,444	13.6 (13.2 - 14.0)	8.8 (8.6 - 9.1)	4.6	5,941	12.4 (12.2 - 12.6)	10.1 (9.9 - 10.2)	5.7	8,385	12.7 (12.5 - 12.9)	9.7 (9.6 - 9.8)	5.3
3-243	3,916	16.8 (16.4 - 17.1)	16.6 (16.3 - 16.9)	6.9	7,239	15.5 (15.2 - 15.7)	17.3 (17.1 - 17.5)	7.8	11,155	15.9 (15.7 - 16.1)	17.1 (16.9 - 17.3)	7.5
3-244	4,212	22.4 (21.8 - 22.9)	22.3 (21.9 - 22.8)	7.0	3,270	21.0 (20.5 - 21.4)	21.1 (20.6 - 21.5)	7.0	7,482	21.7 (21.4 - 22.1)	21.8 (21.5 - 22.1)	7.0
3-245	596	30.0 (27.9 - 32.2)	23.0 (21.3 - 24.8)	5.4	221	24.5 (22.5 - 26.5)	22.4 (19.8 - 25.1)	6.4	817	28.5 (26.9 - 30.2)	22.9 (21.4 - 24.3)	5.6
Missing or excluded	7,153				4,940				12,093			
All episodes	45,039	22.7 (22.5 - 22.9)	20.1 (19.9 - 20.2)	6.2	70,187	14.8 (14.7 - 14.9)	16.3 (16.2 - 16.3)	7.7	115,226	17.7 (17.6 - 17.8)	17.7 (17.6 - 17.7)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3 214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24