

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2015 (1/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)	FIM gain per week	No.	Mean (95%CI)	Mean (95%CI)	FIM gain per week	No.	Mean (95%CI)	Mean (95%CI)	FIM gain per week
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	643	29.8 (27.9 - 31.7)	18.2 (16.5 - 19.8)	4.3	643	29.8 (27.9 - 31.7)	18.2 (16.5 - 19.8)	4.3
4AZ4	93	56.1 (49.3 - 63.0)	34.2 (28.9 - 39.5)	4.3	0	n.a	n.a	n.a	93	56.1 (49.3 - 63.0)	34.2 (28.9 - 39.5)	4.3
4AA1	113	12.0 (10.5 - 13.5)	12.9 (11.0 - 14.8)	7.5	220	13.0 (11.9 - 14.1)	14.1 (12.7 - 15.5)	7.6	333	12.6 (11.7 - 13.5)	13.7 (12.6 - 14.8)	7.6
4AA2	66	16.2 (13.1 - 19.2)	19.2 (16.4 - 22.1)	8.3	231	16.3 (14.9 - 17.7)	14.9 (13.4 - 16.3)	6.4	297	16.3 (15.0 - 17.5)	15.8 (14.5 - 17.2)	6.8
4AA3	18	26.8 (22.5 - 31.1)	24.8 (19.5 - 30.2)	6.5	73	19.4 (16.9 - 21.8)	18.3 (15.2 - 21.3)	6.6	91	20.8 (18.6 - 23.1)	19.6 (16.9 - 22.2)	6.6
4AA4	0	n.a	n.a	n.a	232	24.9 (21.4 - 28.4)	23.4 (21.3 - 25.5)	6.6	232	24.9 (21.4 - 28.4)	23.4 (21.3 - 25.5)	6.6
4AA5	55	31.5 (26.3 - 36.7)	36.7 (33.0 - 40.4)	8.2	11	38.1 (22.5 - 53.7)	31.9 (26.1 - 37.7)	5.9	66	32.6 (27.6 - 37.6)	35.9 (32.6 - 39.2)	7.7
4AA6	0	n.a	n.a	n.a	276	35.2 (33.0 - 37.5)	26.3 (23.8 - 28.9)	5.2	276	35.2 (33.0 - 37.5)	26.3 (23.8 - 28.9)	5.2
4AA7	71	48.2 (40.8 - 55.6)	44.7 (39.9 - 49.5)	6.5	13	53.5 (37.2 - 69.9)	40.8 (28.4 - 53.3)	5.3	84	49.0 (42.4 - 55.7)	44.1 (39.7 - 48.6)	6.3
4AB1-7*												
4AC1	41	16.3 (13.0 - 19.5)	11.2 (8.0 - 14.4)	4.8	55	13.9 (10.7 - 17.1)	7.3 (4.1 - 10.5)	3.7	96	14.9 (12.6 - 17.2)	9.0 (6.6 - 11.3)	4.2
4AC2	18	23.2 (14.1 - 32.3)	19.5 (11.2 - 27.8)	5.9	59	19.5 (16.0 - 23.0)	12.5 (9.0 - 16.0)	4.5	77	20.4 (17.0 - 23.7)	14.1 (10.8 - 17.5)	4.9
4AC3	22	35.3 (25.4 - 45.2)	22.8 (13.6 - 31.9)	4.5	47	27.4 (22.4 - 32.4)	21.4 (15.2 - 27.7)	5.5	69	29.9 (25.2 - 34.6)	21.9 (16.7 - 27.0)	5.1
4AD1-4*												
4AE1	5	11.4 (7.2 - 15.6)	2.8 (0.5 - 5.1)	1.7	6	22.2 (9.8 - 34.5)	2.7 (-2.1 - 7.4)	0.8	11	17.3 (9.9 - 24.6)	2.7 (0.1 - 5.3)	1.1
4AE2	22	26.7 (19.9 - 33.5)	18.0 (13.3 - 22.6)	4.7	72	24.4 (20.7 - 28.1)	14.0 (11.7 - 16.3)	4.0	94	24.9 (21.7 - 28.2)	14.9 (12.8 - 17.0)	4.2
4AE3	2	n.a	n.a	n.a	25	37.5 (30.2 - 44.9)	25.4 (19.9 - 31.0)	4.7	27	39.1 (32.0 - 46.2)	27.2 (21.4 - 33.0)	4.9
4AE4	14	27.2 (14.7 - 39.7)	13.4 (5.6 - 21.1)	3.4	0	n.a	n.a	n.a	14	27.2 (14.7 - 39.7)	13.4 (5.6 - 21.1)	3.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2015 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week
4AH1	53	14.0 (11.0 - 17.0)	15.1 (12.9 - 17.3)	7.5	629	13.5 (12.8 - 14.3)	14.1 (13.5 - 14.8)	7.3	682	13.6 (12.8 - 14.3)	14.2 (13.6 - 14.8)	7.3
4AH2	47	16.5 (12.7 - 20.2)	17.7 (15.0 - 20.5)	7.5	884	16.4 (15.3 - 17.5)	14.4 (13.7 - 15.1)	6.2	931	16.4 (15.3 - 17.4)	14.6 (13.9 - 15.2)	6.2
4AH3	16	24.5 (16.5 - 32.5)	25.2 (19.6 - 30.8)	7.2	743	20.1 (19.2 - 21.0)	22.9 (22.0 - 23.8)	8.0	759	20.2 (19.3 - 21.1)	23.0 (22.1 - 23.8)	7.9
4AH4	29	27.4 (19.1 - 35.7)	31.8 (25.5 - 38.1)	8.1	1,033	23.3 (22.4 - 24.1)	25.5 (24.4 - 26.5)	7.7	1,062	23.4 (22.5 - 24.2)	25.6 (24.6 - 26.7)	7.7
4A21	21	13.7 (9.9 - 17.5)	6.6 (3.6 - 9.7)	3.4	169	10.0 (9.0 - 11.0)	7.1 (6.3 - 8.0)	5.0	190	10.4 (9.4 - 11.4)	7.1 (6.2 - 7.9)	4.8
4A22	23	15.5 (11.6 - 19.4)	16.4 (12.3 - 20.4)	7.4	299	14.7 (11.7 - 17.6)	15.7 (14.8 - 16.7)	7.5	322	14.7 (12.0 - 17.5)	15.8 (14.8 - 16.7)	7.5
4A23	23	23.9 (19.3 - 28.4)	25.3 (18.9 - 31.8)	7.4	237	20.1 (18.7 - 21.5)	22.1 (20.2 - 23.9)	7.7	260	20.4 (19.1 - 21.8)	22.3 (20.6 - 24.1)	7.7
4A31	10	17.6 (11.6 - 23.6)	8.4 (4.9 - 11.9)	3.3	106	11.6 (9.9 - 13.3)	4.6 (3.5 - 5.6)	2.8	116	12.1 (10.4 - 13.7)	4.9 (3.9 - 5.9)	2.8
4A32	12	26.0 (11.3 - 40.7)	21.8 (12.9 - 30.6)	5.9	188	14.0 (12.9 - 15.2)	13.2 (12.0 - 14.4)	6.6	200	14.8 (13.3 - 16.2)	13.7 (12.5 - 15.0)	6.5
4A33	4	n.a	n.a		151	17.3 (15.6 - 19.0)	19.0 (16.9 - 21.0)	7.7	155	17.3 (15.6 - 19.0)	19.1 (17.0 - 21.2)	7.7
4A34	1	n.a	n.a		47	21.9 (18.4 - 25.4)	22.5 (17.0 - 28.1)	7.2	48	21.6 (18.0 - 25.1)	22.1 (16.5 - 27.7)	7.2
4AP1*	9	27.2 (4.3 - 50.2)	19.2 (8.6 - 29.8)	4.9	17	21.6 (13.1 - 30.1)	15.9 (9.8 - 22.0)	5.1	26	23.5 (14.1 - 33.0)	17.0 (11.7 - 22.3)	5.1
4AR1	85	13.0 (10.9 - 15.1)	10.8 (9.2 - 12.4)	5.8	635	11.6 (11.0 - 12.2)	6.9 (6.4 - 7.5)	4.2	720	11.8 (11.2 - 12.3)	7.4 (6.9 - 7.9)	4.4
4AR2	43	18.7 (16.2 - 21.3)	18.4 (15.5 - 21.4)	6.9	582	14.6 (13.8 - 15.4)	14.0 (13.2 - 14.7)	6.7	625	14.9 (14.1 - 15.6)	14.3 (13.6 - 15.0)	6.7
4AR3	15	14.7 (10.1 - 19.2)	18.7 (13.5 - 23.8)	8.9	402	16.3 (15.2 - 17.3)	13.6 (12.5 - 14.8)	5.9	417	16.2 (15.2 - 17.2)	13.8 (12.7 - 15.0)	6.0
4AR4	21	41.3 (20.9 - 61.7)	27.4 (22.0 - 32.8)	4.7	231	17.6 (16.1 - 19.0)	20.9 (19.2 - 22.6)	8.3	252	19.6 (17.3 - 21.8)	21.4 (19.8 - 23.0)	7.7
4AR5	30	30.0 (22.7 - 37.4)	26.8 (21.2 - 32.4)	6.3	376	19.5 (17.5 - 21.6)	18.5 (17.0 - 20.0)	6.6	406	20.3 (18.3 - 22.3)	19.1 (17.6 - 20.6)	6.6
4AR6	39	36.6 (26.9 - 46.3)	26.5 (19.6 - 33.4)	5.1	384	23.2 (21.7 - 24.6)	20.6 (18.7 - 22.5)	6.2	423	24.4 (22.8 - 26.1)	21.2 (19.3 - 23.0)	6.1
4A91	34	14.1 (10.6 - 17.7)	10.8 (6.5 - 15.1)	5.4	218	16.0 (14.0 - 18.0)	8.5 (7.4 - 9.5)	3.7	252	15.7 (14.0 - 17.5)	8.8 (7.7 - 9.9)	3.9
4A92	6	18.8 (12.3 - 25.4)	30.7 (18.5 - 42.8)	11.4	150	20.1 (17.9 - 22.3)	14.1 (12.0 - 16.2)	4.9	156	20.1 (17.9 - 22.2)	14.7 (12.6 - 16.8)	5.1
4A93	2	n.a	n.a		58	25.1 (22.3 - 27.8)	14.4 (10.3 - 18.6)	4.0	60	25.7 (22.8 - 28.6)	14.4 (10.4 - 18.4)	3.9
Missing or excluded	565				859				1,424			
All episodes	1,628	30.4 (28.9 - 32.0)	24.0 (23.0 - 25.0)	5.5	10,361	19.3 (19.0 - 19.7)	17.2 (16.9 - 17.5)	6.2	11,989	20.9 (20.5 - 21.2)	18.2 (17.9 - 18.4)	6.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age \geq 49	4AE1	Amputation of limb, Age \geq 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age \leq 48	4AE2	Amputation of limb, Age \geq 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age \geq 65	4AE3	Amputation of limb, Age \geq 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age \leq 64	4AE4	Amputation of limb, Age \leq 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age \geq 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age \leq 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age \geq 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age \leq 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age \geq 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age \geq 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age \leq 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age \leq 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2015 (1/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks									
	No.	Length of stay		FIM change per week	FIM gain per week	Length of stay		FIM change per week	FIM gain per week	No.	Length of stay		FIM change per week					
		Mean	(95%CI)			Mean	(95%CI)				Mean	(95%CI)						
3-202	63	98.8	(84.1 - 113.5)	37.6	(29.0 - 46.3)	2.7	23	58.0	(44.2 - 71.8)	22.7	(13.9 - 31.4)	2.7	86	87.9	(76.0 - 99.8)	33.6	(26.8 - 40.5)	2.7
3-203	30	56.0	(43.4 - 68.7)	27.5	(20.1 - 34.9)	3.4	192	31.2	(28.1 - 34.3)	15.1	(12.2 - 18.0)	3.4	222	34.6	(31.2 - 37.9)	16.8	(14.0 - 19.5)	3.4
3-204	123	11.0	(9.7 - 12.3)	11.2	(9.7 - 12.8)	7.1	248	12.4	(11.3 - 13.5)	10.9	(9.6 - 12.1)	6.1	371	11.9	(11.1 - 12.8)	11.0	(10.0 - 12.0)	6.4
3-205	14	22.6	(18.2 - 27.0)	18.4	(13.1 - 23.8)	5.7	30	17.5	(14.0 - 21.1)	14.0	(10.6 - 17.4)	5.6	44	19.2	(16.3 - 22.0)	15.4	(12.5 - 18.3)	5.6
3-206	62	20.0	(16.8 - 23.1)	25.6	(22.9 - 28.4)	9.0	276	19.2	(16.4 - 22.0)	19.8	(18.4 - 21.2)	7.2	338	19.3	(17.0 - 21.7)	20.9	(19.6 - 22.1)	7.6
3-207	5	32.8	(24.2 - 41.4)	33.2	(18.8 - 47.6)	7.1	40	24.6	(19.6 - 29.6)	20.3	(15.7 - 24.9)	5.8	45	25.5	(20.9 - 30.1)	21.7	(17.3 - 26.2)	6.0
3-208	0	n.a	n.a	n.a	n.a	441	31.2	(29.5 - 33.0)	23.4	(21.5 - 25.3)	5.2	441	31.2	(29.5 - 33.0)	23.4	(21.5 - 25.3)	5.2	
3-209	168	48.3	(43.6 - 53.0)	42.0	(38.9 - 45.1)	6.1	151	40.1	(36.6 - 43.5)	31.2	(28.0 - 34.4)	5.5	319	44.4	(41.4 - 47.4)	36.9	(34.6 - 39.2)	5.8
3-210	27	12.3	(9.7 - 14.9)	10.9	(7.5 - 14.2)	6.2	16	12.2	(8.4 - 16.0)	11.4	(7.7 - 15.1)	6.5	43	12.3	(10.1 - 14.4)	11.0	(8.6 - 13.5)	6.3
3-211	91	14.5	(12.6 - 16.3)	13.3	(11.6 - 15.1)	6.4	45	14.9	(11.5 - 18.2)	13.0	(10.0 - 16.0)	6.1	136	14.6	(13.0 - 16.3)	13.2	(11.7 - 14.7)	6.3
3-212	21	23.4	(17.6 - 29.1)	23.8	(19.3 - 28.2)	7.1	14	21.3	(13.2 - 29.4)	13.0	(8.2 - 17.8)	4.3	35	22.5	(17.9 - 27.2)	19.5	(15.7 - 23.2)	6.0
3-213	26	31.8	(19.1 - 44.5)	26.7	(21.4 - 32.0)	5.9	27	23.9	(19.7 - 28.2)	19.2	(12.5 - 26.0)	5.6	53	27.8	(21.2 - 34.4)	22.9	(18.5 - 27.3)	5.8
3-214	43	39.6	(30.5 - 48.8)	43.9	(37.9 - 49.9)	7.8	73	24.2	(19.1 - 29.2)	25.8	(21.5 - 30.1)	7.5	116	29.9	(25.1 - 34.7)	32.5	(28.7 - 36.3)	7.6
3-215	21	44.0	(34.1 - 53.9)	57.1	(43.2 - 71.1)	9.1	22	55.0	(35.6 - 74.4)	29.2	(19.1 - 39.2)	3.7	43	49.6	(38.6 - 60.6)	42.8	(33.4 - 52.3)	6.0
3-216	37	15.2	(12.1 - 18.2)	10.6	(7.4 - 13.9)	4.9	47	13.9	(10.3 - 17.5)	6.4	(2.9 - 9.9)	3.2	84	14.4	(12.0 - 16.9)	8.3	(5.8 - 10.7)	4.0
3-217	14	21.7	(13.7 - 29.8)	17.1	(9.9 - 24.3)	5.5	47	18.4	(14.7 - 22.0)	10.4	(6.8 - 14.0)	4.0	61	19.1	(15.8 - 22.5)	12.0	(8.7 - 15.2)	4.4
3-218	30	33.2	(24.8 - 41.6)	22.6	(14.9 - 30.3)	4.8	68	24.9	(20.9 - 28.9)	19.9	(15.2 - 24.6)	5.6	98	27.4	(23.6 - 31.3)	20.8	(16.7 - 24.8)	5.3
3-219	1	n.a	n.a	n.a	n.a	9	29.0	(10.7 - 47.3)	24.8	(7.3 - 42.2)	6.0	10	30.4	(14.0 - 46.8)	22.6	(6.6 - 38.6)	5.2	
3-220	3	n.a	n.a	n.a	n.a	0	n.a	n.a	n.a	n.a	3	n.a	n.a	n.a	n.a	n.a	n.a	
3-221	43	21.1	(17.7 - 24.6)	17.8	(14.3 - 21.3)	5.9	14	15.3	(9.8 - 20.7)	13.6	(9.6 - 17.7)	6.2	57	19.7	(16.7 - 22.7)	16.8	(13.9 - 19.7)	6.0
3-222	48	55.8	(46.8 - 64.8)	33.9	(28.7 - 39.1)	4.2	28	46.0	(38.7 - 53.2)	29.4	(21.8 - 36.9)	4.5	76	52.2	(45.8 - 58.5)	32.2	(27.9 - 36.5)	4.3
3-223	23	73.3	(55.3 - 91.2)	38.5	(31.0 - 45.9)	3.7	0	n.a	n.a	n.a	23	73.3	(55.3 - 91.2)	38.5	(31.0 - 45.9)	3.7		

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2015 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks									
	No.	Length of stay		FIM change per week	FIM gain per week	Length of stay		FIM change per week	FIM gain per week	No.	Length of stay		FIM change per week					
		Mean	(95%CI)			Mean	(95%CI)				Mean	(95%CI)						
3-224	11	14.7	(8.0 - 21.4)	2.4	(0.8 - 4.0)	1.1	15	23.7	(12.5 - 34.9)	3.7	(1.2 - 6.2)	1.1	26	19.9	(12.7 - 27.1)	3.2	(1.5 - 4.8)	1.1
3-225	32	30.7	(23.6 - 37.7)	20.9	(16.1 - 25.7)	4.8	93	28.3	(24.9 - 31.6)	17.8	(15.4 - 20.3)	4.4	125	28.9	(25.8 - 31.9)	18.6	(16.4 - 20.8)	4.5
3-226	19	22.4	(12.4 - 32.3)	17.2	(10.0 - 24.4)	5.4	288	14.6	(13.5 - 15.8)	15.1	(13.8 - 16.5)	7.3	307	15.1	(13.8 - 16.4)	15.3	(13.9 - 16.6)	7.1
3-227	63	14.0	(11.2 - 16.8)	12.9	(11.2 - 14.7)	6.4	792	12.9	(12.3 - 13.4)	10.9	(10.4 - 11.5)	6.0	855	12.9	(12.4 - 13.5)	11.1	(10.6 - 11.6)	6.0
3-228	38	17.5	(13.1 - 21.8)	22.6	(19.8 - 25.3)	9.0	724	17.8	(16.5 - 19.1)	18.0	(17.3 - 18.7)	7.1	762	17.8	(16.5 - 19.1)	18.2	(17.5 - 18.9)	7.2
3-229	40	24.0	(18.1 - 29.9)	29.6	(25.0 - 34.2)	8.6	1,395	22.5	(21.8 - 23.2)	25.6	(24.8 - 26.4)	8.0	1,435	22.5	(21.8 - 23.2)	25.7	(24.9 - 26.5)	8.0
3-230	7	44.7	(26.0 - 63.4)	32.7	(10.9 - 54.6)	5.1	556	20.7	(19.7 - 21.7)	19.8	(18.4 - 21.3)	6.7	563	21.0	(20.0 - 22.1)	20.0	(18.6 - 21.5)	6.7
3-231	2	n.a	n.a	n.a	n.a	31	9.5	(7.5 - 11.4)	4.6	(3.4 - 5.9)	3.4	33	9.7	(7.8 - 11.6)	4.4	(3.2 - 5.7)	3.2	
3-232	10	11.7	(8.6 - 14.8)	17.6	(10.3 - 24.9)	10.5	173	11.9	(10.9 - 12.8)	14.9	(13.7 - 16.1)	8.8	183	11.8	(10.9 - 12.8)	15.1	(13.9 - 16.2)	8.9
3-233	8	18.1	(12.9 - 23.4)	26.8	(21.9 - 31.7)	10.3	115	20.6	(18.4 - 22.9)	24.3	(21.8 - 26.8)	8.2	123	20.5	(18.4 - 22.6)	24.4	(22.1 - 26.8)	8.4
3-234	15	14.0	(8.9 - 19.1)	5.1	(1.8 - 8.5)	2.6	82	9.5	(7.9 - 11.2)	5.8	(4.5 - 7.1)	4.3	97	10.2	(8.6 - 11.8)	5.7	(4.5 - 6.9)	3.9
3-235	15	17.7	(12.0 - 23.3)	14.7	(10.8 - 18.5)	5.8	140	13.8	(12.3 - 15.3)	14.0	(12.7 - 15.3)	7.1	155	14.2	(12.7 - 15.7)	14.1	(12.8 - 15.3)	7.0
3-236	17	25.2	(19.4 - 30.9)	24.1	(15.4 - 32.7)	6.7	175	20.8	(15.8 - 25.8)	19.9	(17.7 - 22.2)	6.7	192	21.2	(16.6 - 25.7)	20.3	(18.1 - 22.5)	6.7
3-237	5	15.6	(11.1 - 20.1)	13.6	(5.6 - 21.6)	6.1	121	16.7	(14.8 - 18.6)	12.5	(10.0 - 14.9)	5.2	126	16.7	(14.8 - 18.5)	12.5	(10.2 - 14.9)	5.3
3-238	27	17.4	(12.5 - 22.3)	8.9	(6.6 - 11.2)	3.6	5	20.4	(7.7 - 33.1)	12.6	(7.2 - 18.0)	4.3	32	17.9	(13.4 - 22.4)	9.5	(7.4 - 11.6)	3.7
3-239	21	27.0	(18.0 - 35.9)	26.7	(23.0 - 30.3)	6.9	14	16.8	(9.5 - 24.0)	19.9	(13.0 - 26.8)	8.3	35	22.9	(16.6 - 29.2)	24.0	(20.4 - 27.6)	7.3
3-240	20	59.7	(45.3 - 74.1)	52.1	(46.1 - 58.0)	6.1	8	52.9	(14.9 - 90.9)	22.5	(11.0 - 34.1)	3.0	28	57.8	(43.2 - 72.3)	43.6	(36.3 - 50.9)	5.3
3-241	10	75.8	(53.4 - 98.2)	66.0	(46.3 - 85.7)	6.1	3	n.a	n.a	n.a	n.a	13	67.4	(47.9 - 86.8)	60.1	(41.5 - 78.7)	6.2	
3-242	102	12.7	(10.8 - 14.6)	10.3	(8.9 - 11.7)	5.7	692	12.0	(11.4 - 12.7)	6.3	(5.8 - 6.8)	3.7	794	12.1	(11.5 - 12.7)	6.8	(6.3 - 7.3)	3.9
3-243	67	17.5	(15.3 - 19.7)	16.3	(13.6 - 19.0)	6.5	972	15.1	(14.4 - 15.8)	12.5	(11.9 - 13.1)	5.8	1,039	15.3	(14.6 - 15.9)	12.7	(12.1 - 13.4)	5.8
3-244	100	32.3	(26.2 - 38.3)	26.5	(23.2 - 29.7)	5.7	1,288	19.4	(18.6 - 20.2)	18.7	(17.9 - 19.5)	6.7	1,388	20.3	(19.4 - 21.2)	19.2	(18.4 - 20.0)	6.6
3-245	17	32.5	(20.2 - 44.7)	22.4	(10.1 - 34.7)	4.8	276	25.7	(22.4 - 28.9)	16.5	(14.2 - 18.8)	4.5	293	26.1	(22.9 - 29.2)	16.8	(14.5 - 19.1)	4.5
Missing or excluded	89					592						681						
All episodes	1,628	30.4	(28.9 - 32.0)	24.0	(23.0 - 25.0)	5.5	10,361	19.3	(19.0 - 19.7)	17.2	(16.9 - 17.5)	6.2	11,989	20.9	(20.5 - 21.2)	18.2	(17.9 - 18.4)	6.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24