

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2016 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	682	29.5 (27.8 - 31.3)	19.2 (17.6 - 20.7)	4.5	682	29.5 (27.8 - 31.3)	19.2 (17.6 - 20.7)	4.5
4AZ4	89	60.5 (51.5 - 69.5)	33.0 (27.1 - 38.9)	3.8	0	n.a	n.a	n.a	89	60.5 (51.5 - 69.5)	33.0 (27.1 - 38.9)	3.8
4AA1	101	11.7 (10.3 - 13.2)	13.8 (11.8 - 15.8)	8.2	221	12.7 (11.7 - 13.8)	14.3 (13.0 - 15.6)	7.9	322	12.4 (11.6 - 13.3)	14.1 (13.1 - 15.2)	8.0
4AA2	62	15.7 (13.2 - 18.2)	18.5 (15.5 - 21.4)	8.2	247	15.0 (13.8 - 16.2)	15.7 (14.4 - 17.0)	7.3	309	15.2 (14.1 - 16.2)	16.3 (15.1 - 17.5)	7.5
4AA3	28	21.3 (17.2 - 25.4)	23.2 (18.9 - 27.4)	7.6	81	19.6 (17.0 - 22.3)	17.7 (14.9 - 20.5)	6.3	109	20.0 (17.8 - 22.3)	19.1 (16.7 - 21.5)	6.7
4AA4	0	n.a	n.a	n.a	215	21.4 (20.0 - 22.9)	24.2 (22.1 - 26.4)	7.9	215	21.4 (20.0 - 22.9)	24.2 (22.1 - 26.4)	7.9
4AA5	53	28.4 (24.0 - 32.7)	35.3 (31.5 - 39.1)	8.7	13	30.8 (21.2 - 40.4)	28.8 (20.0 - 37.7)	6.6	66	28.8 (24.9 - 32.8)	34.0 (30.5 - 37.6)	8.3
4AA6	0	n.a	n.a	n.a	304	31.7 (29.5 - 34.0)	26.2 (23.9 - 28.6)	5.8	304	31.7 (29.5 - 34.0)	26.2 (23.9 - 28.6)	5.8
4AA7	86	42.5 (37.7 - 47.2)	40.8 (36.9 - 44.8)	6.7	26	36.7 (28.2 - 45.2)	40.9 (30.9 - 50.9)	7.8	112	41.2 (37.0 - 45.3)	40.8 (37.1 - 44.6)	6.9
4AB1-7*												
4AC1	38	13.4 (10.7 - 16.1)	11.5 (9.0 - 14.0)	6.0	64	13.6 (11.0 - 16.2)	7.4 (4.3 - 10.5)	3.8	102	13.5 (11.6 - 15.4)	8.9 (6.7 - 11.1)	4.6
4AC2	17	21.1 (13.6 - 28.5)	16.4 (10.7 - 22.1)	5.5	49	17.9 (14.0 - 21.9)	13.7 (10.0 - 17.4)	5.3	66	18.7 (15.3 - 22.2)	14.4 (11.3 - 17.5)	5.4
4AC3	27	40.0 (26.5 - 53.5)	30.9 (23.2 - 38.6)	5.4	43	21.4 (16.1 - 26.6)	21.8 (15.3 - 28.3)	7.1	70	28.6 (22.1 - 35.0)	25.3 (20.3 - 30.4)	6.2
4AD1-4*												
4AE1	4	n.a	n.a	n.a	6	19.8 (6.7 - 33.0)	3.3 (-1.0 - 7.7)	1.2	10	16.0 (7.9 - 24.1)	3.4 (0.8 - 6.0)	1.5
4AE2	30	25.9 (20.5 - 31.2)	16.8 (12.8 - 20.8)	4.5	79	21.5 (18.8 - 24.2)	13.8 (11.6 - 16.1)	4.5	109	22.7 (20.2 - 25.2)	14.6 (12.6 - 16.6)	4.5
4AE3	0	n.a	n.a	n.a	23	36.2 (26.3 - 46.1)	25.1 (19.2 - 31.1)	4.9	23	36.2 (26.3 - 46.1)	25.1 (19.2 - 31.1)	4.9
4AE4	18	25.5 (17.5 - 33.5)	13.4 (8.2 - 18.6)	3.7	0	n.a	n.a	n.a	18	25.5 (17.5 - 33.5)	13.4 (8.2 - 18.6)	3.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2016 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	59	13.2 (11.0 - 15.4)	13.5 (11.4 - 15.6)	7.2	616	13.3 (12.5 - 14.0)	13.9 (13.3 - 14.6)	7.3	675	13.3 (12.6 - 14.0)	13.9 (13.3 - 14.5)	7.3
4AH2	46	16.1 (13.0 - 19.3)	17.4 (14.8 - 20.1)	7.6	943	16.0 (15.0 - 17.0)	15.5 (14.9 - 16.1)	6.8	989	16.0 (15.1 - 17.0)	15.6 (15.0 - 16.2)	6.8
4AH3	25	21.5 (16.5 - 26.5)	26.8 (22.5 - 31.0)	8.7	787	19.9 (19.1 - 20.7)	23.7 (22.9 - 24.5)	8.3	812	20.0 (19.2 - 20.8)	23.8 (23.0 - 24.6)	8.3
4AH4	34	25.1 (18.4 - 31.7)	27.5 (21.5 - 33.4)	7.7	1,026	23.3 (22.4 - 24.1)	25.9 (24.8 - 26.9)	7.8	1,060	23.3 (22.5 - 24.2)	25.9 (24.9 - 26.9)	7.8
4A21	21	13.6 (9.3 - 18.0)	6.8 (4.3 - 9.2)	3.5	175	9.2 (8.5 - 10.0)	7.8 (6.9 - 8.6)	5.9	196	9.7 (8.9 - 10.5)	7.6 (6.8 - 8.5)	5.5
4A22	21	16.8 (12.1 - 21.4)	17.2 (13.1 - 21.2)	7.2	324	13.9 (11.2 - 16.6)	16.1 (15.2 - 17.1)	8.1	345	14.0 (11.5 - 16.6)	16.2 (15.3 - 17.1)	8.1
4A23	17	23.8 (17.7 - 30.0)	24.2 (16.4 - 32.0)	7.1	219	18.6 (17.0 - 20.2)	23.0 (21.0 - 25.0)	8.7	236	19.0 (17.4 - 20.5)	23.1 (21.2 - 25.0)	8.5
4A31	6	14.7 (9.8 - 19.6)	11.0 (6.3 - 15.7)	5.3	105	12.2 (10.7 - 13.7)	5.5 (4.4 - 6.6)	3.2	111	12.3 (10.9 - 13.8)	5.8 (4.7 - 6.9)	3.3
4A32	8	26.0 (3.6 - 48.4)	19.9 (8.4 - 31.4)	5.4	180	13.3 (12.2 - 14.5)	12.9 (11.7 - 14.1)	6.8	188	13.9 (12.4 - 15.3)	13.2 (11.9 - 14.4)	6.7
4A33	7	15.6 (10.1 - 21.1)	26.3 (17.3 - 35.3)	11.8	138	16.7 (15.0 - 18.5)	19.6 (17.5 - 21.8)	8.2	145	16.7 (15.0 - 18.3)	20.0 (17.9 - 22.0)	8.4
4A34	1	n.a	n.a	n.a	46	21.7 (17.6 - 25.8)	24.7 (18.9 - 30.5)	8.0	47	21.4 (17.3 - 25.5)	24.2 (18.5 - 29.9)	7.9
4AP1*	8	21.3 (10.4 - 32.1)	20.6 (13.5 - 27.8)	6.8	10	18.7 (9.6 - 27.8)	18.0 (7.0 - 29.0)	6.7	18	19.8 (13.0 - 26.7)	19.2 (12.3 - 26.0)	6.8
4AR1	81	12.3 (10.5 - 14.0)	9.5 (7.9 - 11.0)	5.4	622	11.8 (11.1 - 12.4)	6.6 (6.0 - 7.2)	3.9	703	11.8 (11.2 - 12.4)	6.9 (6.4 - 7.5)	4.1
4AR2	42	19.0 (16.4 - 21.5)	18.4 (15.5 - 21.2)	6.8	570	14.6 (13.8 - 15.3)	14.2 (13.4 - 15.0)	6.8	612	14.9 (14.1 - 15.6)	14.5 (13.8 - 15.3)	6.8
4AR3	18	14.7 (10.5 - 18.8)	15.3 (10.1 - 20.4)	7.3	373	16.0 (15.1 - 17.0)	14.2 (13.0 - 15.4)	6.2	391	16.0 (15.0 - 16.9)	14.2 (13.1 - 15.4)	6.2
4AR4	22	33.7 (22.3 - 45.0)	24.6 (18.3 - 30.8)	5.1	95	19.4 (17.0 - 21.8)	24.1 (21.9 - 26.4)	8.7	117	22.1 (19.1 - 25.1)	24.2 (22.1 - 26.3)	7.7
4AR5	27	27.4 (23.0 - 31.9)	30.6 (26.1 - 35.0)	7.8	463	18.2 (17.1 - 19.2)	18.8 (17.4 - 20.2)	7.2	490	18.7 (17.6 - 19.7)	19.4 (18.0 - 20.8)	7.3
4AR6	50	32.2 (25.6 - 38.8)	29.5 (24.2 - 34.8)	6.4	412	24.9 (22.6 - 27.3)	21.2 (19.3 - 23.2)	6.0	462	25.7 (23.5 - 27.9)	22.1 (20.3 - 24.0)	6.0
4A91	32	14.0 (10.6 - 17.4)	11.2 (6.9 - 15.5)	5.6	127	13.9 (12.3 - 15.5)	8.8 (7.6 - 10.1)	4.5	159	13.9 (12.5 - 15.4)	9.3 (8.0 - 10.6)	4.7
4A92	8	23.3 (15.9 - 30.6)	31.6 (24.3 - 38.9)	9.5	85	20.0 (17.1 - 22.8)	18.8 (15.8 - 21.8)	6.6	93	20.2 (17.6 - 22.9)	19.9 (17.0 - 22.8)	6.9
4A93	0	n.a	n.a	n.a	39	20.6 (17.6 - 23.7)	15.1 (9.2 - 21.0)	5.1	39	20.6 (17.6 - 23.7)	15.1 (9.2 - 21.0)	5.1
Missing or excluded*	571				845				1,416			
<b>All episodes</b>	<b>1,657</b>	<b>30.1 (28.5 - 31.6)</b>	<b>24.4 (23.4 - 25.4)</b>	<b>5.7</b>	<b>10,253</b>	<b>19.0 (18.7 - 19.4)</b>	<b>17.9 (17.6 - 18.2)</b>	<b>6.6</b>	<b>11,910</b>	<b>20.6 (20.2 - 20.9)</b>	<b>18.8 (18.5 - 19.1)</b>	<b>6.4</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2016 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	74	95.1 (82.1 - 108.1)	43.2 (35.1 - 51.2)	3.2	16	75.9 (31.0 - 120.7)	18.4 (9.0 - 27.7)	1.7	90	91.7 (78.4 - 104.9)	38.8 (31.7 - 45.9)	3.0
3-203	29	61.7 (46.4 - 77.1)	27.8 (17.9 - 37.7)	3.2	209	30.6 (27.8 - 33.4)	17.4 (14.6 - 20.3)	4.0	238	34.4 (31.1 - 37.8)	18.7 (15.9 - 21.5)	3.8
3-204	114	11.4 (9.9 - 12.8)	11.1 (9.7 - 12.5)	6.8	268	11.8 (10.9 - 12.8)	11.7 (10.7 - 12.6)	6.9	382	11.7 (10.9 - 12.5)	11.5 (10.7 - 12.3)	6.9
3-205	23	19.9 (16.2 - 23.7)	19.6 (15.1 - 24.1)	6.9	44	16.5 (14.0 - 19.0)	15.3 (12.5 - 18.1)	6.5	67	17.7 (15.6 - 19.8)	16.8 (14.3 - 19.2)	6.6
3-206	56	18.4 (15.8 - 21.0)	28.4 (25.6 - 31.2)	10.8	267	17.1 (16.0 - 18.2)	20.2 (18.8 - 21.7)	8.3	323	17.3 (16.3 - 18.4)	21.6 (20.3 - 23.0)	8.7
3-207	7	21.0 (9.9 - 32.1)	27.9 (16.9 - 38.9)	9.3	30	24.3 (19.0 - 29.6)	22.0 (17.4 - 26.6)	6.3	37	23.7 (19.0 - 28.4)	23.1 (18.8 - 27.4)	6.8
3-208	0	n.a	n.a	n.a	478	29.6 (27.5 - 31.7)	23.5 (21.8 - 25.3)	5.6	478	29.6 (27.5 - 31.7)	23.5 (21.8 - 25.3)	5.6
3-209	167	45.1 (40.9 - 49.2)	40.4 (37.4 - 43.4)	6.3	163	38.5 (35.0 - 42.1)	32.1 (28.8 - 35.5)	5.8	330	41.8 (39.1 - 44.6)	36.3 (34.0 - 38.6)	6.1
3-210	25	10.9 (8.1 - 13.7)	10.6 (6.9 - 14.2)	6.8	11	12.6 (8.0 - 17.3)	15.2 (11.1 - 19.2)	8.4	36	11.4 (9.1 - 13.8)	12.0 (9.1 - 14.8)	7.3
3-211	97	15.6 (13.4 - 17.8)	14.4 (12.5 - 16.2)	6.4	50	15.1 (12.4 - 17.7)	15.2 (12.5 - 17.9)	7.1	147	15.4 (13.7 - 17.1)	14.6 (13.1 - 16.2)	6.6
3-212	25	17.8 (13.1 - 22.5)	21.0 (16.4 - 25.7)	8.3	20	22.0 (16.3 - 27.7)	13.7 (8.8 - 18.6)	4.4	45	19.7 (16.0 - 23.3)	17.8 (14.2 - 21.3)	6.3
3-213	27	27.0 (16.6 - 37.3)	27.1 (21.9 - 32.2)	7.0	19	28.3 (18.4 - 38.1)	12.9 (5.4 - 20.4)	3.2	46	27.5 (20.3 - 34.7)	21.2 (16.5 - 25.9)	5.4
3-214	48	44.9 (33.0 - 56.8)	44.6 (39.1 - 50.1)	7.0	83	23.6 (20.7 - 26.5)	24.5 (20.4 - 28.7)	7.3	131	31.4 (26.4 - 36.4)	31.9 (28.2 - 35.6)	7.1
3-215	22	47.8 (36.4 - 59.2)	58.8 (45.9 - 71.6)	8.6	24	35.0 (25.0 - 45.1)	27.2 (16.7 - 37.7)	5.4	46	41.2 (33.5 - 48.8)	42.3 (33.0 - 51.6)	7.2
3-216	35	13.1 (10.3 - 16.0)	10.8 (8.4 - 13.2)	5.8	56	13.5 (10.6 - 16.3)	7.1 (3.6 - 10.6)	3.7	91	13.3 (11.3 - 15.4)	8.5 (6.2 - 10.9)	4.5
3-217	12	19.9 (12.0 - 27.9)	14.7 (7.0 - 22.3)	5.2	39	17.3 (12.9 - 21.8)	11.0 (6.9 - 15.1)	4.4	51	17.9 (14.1 - 21.8)	11.9 (8.2 - 15.5)	4.6
3-218	35	35.7 (24.7 - 46.7)	28.5 (22.2 - 34.7)	5.6	62	20.0 (16.1 - 24.0)	20.2 (15.4 - 25.0)	7.1	97	25.7 (20.8 - 30.6)	23.2 (19.3 - 27.1)	6.3
3-219	1	n.a	n.a	n.a	10	27.1 (14.0 - 40.2)	15.0 (3.3 - 26.7)	3.9	11	28.5 (16.2 - 40.9)	13.9 (3.0 - 24.8)	3.4
3-220	5	9.8 (4.0 - 15.6)	4.2 (0.5 - 7.9)	3.0	1	n.a	n.a	n.a	6	8.5 (3.1 - 13.9)	3.5 (0.2 - 6.8)	2.9
3-221	41	19.9 (16.6 - 23.1)	14.8 (11.3 - 18.4)	5.2	22	20.4 (15.3 - 25.5)	17.7 (14.1 - 21.4)	6.1	63	20.0 (17.3 - 22.8)	15.8 (13.2 - 18.5)	5.5
3-222	50	55.5 (46.2 - 64.8)	34.6 (29.7 - 39.6)	4.4	39	50.6 (42.7 - 58.4)	23.8 (17.7 - 30.0)	3.3	89	53.3 (47.1 - 59.6)	29.9 (25.9 - 33.9)	3.9
3-223	22	70.3 (54.8 - 85.8)	42.0 (34.7 - 49.4)	4.2	0	n.a	n.a	n.a	22	70.3 (54.8 - 85.8)	42.0 (34.7 - 49.4)	4.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2016 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	14	17.6 (10.3 - 25.0)	3.6 (1.7 - 5.5)	1.4	15	16.8 (11.1 - 22.5)	3.6 (1.5 - 5.7)	1.5	29	17.2 (12.7 - 21.7)	3.6 (2.2 - 5.0)	1.5
3-225	40	27.7 (22.8 - 32.7)	18.8 (15.6 - 21.9)	4.7	97	26.6 (22.9 - 30.3)	17.2 (14.8 - 19.7)	4.5	137	26.9 (23.9 - 29.9)	17.7 (15.7 - 19.6)	4.6
3-226	14	20.6 (7.6 - 33.7)	20.6 (11.9 - 29.4)	7.0	287	14.2 (13.1 - 15.3)	16.2 (14.7 - 17.6)	8.0	301	14.5 (13.3 - 15.7)	16.4 (15.0 - 17.8)	7.9
3-227	61	13.0 (10.5 - 15.4)	11.7 (9.8 - 13.5)	6.3	811	12.8 (12.2 - 13.4)	11.4 (10.9 - 11.9)	6.2	872	12.8 (12.2 - 13.4)	11.4 (10.9 - 11.9)	6.2
3-228	43	17.2 (14.2 - 20.2)	20.4 (18.0 - 22.9)	8.3	756	17.4 (16.2 - 18.6)	18.7 (18.1 - 19.4)	7.5	799	17.4 (16.2 - 18.5)	18.8 (18.2 - 19.4)	7.6
3-229	49	22.3 (18.3 - 26.3)	30.5 (26.6 - 34.4)	9.6	1,450	22.1 (21.5 - 22.8)	26.2 (25.4 - 26.9)	8.3	1,499	22.1 (21.5 - 22.8)	26.3 (25.6 - 27.1)	8.3
3-230	13	26.2 (13.1 - 39.2)	18.5 (7.4 - 29.6)	4.9	557	21.0 (20.0 - 22.1)	19.2 (17.8 - 20.5)	6.4	570	21.2 (20.1 - 22.2)	19.1 (17.8 - 20.5)	6.3
3-231	2	n.a	n.a	n.a	36	8.4 (7.1 - 9.6)	5.9 (4.4 - 7.4)	4.9	38	8.3 (7.1 - 9.5)	5.8 (4.4 - 7.3)	4.9
3-232	11	11.5 (8.6 - 14.5)	11.5 (7.3 - 15.8)	7.0	179	11.5 (10.7 - 12.3)	15.0 (13.8 - 16.2)	9.1	190	11.5 (10.7 - 12.3)	14.8 (13.6 - 16.0)	9.0
3-233	5	20.4 (8.4 - 32.4)	23.6 (18.0 - 29.2)	8.1	94	19.4 (16.6 - 22.2)	26.3 (23.7 - 28.8)	9.5	99	19.5 (16.8 - 22.2)	26.1 (23.7 - 28.6)	9.4
3-234	10	16.7 (8.4 - 25.0)	5.1 (1.5 - 8.7)	2.1	79	8.8 (7.6 - 10.0)	6.5 (5.1 - 7.9)	5.2	89	9.7 (8.2 - 11.2)	6.3 (5.1 - 7.6)	4.6
3-235	13	17.5 (11.0 - 24.1)	14.8 (9.8 - 19.7)	5.9	154	12.3 (11.1 - 13.4)	13.8 (12.6 - 15.0)	7.9	167	12.7 (11.5 - 13.8)	13.9 (12.7 - 15.1)	7.7
3-236	18	22.5 (16.7 - 28.3)	23.2 (15.4 - 31.1)	7.2	183	19.8 (15.0 - 24.6)	21.3 (19.0 - 23.5)	7.5	201	20.0 (15.7 - 24.4)	21.5 (19.3 - 23.6)	7.5
3-237	5	13.2 (8.0 - 18.4)	14.6 (10.1 - 19.1)	7.7	112	17.5 (15.4 - 19.6)	11.6 (9.3 - 14.0)	4.6	117	17.4 (15.3 - 19.4)	11.8 (9.5 - 14.0)	4.7
3-238	20	12.4 (9.4 - 15.4)	9.3 (7.2 - 11.4)	5.3	2	n.a	n.a	n.a	22	13.0 (10.1 - 15.8)	9.7 (7.4 - 12.0)	5.3
3-239	19	31.3 (22.2 - 40.4)	29.2 (25.8 - 32.6)	6.5	11	20.6 (10.9 - 30.4)	19.9 (11.1 - 28.8)	6.8	30	27.4 (20.5 - 34.3)	25.8 (21.7 - 29.9)	6.6
3-240	17	74.7 (55.2 - 94.2)	39.5 (30.9 - 48.1)	3.7	6	80.7 (18.6 - 142.7)	39.0 (29.6 - 48.4)	3.4	23	76.3 (55.7 - 96.8)	39.4 (32.7 - 46.0)	3.6
3-241	11	67.0 (42.6 - 91.4)	65.0 (49.9 - 80.1)	6.8	6	61.0 (45.6 - 76.4)	60.3 (30.0 - 90.7)	6.9	17	64.9 (48.5 - 81.3)	63.4 (49.4 - 77.3)	6.8
3-242	95	11.9 (10.4 - 13.5)	9.2 (7.9 - 10.6)	5.4	628	11.9 (11.3 - 12.5)	6.0 (5.5 - 6.6)	3.6	723	11.9 (11.3 - 12.5)	6.5 (6.0 - 7.0)	3.8
3-243	66	16.8 (14.6 - 18.9)	14.9 (12.2 - 17.6)	6.2	877	14.4 (13.8 - 15.0)	12.7 (12.1 - 13.3)	6.2	943	14.6 (14.0 - 15.1)	12.9 (12.3 - 13.5)	6.2
3-244	105	28.9 (25.0 - 32.8)	28.5 (25.7 - 31.3)	6.9	1,199	19.8 (18.8 - 20.7)	19.4 (18.5 - 20.3)	6.9	1,304	20.5 (19.6 - 21.4)	20.1 (19.3 - 21.0)	6.9
3-245	30	31.6 (22.1 - 41.1)	21.0 (12.7 - 29.2)	4.6	253	23.9 (21.8 - 25.9)	20.3 (17.6 - 23.1)	6.0	283	24.7 (22.6 - 26.8)	20.4 (17.8 - 23.0)	5.8
Missing or excluded	81				550				631			
<b>All episodes</b>	<b>1,657</b>	<b>30.1 (28.5 - 31.6)</b>	<b>24.4 (23.4 - 25.4)</b>	<b>5.7</b>	<b>10,253</b>	<b>19.0 (18.7 - 19.4)</b>	<b>17.9 (17.6 - 18.2)</b>	<b>6.6</b>	<b>11,910</b>	<b>20.6 (20.2 - 20.9)</b>	<b>18.8 (18.5 - 19.1)</b>	<b>6.4</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

<b>Class</b>	<b>Description of V3 AN-SNAP class</b>	<b>Class</b>	<b>Description of V3 AN-SNAP class</b>
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24