

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2016 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	1	n.a	n.a	n.a	3	n.a	n.a	n.a	4	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	2	n.a	n.a	n.a	2	n.a	n.a	n.a
4AZ3	1,100	36.8 (35.4 - 38.3)	21.9 (20.6 - 23.3)	4.2	316	32.4 (29.7 - 35.0)	24.7 (22.0 - 27.5)	5.4	1,416	35.8 (34.6 - 37.1)	22.6 (21.3 - 23.8)	4.4
4AZ4	279	60.3 (54.3 - 66.2)	33.3 (30.1 - 36.5)	3.9	40	34.4 (22.6 - 46.1)	20.9 (13.8 - 27.9)	4.3	319	57.0 (51.5 - 62.5)	31.8 (28.8 - 34.7)	3.9
4AA1	1,581	15.6 (15.1 - 16.2)	14.7 (14.2 - 15.2)	6.6	643	15.5 (14.8 - 16.2)	16.1 (15.4 - 16.7)	7.3	2,224	15.6 (15.1 - 16.0)	15.1 (14.7 - 15.5)	6.8
4AA2	1,223	19.9 (19.0 - 20.7)	17.7 (17.0 - 18.3)	6.2	371	18.7 (17.7 - 19.6)	19.1 (18.1 - 20.1)	7.2	1,594	19.6 (18.9 - 20.3)	18.0 (17.5 - 18.6)	6.4
4AA3	358	26.2 (24.6 - 27.9)	21.9 (20.4 - 23.4)	5.9	86	26.4 (22.6 - 30.2)	21.1 (18.4 - 23.7)	5.6	444	26.3 (24.8 - 27.8)	21.8 (20.5 - 23.1)	5.8
4AA4	732	28.0 (26.9 - 29.2)	28.3 (27.2 - 29.5)	7.1	235	26.5 (24.7 - 28.2)	24.9 (23.1 - 26.8)	6.6	967	27.6 (26.7 - 28.6)	27.5 (26.6 - 28.5)	7.0
4AA5	265	34.2 (31.6 - 36.8)	36.1 (34.3 - 37.9)	7.4	27	28.3 (22.5 - 34.1)	34.7 (29.7 - 39.7)	8.6	292	33.6 (31.2 - 36.1)	35.9 (34.2 - 37.6)	7.5
4AA6	828	41.1 (39.5 - 42.7)	30.1 (28.7 - 31.5)	5.1	175	40.4 (37.0 - 43.8)	28.1 (25.3 - 30.9)	4.9	1,003	41.0 (39.6 - 42.5)	29.8 (28.5 - 31.0)	5.1
4AA7	335	52.5 (49.0 - 56.0)	40.9 (38.6 - 43.2)	5.5	37	48.4 (34.3 - 62.4)	30.9 (24.8 - 37.0)	4.5	372	52.1 (48.6 - 55.5)	39.9 (37.7 - 42.1)	5.4
4AB1-7*												
4AC1	727	15.0 (14.2 - 15.8)	11.1 (10.5 - 11.7)	5.2	889	13.4 (12.9 - 13.9)	12.7 (12.2 - 13.2)	6.6	1,616	14.1 (13.7 - 14.5)	12.0 (11.6 - 12.4)	5.9
4AC2	539	21.8 (20.3 - 23.4)	19.9 (18.8 - 21.0)	6.4	553	18.8 (17.9 - 19.6)	19.0 (18.1 - 19.8)	7.1	1,092	20.3 (19.4 - 21.2)	19.4 (18.7 - 20.2)	6.7
4AC3	442	34.7 (32.1 - 37.3)	23.9 (22.0 - 25.8)	4.8	220	23.4 (21.2 - 25.6)	20.7 (18.4 - 22.9)	6.2	662	31.0 (29.0 - 32.9)	22.8 (21.3 - 24.3)	5.2
4AD1-4*												
4AE1	50	18.5 (14.8 - 22.2)	3.7 (2.7 - 4.7)	1.4	9	18.0 (5.3 - 30.7)	3.6 (1.7 - 5.5)	1.4	59	18.4 (14.8 - 22.1)	3.7 (2.8 - 4.5)	1.4
4AE2	542	33.6 (31.6 - 35.6)	16.6 (15.7 - 17.5)	3.5	126	25.2 (21.8 - 28.6)	16.1 (14.5 - 17.7)	4.5	668	32.0 (30.2 - 33.8)	16.5 (15.7 - 17.3)	3.6
4AE3	92	47.7 (41.3 - 54.0)	26.4 (22.7 - 30.1)	3.9	12	33.9 (23.1 - 44.8)	21.8 (10.9 - 32.6)	4.5	104	46.1 (40.3 - 51.9)	25.9 (22.3 - 29.4)	3.9
4AE4	184	28.8 (25.4 - 32.2)	13.9 (12.2 - 15.7)	3.4	20	23.3 (16.4 - 30.2)	10.5 (6.8 - 14.2)	3.2	204	28.2 (25.1 - 31.4)	13.6 (12.0 - 15.2)	3.4
4AH1	2,320	16.7 (16.2 - 17.1)	16.0 (15.7 - 16.4)	6.7	3,552	17.6 (17.2 - 18.0)	17.1 (16.8 - 17.3)	6.8	5,872	17.2 (16.9 - 17.5)	16.7 (16.4 - 16.9)	6.8
4AH2	2,526	19.8 (19.3 - 20.2)	18.4 (18.0 - 18.8)	6.5	2,626	19.1 (18.6 - 19.5)	19.3 (18.9 - 19.6)	7.1	5,152	19.4 (19.1 - 19.7)	18.8 (18.6 - 19.1)	6.8
4AH3	1,681	24.7 (23.9 - 25.4)	25.9 (25.3 - 26.5)	7.3	1,243	26.3 (25.5 - 27.1)	27.0 (26.3 - 27.6)	7.2	2,924	25.4 (24.8 - 25.9)	26.3 (25.9 - 26.8)	7.3
4AH4	1,737	29.8 (28.9 - 30.7)	29.4 (28.6 - 30.3)	6.9	911	31.2 (30.0 - 32.3)	29.9 (28.9 - 31.0)	6.7	2,648	30.3 (29.6 - 31.0)	29.6 (29.0 - 30.3)	6.8
4A21 Ortho Replacements	1,164	10.8 (10.5 - 11.2)	10.8 (10.4 - 11.1)	7.0	14,933	9.9 (9.8 - 10.0)	11.1 (11.1 - 11.2)	7.9	16,097	10.0 (9.9 - 10.1)	11.1 (11.0 - 11.2)	7.8
4A22 Ortho Replacements	1,900	14.4 (13.7 - 15.0)	20.9 (20.6 - 21.3)	10.2	8,682	12.3 (12.2 - 12.5)	21.6 (21.5 - 21.7)	12.3	10,582	12.7 (12.5 - 12.9)	21.5 (21.4 - 21.6)	11.8
4A23 Ortho Replacements	707	21.7 (20.7 - 22.7)	31.9 (31.0 - 32.9)	10.3	798	20.3 (19.5 - 21.2)	31.2 (30.3 - 32.2)	10.7	1,505	21.0 (20.3 - 21.6)	31.6 (30.9 - 32.2)	10.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2016 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	107	11.4 (9.7 - 13.1)	8.3 (6.9 - 9.6)	5.1	219	10.8 (10.1 - 11.5)	11.3 (10.5 - 12.1)	7.3	326	11.0 (10.3 - 11.7)	10.3 (9.6 - 11.0)	6.6
4A22 Ortho Soft Tissue Injury	218	15.2 (13.8 - 16.6)	17.9 (16.7 - 19.1)	8.2	367	15.5 (14.6 - 16.5)	18.8 (18.0 - 19.6)	8.5	585	15.4 (14.6 - 16.2)	18.5 (17.8 - 19.2)	8.4
4A23 Ortho Soft Tissue Injury	170	20.8 (18.1 - 23.6)	24.0 (21.8 - 26.2)	8.1	119	17.6 (16.0 - 19.2)	21.8 (19.4 - 24.3)	8.7	289	19.5 (17.7 - 21.2)	23.1 (21.4 - 24.7)	8.3
4A21 Ortho Other	327	12.9 (11.9 - 13.9)	10.6 (9.8 - 11.3)	5.7	3,278	11.1 (10.8 - 11.4)	11.9 (11.7 - 12.1)	7.5	3,605	11.2 (10.9 - 11.5)	11.8 (11.6 - 11.9)	7.3
4A22 Ortho Other	448	16.9 (15.8 - 18.0)	20.6 (19.8 - 21.4)	8.5	2,458	14.9 (14.5 - 15.3)	21.6 (21.3 - 21.9)	10.2	2,906	15.2 (14.8 - 15.6)	21.5 (21.2 - 21.7)	9.9
4A23 Ortho Other	275	29.6 (26.6 - 32.5)	29.7 (28.0 - 31.5)	7.0	384	26.2 (24.3 - 28.1)	29.5 (28.1 - 30.8)	7.9	659	27.6 (25.9 - 29.3)	29.6 (28.5 - 30.6)	7.5
4A31 Pain	266	11.1 (10.2 - 12.1)	7.6 (6.7 - 8.4)	4.8	1,448	11.8 (11.5 - 12.1)	6.9 (6.6 - 7.2)	4.1	1,714	11.7 (11.4 - 12.0)	7.0 (6.7 - 7.3)	4.2
4A32 Pain	454	15.5 (14.7 - 16.3)	17.3 (16.4 - 18.2)	7.8	1,128	15.2 (14.8 - 15.7)	17.1 (16.7 - 17.5)	7.9	1,582	15.3 (14.9 - 15.7)	17.2 (16.8 - 17.6)	7.9
4A33 Pain	273	20.4 (18.9 - 21.9)	24.1 (22.6 - 25.6)	8.3	291	19.5 (18.3 - 20.7)	21.6 (20.3 - 23.0)	7.8	564	19.9 (19.0 - 20.9)	22.8 (21.8 - 23.9)	8.0
4A34 Pain	83	22.3 (19.5 - 25.1)	28.5 (24.1 - 33.0)	9.0	46	22.9 (19.1 - 26.7)	28.7 (23.6 - 33.8)	8.8	129	22.5 (20.3 - 24.7)	28.6 (25.3 - 31.9)	8.9
4A31 Cardiac	165	12.3 (10.9 - 13.6)	9.1 (8.1 - 10.2)	5.2	758	10.7 (9.6 - 11.7)	10.5 (10.1 - 10.9)	6.9	923	10.9 (10.1 - 11.8)	10.3 (9.8 - 10.7)	6.6
4A32 Cardiac	354	14.4 (13.5 - 15.3)	18.1 (17.2 - 19.0)	8.8	1,264	13.0 (12.7 - 13.4)	18.9 (18.4 - 19.3)	10.1	1,618	13.3 (13.0 - 13.7)	18.7 (18.3 - 19.1)	9.8
4A33 Cardiac	226	19.0 (17.3 - 20.6)	22.5 (20.9 - 24.2)	8.3	217	18.5 (16.9 - 20.0)	21.9 (20.2 - 23.5)	8.3	443	18.7 (17.6 - 19.8)	22.2 (21.0 - 23.4)	8.3
4A34 Cardiac	62	27.3 (22.1 - 32.5)	30.1 (26.0 - 34.3)	7.7	24	24.4 (19.1 - 29.7)	28.2 (20.0 - 36.4)	8.1	86	26.5 (22.4 - 30.5)	29.6 (25.9 - 33.4)	7.8
4A31 Pulmonary	170	11.6 (10.4 - 12.7)	7.9 (7.0 - 8.8)	4.8	316	11.7 (11.1 - 12.4)	11.0 (10.2 - 11.7)	6.5	486	11.7 (11.1 - 12.2)	9.9 (9.3 - 10.5)	5.9
4A32 Pulmonary	346	14.8 (13.8 - 15.7)	16.4 (15.4 - 17.3)	7.8	577	14.1 (13.6 - 14.6)	18.0 (17.4 - 18.7)	9.0	923	14.3 (13.8 - 14.8)	17.4 (16.9 - 18.0)	8.5
4A33 Pulmonary	177	17.6 (16.0 - 19.1)	23.2 (21.2 - 25.2)	9.2	142	16.4 (15.2 - 17.7)	21.3 (19.1 - 23.5)	9.1	319	17.1 (16.0 - 18.1)	22.3 (20.9 - 23.8)	9.2
4A34 Pulmonary	55	24.5 (20.8 - 28.1)	26.2 (21.0 - 31.4)	7.5	26	17.7 (13.4 - 21.9)	21.7 (15.0 - 28.3)	8.6	81	22.3 (19.4 - 25.2)	24.7 (20.6 - 28.8)	7.8
4AP1*	322	29.2 (26.2 - 32.3)	26.0 (24.2 - 27.9)	6.2	397	37.3 (34.1 - 40.5)	33.1 (31.4 - 34.7)	6.2	719	33.7 (31.5 - 35.9)	29.9 (28.6 - 31.2)	6.2
4AR1	2,492	14.1 (13.6 - 14.7)	9.6 (9.3 - 9.9)	4.7	6,244	12.4 (12.2 - 12.6)	11.3 (11.1 - 11.4)	6.4	8,736	12.9 (12.7 - 13.1)	10.8 (10.6 - 10.9)	5.9
4AR2	2,823	17.1 (16.7 - 17.6)	17.6 (17.2 - 17.9)	7.2	5,793	15.9 (15.6 - 16.2)	18.4 (18.2 - 18.6)	8.1	8,616	16.3 (16.1 - 16.6)	18.2 (18.0 - 18.3)	7.8
4AR3	1,322	18.7 (17.8 - 19.5)	18.0 (17.4 - 18.6)	6.7	1,395	17.9 (17.4 - 18.5)	17.9 (17.4 - 18.5)	7.0	2,717	18.3 (17.8 - 18.8)	18.0 (17.6 - 18.4)	6.9
4AR4	472	23.4 (21.9 - 24.9)	24.1 (22.8 - 25.3)	7.2	483	22.1 (21.0 - 23.3)	22.6 (21.6 - 23.7)	7.2	955	22.7 (21.8 - 23.7)	23.3 (22.5 - 24.2)	7.2
4AR5	1,735	22.2 (21.4 - 23.1)	22.0 (21.3 - 22.7)	6.9	1,222	21.1 (20.5 - 21.7)	21.5 (20.8 - 22.2)	7.1	2,957	21.8 (21.2 - 22.3)	21.8 (21.3 - 22.3)	7.0
4AR6	1,130	27.3 (26.2 - 28.4)	25.2 (24.1 - 26.3)	6.5	485	26.9 (24.7 - 29.0)	22.3 (20.7 - 24.0)	5.8	1,615	27.2 (26.2 - 28.2)	24.3 (23.4 - 25.3)	6.3
4A91	305	15.7 (14.4 - 16.9)	14.0 (12.9 - 15.0)	6.2	463	14.2 (13.4 - 14.9)	12.5 (11.8 - 13.2)	6.2	768	14.8 (14.1 - 15.5)	13.1 (12.5 - 13.7)	6.2
4A92	205	23.3 (20.0 - 26.6)	22.6 (20.6 - 24.5)	6.8	59	18.6 (16.5 - 20.8)	21.2 (18.4 - 23.9)	7.9	264	22.2 (19.6 - 24.9)	22.2 (20.6 - 23.9)	7.0
4A93	64	28.2 (21.4 - 35.0)	21.3 (16.5 - 26.0)	5.3	22	23.3 (18.4 - 28.2)	21.6 (14.8 - 28.3)	6.5	86	26.9 (21.7 - 32.1)	21.3 (17.4 - 25.3)	5.5
Missing or excluded*	9,793				5,730				15,523			
All episodes	46,152	22.7 (22.5 - 22.9)	20.2 (20.0 - 20.3)	6.2	71,864	14.7 (14.7 - 14.8)	16.7 (16.6 - 16.8)	7.9	118,016	17.7 (17.6 - 17.8)	18.0 (17.9 - 18.0)	7.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2016 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	207	115.2 (102.2 - 128.1)	34.0 (29.9 - 38.1)	2.1	39	66.8 (41.5 - 92.1)	39.6 (26.7 - 52.5)	4.2	246	107.5 (95.7 - 119.3)	34.9 (30.9 - 38.9)	2.3
3-203	418	42.1 (39.1 - 45.0)	22.4 (20.0 - 24.9)	3.7	90	29.2 (25.1 - 33.2)	24.4 (18.6 - 30.3)	5.9	508	39.8 (37.2 - 42.4)	22.8 (20.5 - 25.1)	4.0
3-204	1,739	15.3 (14.7 - 15.8)	11.7 (11.3 - 12.1)	5.3	603	14.5 (13.8 - 15.1)	13.8 (13.2 - 14.5)	6.7	2,342	15.1 (14.6 - 15.5)	12.2 (11.9 - 12.6)	5.7
3-205	210	24.2 (22.0 - 26.5)	17.4 (15.8 - 18.9)	5.0	43	22.0 (18.1 - 25.8)	16.8 (13.6 - 20.0)	5.3	253	23.9 (21.9 - 25.8)	17.3 (15.8 - 18.7)	5.1
3-206	1,337	22.1 (21.3 - 23.0)	24.0 (23.4 - 24.6)	7.6	504	20.8 (19.8 - 21.8)	22.8 (21.9 - 23.6)	7.7	1,841	21.8 (21.1 - 22.4)	23.7 (23.2 - 24.2)	7.6
3-207	145	29.3 (26.6 - 31.9)	27.4 (24.6 - 30.1)	6.5	33	31.8 (23.7 - 40.0)	24.2 (19.4 - 29.0)	5.3	178	29.8 (27.1 - 32.4)	26.8 (24.4 - 29.1)	6.3
3-208	1,211	36.0 (34.8 - 37.2)	27.3 (26.2 - 28.4)	5.3	297	34.1 (31.8 - 36.5)	26.0 (24.0 - 28.0)	5.3	1,508	35.6 (34.6 - 36.7)	27.1 (26.1 - 28.0)	5.3
3-209	1,042	47.5 (45.6 - 49.4)	36.9 (35.6 - 38.1)	5.4	147	41.8 (36.5 - 47.1)	28.8 (25.7 - 31.9)	4.8	1,189	46.8 (45.0 - 48.6)	35.9 (34.7 - 37.0)	5.4
3-210	151	12.5 (11.2 - 13.7)	12.6 (11.2 - 14.0)	7.1	129	12.9 (11.8 - 14.0)	15.2 (13.9 - 16.4)	8.3	280	12.7 (11.8 - 13.5)	13.8 (12.9 - 14.8)	7.6
3-211	435	15.9 (14.1 - 17.7)	13.6 (12.7 - 14.4)	6.0	195	18.7 (16.8 - 20.6)	17.2 (15.8 - 18.5)	6.4	630	16.7 (15.4 - 18.1)	14.7 (13.9 - 15.4)	6.1
3-212	171	22.1 (19.6 - 24.6)	17.2 (15.6 - 18.8)	5.4	43	18.4 (15.8 - 21.0)	21.7 (18.5 - 24.9)	8.3	214	21.4 (19.3 - 23.4)	18.1 (16.6 - 19.6)	5.9
3-213	190	33.3 (28.6 - 38.0)	21.1 (19.2 - 23.1)	4.4	35	21.3 (17.5 - 25.2)	26.5 (22.0 - 30.9)	8.7	225	31.4 (27.3 - 35.5)	22.0 (20.2 - 23.7)	4.9
3-214	478	33.0 (30.7 - 35.3)	35.0 (33.3 - 36.8)	7.4	185	26.8 (24.6 - 29.0)	28.9 (26.3 - 31.4)	7.5	663	31.3 (29.5 - 33.1)	33.3 (31.9 - 34.8)	7.5
3-215	101	63.4 (50.0 - 76.8)	46.5 (41.0 - 52.1)	5.1	22	49.0 (37.7 - 60.3)	26.3 (16.6 - 36.0)	3.8	123	60.8 (49.7 - 72.0)	42.9 (37.9 - 47.9)	4.9
3-216	641	14.2 (13.5 - 14.9)	10.4 (9.7 - 11.0)	5.1	778	12.9 (12.5 - 13.4)	11.9 (11.4 - 12.4)	6.4	1,419	13.5 (13.1 - 13.9)	11.2 (10.8 - 11.6)	5.8
3-217	462	20.4 (18.9 - 21.9)	18.7 (17.7 - 19.8)	6.4	517	18.0 (17.1 - 18.9)	18.5 (17.7 - 19.4)	7.2	979	19.1 (18.3 - 19.9)	18.6 (18.0 - 19.3)	6.8
3-218	611	32.2 (30.1 - 34.4)	23.2 (21.7 - 24.8)	5.0	375	22.0 (20.5 - 23.4)	20.3 (18.8 - 21.9)	6.5	986	28.3 (26.9 - 29.8)	22.1 (21.0 - 23.2)	5.5
3-219	49	45.9 (34.0 - 57.9)	23.3 (16.4 - 30.3)	3.6	11	22.6 (9.3 - 35.9)	17.3 (3.9 - 30.6)	5.3	60	41.7 (31.3 - 52.0)	22.2 (16.0 - 28.4)	3.7
3-220	11	20.4 (14.1 - 26.7)	4.5 (2.2 - 6.7)	1.5	2	n.a	n.a	n.a	13	18.5 (12.6 - 24.3)	4.6 (2.5 - 6.7)	1.7
3-221	242	28.3 (24.9 - 31.6)	16.9 (15.4 - 18.4)	4.2	52	20.7 (17.3 - 24.1)	14.5 (12.1 - 16.9)	4.9	294	26.9 (24.1 - 29.8)	16.5 (15.1 - 17.8)	4.3
3-222	319	78.3 (71.3 - 85.3)	30.9 (28.6 - 33.2)	2.8	20	45.5 (32.2 - 58.8)	22.0 (16.0 - 28.0)	3.4	339	76.4 (69.7 - 83.1)	30.4 (28.2 - 32.5)	2.8
3-223	37	83.8 (64.7 - 102.9)	34.4 (27.7 - 41.0)	2.9	2	n.a	n.a	n.a	39	81.6 (63.0 - 100.1)	33.5 (27.0 - 40.1)	2.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2016 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	224	24.2 (21.9 - 26.5)	6.1 (5.5 - 6.7)	1.8	40	19.4 (14.4 - 24.4)	6.5 (5.0 - 7.9)	2.3	264	23.5 (21.3 - 25.6)	6.2 (5.6 - 6.7)	1.8
3-225	657	36.3 (34.3 - 38.3)	19.9 (18.9 - 20.9)	3.8	129	27.4 (23.9 - 30.9)	17.7 (15.8 - 19.5)	4.5	786	34.9 (33.1 - 36.6)	19.6 (18.7 - 20.5)	3.9
3-226	1,088	16.4 (15.7 - 17.0)	17.5 (16.7 - 18.3)	7.5	2,917	14.1 (13.8 - 14.4)	12.7 (12.3 - 13.0)	6.3	4,005	14.7 (14.4 - 15.0)	14.0 (13.7 - 14.3)	6.7
3-227	2,646	16.1 (15.7 - 16.5)	13.6 (13.3 - 13.9)	5.9	3,808	16.0 (15.7 - 16.3)	15.2 (15.0 - 15.4)	6.6	6,454	16.0 (15.8 - 16.3)	14.5 (14.4 - 14.7)	6.3
3-228	2,188	21.0 (20.5 - 21.6)	21.7 (21.3 - 22.1)	7.2	2,349	21.8 (21.3 - 22.3)	22.6 (22.2 - 22.9)	7.3	4,537	21.4 (21.0 - 21.8)	22.2 (21.9 - 22.4)	7.2
3-229	2,939	27.5 (26.8 - 28.1)	28.1 (27.6 - 28.7)	7.2	1,931	28.9 (28.1 - 29.6)	28.8 (28.2 - 29.4)	7.0	4,870	28.0 (27.5 - 28.5)	28.4 (28.0 - 28.8)	7.1
3-230	678	27.4 (26.2 - 28.6)	24.8 (23.3 - 26.3)	6.3	314	25.9 (24.2 - 27.6)	23.3 (21.5 - 25.1)	6.3	992	26.9 (26.0 - 27.9)	24.3 (23.2 - 25.5)	6.3
3-231	576	10.6 (10.1 - 11.1)	8.0 (7.6 - 8.5)	5.3	8,803	9.5 (9.4 - 9.7)	8.5 (8.4 - 8.6)	6.2	9,379	9.6 (9.5 - 9.7)	8.5 (8.4 - 8.6)	6.2
3-232	2,457	13.6 (13.0 - 14.1)	19.1 (18.8 - 19.4)	9.8	14,740	11.5 (11.4 - 11.6)	18.8 (18.7 - 18.9)	11.4	17,197	11.8 (11.7 - 11.9)	18.8 (18.7 - 18.9)	11.2
3-233	744	21.5 (20.5 - 22.6)	31.8 (30.9 - 32.8)	10.3	880	20.2 (19.4 - 20.9)	30.9 (30.0 - 31.8)	10.7	1,624	20.8 (20.2 - 21.4)	31.3 (30.7 - 32.0)	10.5
3-234	334	11.8 (10.9 - 12.7)	8.7 (8.0 - 9.4)	5.2	2,926	11.0 (10.6 - 11.3)	10.9 (10.7 - 11.1)	6.9	3,260	11.0 (10.7 - 11.4)	10.6 (10.5 - 10.8)	6.7
3-235	619	15.7 (14.8 - 16.6)	18.2 (17.6 - 18.8)	8.1	3,025	14.0 (13.7 - 14.4)	19.9 (19.7 - 20.2)	10.0	3,644	14.3 (14.0 - 14.6)	19.6 (19.4 - 19.9)	9.6
3-236	610	24.5 (22.8 - 26.1)	26.3 (25.1 - 27.5)	7.5	880	21.3 (20.3 - 22.3)	26.7 (25.9 - 27.5)	8.8	1,490	22.6 (21.7 - 23.5)	26.5 (25.8 - 27.2)	8.2
3-237	815	16.4 (15.6 - 17.3)	18.6 (17.7 - 19.5)	7.9	2,266	12.9 (12.5 - 13.3)	16.5 (16.1 - 16.9)	8.9	3,081	13.8 (13.4 - 14.2)	17.0 (16.7 - 17.4)	8.6
3-238	68	18.0 (12.9 - 23.1)	9.2 (7.8 - 10.5)	3.6	62	17.6 (13.6 - 21.6)	11.5 (10.1 - 12.9)	4.6	130	17.8 (14.6 - 21.0)	10.3 (9.3 - 11.3)	4.0
3-239	202	25.3 (22.5 - 28.1)	23.0 (21.4 - 24.7)	6.4	202	28.0 (25.1 - 30.9)	27.7 (26.4 - 29.1)	6.9	404	26.6 (24.6 - 28.6)	25.4 (24.3 - 26.5)	6.7
3-240	76	43.2 (35.9 - 50.4)	42.4 (39.2 - 45.5)	6.9	139	57.7 (50.8 - 64.6)	47.8 (45.6 - 50.0)	5.8	215	52.6 (47.4 - 57.8)	45.9 (44.0 - 47.7)	6.1
3-241	21	78.4 (57.9 - 99.0)	58.2 (45.5 - 71.0)	5.2	17	77.3 (53.7 - 100.9)	73.2 (63.0 - 83.5)	6.6	38	77.9 (62.7 - 93.1)	64.9 (56.3 - 73.6)	5.8
3-242	2,463	13.8 (13.3 - 14.4)	8.9 (8.6 - 9.1)	4.5	5,876	12.4 (12.2 - 12.6)	10.5 (10.3 - 10.7)	5.9	8,339	12.8 (12.6 - 13.0)	10.0 (9.9 - 10.2)	5.5
3-243	3,963	16.9 (16.5 - 17.3)	16.7 (16.4 - 17.0)	6.9	7,688	15.2 (15.0 - 15.5)	17.6 (17.5 - 17.8)	8.1	11,651	15.8 (15.6 - 16.0)	17.3 (17.1 - 17.5)	7.7
3-244	4,440	22.1 (21.6 - 22.6)	22.5 (22.0 - 22.9)	7.1	3,471	20.8 (20.4 - 21.3)	21.4 (21.0 - 21.8)	7.2	7,911	21.6 (21.2 - 21.9)	22.0 (21.7 - 22.3)	7.1
3-245	645	28.7 (27.2 - 30.2)	23.0 (21.3 - 24.7)	5.6	261	25.7 (23.8 - 27.6)	21.2 (18.8 - 23.7)	5.8	906	27.9 (26.7 - 29.1)	22.5 (21.1 - 23.9)	5.6
Missing or excluded	7,492				5,018				12,510			
All episodes	46,152	22.7 (22.5 - 22.9)	20.2 (20.0 - 20.3)	6.2	71,864	14.7 (14.7 - 14.8)	16.7 (16.6 - 16.8)	7.9	118,016	17.7 (17.6 - 17.8)	18.0 (17.9 - 18.0)	7.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24