

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2016 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	701	29.1 (27.4 - 30.8)	19.2 (17.8 - 20.7)	4.6	701	29.1 (27.4 - 30.8)	19.2 (17.8 - 20.7)	4.6
4AZ4	90	62.3 (52.3 - 72.2)	30.5 (25.1 - 35.9)	3.4	0	n.a	n.a	n.a	90	62.3 (52.3 - 72.2)	30.5 (25.1 - 35.9)	3.4
4AA1	102	11.3 (10.0 - 12.6)	13.7 (11.9 - 15.5)	8.5	248	12.1 (11.0 - 13.2)	13.4 (12.3 - 14.6)	7.8	350	11.9 (11.0 - 12.7)	13.5 (12.5 - 14.5)	8.0
4AA2	70	16.9 (12.8 - 21.1)	17.6 (15.0 - 20.2)	7.3	266	14.7 (13.6 - 15.7)	17.1 (15.8 - 18.4)	8.2	336	15.2 (14.0 - 16.4)	17.2 (16.1 - 18.4)	8.0
4AA3	25	15.6 (11.7 - 19.5)	21.7 (16.9 - 26.5)	9.7	86	19.5 (17.1 - 21.9)	17.2 (14.4 - 19.9)	6.2	111	18.6 (16.6 - 20.7)	18.2 (15.8 - 20.6)	6.8
4AA4	0	n.a	n.a	n.a	209	21.9 (20.5 - 23.4)	25.6 (23.5 - 27.8)	8.2	209	21.9 (20.5 - 23.4)	25.6 (23.5 - 27.8)	8.2
4AA5	64	25.2 (21.7 - 28.7)	35.3 (31.9 - 38.6)	9.8	20	25.7 (19.5 - 31.9)	27.2 (19.8 - 34.6)	7.4	84	25.3 (22.3 - 28.4)	33.3 (30.2 - 36.5)	9.2
4AA6	0	n.a	n.a	n.a	325	32.3 (30.0 - 34.5)	26.9 (24.8 - 29.1)	5.8	325	32.3 (30.0 - 34.5)	26.9 (24.8 - 29.1)	5.8
4AA7	97	39.6 (35.4 - 43.8)	39.3 (35.2 - 43.4)	7.0	24	34.4 (26.7 - 42.1)	37.3 (26.7 - 47.9)	7.6	121	38.5 (34.9 - 42.2)	38.9 (35.1 - 42.8)	7.1
4AB1-7*												
4AC1	45	13.5 (10.9 - 16.1)	11.9 (9.4 - 14.4)	6.2	52	13.5 (10.4 - 16.5)	7.3 (4.6 - 9.9)	3.8	97	13.5 (11.5 - 15.5)	9.4 (7.5 - 11.3)	4.9
4AC2	18	20.9 (11.8 - 30.1)	18.7 (14.3 - 23.0)	6.2	62	16.9 (14.2 - 19.5)	17.0 (13.9 - 20.2)	7.1	80	17.8 (14.9 - 20.7)	17.4 (14.8 - 20.0)	6.9
4AC3	32	40.8 (28.5 - 53.1)	31.3 (23.7 - 38.9)	5.4	56	19.6 (16.0 - 23.3)	21.9 (16.9 - 26.9)	7.8	88	27.3 (21.9 - 32.8)	25.3 (21.0 - 29.6)	6.5
4AD1-4*												
4AE1	2	n.a	n.a	n.a	5	17.0 (5.6 - 28.4)	3.8 (0.9 - 6.7)	1.6	7	18.7 (6.3 - 31.2)	2.7 (0.3 - 5.2)	1.0
4AE2	23	19.8 (15.7 - 23.9)	12.8 (8.5 - 17.0)	4.5	78	22.5 (19.7 - 25.4)	13.2 (10.7 - 15.7)	4.1	101	21.9 (19.5 - 24.3)	13.1 (11.0 - 15.3)	4.2
4AE3	0	n.a	n.a	n.a	32	31.6 (23.8 - 39.4)	20.8 (15.3 - 26.4)	4.6	32	31.6 (23.8 - 39.4)	20.8 (15.3 - 26.4)	4.6
4AE4	21	21.9 (14.9 - 28.9)	12.5 (8.7 - 16.4)	4.0	0	n.a	n.a	n.a	21	21.9 (14.9 - 28.9)	12.5 (8.7 - 16.4)	4.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2016 (2/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	62	14.3 (11.7 - 16.9)	12.9 (10.8 - 15.0)	6.3	542	14.5 (12.8 - 16.1)	13.6 (12.9 - 14.3)	6.6	604	14.4 (13.0 - 15.9)	13.6 (12.9 - 14.2)	6.6
4AH2	44	15.2 (11.9 - 18.5)	14.7 (12.2 - 17.2)	6.8	928	15.4 (14.8 - 16.1)	15.3 (14.7 - 16.0)	7.0	972	15.4 (14.8 - 16.1)	15.3 (14.7 - 15.9)	6.9
4AH3	21	19.5 (15.4 - 23.7)	29.7 (25.7 - 33.6)	10.6	761	20.4 (19.7 - 21.2)	23.9 (23.1 - 24.7)	8.2	782	20.4 (19.6 - 21.1)	24.1 (23.3 - 24.9)	8.3
4AH4	29	23.9 (18.0 - 29.7)	26.8 (20.6 - 33.0)	7.9	957	23.2 (22.4 - 24.1)	26.0 (24.9 - 27.1)	7.8	986	23.3 (22.4 - 24.1)	26.0 (24.9 - 27.1)	7.8
4A21	14	11.6 (7.5 - 15.8)	6.9 (4.9 - 9.0)	4.2	140	9.3 (8.1 - 10.4)	8.1 (7.1 - 9.0)	6.1	154	9.5 (8.4 - 10.5)	8.0 (7.1 - 8.9)	5.9
4A22	25	17.8 (13.3 - 22.4)	19.5 (15.5 - 23.5)	7.7	296	12.9 (12.1 - 13.7)	16.7 (15.7 - 17.7)	9.0	321	13.3 (12.4 - 14.1)	16.9 (15.9 - 17.9)	8.9
4A23	13	17.7 (11.5 - 23.9)	20.8 (14.0 - 27.6)	8.2	228	19.2 (17.5 - 20.9)	24.0 (22.1 - 25.9)	8.8	241	19.1 (17.5 - 20.7)	23.8 (22.0 - 25.6)	8.7
4A31	5	12.4 (6.6 - 18.2)	12.6 (4.6 - 20.6)	7.1	98	11.7 (10.3 - 13.0)	5.9 (4.9 - 6.9)	3.5	103	11.7 (10.4 - 13.0)	6.2 (5.1 - 7.3)	3.7
4A32	9	17.0 (12.1 - 21.9)	20.8 (17.2 - 24.3)	8.6	151	13.7 (12.4 - 15.0)	13.4 (11.9 - 14.9)	6.9	160	13.9 (12.6 - 15.1)	13.8 (12.4 - 15.2)	7.0
4A33	8	19.8 (9.9 - 29.6)	27.4 (20.2 - 34.6)	9.7	109	19.1 (16.2 - 22.0)	19.5 (17.0 - 21.9)	7.1	117	19.2 (16.4 - 22.0)	20.0 (17.7 - 22.4)	7.3
4A34	2	n.a	n.a	n.a	48	19.6 (15.5 - 23.8)	25.3 (19.8 - 30.8)	9.0	50	19.9 (15.9 - 23.9)	26.6 (21.0 - 32.2)	9.4
4AP1*	10	23.1 (12.7 - 33.5)	22.9 (14.7 - 31.1)	6.9	7	12.9 (8.4 - 17.3)	30.0 (16.6 - 43.4)	16.3	17	18.9 (12.2 - 25.6)	25.8 (18.6 - 33.1)	9.6
4AR1	80	11.6 (9.8 - 13.3)	9.0 (7.6 - 10.5)	5.5	641	12.3 (11.7 - 12.9)	7.0 (6.5 - 7.5)	4.0	721	12.2 (11.6 - 12.8)	7.2 (6.7 - 7.7)	4.2
4AR2	39	17.9 (15.2 - 20.6)	17.2 (14.9 - 19.4)	6.7	601	15.0 (14.2 - 15.8)	14.9 (14.2 - 15.6)	7.0	640	15.2 (14.4 - 15.9)	15.1 (14.4 - 15.7)	6.9
4AR3	28	17.0 (13.4 - 20.6)	19.2 (14.7 - 23.7)	7.9	433	16.7 (15.7 - 17.6)	13.9 (12.9 - 14.9)	5.8	461	16.7 (15.7 - 17.6)	14.2 (13.2 - 15.2)	6.0
4AR4	22	27.0 (15.8 - 38.1)	19.0 (13.0 - 24.9)	4.9	97	18.4 (16.4 - 20.4)	23.6 (20.9 - 26.2)	9.0	119	20.0 (17.3 - 22.6)	22.7 (20.3 - 25.1)	8.0
4AR5	29	28.6 (19.7 - 37.6)	27.4 (23.1 - 31.7)	6.7	495	18.9 (17.8 - 20.0)	18.2 (17.0 - 19.4)	6.7	524	19.4 (18.3 - 20.6)	18.7 (17.5 - 19.9)	6.7
4AR6	41	36.7 (27.2 - 46.2)	28.0 (21.1 - 34.8)	5.3	403	24.5 (22.2 - 26.8)	22.3 (20.5 - 24.2)	6.4	444	25.6 (23.3 - 27.9)	22.8 (21.0 - 24.6)	6.2
4A91	26	13.5 (9.9 - 17.0)	10.3 (7.2 - 13.3)	5.3	147	17.1 (11.9 - 22.2)	8.7 (7.5 - 10.0)	3.6	173	16.5 (12.1 - 21.0)	9.0 (7.8 - 10.1)	3.8
4A92	7	24.1 (15.7 - 32.6)	25.4 (12.6 - 38.2)	7.4	98	19.9 (17.0 - 22.8)	17.4 (14.6 - 20.2)	6.1	105	20.2 (17.5 - 22.9)	18.0 (15.2 - 20.7)	6.2
4A93	1	n.a	n.a	n.a	40	19.0 (15.1 - 22.8)	19.7 (14.0 - 25.4)	7.3	41	18.7 (14.9 - 22.5)	19.4 (13.9 - 25.0)	7.3
Missing or excluded*	586				828				1,414			
All episodes	1,690	28.8 (27.3 - 30.3)	24.2 (23.2 - 25.2)	5.9	10,212	19.3 (19.0 - 19.6)	18.1 (17.8 - 18.4)	6.6	11,902	20.6 (20.3 - 21.0)	18.9 (18.7 - 19.2)	6.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2016 (1/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-202	66	87.7 (76.9 - 98.4)	45.2 (36.7 - 53.6)	3.6	18	92.4 (51.1 - 133.7)	18.9 (9.8 - 28.0)	1.4	84	88.7 (76.6 - 100.7)	39.5 (32.3 - 46.8)	3.1
3-203	35	54.5 (42.5 - 66.4)	26.9 (17.0 - 36.7)	3.5	209	31.7 (28.9 - 34.5)	17.2 (14.5 - 19.8)	3.8	244	35.0 (31.9 - 38.0)	18.6 (15.9 - 21.3)	3.7
3-204	121	11.2 (10.1 - 12.4)	11.4 (10.1 - 12.8)	7.1	291	11.2 (10.3 - 12.1)	11.3 (10.3 - 12.3)	7.1	412	11.2 (10.5 - 11.9)	11.3 (10.6 - 12.1)	7.1
3-205	22	14.1 (10.5 - 17.8)	17.3 (12.7 - 21.8)	8.6	43	17.2 (14.3 - 20.2)	15.5 (12.7 - 18.2)	6.3	65	16.2 (13.9 - 18.5)	16.1 (13.7 - 18.5)	7.0
3-206	64	19.1 (14.5 - 23.7)	27.7 (25.0 - 30.3)	10.1	296	16.9 (15.9 - 18.0)	21.0 (19.7 - 22.4)	8.7	360	17.3 (16.1 - 18.5)	22.2 (21.0 - 23.4)	9.0
3-207	5	14.4 (5.5 - 23.3)	23.2 (13.1 - 33.3)	11.3	29	24.6 (19.9 - 29.2)	21.3 (16.5 - 26.1)	6.1	34	23.1 (18.8 - 27.3)	21.6 (17.3 - 25.9)	6.6
3-208	0	n.a	n.a	n.a	499	30.4 (28.3 - 32.5)	24.5 (22.8 - 26.2)	5.6	499	30.4 (28.3 - 32.5)	24.5 (22.8 - 26.2)	5.6
3-209	177	40.2 (36.8 - 43.7)	38.8 (36.0 - 41.6)	6.8	164	37.0 (33.3 - 40.7)	31.1 (27.9 - 34.2)	5.9	341	38.7 (36.2 - 41.2)	35.1 (33.0 - 37.2)	6.3
3-210	25	10.1 (7.9 - 12.3)	9.8 (6.1 - 13.4)	6.8	9	10.1 (6.4 - 13.8)	11.2 (6.6 - 15.9)	7.8	34	10.1 (8.3 - 12.0)	10.1 (7.2 - 13.1)	7.0
3-211	96	16.7 (14.4 - 19.0)	16.4 (14.3 - 18.5)	6.9	36	16.9 (13.4 - 20.4)	17.3 (13.8 - 20.8)	7.2	132	16.8 (14.8 - 18.7)	16.7 (14.9 - 18.5)	7.0
3-212	32	21.6 (16.2 - 26.9)	21.7 (17.6 - 25.8)	7.1	20	19.2 (15.7 - 22.7)	15.4 (10.0 - 20.7)	5.6	52	20.7 (17.1 - 24.2)	19.3 (15.9 - 22.6)	6.5
3-213	32	30.5 (20.2 - 40.8)	26.0 (21.5 - 30.5)	6.0	16	26.9 (15.1 - 38.7)	15.8 (9.1 - 22.6)	4.1	48	29.3 (21.4 - 37.1)	22.6 (18.7 - 26.5)	5.4
3-214	50	46.7 (35.6 - 57.8)	46.5 (41.3 - 51.6)	7.0	85	27.5 (22.2 - 32.8)	25.3 (21.2 - 29.4)	6.4	135	34.6 (29.1 - 40.1)	33.1 (29.5 - 36.8)	6.7
3-215	19	64.6 (46.7 - 82.6)	66.6 (56.7 - 76.6)	7.2	21	26.8 (19.6 - 34.1)	25.4 (14.2 - 36.6)	6.6	40	44.8 (33.8 - 55.7)	45.0 (35.1 - 54.9)	7.0
3-216	40	13.6 (10.7 - 16.4)	10.7 (8.4 - 13.0)	5.5	42	13.7 (10.0 - 17.3)	6.6 (3.6 - 9.6)	3.4	82	13.6 (11.3 - 15.9)	8.6 (6.6 - 10.6)	4.4
3-217	16	15.1 (10.3 - 19.9)	20.1 (15.2 - 25.0)	9.3	51	16.1 (12.9 - 19.3)	14.1 (11.3 - 16.9)	6.1	67	15.9 (13.2 - 18.6)	15.6 (13.1 - 18.0)	6.9
3-218	39	38.6 (27.9 - 49.4)	28.8 (22.3 - 35.4)	5.2	77	18.8 (16.0 - 21.6)	21.6 (17.5 - 25.6)	8.0	116	25.5 (21.1 - 29.8)	24.0 (20.5 - 27.5)	6.6
3-219	3	n.a	n.a	n.a	11	22.7 (10.7 - 34.8)	23.6 (11.0 - 36.3)	7.3	14	43.4 (11.4 - 75.3)	23.8 (13.1 - 34.5)	3.8
3-220	8	14.1 (8.0 - 20.2)	3.0 (0.2 - 5.8)	1.5	1	n.a	n.a	n.a	9	12.8 (6.8 - 18.8)	2.7 (0.1 - 5.2)	1.5
3-221	44	19.2 (16.0 - 22.4)	15.6 (12.5 - 18.8)	5.7	16	23.0 (16.6 - 29.4)	17.4 (12.4 - 22.5)	5.3	60	20.2 (17.3 - 23.1)	16.1 (13.5 - 18.8)	5.6
3-222	40	53.1 (42.7 - 63.5)	37.5 (31.4 - 43.6)	4.9	48	49.4 (42.4 - 56.4)	21.4 (16.4 - 26.3)	3.0	88	51.1 (45.1 - 57.2)	28.7 (24.5 - 32.9)	3.9
3-223	20	63.9 (47.1 - 80.6)	39.9 (30.7 - 49.1)	4.4	0	n.a	n.a	n.a	20	63.9 (47.1 - 80.6)	39.9 (30.7 - 49.1)	4.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2016 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	12	19.8 (10.2 - 29.3)	3.8 (1.7 - 5.8)	1.3	13	14.8 (9.4 - 20.1)	3.8 (1.8 - 5.9)	1.8	25	17.2 (11.8 - 22.5)	3.8 (2.4 - 5.2)	1.6
3-225	36	22.4 (17.9 - 26.8)	15.4 (12.3 - 18.4)	4.8	107	26.6 (23.2 - 30.1)	16.4 (13.9 - 18.9)	4.3	143	25.6 (22.8 - 28.4)	16.2 (14.1 - 18.2)	4.4
3-226	14	15.2 (12.1 - 18.4)	22.4 (16.7 - 28.0)	10.3	261	15.1 (13.5 - 16.6)	15.4 (13.8 - 17.0)	7.2	275	15.1 (13.6 - 16.5)	15.8 (14.2 - 17.3)	7.3
3-227	68	12.5 (10.2 - 14.9)	10.7 (9.1 - 12.4)	6.0	726	12.6 (11.9 - 13.3)	11.4 (10.8 - 11.9)	6.3	794	12.6 (11.9 - 13.3)	11.3 (10.8 - 11.8)	6.3
3-228	36	18.9 (15.2 - 22.6)	18.5 (15.9 - 21.1)	6.9	753	17.7 (16.5 - 18.9)	18.2 (17.5 - 18.8)	7.2	789	17.8 (16.6 - 18.9)	18.2 (17.5 - 18.8)	7.2
3-229	40	24.0 (19.5 - 28.4)	31.2 (27.2 - 35.2)	9.1	1,359	22.3 (21.6 - 22.9)	26.8 (26.1 - 27.6)	8.4	1,399	22.3 (21.7 - 23.0)	27.0 (26.2 - 27.7)	8.5
3-230	13	17.2 (9.5 - 24.8)	17.0 (10.3 - 23.7)	6.9	560	20.8 (19.8 - 21.8)	18.4 (17.0 - 19.8)	6.2	573	20.7 (19.7 - 21.7)	18.4 (17.0 - 19.7)	6.2
3-231	2	n.a	n.a	n.a	27	7.3 (5.9 - 8.7)	6.9 (5.3 - 8.4)	6.6	29	7.3 (6.0 - 8.6)	6.7 (5.2 - 8.1)	6.4
3-232	13	14.5 (8.9 - 20.1)	12.2 (6.9 - 17.6)	5.9	154	11.8 (10.8 - 12.7)	15.4 (14.1 - 16.6)	9.2	167	12.0 (11.0 - 12.9)	15.1 (13.9 - 16.4)	8.8
3-233	5	24.2 (15.3 - 33.1)	26.0 (18.1 - 33.9)	7.5	98	21.4 (18.6 - 24.3)	27.5 (24.8 - 30.1)	9.0	103	21.6 (18.8 - 24.4)	27.4 (24.9 - 30.0)	8.9
3-234	4	n.a	n.a	n.a	69	9.0 (7.1 - 10.8)	7.5 (6.1 - 8.9)	5.8	73	9.4 (7.5 - 11.3)	7.5 (6.2 - 8.8)	5.5
3-235	13	13.6 (8.2 - 19.0)	17.8 (12.3 - 23.4)	9.2	123	12.3 (10.9 - 13.6)	13.4 (11.9 - 14.8)	7.6	136	12.4 (11.1 - 13.7)	13.8 (12.4 - 15.2)	7.8
3-236	15	17.9 (12.0 - 23.9)	19.7 (13.6 - 25.9)	7.7	202	17.2 (15.8 - 18.6)	21.6 (19.7 - 23.5)	8.8	217	17.2 (15.8 - 18.6)	21.5 (19.7 - 23.3)	8.7
3-237	7	23.6 (13.2 - 33.9)	32.4 (19.6 - 45.3)	9.6	100	16.7 (14.8 - 18.7)	13.5 (11.1 - 15.9)	5.7	107	17.2 (15.2 - 19.2)	14.8 (12.2 - 17.3)	6.0
3-238	15	10.4 (7.6 - 13.2)	11.7 (8.3 - 15.0)	7.9	1	n.a	n.a	n.a	16	11.1 (8.1 - 14.0)	12.3 (8.9 - 15.7)	7.8
3-239	21	30.7 (23.0 - 38.3)	33.9 (29.5 - 38.3)	7.7	7	23.3 (11.4 - 35.2)	21.7 (15.4 - 28.1)	6.5	28	28.8 (22.3 - 35.3)	30.9 (26.7 - 35.0)	7.5
3-240	15	61.5 (40.8 - 82.3)	41.5 (32.5 - 50.6)	4.7	6	42.7 (-9.7 - 95.1)	37.2 (22.7 - 51.7)	6.1	21	56.1 (35.5 - 76.8)	40.3 (32.8 - 47.8)	5.0
3-241	8	60.8 (36.8 - 84.7)	64.0 (44.9 - 83.1)	7.4	4	n.a	n.a	n.a	12	63.7 (47.1 - 80.2)	66.5 (51.6 - 81.4)	7.3
3-242	91	11.4 (9.8 - 13.0)	8.5 (7.1 - 9.8)	5.2	641	12.9 (11.6 - 14.2)	6.2 (5.7 - 6.7)	3.4	732	12.7 (11.6 - 13.9)	6.5 (6.0 - 7.0)	3.6
3-243	62	15.5 (13.2 - 17.7)	16.2 (14.1 - 18.4)	7.3	965	15.0 (14.4 - 15.6)	13.6 (13.1 - 14.2)	6.4	1,027	15.0 (14.4 - 15.6)	13.8 (13.2 - 14.3)	6.4
3-244	107	28.0 (23.4 - 32.5)	23.0 (20.1 - 25.8)	5.8	1,243	19.7 (18.8 - 20.7)	19.1 (18.2 - 19.9)	6.8	1,350	20.4 (19.5 - 21.3)	19.4 (18.6 - 20.2)	6.7
3-245	30	49.4 (30.5 - 68.3)	27.9 (19.6 - 36.2)	3.9	262	24.0 (22.3 - 25.7)	20.3 (17.8 - 22.8)	5.9	292	26.6 (24.0 - 29.2)	21.1 (18.6 - 23.5)	5.5
Missing or excluded	109				549				658			
All episodes	1,690	28.8 (27.3 - 30.3)	24.2 (23.2 - 25.2)	5.9	10,212	19.3 (19.0 - 19.6)	18.1 (17.8 - 18.4)	6.6	11,902	20.6 (20.3 - 21.0)	18.9 (18.7 - 19.2)	6.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24