

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2017 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	705	28.4 (27.0 - 29.8)	19.1 (17.6 - 20.6)	4.7	705	28.4 (27.0 - 29.8)	19.1 (17.6 - 20.6)	4.7
4AZ4	87	54.9 (46.7 - 63.1)	29.9 (24.6 - 35.2)	3.8	0	n.a	n.a	n.a	87	54.9 (46.7 - 63.1)	29.9 (24.6 - 35.2)	3.8
4AA1	99	10.5 (9.2 - 11.7)	14.4 (12.6 - 16.1)	9.6	213	13.5 (10.0 - 17.0)	13.2 (11.9 - 14.5)	6.9	314	12.6 (10.1 - 15.0)	13.6 (12.6 - 14.7)	7.6
4AA2	66	17.0 (12.4 - 21.5)	16.6 (14.0 - 19.3)	6.9	268	16.2 (14.9 - 17.5)	16.3 (14.9 - 17.7)	7.0	336	16.4 (15.0 - 17.7)	16.3 (15.1 - 17.6)	7.0
4AA3	19	15.7 (11.5 - 19.9)	15.7 (12.1 - 19.3)	7.0	73	19.3 (17.0 - 21.6)	17.2 (14.1 - 20.2)	6.2	93	18.5 (16.5 - 20.5)	17.0 (14.5 - 19.5)	6.4
4AA4	0	n.a	n.a	n.a	229	23.5 (22.0 - 25.0)	25.0 (23.0 - 27.0)	7.4	229	23.5 (22.0 - 25.0)	25.0 (23.0 - 27.0)	7.4
4AA5	73	25.3 (21.5 - 29.1)	35.2 (31.9 - 38.4)	9.7	18	22.8 (14.8 - 30.8)	31.7 (24.2 - 39.1)	9.7	91	24.8 (21.4 - 28.2)	34.5 (31.5 - 37.5)	9.7
4AA6	0	n.a	n.a	n.a	326	31.6 (29.6 - 33.7)	27.2 (25.0 - 29.5)	6.0	326	31.6 (29.6 - 33.7)	27.2 (25.0 - 29.5)	6.0
4AA7	84	39.9 (35.6 - 44.2)	39.8 (35.0 - 44.6)	7.0	9	46.4 (29.1 - 63.8)	34.2 (25.0 - 43.4)	5.2	93	40.5 (36.3 - 44.8)	39.3 (34.9 - 43.7)	6.8
4AB1-7*												
4AC1	48	14.6 (12.2 - 17.0)	12.0 (9.5 - 14.5)	5.8	40	11.8 (8.9 - 14.7)	7.8 (5.6 - 10.0)	4.6	88	13.3 (11.4 - 15.2)	10.1 (8.3 - 11.8)	5.3
4AC2	20	21.9 (15.1 - 28.7)	19.3 (13.0 - 25.6)	6.2	72	18.5 (16.1 - 20.9)	19.9 (17.1 - 22.8)	7.6	92	19.2 (16.8 - 21.6)	19.8 (17.2 - 22.4)	7.2
4AC3	28	35.9 (25.6 - 46.1)	33.2 (24.7 - 41.7)	6.5	65	20.6 (17.2 - 24.0)	21.1 (17.1 - 25.1)	7.2	93	25.2 (21.1 - 29.3)	24.8 (20.8 - 28.7)	6.9
4AD1-4*												
4AE1	2	n.a	n.a	n.a	5	21.0 (9.9 - 32.1)	5.0 (2.2 - 7.8)	1.7	7	18.1 (8.7 - 27.6)	3.6 (0.9 - 6.2)	1.4
4AE2	27	21.9 (17.5 - 26.2)	13.6 (10.1 - 17.0)	4.3	81	23.5 (20.4 - 26.7)	12.8 (10.5 - 15.2)	3.8	108	23.1 (20.5 - 25.7)	13.0 (11.0 - 15.0)	3.9
4AE3	2	n.a	n.a	n.a	28	29.4 (22.9 - 35.8)	19.7 (13.1 - 26.3)	4.7	30	29.4 (23.3 - 35.5)	21.0 (14.5 - 27.4)	5.0
4AE4	19	21.6 (13.1 - 30.0)	15.6 (10.6 - 20.6)	5.1	0	n.a	n.a	n.a	19	21.6 (13.1 - 30.0)	15.6 (10.6 - 20.6)	5.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2017 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	62	11.8 (9.4 - 14.2)	13.1 (11.0 - 15.3)	7.8	533	14.8 (13.1 - 16.4)	13.7 (12.9 - 14.4)	6.5	600	14.5 (13.0 - 16.0)	13.6 (12.9 - 14.3)	6.6
4AH2	55	14.7 (12.1 - 17.3)	15.7 (13.2 - 18.1)	7.4	1,002	15.8 (15.2 - 16.4)	15.6 (15.0 - 16.2)	6.9	1,065	15.8 (15.1 - 16.4)	15.6 (15.0 - 16.2)	6.9
4AH3	15	23.2 (17.0 - 29.4)	29.0 (23.0 - 35.0)	8.8	736	20.9 (19.7 - 22.1)	23.1 (22.2 - 24.1)	7.7	756	21.0 (19.8 - 22.2)	23.3 (22.3 - 24.2)	7.7
4AH4	26	24.1 (17.3 - 30.9)	30.7 (23.3 - 38.0)	8.9	1,016	23.0 (22.2 - 23.7)	26.3 (25.2 - 27.3)	8.0	1,048	23.0 (22.3 - 23.8)	26.4 (25.3 - 27.4)	8.0
4A21	10	10.4 (7.5 - 13.3)	10.8 (8.5 - 13.1)	7.3	111	9.5 (8.2 - 10.9)	7.3 (6.2 - 8.4)	5.3	123	9.6 (8.4 - 10.9)	7.6 (6.6 - 8.6)	5.5
4A22	24	16.3 (11.5 - 21.1)	17.3 (13.6 - 20.9)	7.4	290	13.5 (12.5 - 14.5)	17.1 (16.2 - 18.1)	8.9	318	13.7 (12.7 - 14.7)	17.2 (16.3 - 18.2)	8.8
4A23	17	15.4 (11.6 - 19.1)	22.6 (16.3 - 28.9)	10.3	250	20.1 (18.4 - 21.8)	22.3 (20.3 - 24.3)	7.8	270	19.8 (18.3 - 21.4)	22.5 (20.6 - 24.4)	7.9
4A31	6	11.8 (6.3 - 17.3)	7.2 (0.2 - 14.1)	4.2	75	11.3 (9.9 - 12.7)	5.9 (4.6 - 7.2)	3.6	81	11.3 (10.0 - 12.7)	6.0 (4.7 - 7.3)	3.7
4A32	9	15.2 (9.4 - 21.1)	17.6 (13.0 - 22.1)	8.1	155	14.1 (12.8 - 15.3)	13.2 (11.8 - 14.6)	6.6	165	14.1 (12.9 - 15.3)	13.4 (12.1 - 14.8)	6.7
4A33	5	27.8 (15.5 - 40.1)	25.6 (14.3 - 36.9)	6.4	121	18.9 (16.3 - 21.6)	17.8 (15.5 - 20.2)	6.6	127	19.3 (16.7 - 21.9)	18.0 (15.7 - 20.3)	6.5
4A34	3	n.a	n.a	n.a	54	17.9 (15.2 - 20.5)	24.9 (20.1 - 29.7)	9.8	57	18.5 (15.8 - 21.2)	26.7 (21.7 - 31.7)	10.1
4AP1*	10	22.3 (12.1 - 32.5)	26.8 (19.1 - 34.5)	8.4	10	16.5 (10.4 - 22.6)	25.9 (14.4 - 37.4)	11.0	20	19.4 (13.5 - 25.3)	26.4 (19.6 - 33.1)	9.5
4AR1	70	13.8 (11.5 - 16.2)	9.0 (7.2 - 10.8)	4.5	637	12.5 (11.9 - 13.1)	7.4 (6.8 - 7.9)	4.1	713	12.7 (12.0 - 13.3)	7.6 (7.0 - 8.1)	4.2
4AR2	38	16.3 (13.4 - 19.1)	18.9 (16.3 - 21.6)	8.2	612	14.9 (14.2 - 15.6)	14.7 (14.0 - 15.4)	6.9	651	15.0 (14.3 - 15.6)	15.0 (14.3 - 15.6)	7.0
4AR3	24	17.3 (13.5 - 21.0)	20.9 (16.5 - 25.2)	8.5	455	16.6 (15.7 - 17.5)	13.3 (12.2 - 14.3)	5.6	484	16.6 (15.8 - 17.5)	13.6 (12.6 - 14.6)	5.7
4AR4	19	22.9 (14.0 - 31.9)	21.8 (15.7 - 28.0)	6.7	104	17.4 (15.7 - 19.1)	21.8 (19.2 - 24.5)	8.8	123	18.3 (16.3 - 20.3)	21.8 (19.4 - 24.3)	8.4
4AR5	32	26.8 (18.8 - 34.7)	27.9 (22.4 - 33.4)	7.3	531	19.6 (18.6 - 20.6)	18.8 (17.6 - 20.0)	6.7	567	20.0 (19.0 - 21.0)	19.3 (18.1 - 20.4)	6.7
4AR6	34	49.4 (35.2 - 63.6)	24.0 (16.8 - 31.2)	3.4	424	23.0 (21.1 - 24.9)	21.6 (19.9 - 23.3)	6.6	461	24.9 (22.8 - 27.1)	21.8 (20.1 - 23.4)	6.1
4A91	26	12.8 (9.2 - 16.5)	12.2 (8.3 - 16.2)	6.7	152	18.0 (13.0 - 23.0)	9.9 (8.1 - 11.8)	3.8	178	17.3 (13.0 - 21.6)	10.3 (8.6 - 11.9)	4.2
4A92	11	25.2 (12.3 - 38.1)	29.0 (19.5 - 38.5)	8.1	95	20.6 (18.0 - 23.3)	17.9 (15.1 - 20.7)	6.1	108	21.0 (18.4 - 23.7)	19.2 (16.5 - 22.0)	6.4
4A93	3	n.a	n.a	n.a	37	21.5 (16.9 - 26.2)	19.2 (13.6 - 24.9)	6.3	40	22.3 (17.7 - 26.8)	18.9 (13.4 - 24.5)	5.9
Missing or excluded*	624				819				1,475			
All episodes	1,697	28.4 (26.9 - 29.9)	24.0 (23.0 - 25.0)	5.9	10,351	19.5 (19.2 - 19.9)	18.1 (17.8 - 18.4)	6.5	12,141	20.8 (20.4 - 21.1)	19.0 (18.7 - 19.3)	6.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2017 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-202	61	93.7 (81.6 - 105.7)	42.0 (33.3 - 50.7)	3.1	24	72.3 (53.7 - 91.0)	23.5 (13.5 - 33.5)	2.3	85	87.7 (77.4 - 97.9)	36.8 (29.8 - 43.8)	2.9
3-203	35	52.7 (43.9 - 61.5)	23.4 (14.5 - 32.3)	3.1	221	29.5 (27.0 - 32.0)	17.8 (15.1 - 20.6)	4.2	256	32.6 (30.0 - 35.3)	18.6 (15.9 - 21.3)	4.0
3-204	115	10.8 (9.6 - 12.0)	12.3 (11.0 - 13.6)	8.0	255	12.9 (9.9 - 15.8)	10.8 (9.6 - 12.0)	5.9	373	12.2 (10.2 - 14.3)	11.2 (10.3 - 12.1)	6.4
3-205	18	14.2 (9.8 - 18.6)	13.6 (10.4 - 16.7)	6.7	34	18.1 (14.6 - 21.6)	15.9 (11.7 - 20.1)	6.2	52	16.7 (14.0 - 19.5)	15.1 (12.2 - 18.1)	6.3
3-206	69	18.9 (14.4 - 23.3)	24.9 (22.0 - 27.7)	9.2	304	18.1 (16.8 - 19.3)	20.4 (19.0 - 21.7)	7.9	375	18.2 (16.9 - 19.5)	21.2 (20.0 - 22.4)	8.1
3-207	3	n.a	n.a	n.a	30	21.7 (18.1 - 25.3)	21.8 (17.7 - 25.9)	7.0	34	21.0 (17.7 - 24.3)	22.8 (18.9 - 26.8)	7.6
3-208	0	n.a	n.a	n.a	503	30.6 (28.9 - 32.2)	23.5 (21.8 - 25.3)	5.4	503	30.6 (28.9 - 32.2)	23.5 (21.8 - 25.3)	5.4
3-209	168	38.1 (35.0 - 41.3)	38.2 (35.1 - 41.2)	7.0	152	34.0 (30.7 - 37.4)	31.7 (28.8 - 34.5)	6.5	320	36.2 (33.9 - 38.5)	35.1 (32.9 - 37.2)	6.8
3-210	30	8.9 (6.9 - 10.9)	6.2 (2.6 - 9.8)	4.9	9	10.3 (6.9 - 13.8)	10.2 (5.8 - 14.7)	6.9	39	9.2 (7.5 - 10.9)	7.2 (4.2 - 10.1)	5.4
3-211	103	16.8 (14.2 - 19.4)	15.3 (13.3 - 17.2)	6.4	31	17.5 (13.5 - 21.6)	18.7 (15.4 - 22.0)	7.5	134	16.9 (14.7 - 19.1)	16.1 (14.4 - 17.8)	6.6
3-212	41	21.4 (17.0 - 25.9)	23.0 (19.2 - 26.9)	7.5	20	15.4 (11.4 - 19.4)	17.2 (11.9 - 22.5)	7.8	61	19.5 (16.1 - 22.8)	21.1 (18.0 - 24.3)	7.6
3-213	27	35.0 (24.0 - 45.9)	30.3 (25.5 - 35.0)	6.1	20	23.7 (11.8 - 35.6)	17.3 (11.7 - 22.9)	5.1	47	30.2 (22.0 - 38.3)	24.7 (20.7 - 28.8)	5.7
3-214	56	37.1 (29.8 - 44.4)	44.7 (38.3 - 51.1)	8.4	79	30.6 (23.0 - 38.2)	26.2 (21.9 - 30.5)	6.0	135	33.3 (27.9 - 38.7)	33.9 (29.9 - 37.8)	7.1
3-215	22	62.9 (43.8 - 81.9)	69.2 (59.7 - 78.8)	7.7	24	30.7 (24.1 - 37.4)	31.1 (18.6 - 43.6)	7.1	46	46.1 (35.4 - 56.8)	49.3 (39.7 - 59.0)	7.5
3-216	40	14.8 (12.0 - 17.6)	10.0 (7.7 - 12.3)	4.7	30	11.3 (7.9 - 14.8)	6.4 (4.1 - 8.8)	4.0	70	13.3 (11.1 - 15.5)	8.5 (6.8 - 10.2)	4.5
3-217	23	19.6 (13.4 - 25.9)	19.5 (14.6 - 24.4)	7.0	57	17.5 (14.8 - 20.3)	16.7 (14.4 - 19.0)	6.7	80	18.1 (15.5 - 20.8)	17.5 (15.3 - 19.7)	6.8
3-218	34	32.9 (24.2 - 41.6)	30.6 (22.9 - 38.2)	6.5	90	20.0 (17.4 - 22.7)	22.0 (18.6 - 25.4)	7.7	124	23.6 (20.4 - 26.8)	24.3 (21.1 - 27.6)	7.2
3-219	5	93.2 (19.2 - 167.2)	42.0 (17.1 - 66.9)	3.2	7	20.9 (6.8 - 34.9)	24.4 (10.6 - 38.3)	8.2	12	51.0 (14.4 - 87.6)	31.8 (18.3 - 45.2)	4.4
3-220	9	17.3 (8.0 - 26.7)	0.7 (-0.8 - 2.1)	0.3	0	n.a	n.a	n.a	9	17.3 (8.0 - 26.7)	0.7 (-0.8 - 2.1)	0.3
3-221	50	24.7 (19.6 - 29.9)	17.2 (13.9 - 20.4)	4.9	10	25.8 (14.5 - 37.1)	11.9 (3.7 - 20.1)	3.2	60	24.9 (20.3 - 29.6)	16.3 (13.3 - 19.3)	4.6
3-222	45	54.4 (44.4 - 64.5)	30.8 (24.8 - 36.7)	4.0	51	50.7 (42.9 - 58.4)	24.5 (19.5 - 29.5)	3.4	96	52.4 (46.2 - 58.7)	27.4 (23.5 - 31.3)	3.7
3-223	22	66.4 (48.4 - 84.3)	39.2 (30.4 - 48.0)	4.1	0	n.a	n.a	n.a	22	66.4 (48.4 - 84.3)	39.2 (30.4 - 48.0)	4.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2017 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-224	8	13.8 (8.1 - 19.4)	3.0 (1.3 - 4.7)	1.5	12	15.2 (9.6 - 20.7)	4.9 (2.9 - 6.9)	2.3	20	14.6 (10.7 - 18.5)	4.2 (2.7 - 5.6)	2.0
3-225	42	23.2 (18.5 - 27.8)	17.1 (13.8 - 20.4)	5.2	105	25.9 (23.0 - 28.8)	15.3 (12.8 - 17.9)	4.1	147	25.1 (22.7 - 27.6)	15.8 (13.8 - 17.9)	4.4
3-226	13	15.7 (11.8 - 19.6)	16.9 (10.2 - 23.6)	7.5	252	15.5 (14.0 - 17.0)	15.8 (14.2 - 17.5)	7.1	266	15.5 (14.1 - 16.9)	15.8 (14.2 - 17.5)	7.2
3-227	82	12.6 (10.4 - 14.8)	11.0 (9.7 - 12.4)	6.1	684	12.4 (11.7 - 13.1)	11.2 (10.6 - 11.8)	6.3	773	12.4 (11.8 - 13.1)	11.2 (10.7 - 11.7)	6.3
3-228	31	14.8 (11.6 - 18.1)	21.8 (18.5 - 25.1)	10.3	846	17.9 (16.8 - 19.0)	18.0 (17.4 - 18.7)	7.1	881	17.8 (16.7 - 18.8)	18.2 (17.5 - 18.8)	7.2
3-229	40	23.8 (19.1 - 28.5)	29.9 (24.7 - 35.0)	8.8	1,402	22.7 (21.9 - 23.5)	26.7 (25.9 - 27.5)	8.2	1,451	22.8 (22.0 - 23.6)	26.8 (26.0 - 27.6)	8.2
3-230	8	27.5 (12.0 - 43.0)	28.1 (16.9 - 39.3)	7.2	554	20.9 (19.9 - 21.9)	18.8 (17.3 - 20.3)	6.3	568	21.0 (20.0 - 22.0)	19.0 (17.5 - 20.5)	6.3
3-231	1	n.a	n.a	n.a	17	6.6 (5.0 - 8.3)	3.8 (2.2 - 5.5)	4.0	19	7.2 (5.3 - 9.1)	4.1 (2.6 - 5.5)	4.0
3-232	8	15.4 (6.6 - 24.1)	15.8 (8.6 - 22.9)	7.2	140	12.0 (10.8 - 13.2)	15.7 (14.4 - 17.0)	9.2	151	12.3 (11.0 - 13.5)	15.8 (14.6 - 17.1)	9.0
3-233	9	15.1 (10.9 - 19.4)	23.1 (16.1 - 30.1)	10.7	95	21.4 (18.7 - 24.1)	25.9 (22.8 - 29.1)	8.5	105	20.9 (18.4 - 23.4)	26.0 (23.0 - 28.9)	8.7
3-234	7	9.9 (6.5 - 13.2)	11.4 (8.7 - 14.2)	8.1	53	9.8 (7.4 - 12.2)	7.2 (5.7 - 8.6)	5.1	60	9.8 (7.7 - 12.0)	7.7 (6.3 - 9.0)	5.4
3-235	14	13.8 (8.2 - 19.4)	16.5 (11.9 - 21.1)	8.4	126	13.2 (11.5 - 14.8)	14.7 (13.3 - 16.1)	7.8	142	13.3 (11.8 - 14.8)	14.9 (13.6 - 16.3)	7.9
3-236	12	18.1 (11.9 - 24.3)	21.3 (13.3 - 29.2)	8.2	228	18.2 (16.6 - 19.8)	19.9 (18.0 - 21.8)	7.6	242	18.3 (16.7 - 19.8)	20.1 (18.3 - 21.9)	7.7
3-237	7	22.6 (11.3 - 33.9)	27.3 (10.3 - 44.3)	8.5	108	16.2 (14.4 - 18.0)	12.9 (10.9 - 15.0)	5.6	115	16.6 (14.7 - 18.4)	13.8 (11.5 - 16.0)	5.8
3-238	16	13.8 (8.9 - 18.6)	10.3 (6.6 - 13.9)	5.2	1	n.a	n.a	n.a	17	13.8 (9.2 - 18.4)	10.7 (7.2 - 14.2)	5.4
3-239	29	23.5 (17.8 - 29.2)	27.8 (23.7 - 31.9)	8.3	7	13.7 (6.6 - 20.8)	17.0 (9.3 - 24.7)	8.7	36	21.6 (16.7 - 26.5)	25.7 (21.8 - 29.6)	8.3
3-240	14	38.7 (27.7 - 49.7)	47.3 (39.4 - 55.2)	8.5	8	25.6 (20.5 - 30.8)	31.4 (16.8 - 46.0)	8.6	22	34.0 (26.3 - 41.6)	41.5 (33.7 - 49.3)	8.6
3-241	7	78.0 (40.4 - 115.6)	77.9 (64.9 - 90.8)	7.0	1	n.a	n.a	n.a	8	77.6 (45.1 - 110.2)	73.0 (58.3 - 87.7)	6.6
3-242	80	13.3 (11.2 - 15.3)	8.1 (6.4 - 9.8)	4.3	619	13.1 (11.7 - 14.4)	6.6 (6.0 - 7.2)	3.5	703	13.1 (11.9 - 14.3)	6.8 (6.3 - 7.4)	3.6
3-243	63	14.8 (12.6 - 16.9)	19.3 (17.0 - 21.6)	9.1	1,021	15.1 (14.6 - 15.7)	13.2 (12.7 - 13.8)	6.1	1,092	15.1 (14.6 - 15.7)	13.6 (13.0 - 14.1)	6.3
3-244	109	30.4 (24.9 - 35.8)	23.8 (20.8 - 26.8)	5.5	1,280	19.6 (18.8 - 20.3)	18.9 (18.1 - 19.6)	6.7	1,402	20.4 (19.5 - 21.2)	19.2 (18.4 - 20.0)	6.6
3-245	20	56.2 (30.1 - 82.3)	29.2 (19.4 - 39.0)	3.6	295	24.8 (22.9 - 26.6)	20.7 (18.4 - 22.9)	5.8	317	26.8 (24.3 - 29.3)	21.2 (19.0 - 23.4)	5.5
Missing or excluded	101				546				671			
All episodes	1,697	28.4 (26.9 - 29.9)	24.0 (23.0 - 25.0)	5.9	10,351	19.5 (19.2 - 19.9)	18.1 (17.8 - 18.4)	6.5	12,141	20.8 (20.4 - 21.1)	19.0 (18.7 - 19.3)	6.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24