

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2017 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	737	29.3 (27.8 - 30.8)	20.1 (18.5 - 21.7)	4.8	737	29.3 (27.8 - 30.8)	20.1 (18.5 - 21.7)	4.8
4AZ4	88	53.4 (46.3 - 60.5)	31.7 (26.2 - 37.3)	4.2	0	n.a	n.a	n.a	88	53.4 (46.3 - 60.5)	31.7 (26.2 - 37.3)	4.2
4AA1	90	12.2 (10.4 - 13.9)	14.7 (12.9 - 16.5)	8.5	190	13.5 (9.6 - 17.4)	13.9 (12.5 - 15.4)	7.2	282	13.1 (10.4 - 15.7)	14.1 (13.0 - 15.3)	7.6
4AA2	65	16.1 (13.2 - 19.0)	16.9 (14.1 - 19.7)	7.4	252	16.4 (15.0 - 17.7)	15.5 (14.1 - 17.0)	6.6	317	16.3 (15.1 - 17.5)	15.8 (14.5 - 17.1)	6.8
4AA3	17	17.7 (12.7 - 22.7)	15.4 (10.9 - 19.9)	6.1	75	20.8 (18.2 - 23.3)	17.6 (14.5 - 20.7)	5.9	93	20.1 (17.9 - 22.4)	17.3 (14.7 - 19.9)	6.0
4AA4	0	n.a	n.a	n.a	230	22.3 (20.8 - 23.8)	23.6 (21.6 - 25.6)	7.4	230	22.3 (20.8 - 23.8)	23.6 (21.6 - 25.6)	7.4
4AA5	59	30.5 (24.7 - 36.2)	34.2 (29.7 - 38.7)	7.9	13	23.8 (13.1 - 34.4)	30.8 (22.2 - 39.3)	9.1	72	29.3 (24.2 - 34.4)	33.6 (29.6 - 37.6)	8.0
4AA6	0	n.a	n.a	n.a	307	32.4 (30.3 - 34.4)	27.8 (25.3 - 30.2)	6.0	307	32.4 (30.3 - 34.4)	27.8 (25.3 - 30.2)	6.0
4AA7	75	38.9 (33.8 - 44.0)	40.2 (35.4 - 44.9)	7.2	22	49.5 (37.8 - 61.2)	31.1 (24.2 - 37.9)	4.4	97	41.3 (36.5 - 46.1)	38.1 (34.1 - 42.2)	6.5
4AB1-7*												
4AC1	36	13.0 (10.9 - 15.1)	12.0 (9.0 - 15.1)	6.5	39	11.9 (9.4 - 14.4)	7.6 (5.4 - 9.9)	4.5	75	12.4 (10.8 - 14.0)	9.7 (7.8 - 11.7)	5.5
4AC2	23	20.6 (14.9 - 26.2)	20.3 (13.7 - 27.0)	6.9	59	17.3 (15.2 - 19.5)	18.5 (15.6 - 21.4)	7.5	83	18.2 (16.0 - 20.4)	19.0 (16.3 - 21.7)	7.3
4AC3	27	30.4 (20.7 - 40.2)	25.5 (16.5 - 34.4)	5.9	58	23.2 (18.9 - 27.6)	19.2 (15.0 - 23.3)	5.8	85	25.5 (21.2 - 29.8)	21.2 (17.1 - 25.2)	5.8
4AD1-4*												
4AE1	1	n.a	n.a	n.a	1	n.a	n.a	n.a	2	n.a	n.a	n.a
4AE2	32	21.7 (17.3 - 26.0)	15.9 (12.8 - 19.0)	5.1	84	25.1 (21.3 - 28.9)	14.2 (11.8 - 16.6)	4.0	116	24.1 (21.1 - 27.1)	14.7 (12.8 - 16.6)	4.3
4AE3	5	45.4 (16.2 - 74.6)	33.6 (25.1 - 42.1)	5.2	23	30.4 (23.3 - 37.6)	17.3 (10.0 - 24.5)	4.0	28	33.1 (25.3 - 40.9)	20.2 (13.7 - 26.7)	4.3
4AE4	21	23.4 (15.6 - 31.2)	12.7 (8.1 - 17.3)	3.8	0	n.a	n.a	n.a	21	23.4 (15.6 - 31.2)	12.7 (8.1 - 17.3)	3.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2017 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	57	11.3 (8.8 - 13.8)	12.9 (10.7 - 15.2)	8.0	521	12.9 (12.0 - 13.7)	13.9 (13.1 - 14.7)	7.6	584	12.7 (11.9 - 13.5)	13.8 (13.1 - 14.6)	7.6
4AH2	48	16.0 (13.4 - 18.6)	17.3 (14.4 - 20.2)	7.6	1,015	14.9 (14.4 - 15.5)	16.1 (15.5 - 16.7)	7.6	1,069	15.0 (14.4 - 15.5)	16.2 (15.6 - 16.8)	7.6
4AH3	20	20.5 (15.1 - 25.8)	25.6 (19.5 - 31.6)	8.7	742	19.5 (18.3 - 20.7)	22.7 (21.8 - 23.7)	8.2	771	19.6 (18.4 - 20.7)	22.9 (21.9 - 23.8)	8.2
4AH4	24	27.6 (20.9 - 34.4)	31.0 (23.8 - 38.2)	7.9	1,132	22.6 (21.8 - 23.3)	26.7 (25.7 - 27.7)	8.3	1,163	22.7 (21.9 - 23.4)	26.8 (25.8 - 27.8)	8.3
4A21	9	13.7 (10.7 - 16.7)	12.1 (9.5 - 14.7)	6.2	108	9.1 (7.9 - 10.3)	7.0 (6.1 - 8.0)	5.4	120	9.3 (8.2 - 10.5)	7.4 (6.5 - 8.4)	5.6
4A22	16	13.0 (8.3 - 17.7)	16.1 (12.9 - 19.3)	8.6	300	13.2 (12.2 - 14.3)	16.6 (15.6 - 17.6)	8.8	321	13.3 (12.3 - 14.3)	16.6 (15.7 - 17.5)	8.8
4A23	13	21.7 (15.1 - 28.3)	26.7 (20.6 - 32.8)	8.6	255	19.2 (17.7 - 20.7)	22.1 (20.1 - 24.1)	8.0	270	19.3 (17.8 - 20.8)	22.3 (20.4 - 24.3)	8.1
4A31	6	7.2 (4.0 - 10.3)	2.3 (-1.1 - 5.8)	2.3	55	11.6 (9.9 - 13.3)	6.6 (5.0 - 8.2)	4.0	61	11.2 (9.6 - 12.8)	6.2 (4.7 - 7.7)	3.9
4A32	7	10.9 (6.7 - 15.0)	11.6 (6.0 - 17.1)	7.5	146	14.6 (13.2 - 16.0)	12.7 (11.3 - 14.0)	6.1	154	14.4 (13.0 - 15.7)	12.6 (11.3 - 13.9)	6.1
4A33	5	20.4 (11.7 - 29.1)	24.2 (11.2 - 37.2)	8.3	121	16.6 (14.7 - 18.5)	19.1 (16.8 - 21.3)	8.1	126	16.7 (14.9 - 18.6)	19.3 (17.0 - 21.5)	8.1
4A34	6	29.0 (10.6 - 47.4)	17.3 (-0.7 - 35.3)	4.2	51	20.4 (17.8 - 22.9)	22.8 (18.1 - 27.5)	7.8	57	21.3 (18.3 - 24.3)	22.2 (17.7 - 26.8)	7.3
4AP1*	7	21.3 (9.9 - 32.6)	26.7 (19.7 - 33.7)	8.8	11	17.5 (10.8 - 24.2)	24.3 (13.2 - 35.4)	9.7	18	19.0 (13.1 - 24.9)	25.2 (18.1 - 32.4)	9.3
4AR1	71	14.5 (12.3 - 16.8)	7.6 (5.8 - 9.5)	3.7	568	12.6 (11.9 - 13.2)	7.5 (6.8 - 8.1)	4.1	642	12.8 (12.2 - 13.4)	7.5 (6.9 - 8.1)	4.1
4AR2	37	15.4 (12.5 - 18.2)	19.5 (16.4 - 22.5)	8.9	573	15.6 (14.8 - 16.4)	14.7 (13.9 - 15.4)	6.6	615	15.6 (14.9 - 16.4)	15.0 (14.3 - 15.7)	6.7
4AR3	17	19.2 (14.3 - 24.1)	18.8 (13.2 - 24.3)	6.8	454	16.7 (15.9 - 17.6)	14.6 (13.6 - 15.7)	6.1	476	16.8 (15.9 - 17.6)	14.8 (13.8 - 15.8)	6.2
4AR4	22	25.0 (17.1 - 32.8)	26.4 (20.3 - 32.5)	7.4	101	19.9 (17.7 - 22.2)	22.2 (19.7 - 24.8)	7.8	124	20.8 (18.5 - 23.1)	23.1 (20.7 - 25.4)	7.8
4AR5	34	24.9 (20.3 - 29.4)	26.5 (20.6 - 32.5)	7.5	553	19.7 (18.8 - 20.6)	19.5 (18.3 - 20.7)	6.9	591	20.0 (19.1 - 20.9)	19.9 (18.7 - 21.1)	7.0
4AR6	45	38.0 (29.0 - 47.0)	27.0 (20.9 - 33.1)	5.0	453	23.4 (21.5 - 25.3)	22.1 (20.3 - 23.9)	6.6	503	24.6 (22.7 - 26.5)	22.5 (20.8 - 24.2)	6.4
4A91	17	12.2 (9.5 - 15.0)	12.9 (7.5 - 18.3)	7.4	141	14.8 (12.7 - 16.8)	11.5 (9.7 - 13.2)	5.4	158	14.5 (12.6 - 16.4)	11.6 (10.0 - 13.3)	5.6
4A92	11	22.9 (9.8 - 36.1)	30.9 (23.2 - 38.6)	9.4	117	21.2 (18.9 - 23.5)	18.1 (15.4 - 20.7)	6.0	128	21.4 (19.0 - 23.7)	19.2 (16.6 - 21.8)	6.3
4A93	6	32.2 (18.8 - 45.6)	23.2 (-2.2 - 48.5)	5.0	38	27.8 (22.2 - 33.5)	21.3 (15.6 - 26.9)	5.4	45	28.3 (23.3 - 33.4)	21.8 (16.1 - 27.6)	5.4
Missing or excluded*	594				965				1,587			
All episodes	1,611	28.2 (26.8 - 29.7)	23.6 (22.5 - 24.6)	5.8	10,510	19.5 (19.2 - 19.8)	18.7 (18.4 - 19.0)	6.7	12,216	20.7 (20.4 - 21.0)	19.3 (19.0 - 19.6)	6.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2017 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
3-202	55	90.8 (77.4 - 104.2)	40.3 (31.5 - 49.1)	3.1	26	62.5 (48.0 - 77.1)	21.8 (12.4 - 31.1)	2.4	82	81.5 (71.1 - 92.0)	34.0 (27.2 - 40.9)	2.9
3-203	31	53.1 (43.6 - 62.6)	21.9 (13.3 - 30.5)	2.9	232	29.9 (27.3 - 32.5)	21.1 (18.0 - 24.3)	4.9	263	32.6 (29.9 - 35.3)	21.2 (18.3 - 24.2)	4.6
3-204	112	12.5 (10.8 - 14.2)	12.5 (11.2 - 13.9)	7.0	214	12.6 (9.1 - 16.0)	10.4 (9.0 - 11.7)	5.8	328	12.6 (10.2 - 14.9)	11.1 (10.1 - 12.1)	6.2
3-205	14	16.8 (11.6 - 21.9)	13.0 (9.0 - 17.0)	5.4	36	17.3 (14.4 - 20.3)	15.8 (11.8 - 19.7)	6.4	50	17.2 (14.6 - 19.7)	15.0 (11.9 - 18.1)	6.1
3-206	60	19.5 (16.0 - 23.0)	26.8 (23.7 - 29.9)	9.6	300	18.1 (16.9 - 19.4)	19.3 (18.1 - 20.6)	7.5	360	18.3 (17.1 - 19.5)	20.6 (19.4 - 21.7)	7.9
3-207	3	n.a	n.a	n.a	38	22.2 (18.0 - 26.4)	25.2 (21.2 - 29.3)	7.9	42	21.9 (18.0 - 25.8)	25.3 (21.4 - 29.2)	8.1
3-208	0	n.a	n.a	n.a	481	30.8 (29.1 - 32.5)	22.9 (21.1 - 24.7)	5.2	481	30.8 (29.1 - 32.5)	22.9 (21.1 - 24.7)	5.2
3-209	153	41.3 (37.0 - 45.5)	39.1 (35.7 - 42.6)	6.6	161	37.4 (33.8 - 41.0)	33.2 (30.1 - 36.4)	6.2	314	39.3 (36.5 - 42.1)	36.1 (33.8 - 38.4)	6.4
3-210	27	10.1 (7.6 - 12.6)	5.8 (2.9 - 8.6)	4.0	14	13.1 (8.2 - 17.9)	10.4 (6.0 - 14.7)	5.5	42	11.0 (8.7 - 13.3)	7.7 (5.2 - 10.2)	4.9
3-211	98	16.3 (13.5 - 19.0)	13.9 (12.2 - 15.6)	6.0	33	15.3 (12.6 - 18.0)	17.1 (14.4 - 19.8)	7.8	131	16.0 (13.9 - 18.2)	14.7 (13.2 - 16.2)	6.4
3-212	40	24.4 (15.1 - 33.6)	20.2 (16.5 - 23.8)	5.8	23	16.4 (10.3 - 22.5)	20.2 (15.2 - 25.2)	8.6	63	21.5 (15.2 - 27.8)	20.2 (17.3 - 23.1)	6.6
3-213	35	29.6 (21.5 - 37.7)	26.5 (22.2 - 30.9)	6.3	23	26.2 (15.4 - 37.0)	17.2 (12.1 - 22.3)	4.6	58	28.2 (21.8 - 34.7)	22.8 (19.3 - 26.3)	5.7
3-214	55	32.7 (28.0 - 37.4)	47.1 (40.9 - 53.4)	10.1	84	25.3 (19.6 - 30.9)	27.3 (23.2 - 31.4)	7.6	140	28.2 (24.3 - 32.1)	35.0 (31.2 - 38.8)	8.7
3-215	23	67.9 (43.8 - 92.0)	60.3 (49.7 - 71.0)	6.2	26	47.4 (35.7 - 59.1)	37.0 (24.4 - 49.7)	5.5	49	57.0 (43.9 - 70.1)	48.0 (39.1 - 56.9)	5.9
3-216	31	13.3 (11.0 - 15.5)	10.6 (7.5 - 13.7)	5.6	33	11.0 (8.4 - 13.5)	7.1 (4.7 - 9.5)	4.5	64	12.1 (10.4 - 13.8)	8.8 (6.8 - 10.8)	5.1
3-217	22	19.5 (13.4 - 25.7)	18.8 (12.9 - 24.7)	6.7	46	16.8 (14.5 - 19.1)	15.1 (12.5 - 17.7)	6.3	69	17.6 (15.2 - 20.1)	16.3 (13.7 - 18.9)	6.5
3-218	34	27.7 (19.7 - 35.7)	24.8 (17.1 - 32.5)	6.3	78	22.1 (18.7 - 25.6)	20.9 (17.3 - 24.4)	6.6	112	23.8 (20.4 - 27.2)	22.1 (18.7 - 25.4)	6.5
3-219	2	n.a	n.a	n.a	12	22.8 (14.3 - 31.2)	27.6 (13.4 - 41.7)	8.5	14	27.3 (16.7 - 37.9)	33.4 (19.0 - 47.8)	8.6
3-220	12	16.0 (9.3 - 22.7)	2.3 (0.6 - 4.1)	1.0	0	n.a	n.a	n.a	12	16.0 (9.3 - 22.7)	2.3 (0.6 - 4.1)	1.0
3-221	50	27.0 (21.1 - 33.0)	15.9 (12.7 - 19.0)	4.1	14	39.4 (27.3 - 51.6)	15.6 (9.9 - 21.4)	2.8	64	29.7 (24.3 - 35.2)	15.8 (13.0 - 18.6)	3.7
3-222	37	52.5 (41.3 - 63.7)	26.4 (20.9 - 31.9)	3.5	49	50.9 (42.9 - 58.8)	24.7 (19.0 - 30.4)	3.4	86	51.6 (45.0 - 58.1)	25.4 (21.4 - 29.4)	3.5
3-223	23	61.4 (47.4 - 75.4)	40.8 (33.1 - 48.5)	4.7	0	n.a	n.a	n.a	23	61.4 (47.4 - 75.4)	40.8 (33.1 - 48.5)	4.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2017 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	13	18.4 (13.9 - 22.9)	5.5 (2.6 - 8.3)	2.1	8	14.0 (8.8 - 19.2)	4.6 (2.8 - 6.4)	2.3	21	16.7 (13.2 - 20.2)	5.1 (3.3 - 7.0)	2.2
3-225	46	26.0 (20.3 - 31.6)	18.9 (15.9 - 22.0)	5.1	103	28.7 (24.1 - 33.2)	15.5 (13.0 - 18.0)	3.8	149	27.8 (24.3 - 31.4)	16.6 (14.6 - 18.5)	4.2
3-226	13	18.2 (9.3 - 27.1)	13.6 (6.3 - 20.9)	5.2	208	15.2 (13.9 - 16.5)	16.4 (14.7 - 18.2)	7.6	221	15.4 (14.0 - 16.7)	16.3 (14.6 - 17.9)	7.4
3-227	75	12.9 (10.5 - 15.2)	11.7 (10.0 - 13.4)	6.4	666	12.0 (11.3 - 12.6)	11.2 (10.6 - 11.8)	6.6	748	12.1 (11.4 - 12.7)	11.3 (10.7 - 11.8)	6.5
3-228	28	15.0 (12.0 - 18.0)	23.1 (19.4 - 26.8)	10.8	859	15.8 (15.2 - 16.5)	18.6 (18.0 - 19.3)	8.2	894	15.8 (15.2 - 16.4)	18.8 (18.2 - 19.4)	8.3
3-229	41	23.5 (19.0 - 28.0)	28.5 (23.5 - 33.5)	8.5	1,503	21.9 (21.1 - 22.7)	26.9 (26.2 - 27.7)	8.6	1,553	21.9 (21.1 - 22.7)	27.0 (26.2 - 27.7)	8.6
3-230	9	33.0 (22.8 - 43.2)	27.6 (17.4 - 37.7)	5.8	583	20.9 (19.8 - 21.9)	18.3 (16.9 - 19.7)	6.1	599	21.1 (20.1 - 22.1)	18.6 (17.2 - 20.0)	6.2
3-231	1	n.a	n.a	n.a	21	7.7 (5.7 - 9.7)	4.6 (2.7 - 6.4)	4.1	24	7.8 (5.8 - 9.8)	4.7 (3.1 - 6.3)	4.2
3-232	4	n.a	n.a	n.a	131	12.5 (11.1 - 14.0)	15.6 (14.2 - 17.1)	8.7	137	12.5 (11.1 - 13.9)	15.8 (14.4 - 17.2)	8.9
3-233	4	n.a	n.a	n.a	79	17.9 (15.5 - 20.4)	24.7 (21.2 - 28.2)	9.6	83	17.7 (15.3 - 20.0)	24.5 (21.2 - 27.9)	9.7
3-234	7	13.3 (9.6 - 17.0)	11.7 (9.9 - 13.5)	6.2	43	9.1 (7.5 - 10.7)	7.0 (5.7 - 8.4)	5.4	51	9.6 (8.0 - 11.1)	7.8 (6.6 - 9.1)	5.7
3-235	12	14.3 (8.2 - 20.5)	16.6 (13.1 - 20.0)	8.1	149	12.6 (11.1 - 14.2)	14.1 (12.9 - 15.4)	7.8	164	12.8 (11.3 - 14.3)	14.3 (13.2 - 15.5)	7.8
3-236	10	24.3 (16.6 - 32.0)	26.8 (19.0 - 34.6)	7.7	249	18.1 (16.6 - 19.6)	20.0 (18.1 - 21.9)	7.7	261	18.3 (16.9 - 19.8)	20.3 (18.4 - 22.1)	7.7
3-237	7	12.4 (2.9 - 21.9)	7.3 (2.1 - 12.5)	4.1	105	16.3 (14.4 - 18.2)	13.6 (11.6 - 15.6)	5.8	112	16.1 (14.2 - 17.9)	13.2 (11.3 - 15.1)	5.7
3-238	14	14.9 (9.8 - 20.1)	9.9 (6.1 - 13.7)	4.7	1	n.a	n.a	n.a	15	14.9 (10.2 - 19.7)	10.5 (6.8 - 14.2)	4.9
3-239	25	22.6 (17.0 - 28.1)	22.7 (19.7 - 25.7)	7.0	10	18.8 (9.5 - 28.1)	19.3 (12.6 - 26.0)	7.2	35	21.5 (16.8 - 26.2)	21.7 (18.8 - 24.6)	7.1
3-240	12	44.5 (23.2 - 65.8)	46.7 (38.9 - 54.4)	7.3	8	23.8 (15.8 - 31.7)	29.8 (14.1 - 45.4)	8.8	20	36.2 (22.5 - 49.9)	39.9 (31.5 - 48.3)	7.7
3-241	9	70.0 (39.1 - 100.9)	77.7 (68.3 - 87.1)	7.8	1	n.a	n.a	n.a	10	70.5 (42.9 - 98.1)	73.8 (62.5 - 85.1)	7.3
3-242	78	14.3 (12.4 - 16.3)	7.7 (5.9 - 9.6)	3.8	539	12.2 (11.6 - 12.9)	7.1 (6.5 - 7.7)	4.1	619	12.5 (11.9 - 13.1)	7.2 (6.7 - 7.7)	4.0
3-243	58	14.6 (12.3 - 16.8)	19.7 (17.0 - 22.3)	9.5	970	15.7 (15.0 - 16.3)	13.2 (12.6 - 13.8)	5.9	1,038	15.6 (15.0 - 16.2)	13.6 (13.0 - 14.2)	6.1
3-244	112	29.7 (25.2 - 34.2)	26.2 (22.8 - 29.5)	6.2	1,379	20.2 (19.4 - 21.0)	19.6 (18.8 - 20.4)	6.8	1,503	20.9 (20.1 - 21.7)	20.1 (19.3 - 20.9)	6.7
3-245	27	31.1 (24.0 - 38.3)	20.1 (11.8 - 28.4)	4.5	301	24.6 (22.7 - 26.6)	21.4 (19.0 - 23.7)	6.1	332	25.1 (23.3 - 26.9)	21.3 (19.0 - 23.5)	5.9
Missing or excluded	89				671				780			
All episodes	1,611	28.2 (26.8 - 29.7)	23.6 (22.5 - 24.6)	5.8	10,510	19.5 (19.2 - 19.8)	18.7 (18.4 - 19.0)	6.7	12,216	20.7 (20.4 - 21.0)	19.3 (19.0 - 19.6)	6.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24