

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2018 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	760	29.1 (27.6 - 30.5)	20.3 (18.7 - 21.9)	4.9	760	29.1 (27.6 - 30.5)	20.3 (18.7 - 21.9)	4.9
4AZ4	100	53.9 (47.5 - 60.4)	34.2 (29.0 - 39.4)	4.4	0	n.a	n.a	n.a	100	53.9 (47.5 - 60.4)	34.2 (29.0 - 39.4)	4.4
4AA1	86	12.2 (10.6 - 13.9)	14.0 (12.0 - 15.9)	8.0	208	12.1 (11.0 - 13.1)	14.5 (13.3 - 15.8)	8.4	294	12.1 (11.2 - 13.0)	14.4 (13.3 - 15.4)	8.3
4AA2	78	16.0 (13.0 - 18.9)	17.6 (15.0 - 20.1)	7.7	266	14.9 (13.8 - 16.0)	15.9 (14.6 - 17.2)	7.5	344	15.1 (14.0 - 16.2)	16.3 (15.1 - 17.4)	7.5
4AA3	22	17.3 (13.1 - 21.5)	24.2 (18.2 - 30.3)	9.8	90	20.2 (17.7 - 22.7)	16.8 (14.4 - 19.2)	5.8	112	19.6 (17.4 - 21.8)	18.2 (15.9 - 20.6)	6.5
4AA4	0	n.a	n.a	n.a	242	20.7 (19.2 - 22.2)	24.9 (22.9 - 26.8)	8.4	242	20.7 (19.2 - 22.2)	24.9 (22.9 - 26.8)	8.4
4AA5	59	33.8 (28.2 - 39.4)	33.0 (28.5 - 37.5)	6.8	15	25.4 (17.2 - 33.6)	30.7 (23.8 - 37.5)	8.5	74	32.1 (27.3 - 36.9)	32.5 (28.7 - 36.4)	7.1
4AA6	0	n.a	n.a	n.a	314	33.8 (31.6 - 35.9)	31.2 (28.9 - 33.5)	6.5	314	33.8 (31.6 - 35.9)	31.2 (28.9 - 33.5)	6.5
4AA7	95	39.8 (34.9 - 44.7)	39.7 (35.7 - 43.6)	7.0	24	42.6 (32.0 - 53.2)	32.5 (25.1 - 39.9)	5.3	119	40.4 (35.9 - 44.8)	38.2 (34.7 - 41.7)	6.6
4AB1-7*												
4AC1	24	13.5 (9.8 - 17.1)	10.3 (7.0 - 13.6)	5.4	28	11.2 (9.3 - 13.1)	9.1 (6.0 - 12.2)	5.7	52	12.3 (10.3 - 14.2)	9.6 (7.4 - 11.9)	5.5
4AC2	17	18.5 (14.3 - 22.7)	21.2 (13.9 - 28.4)	8.0	45	18.8 (14.9 - 22.7)	13.9 (10.5 - 17.3)	5.2	63	18.7 (15.6 - 21.7)	15.9 (12.7 - 19.1)	6.0
4AC3	28	30.9 (24.2 - 37.7)	22.1 (13.7 - 30.5)	5.0	47	26.0 (21.1 - 30.9)	18.1 (12.7 - 23.5)	4.9	75	27.8 (23.8 - 31.8)	19.6 (15.0 - 24.2)	4.9
4AD1-4*												
4AE1	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AE2	24	18.3 (13.6 - 22.9)	15.5 (11.8 - 19.2)	5.9	73	23.7 (19.8 - 27.5)	15.8 (13.3 - 18.4)	4.7	97	22.3 (19.2 - 25.5)	15.8 (13.6 - 17.9)	4.9
4AE3	5	42.4 (12.8 - 72.0)	28.2 (18.4 - 38.0)	4.7	27	32.9 (26.2 - 39.5)	16.6 (10.2 - 23.1)	3.5	32	34.3 (27.2 - 41.5)	18.4 (12.6 - 24.2)	3.8
4AE4	22	25.3 (20.3 - 30.4)	11.3 (8.0 - 14.7)	3.1	0	n.a	n.a	n.a	22	25.3 (20.3 - 30.4)	11.3 (8.0 - 14.7)	3.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2018 (2/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	55	12.0 (9.8 - 14.2)	13.6 (11.1 - 16.1)	8.0	519	12.9 (11.3 - 14.5)	14.5 (13.7 - 15.3)	7.9	580	12.8 (11.3 - 14.2)	14.4 (13.7 - 15.2)	7.9
4AH2	36	15.8 (12.5 - 19.0)	17.3 (13.7 - 21.0)	7.7	938	14.6 (14.0 - 15.2)	15.9 (15.3 - 16.6)	7.6	978	14.6 (14.0 - 15.2)	16.0 (15.4 - 16.6)	7.7
4AH3	28	15.5 (12.0 - 19.0)	27.3 (22.9 - 31.7)	12.3	767	18.9 (18.1 - 19.7)	22.6 (21.7 - 23.5)	8.4	803	18.7 (18.0 - 19.5)	22.9 (22.0 - 23.7)	8.5
4AH4	32	33.2 (25.8 - 40.6)	25.9 (20.6 - 31.2)	5.5	1,124	23.1 (22.3 - 23.9)	26.5 (25.5 - 27.5)	8.0	1,164	23.3 (22.5 - 24.1)	26.5 (25.6 - 27.5)	8.0
4A21	9	15.6 (7.9 - 23.2)	9.9 (6.1 - 13.7)	4.4	112	9.1 (7.9 - 10.3)	7.6 (6.7 - 8.6)	5.8	123	9.5 (8.3 - 10.7)	7.8 (6.9 - 8.8)	5.8
4A22	13	9.3 (7.1 - 11.5)	18.7 (15.8 - 21.6)	14.1	296	12.8 (11.8 - 13.7)	15.7 (14.7 - 16.8)	8.6	315	12.7 (11.8 - 13.6)	15.9 (14.8 - 16.9)	8.8
4A23	13	21.2 (15.2 - 27.3)	26.9 (19.8 - 34.1)	8.9	281	18.8 (17.5 - 20.2)	22.9 (21.1 - 24.7)	8.5	296	18.9 (17.6 - 20.3)	23.1 (21.4 - 24.8)	8.5
4A31	7	10.1 (4.9 - 15.4)	6.6 (2.4 - 10.8)	4.5	49	12.0 (10.0 - 14.1)	6.7 (4.9 - 8.4)	3.9	56	11.8 (9.9 - 13.7)	6.6 (5.0 - 8.3)	3.9
4A32	5	14.2 (9.6 - 18.8)	15.8 (7.3 - 24.3)	7.8	138	13.8 (12.3 - 15.2)	12.7 (11.2 - 14.1)	6.4	144	13.8 (12.4 - 15.1)	12.8 (11.4 - 14.2)	6.5
4A33	7	16.9 (9.8 - 23.9)	26.3 (14.9 - 37.7)	10.9	124	16.4 (14.3 - 18.5)	20.6 (18.2 - 23.0)	8.8	131	16.4 (14.4 - 18.4)	20.9 (18.5 - 23.3)	8.9
4A34	5	27.0 (5.0 - 49.0)	8.2 (5.9 - 10.5)	2.1	43	23.5 (20.2 - 26.8)	25.3 (20.4 - 30.2)	7.5	48	23.9 (20.3 - 27.5)	23.5 (18.9 - 28.2)	6.9
4AP1*	6	19.0 (11.8 - 26.2)	23.5 (10.0 - 37.0)	8.7	7	19.3 (11.8 - 26.8)	24.4 (13.2 - 35.7)	8.9	13	19.2 (14.1 - 24.2)	24.0 (15.7 - 32.3)	8.8
4AR1	67	12.2 (10.3 - 14.1)	7.0 (5.3 - 8.8)	4.0	536	12.3 (11.7 - 12.9)	7.6 (7.0 - 8.2)	4.3	609	12.3 (11.7 - 12.9)	7.6 (7.0 - 8.2)	4.3
4AR2	39	16.5 (12.7 - 20.3)	16.3 (13.3 - 19.3)	6.9	613	15.4 (14.6 - 16.3)	14.8 (14.0 - 15.6)	6.7	657	15.5 (14.7 - 16.4)	14.9 (14.1 - 15.6)	6.7
4AR3	19	19.6 (13.7 - 25.5)	20.8 (15.5 - 26.1)	7.4	460	16.9 (16.0 - 17.7)	15.0 (14.0 - 16.0)	6.2	480	16.9 (16.1 - 17.8)	15.2 (14.3 - 16.2)	6.3
4AR4	16	23.8 (18.1 - 29.4)	24.3 (16.6 - 31.9)	7.1	102	21.4 (19.0 - 23.8)	21.8 (19.1 - 24.5)	7.1	121	21.6 (19.5 - 23.8)	22.2 (19.7 - 24.8)	7.2
4AR5	36	24.9 (19.5 - 30.3)	24.7 (19.0 - 30.4)	7.0	596	19.1 (18.2 - 20.0)	19.9 (18.7 - 21.0)	7.3	635	19.5 (18.6 - 20.4)	20.2 (19.1 - 21.3)	7.3
4AR6	42	31.1 (25.5 - 36.8)	27.6 (21.2 - 34.1)	6.2	493	23.1 (21.9 - 24.2)	22.7 (20.9 - 24.4)	6.9	538	23.7 (22.5 - 24.8)	23.0 (21.4 - 24.7)	6.8
4A91	13	12.4 (10.0 - 14.7)	12.7 (7.4 - 18.0)	7.2	120	13.4 (11.7 - 15.2)	11.5 (9.9 - 13.1)	6.0	133	13.3 (11.7 - 14.9)	11.6 (10.1 - 13.1)	6.1
4A92	9	22.1 (9.2 - 35.0)	32.7 (22.9 - 42.5)	10.3	115	20.2 (18.0 - 22.3)	17.4 (14.8 - 20.0)	6.0	124	20.3 (18.1 - 22.5)	18.5 (15.9 - 21.1)	6.4
4A93	6	26.7 (14.5 - 38.8)	28.7 (4.4 - 53.0)	7.5	39	31.0 (24.9 - 37.0)	21.1 (15.7 - 26.5)	4.8	46	30.3 (24.9 - 35.6)	22.4 (16.9 - 27.9)	5.2
Missing or excluded*	537				911				1,470			
<b>All episodes</b>	<b>1,560</b>	<b>29.1 (27.6 - 30.5)</b>	<b>24.2 (23.2 - 25.2)</b>	<b>5.8</b>	<b>10,523</b>	<b>19.5 (19.2 - 19.8)</b>	<b>19.0 (18.7 - 19.3)</b>	<b>6.8</b>	<b>12,165</b>	<b>20.7 (20.4 - 21.0)</b>	<b>19.7 (19.4 - 20.0)</b>	<b>6.7</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

<b>Class</b>	<b>Description of V4 AN-SNAP class</b>	<b>Class</b>	<b>Description of V4 AN-SNAP class</b>
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2018 (1/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
3-202	53	97.4 (84.8 - 110.0)	34.0 (26.5 - 41.4)	2.4	29	63.6 (47.9 - 79.2)	19.3 (11.0 - 27.6)	2.1	83	85.2 (74.9 - 95.5)	28.5 (22.7 - 34.3)	2.3
3-203	40	48.1 (39.8 - 56.3)	33.5 (24.2 - 42.8)	4.9	237	30.7 (28.2 - 33.3)	21.8 (18.7 - 24.9)	5.0	278	33.8 (31.0 - 36.6)	23.4 (20.4 - 26.4)	4.8
3-204	114	13.0 (11.2 - 14.8)	11.8 (10.4 - 13.3)	6.4	234	10.9 (10.0 - 11.8)	11.3 (10.2 - 12.5)	7.3	348	11.6 (10.8 - 12.5)	11.5 (10.6 - 12.4)	6.9
3-205	14	13.4 (9.1 - 17.6)	18.4 (14.3 - 22.5)	9.7	44	17.3 (14.6 - 20.1)	13.4 (10.7 - 16.0)	5.4	58	16.4 (14.0 - 18.7)	14.6 (12.3 - 16.9)	6.2
3-206	65	18.5 (15.0 - 21.9)	27.1 (24.5 - 29.8)	10.3	316	17.2 (16.1 - 18.3)	19.4 (18.2 - 20.6)	7.9	381	17.4 (16.3 - 18.5)	20.7 (19.6 - 21.8)	8.3
3-207	8	22.1 (14.7 - 29.6)	30.3 (15.7 - 44.8)	9.6	36	21.9 (17.5 - 26.3)	24.9 (20.6 - 29.2)	8.0	44	21.9 (18.1 - 25.8)	25.9 (21.5 - 30.2)	8.3
3-208	0	n.a	n.a	n.a	487	29.7 (28.0 - 31.3)	25.4 (23.6 - 27.2)	6.0	487	29.7 (28.0 - 31.3)	25.4 (23.6 - 27.2)	6.0
3-209	178	43.6 (39.7 - 47.6)	37.9 (34.9 - 41.0)	6.1	177	38.5 (35.0 - 41.9)	34.4 (31.3 - 37.5)	6.3	355	41.1 (38.4 - 43.7)	36.2 (34.0 - 38.3)	6.2
3-210	20	12.3 (9.1 - 15.5)	8.5 (5.6 - 11.3)	4.8	17	10.7 (6.7 - 14.7)	11.0 (6.2 - 15.8)	7.2	38	11.5 (9.0 - 13.9)	9.9 (7.3 - 12.6)	6.1
3-211	77	14.9 (12.5 - 17.3)	13.2 (11.4 - 15.0)	6.2	38	14.0 (11.9 - 16.1)	13.7 (10.7 - 16.7)	6.8	115	14.6 (12.8 - 16.4)	13.4 (11.8 - 14.9)	6.4
3-212	41	26.2 (17.2 - 35.2)	17.7 (12.8 - 22.6)	4.7	18	24.2 (15.1 - 33.3)	19.2 (13.2 - 25.3)	5.6	59	25.6 (18.8 - 32.4)	18.2 (14.3 - 22.0)	5.0
3-213	49	28.6 (22.6 - 34.7)	24.2 (20.8 - 27.5)	5.9	28	30.8 (22.5 - 39.1)	21.9 (17.4 - 26.3)	5.0	77	29.4 (24.5 - 34.3)	23.3 (20.6 - 26.0)	5.6
3-214	53	33.7 (28.7 - 38.7)	45.6 (39.8 - 51.4)	9.5	86	24.3 (20.7 - 27.8)	25.9 (21.9 - 29.9)	7.5	140	27.8 (24.8 - 30.8)	33.3 (29.7 - 37.0)	8.4
3-215	20	79.8 (52.3 - 107.2)	61.0 (51.6 - 70.4)	5.4	31	44.8 (32.8 - 56.7)	37.7 (27.5 - 47.8)	5.9	51	58.5 (44.8 - 72.1)	46.8 (39.0 - 54.6)	5.6
3-216	23	13.8 (10.1 - 17.5)	10.3 (6.9 - 13.8)	5.3	22	11.0 (8.8 - 13.2)	9.4 (6.7 - 12.1)	6.0	45	12.4 (10.2 - 14.6)	9.9 (7.7 - 12.1)	5.6
3-217	11	15.3 (11.3 - 19.2)	18.4 (10.2 - 26.5)	8.4	34	17.3 (12.7 - 21.9)	10.5 (6.6 - 14.4)	4.2	46	16.7 (13.2 - 20.3)	12.5 (8.9 - 16.0)	5.2
3-218	35	29.1 (23.4 - 34.9)	22.5 (15.3 - 29.6)	5.4	65	24.3 (20.4 - 28.2)	18.8 (14.5 - 23.1)	5.4	100	26.0 (22.7 - 29.2)	20.1 (16.3 - 23.8)	5.4
3-219	2	n.a	n.a	n.a	17	23.4 (17.0 - 29.7)	27.9 (16.4 - 39.4)	8.4	19	25.3 (19.0 - 31.6)	28.1 (17.8 - 38.4)	7.8
3-220	10	14.5 (10.8 - 18.2)	4.0 (2.2 - 5.8)	1.9	1	n.a	n.a	n.a	11	15.3 (11.6 - 18.9)	3.7 (2.0 - 5.4)	1.7
3-221	42	25.0 (19.0 - 30.9)	16.1 (12.7 - 19.4)	4.5	14	37.8 (25.1 - 50.5)	14.8 (11.3 - 18.3)	2.7	56	28.2 (22.6 - 33.8)	15.8 (13.1 - 18.4)	3.9
3-222	33	52.5 (41.9 - 63.0)	38.8 (31.9 - 45.8)	5.2	42	53.1 (44.3 - 61.9)	23.9 (17.9 - 29.8)	3.1	75	52.8 (46.1 - 59.5)	30.5 (25.7 - 35.2)	4.0
3-223	16	63.3 (47.1 - 79.4)	41.4 (31.2 - 51.6)	4.6	0	n.a	n.a	n.a	16	63.3 (47.1 - 79.4)	41.4 (31.2 - 51.6)	4.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2018 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
3-224	12	19.9 (14.0 - 25.8)	6.3 (3.5 - 9.2)	2.2	7	10.6 (7.0 - 14.1)	3.7 (-0.2 - 7.6)	2.5	19	16.5 (12.1 - 20.9)	5.4 (3.1 - 7.7)	2.3
3-225	39	24.8 (19.3 - 30.4)	17.6 (14.5 - 20.6)	5.0	97	28.7 (24.1 - 33.4)	16.6 (14.0 - 19.2)	4.1	137	27.9 (24.2 - 31.7)	17.1 (15.0 - 19.2)	4.3
3-226	11	19.5 (9.2 - 29.9)	16.0 (8.2 - 23.8)	5.7	204	14.7 (13.2 - 16.1)	16.3 (14.6 - 18.0)	7.8	215	14.9 (13.4 - 16.4)	16.3 (14.6 - 18.0)	7.7
3-227	63	12.0 (9.7 - 14.3)	11.7 (9.6 - 13.8)	6.8	661	12.6 (11.3 - 13.9)	11.4 (10.8 - 12.1)	6.3	729	12.6 (11.4 - 13.8)	11.4 (10.8 - 12.1)	6.4
3-228	29	15.9 (12.9 - 18.9)	22.4 (19.0 - 25.9)	9.9	796	15.1 (14.5 - 15.8)	18.8 (18.1 - 19.4)	8.7	832	15.1 (14.5 - 15.8)	19.0 (18.3 - 19.6)	8.8
3-229	51	26.4 (20.8 - 32.1)	29.6 (25.8 - 33.5)	7.9	1,461	21.6 (20.9 - 22.2)	27.0 (26.3 - 27.8)	8.8	1,522	21.7 (21.1 - 22.4)	27.1 (26.4 - 27.9)	8.7
3-230	13	27.5 (18.3 - 36.8)	16.1 (9.9 - 22.3)	4.1	635	21.4 (20.3 - 22.4)	18.4 (17.1 - 19.8)	6.0	653	21.4 (20.4 - 22.5)	18.5 (17.2 - 19.9)	6.1
3-231	0	n.a	n.a	n.a	15	8.1 (5.6 - 10.6)	5.2 (2.7 - 7.7)	4.5	16	7.8 (5.4 - 10.2)	5.2 (2.8 - 7.6)	4.6
3-232	7	7.4 (5.1 - 9.7)	17.7 (13.1 - 22.3)	16.7	127	12.4 (11.0 - 13.9)	15.5 (14.0 - 17.0)	8.7	136	12.2 (10.9 - 13.6)	15.7 (14.3 - 17.1)	9.0
3-233	2	n.a	n.a	n.a	76	16.3 (14.3 - 18.2)	27.0 (24.0 - 29.9)	11.6	78	16.3 (14.4 - 18.2)	26.9 (24.1 - 29.8)	11.6
3-234	6	18.5 (7.7 - 29.3)	7.2 (3.5 - 10.8)	2.7	46	8.5 (6.9 - 10.1)	6.7 (5.5 - 8.0)	5.6	53	9.5 (7.5 - 11.5)	7.0 (5.8 - 8.1)	5.1
3-235	9	10.9 (8.3 - 13.5)	18.3 (15.3 - 21.4)	11.8	156	11.7 (10.4 - 13.0)	12.8 (11.5 - 14.1)	7.6	169	11.7 (10.5 - 12.9)	13.1 (11.8 - 14.3)	7.8
3-236	11	21.9 (15.1 - 28.7)	27.0 (18.6 - 35.4)	8.6	277	18.4 (17.0 - 19.9)	20.3 (18.5 - 22.0)	7.7	290	18.5 (17.2 - 19.9)	20.5 (18.8 - 22.2)	7.8
3-237	10	13.2 (6.6 - 19.8)	11.2 (6.1 - 16.3)	5.9	94	16.4 (14.3 - 18.6)	15.3 (12.8 - 17.9)	6.5	104	16.1 (14.1 - 18.2)	14.9 (12.6 - 17.3)	6.5
3-238	4	n.a	n.a	n.a	0	n.a	n.a	n.a	4	n.a	n.a	n.a
3-239	15	20.5 (13.8 - 27.2)	20.7 (14.7 - 26.7)	7.1	10	22.8 (14.2 - 31.4)	20.7 (15.2 - 26.2)	6.4	25	21.4 (16.2 - 26.6)	20.7 (16.5 - 24.8)	6.8
3-240	15	41.3 (22.7 - 60.0)	43.5 (35.3 - 51.7)	7.4	5	24.6 (10.3 - 38.9)	33.8 (14.0 - 53.6)	9.6	20	37.2 (22.5 - 51.8)	41.1 (33.2 - 48.9)	7.7
3-241	8	75.0 (46.8 - 103.2)	78.3 (70.7 - 85.8)	7.3	0	n.a	n.a	n.a	8	75.0 (46.8 - 103.2)	78.3 (70.7 - 85.8)	7.3
3-242	69	12.7 (10.9 - 14.5)	7.1 (5.3 - 8.9)	3.9	505	12.0 (11.4 - 12.6)	7.0 (6.4 - 7.6)	4.1	579	12.1 (11.5 - 12.7)	7.0 (6.4 - 7.6)	4.1
3-243	56	14.3 (12.0 - 16.6)	16.7 (14.1 - 19.3)	8.2	963	15.3 (14.7 - 15.9)	13.6 (13.0 - 14.2)	6.2	1,027	15.3 (14.7 - 15.8)	13.8 (13.2 - 14.4)	6.3
3-244	107	25.8 (22.6 - 29.0)	25.3 (21.9 - 28.7)	6.9	1,471	19.9 (19.3 - 20.5)	20.1 (19.4 - 20.9)	7.1	1,586	20.3 (19.7 - 20.9)	20.5 (19.7 - 21.3)	7.1
3-245	28	35.5 (27.5 - 43.5)	25.3 (16.6 - 34.1)	5.0	337	24.9 (23.3 - 26.5)	19.9 (17.7 - 22.0)	5.6	370	25.7 (24.0 - 27.3)	20.3 (18.3 - 22.4)	5.5
Missing or excluded	91				607				711			
<b>All episodes</b>	<b>1,560</b>	<b>29.1 (27.6 - 30.5)</b>	<b>24.2 (23.2 - 25.2)</b>	<b>5.8</b>	<b>10,523</b>	<b>19.5 (19.2 - 19.8)</b>	<b>19.0 (18.7 - 19.3)</b>	<b>6.8</b>	<b>12,165</b>	<b>20.7 (20.4 - 21.0)</b>	<b>19.7 (19.4 - 20.0)</b>	<b>6.7</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

<b>Class</b>	<b>Description of V3 AN-SNAP class</b>	<b>Class</b>	<b>Description of V3 AN-SNAP class</b>
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24