

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2018 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
4AZ1*	2	n.a	n.a	n.a	2	n.a	n.a	n.a	4	n.a	n.a	n.a
4AZ2*	1	n.a	n.a	n.a	4	n.a	n.a	n.a	5	75.4 (-3.9 - 154.7)	53.4 (26.6 - 80.2)	5.0
4AZ3	1,310	35.1 (33.7 - 36.5)	24.0 (22.8 - 25.2)	4.8	424	30.5 (28.8 - 32.3)	26.7 (24.4 - 29.0)	6.1	1,734	34.0 (32.8 - 35.1)	24.7 (23.6 - 25.7)	5.1
4AZ4	322	60.3 (55.3 - 65.3)	36.0 (33.0 - 39.0)	4.2	37	35.9 (25.3 - 46.6)	23.5 (14.6 - 32.3)	4.6	359	57.8 (53.1 - 62.5)	34.7 (31.8 - 37.6)	4.2
4AA1	1,418	14.0 (13.4 - 14.5)	15.1 (14.6 - 15.6)	7.6	677	14.4 (13.8 - 15.0)	17.2 (16.6 - 17.8)	8.4	2,095	14.1 (13.7 - 14.5)	15.8 (15.4 - 16.2)	7.8
4AA2	1,312	17.8 (17.2 - 18.5)	18.1 (17.5 - 18.7)	7.1	461	18.2 (17.4 - 19.1)	20.6 (19.7 - 21.5)	7.9	1,773	17.9 (17.4 - 18.4)	18.8 (18.3 - 19.3)	7.3
4AA3	457	24.2 (22.8 - 25.7)	21.5 (20.3 - 22.8)	6.2	88	21.9 (19.7 - 24.1)	21.8 (18.8 - 24.8)	7.0	545	23.9 (22.6 - 25.2)	21.6 (20.4 - 22.7)	6.3
4AA4	826	26.0 (25.0 - 27.0)	29.6 (28.6 - 30.6)	8.0	305	27.0 (24.8 - 29.2)	28.0 (26.6 - 29.4)	7.2	1,131	26.3 (25.3 - 27.2)	29.1 (28.3 - 30.0)	7.8
4AA5	284	34.6 (31.8 - 37.4)	37.5 (35.8 - 39.2)	7.6	40	27.4 (22.8 - 32.1)	34.4 (30.8 - 37.9)	8.8	324	33.7 (31.1 - 36.2)	37.1 (35.5 - 38.6)	7.7
4AA6	877	39.7 (38.3 - 41.1)	31.3 (30.0 - 32.6)	5.5	241	35.3 (32.8 - 37.8)	28.9 (26.3 - 31.4)	5.7	1,118	38.7 (37.5 - 40.0)	30.8 (29.6 - 32.0)	5.6
4AA7	412	54.8 (51.1 - 58.4)	41.3 (39.3 - 43.2)	5.3	29	38.3 (30.7 - 45.9)	41.1 (32.9 - 49.3)	7.5	441	53.7 (50.2 - 57.2)	41.2 (39.3 - 43.2)	5.4
4AB1-7*												
4AC1	701	13.9 (13.0 - 14.8)	11.0 (10.4 - 11.6)	5.5	899	13.4 (12.9 - 13.9)	14.4 (13.9 - 14.9)	7.5	1,600	13.7 (13.2 - 14.1)	12.9 (12.5 - 13.3)	6.6
4AC2	666	19.9 (18.9 - 21.0)	20.1 (19.2 - 21.1)	7.1	656	18.1 (17.4 - 18.9)	20.0 (19.2 - 20.9)	7.7	1,322	19.0 (18.4 - 19.7)	20.1 (19.5 - 20.7)	7.4
4AC3	516	31.2 (29.3 - 33.0)	25.8 (24.1 - 27.4)	5.8	341	23.5 (22.1 - 24.9)	21.9 (20.2 - 23.6)	6.5	857	28.1 (26.8 - 29.4)	24.2 (23.0 - 25.4)	6.0
4AD1-4*												
4AE1	41	25.2 (17.4 - 33.0)	4.6 (3.1 - 6.2)	1.3	2	n.a	n.a	n.a	43	24.9 (17.4 - 32.3)	4.6 (3.1 - 6.1)	1.3
4AE2	549	31.8 (29.8 - 33.8)	17.3 (16.3 - 18.3)	3.8	145	24.0 (20.9 - 27.1)	17.5 (15.9 - 19.1)	5.1	694	30.2 (28.5 - 31.9)	17.3 (16.5 - 18.2)	4.0
4AE3	94	43.7 (36.9 - 50.5)	28.1 (24.4 - 31.9)	4.5	23	45.3 (34.2 - 56.4)	32.6 (25.3 - 39.9)	5.0	117	44.0 (38.2 - 49.8)	29.0 (25.6 - 32.4)	4.6
4AE4	208	29.3 (25.8 - 32.8)	14.7 (13.3 - 16.2)	3.5	31	31.4 (23.0 - 39.7)	15.0 (11.7 - 18.4)	3.4	239	29.6 (26.3 - 32.8)	14.8 (13.4 - 16.1)	3.5
4AH1	2,182	15.4 (14.9 - 16.0)	16.3 (15.9 - 16.6)	7.4	3,294	16.3 (15.9 - 16.7)	18.4 (18.1 - 18.6)	7.9	5,476	16.0 (15.6 - 16.3)	17.5 (17.3 - 17.7)	7.7
4AH2	2,365	17.8 (17.4 - 18.2)	18.6 (18.2 - 19.1)	7.3	2,922	18.4 (18.0 - 18.7)	20.5 (20.2 - 20.8)	7.8	5,287	18.1 (17.8 - 18.4)	19.7 (19.4 - 19.9)	7.6
4AH3	1,734	21.7 (21.1 - 22.3)	26.6 (26.0 - 27.2)	8.6	1,511	24.7 (24.0 - 25.4)	28.3 (27.7 - 28.9)	8.0	3,245	23.1 (22.7 - 23.6)	27.4 (27.0 - 27.8)	8.3
4AH4	1,847	26.6 (25.9 - 27.3)	29.8 (29.1 - 30.6)	7.9	1,229	30.6 (29.7 - 31.6)	33.4 (32.5 - 34.3)	7.6	3,076	28.2 (27.6 - 28.8)	31.3 (30.7 - 31.9)	7.8
4A21 Ortho Replacements	1,242	10.1 (9.7 - 10.4)	10.2 (9.9 - 10.5)	7.1	13,968	9.5 (9.4 - 9.7)	12.5 (12.4 - 12.6)	9.2	15,210	9.6 (9.5 - 9.7)	12.3 (12.2 - 12.4)	9.0
4A22 Ortho Replacements	2,174	12.3 (12.0 - 12.6)	20.8 (20.4 - 21.1)	11.9	10,414	12.0 (11.8 - 12.1)	22.7 (22.6 - 22.8)	13.3	12,588	12.0 (11.9 - 12.1)	22.4 (22.3 - 22.5)	13.0
4A23 Ortho Replacements	894	18.8 (18.1 - 19.6)	33.3 (32.4 - 34.1)	12.4	1,190	19.5 (18.9 - 20.2)	33.1 (32.4 - 33.8)	11.9	2,084	19.2 (18.8 - 19.7)	33.2 (32.7 - 33.7)	12.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2018 (2/2)

AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	87	12.1 (10.5 - 13.7)	9.6 (8.4 - 10.7)	5.5	270	11.8 (10.9 - 12.7)	12.1 (11.3 - 12.9)	7.2	357	11.9 (11.1 - 12.7)	11.5 (10.8 - 12.1)	6.8
4A22 Ortho Soft Tissue Injury	193	15.5 (14.1 - 16.9)	17.1 (15.7 - 18.6)	7.7	488	15.6 (14.7 - 16.5)	20.1 (19.4 - 20.8)	9.0	681	15.6 (14.8 - 16.3)	19.3 (18.6 - 19.9)	8.6
4A23 Ortho Soft Tissue Injury	118	20.5 (17.6 - 23.4)	26.2 (23.7 - 28.8)	9.0	166	20.9 (19.1 - 22.6)	26.6 (24.7 - 28.5)	8.9	284	20.7 (19.1 - 22.3)	26.5 (24.9 - 28.0)	8.9
4A21 Ortho Other	307	12.4 (11.3 - 13.4)	10.1 (9.4 - 10.7)	5.7	3,276	10.6 (10.4 - 10.9)	12.8 (12.6 - 13.0)	8.4	3,583	10.8 (10.6 - 11.0)	12.6 (12.4 - 12.8)	8.2
4A22 Ortho Other	489	17.6 (16.5 - 18.6)	20.6 (19.8 - 21.3)	8.2	3,025	14.0 (13.7 - 14.3)	22.8 (22.5 - 23.0)	11.4	3,514	14.5 (14.2 - 14.8)	22.5 (22.2 - 22.7)	10.9
4A23 Ortho Other	304	25.5 (23.6 - 27.4)	31.4 (29.8 - 33.1)	8.6	633	24.8 (23.6 - 26.1)	32.1 (31.0 - 33.1)	9.0	937	25.1 (24.0 - 26.1)	31.9 (31.0 - 32.7)	8.9
4A31 Pain	222	10.7 (9.8 - 11.7)	7.2 (6.4 - 7.9)	4.7	1,406	12.1 (11.4 - 12.7)	7.2 (6.9 - 7.5)	4.2	1,628	11.9 (11.3 - 12.4)	7.2 (6.9 - 7.5)	4.2
4A32 Pain	472	14.1 (13.2 - 14.9)	17.4 (16.7 - 18.2)	8.7	1,189	14.2 (13.7 - 14.6)	18.2 (17.8 - 18.6)	9.0	1,661	14.1 (13.8 - 14.5)	18.0 (17.7 - 18.4)	8.9
4A33 Pain	286	17.5 (16.1 - 19.0)	25.7 (24.3 - 27.1)	10.3	340	19.1 (17.8 - 20.4)	25.7 (24.5 - 26.9)	9.4	626	18.4 (17.4 - 19.4)	25.7 (24.8 - 26.6)	9.8
4A34 Pain	88	23.0 (19.9 - 26.1)	29.1 (25.6 - 32.6)	8.8	57	22.4 (18.3 - 26.5)	31.5 (26.3 - 36.7)	9.8	145	22.8 (20.3 - 25.3)	30.0 (27.1 - 33.0)	9.2
4A31 Cardiac	161	11.7 (10.6 - 12.9)	7.1 (6.2 - 8.1)	4.3	870	10.3 (9.9 - 10.6)	12.3 (12.0 - 12.7)	8.4	1,031	10.5 (10.2 - 10.8)	11.5 (11.1 - 11.9)	7.7
4A32 Cardiac	369	14.0 (13.1 - 14.9)	17.5 (16.5 - 18.5)	8.8	1,474	12.9 (12.3 - 13.5)	21.0 (20.7 - 21.4)	11.4	1,843	13.1 (12.6 - 13.6)	20.3 (20.0 - 20.7)	10.9
4A33 Cardiac	252	18.7 (17.1 - 20.4)	23.0 (21.3 - 24.8)	8.6	344	17.8 (16.8 - 18.8)	25.8 (24.6 - 27.0)	10.1	596	18.2 (17.3 - 19.1)	24.6 (23.6 - 25.6)	9.5
4A34 Cardiac	49	25.8 (20.8 - 30.9)	31.7 (26.3 - 37.0)	8.6	48	24.3 (20.0 - 28.5)	28.6 (23.8 - 33.4)	8.3	97	25.0 (21.7 - 28.3)	30.1 (26.6 - 33.7)	8.4
4A31 Pulmonary	126	11.2 (9.7 - 12.6)	7.8 (6.5 - 9.0)	4.9	295	11.3 (10.8 - 11.9)	11.6 (10.9 - 12.3)	7.1	421	11.3 (10.7 - 11.9)	10.4 (9.8 - 11.1)	6.5
4A32 Pulmonary	274	12.9 (12.0 - 13.9)	16.1 (15.1 - 17.2)	8.7	657	13.4 (12.9 - 13.9)	19.1 (18.6 - 19.7)	10.0	931	13.3 (12.8 - 13.7)	18.3 (17.7 - 18.8)	9.6
4A33 Pulmonary	200	17.5 (15.8 - 19.1)	22.0 (20.1 - 23.9)	8.8	213	17.4 (16.1 - 18.7)	23.4 (22.0 - 24.7)	9.4	413	17.4 (16.4 - 18.5)	22.7 (21.5 - 23.9)	9.1
4A34 Pulmonary	56	21.8 (18.7 - 25.0)	24.1 (19.2 - 29.1)	7.7	39	25.4 (20.0 - 30.8)	30.7 (25.5 - 36.0)	8.5	95	23.3 (20.4 - 26.2)	26.8 (23.2 - 30.5)	8.1
4AP1*	174	26.6 (22.6 - 30.7)	24.6 (22.5 - 26.8)	6.5	283	30.6 (27.7 - 33.5)	32.6 (30.9 - 34.3)	7.4	457	29.1 (26.7 - 31.5)	29.5 (28.2 - 30.9)	7.1
4AR1	2,511	12.4 (12.1 - 12.8)	9.4 (9.1 - 9.7)	5.3	5,993	12.1 (11.9 - 12.3)	12.4 (12.3 - 12.6)	7.2	8,504	12.2 (12.0 - 12.3)	11.5 (11.4 - 11.7)	6.6
4AR2	2,994	15.8 (15.5 - 16.2)	17.8 (17.4 - 18.2)	7.9	5,879	15.2 (15.0 - 15.5)	19.8 (19.6 - 20.0)	9.1	8,873	15.4 (15.3 - 15.6)	19.1 (18.9 - 19.3)	8.7
4AR3	1,534	17.2 (16.3 - 18.0)	18.5 (17.9 - 19.1)	7.5	1,621	16.9 (16.5 - 17.3)	20.0 (19.5 - 20.6)	8.3	3,155	17.0 (16.6 - 17.5)	19.3 (18.9 - 19.7)	7.9
4AR4	590	22.0 (20.8 - 23.3)	25.4 (24.3 - 26.5)	8.1	584	21.6 (20.6 - 22.5)	25.4 (24.4 - 26.3)	8.2	1,174	21.8 (21.0 - 22.6)	25.4 (24.6 - 26.1)	8.1
4AR5	2,077	20.5 (20.0 - 21.1)	22.6 (22.0 - 23.3)	7.7	1,677	19.6 (19.1 - 20.1)	24.4 (23.8 - 25.0)	8.7	3,754	20.1 (19.7 - 20.5)	23.4 (23.0 - 23.8)	8.1
4AR6	1,328	27.1 (26.0 - 28.1)	26.5 (25.4 - 27.5)	6.8	733	25.1 (24.0 - 26.2)	25.2 (24.0 - 26.3)	7.0	2,061	26.4 (25.6 - 27.2)	26.0 (25.2 - 26.8)	6.9
4A91	323	15.5 (14.2 - 16.8)	13.4 (12.3 - 14.5)	6.0	339	15.4 (14.4 - 16.4)	12.5 (11.6 - 13.4)	5.7	662	15.5 (14.6 - 16.3)	12.9 (12.2 - 13.6)	5.9
4A92	228	20.6 (18.2 - 22.9)	25.0 (23.3 - 26.7)	8.5	93	19.0 (16.8 - 21.2)	24.9 (22.4 - 27.3)	9.2	321	20.1 (18.3 - 21.9)	25.0 (23.6 - 26.4)	8.7
4A93	84	29.2 (23.6 - 34.7)	28.6 (24.5 - 32.7)	6.9	19	24.7 (18.5 - 31.0)	16.5 (10.5 - 22.6)	4.7	103	28.3 (23.7 - 33.0)	26.3 (22.7 - 30.0)	6.5
Missing or excluded*	11,031				6,741				17,772			
All episodes	49,361	21.6 (21.4 - 21.8)	20.9 (20.8 - 21.1)	6.8	77,685	14.6 (14.5 - 14.7)	18.8 (18.7 - 18.8)	9.0	127,046	17.1 (17.0 - 17.2)	19.6 (19.5 - 19.6)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2018 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	211	107.1 (94.6 - 119.5)	34.5 (30.1 - 39.0)	2.3	38	69.7 (49.3 - 90.2)	47.1 (34.6 - 59.5)	4.7	249	101.4 (90.2 - 112.5)	36.4 (32.2 - 40.7)	2.5
3-203	495	46.8 (43.5 - 50.2)	26.3 (24.0 - 28.5)	3.9	102	30.2 (26.4 - 33.9)	34.0 (27.7 - 40.3)	7.9	597	44.0 (41.1 - 46.9)	27.6 (25.4 - 29.8)	4.4
3-204	1,629	13.6 (13.1 - 14.1)	12.4 (12.0 - 12.8)	6.4	658	13.9 (13.3 - 14.5)	15.0 (14.4 - 15.6)	7.6	2,287	13.7 (13.3 - 14.1)	13.1 (12.8 - 13.5)	6.7
3-205	300	21.9 (20.3 - 23.5)	18.4 (17.2 - 19.6)	5.9	43	18.1 (15.2 - 21.1)	15.7 (11.6 - 19.8)	6.0	343	21.4 (20.0 - 22.9)	18.1 (16.9 - 19.3)	5.9
3-206	1,382	20.3 (19.6 - 20.9)	24.0 (23.3 - 24.6)	8.3	606	20.1 (19.3 - 20.9)	24.2 (23.4 - 24.9)	8.4	1,988	20.2 (19.7 - 20.7)	24.0 (23.5 - 24.5)	8.3
3-207	149	27.7 (24.8 - 30.6)	25.7 (23.2 - 28.2)	6.5	35	26.1 (22.7 - 29.5)	31.9 (27.3 - 36.5)	8.6	184	27.4 (25.0 - 29.8)	26.9 (24.6 - 29.1)	6.9
3-208	1,345	34.3 (33.3 - 35.3)	28.5 (27.5 - 29.5)	5.8	422	32.0 (29.9 - 34.1)	27.0 (25.4 - 28.7)	5.9	1,767	33.8 (32.8 - 34.7)	28.1 (27.3 - 29.0)	5.8
3-209	1,219	47.0 (45.2 - 48.9)	37.8 (36.6 - 38.9)	5.6	155	36.9 (33.6 - 40.2)	33.2 (30.0 - 36.5)	6.3	1,374	45.9 (44.2 - 47.6)	37.3 (36.2 - 38.3)	5.7
3-210	165	10.9 (9.9 - 12.0)	12.3 (11.0 - 13.7)	7.9	173	12.8 (11.8 - 13.9)	15.1 (14.0 - 16.2)	8.2	338	11.9 (11.2 - 12.7)	13.7 (12.9 - 14.6)	8.1
3-211	411	14.6 (13.6 - 15.6)	13.9 (12.9 - 14.8)	6.6	242	15.4 (14.3 - 16.5)	18.0 (16.9 - 19.1)	8.2	653	14.9 (14.2 - 15.7)	15.4 (14.7 - 16.1)	7.2
3-212	158	21.7 (18.9 - 24.6)	17.8 (15.9 - 19.7)	5.7	43	18.5 (15.9 - 21.1)	19.2 (16.0 - 22.5)	7.3	201	21.0 (18.7 - 23.4)	18.1 (16.5 - 19.7)	6.0
3-213	282	34.9 (30.7 - 39.1)	21.3 (19.7 - 22.9)	4.3	29	20.8 (17.3 - 24.2)	22.8 (18.5 - 27.1)	7.7	311	33.6 (29.7 - 37.5)	21.5 (20.0 - 23.0)	4.5
3-214	546	32.3 (30.0 - 34.7)	30.5 (28.7 - 32.3)	6.6	201	26.9 (24.7 - 29.1)	29.1 (26.9 - 31.3)	7.6	747	30.9 (29.0 - 32.7)	30.1 (28.7 - 31.5)	6.8
3-215	139	58.2 (50.0 - 66.5)	40.6 (35.5 - 45.7)	4.9	23	36.9 (25.9 - 47.8)	33.4 (21.4 - 45.4)	6.3	162	55.2 (47.9 - 62.5)	39.6 (34.9 - 44.3)	5.0
3-216	617	13.6 (12.6 - 14.6)	10.4 (9.8 - 11.0)	5.4	758	13.2 (12.6 - 13.7)	13.6 (13.1 - 14.1)	7.2	1,375	13.4 (12.8 - 13.9)	12.2 (11.8 - 12.6)	6.4
3-217	525	18.5 (17.4 - 19.5)	18.7 (17.7 - 19.7)	7.1	621	17.0 (16.3 - 17.6)	19.3 (18.6 - 20.1)	8.0	1,146	17.6 (17.0 - 18.3)	19.0 (18.4 - 19.7)	7.6
3-218	756	28.7 (27.2 - 30.2)	24.5 (23.2 - 25.8)	6.0	522	22.5 (21.3 - 23.7)	21.7 (20.5 - 23.0)	6.8	1,278	26.1 (25.1 - 27.2)	23.4 (22.5 - 24.3)	6.3
3-219	55	35.8 (27.8 - 43.7)	27.9 (21.1 - 34.6)	5.4	20	27.4 (19.1 - 35.7)	17.4 (7.6 - 27.1)	4.4	75	33.5 (27.3 - 39.8)	25.1 (19.4 - 30.7)	5.2
3-220	23	22.9 (13.3 - 32.6)	3.9 (2.5 - 5.3)	1.2	1	n.a	n.a	n.a	24	22.5 (13.3 - 31.8)	4.1 (2.7 - 5.5)	1.3
3-221	227	30.2 (26.2 - 34.3)	17.6 (16.2 - 19.0)	4.1	71	22.7 (19.5 - 25.9)	18.4 (16.3 - 20.4)	5.7	298	28.4 (25.2 - 31.6)	17.8 (16.6 - 18.9)	4.4
3-222	330	69.3 (62.9 - 75.6)	29.0 (26.9 - 31.1)	2.9	37	42.2 (31.5 - 52.9)	16.1 (11.2 - 21.0)	2.7	367	66.6 (60.7 - 72.4)	27.7 (25.7 - 29.7)	2.9
3-223	46	82.3 (62.6 - 102.1)	39.4 (33.6 - 45.2)	3.4	2	n.a	n.a	n.a	48	80.4 (61.3 - 99.6)	37.8 (31.8 - 43.8)	3.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2018 (2/2)

AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	188	23.1 (20.3 - 26.0)	5.7 (5.0 - 6.4)	1.7	37	21.8 (16.1 - 27.5)	8.1 (6.7 - 9.5)	2.6	225	22.9 (20.3 - 25.5)	6.1 (5.5 - 6.7)	1.9
3-225	710	34.5 (32.6 - 36.5)	20.4 (19.5 - 21.4)	4.1	168	28.9 (25.5 - 32.3)	20.9 (19.1 - 22.7)	5.1	878	33.5 (31.8 - 35.2)	20.5 (19.7 - 21.4)	4.3
3-226	1,075	15.0 (14.4 - 15.7)	18.5 (17.8 - 19.3)	8.6	2,995	13.9 (13.5 - 14.3)	14.1 (13.8 - 14.5)	7.1	4,070	14.2 (13.9 - 14.5)	15.3 (15.0 - 15.6)	7.5
3-227	2,393	14.9 (14.5 - 15.2)	13.6 (13.3 - 13.9)	6.4	3,546	15.1 (14.8 - 15.4)	16.2 (16.0 - 16.5)	7.5	5,939	15.0 (14.8 - 15.2)	15.2 (15.0 - 15.4)	7.1
3-228	2,126	18.7 (18.2 - 19.3)	21.8 (21.4 - 22.3)	8.2	2,604	20.2 (19.7 - 20.7)	23.5 (23.1 - 23.8)	8.1	4,730	19.5 (19.2 - 19.9)	22.7 (22.5 - 23.0)	8.1
3-229	3,137	24.2 (23.7 - 24.7)	28.7 (28.2 - 29.2)	8.3	2,505	27.6 (27.0 - 28.2)	31.2 (30.6 - 31.7)	7.9	5,642	25.7 (25.3 - 26.1)	29.8 (29.4 - 30.2)	8.1
3-230	687	24.6 (23.5 - 25.8)	25.2 (23.9 - 26.6)	7.2	409	25.2 (23.7 - 26.6)	25.6 (24.0 - 27.2)	7.1	1,096	24.8 (23.9 - 25.7)	25.4 (24.3 - 26.4)	7.2
3-231	635	9.9 (9.4 - 10.3)	7.5 (7.1 - 7.9)	5.3	7,512	9.1 (8.9 - 9.3)	9.7 (9.6 - 9.8)	7.5	8,147	9.2 (9.0 - 9.4)	9.5 (9.5 - 9.6)	7.3
3-232	2,725	11.8 (11.5 - 12.0)	18.9 (18.6 - 19.2)	11.3	16,766	11.2 (11.1 - 11.3)	20.0 (19.9 - 20.1)	12.5	19,491	11.3 (11.2 - 11.4)	19.8 (19.7 - 19.9)	12.3
3-233	963	18.8 (18.1 - 19.5)	32.8 (32.0 - 33.6)	12.2	1,309	19.3 (18.7 - 20.0)	32.9 (32.3 - 33.6)	11.9	2,272	19.1 (18.6 - 19.6)	32.9 (32.4 - 33.4)	12.0
3-234	321	12.0 (11.0 - 13.0)	9.0 (8.4 - 9.6)	5.3	2,889	10.4 (10.2 - 10.6)	11.8 (11.6 - 12.0)	7.9	3,210	10.6 (10.4 - 10.8)	11.5 (11.4 - 11.7)	7.6
3-235	603	16.0 (15.1 - 16.9)	18.1 (17.5 - 18.8)	7.9	3,673	13.3 (13.1 - 13.6)	20.8 (20.5 - 21.0)	10.9	4,276	13.7 (13.5 - 14.0)	20.4 (20.2 - 20.6)	10.4
3-236	587	23.2 (21.8 - 24.5)	28.0 (26.9 - 29.2)	8.5	1,304	21.7 (21.0 - 22.5)	29.5 (28.8 - 30.1)	9.5	1,891	22.2 (21.5 - 22.8)	29.0 (28.5 - 29.6)	9.2
3-237	841	15.8 (15.0 - 16.6)	18.1 (17.1 - 19.0)	8.0	2,741	12.9 (12.5 - 13.2)	19.0 (18.6 - 19.3)	10.3	3,582	13.6 (13.2 - 13.9)	18.8 (18.4 - 19.1)	9.7
3-238	65	16.8 (13.4 - 20.1)	10.3 (8.9 - 11.7)	4.3	40	18.5 (14.0 - 23.0)	13.3 (11.7 - 15.0)	5.0	105	17.4 (14.7 - 20.1)	11.5 (10.4 - 12.5)	4.6
3-239	211	26.4 (23.3 - 29.5)	23.4 (21.9 - 25.0)	6.2	261	24.9 (22.4 - 27.4)	27.7 (26.6 - 28.9)	7.8	472	25.6 (23.6 - 27.5)	25.8 (24.9 - 26.8)	7.1
3-240	110	58.4 (45.9 - 71.0)	43.7 (40.7 - 46.8)	5.2	179	48.9 (43.6 - 54.1)	48.6 (46.7 - 50.5)	7.0	289	52.5 (46.7 - 58.3)	46.8 (45.1 - 48.4)	6.2
3-241	35	72.7 (56.3 - 89.1)	66.0 (59.9 - 72.1)	6.4	17	58.5 (47.2 - 69.8)	74.9 (67.1 - 82.8)	9.0	52	68.1 (56.3 - 79.8)	68.9 (64.0 - 73.9)	7.1
3-242	2,399	12.1 (11.7 - 12.4)	8.7 (8.4 - 9.0)	5.1	5,490	12.0 (11.8 - 12.1)	11.4 (11.2 - 11.6)	6.7	7,889	12.0 (11.9 - 12.2)	10.6 (10.4 - 10.7)	6.2
3-243	4,168	15.4 (15.1 - 15.7)	16.8 (16.5 - 17.1)	7.6	7,861	14.7 (14.5 - 14.8)	18.9 (18.8 - 19.1)	9.0	12,029	14.9 (14.8 - 15.1)	18.2 (18.0 - 18.3)	8.5
3-244	5,217	21.1 (20.7 - 21.6)	23.3 (22.9 - 23.7)	7.7	4,545	19.8 (19.5 - 20.2)	24.0 (23.7 - 24.4)	8.5	9,762	20.5 (20.3 - 20.8)	23.6 (23.4 - 23.9)	8.1
3-245	819	27.4 (26.0 - 28.8)	25.1 (23.5 - 26.6)	6.4	337	26.1 (24.4 - 27.8)	22.8 (20.9 - 24.8)	6.1	1,156	27.0 (25.9 - 28.1)	24.4 (23.2 - 25.6)	6.3
Missing or excluded	8,336				5,695				14,031			
All episodes	49,361	21.6 (21.4 - 21.8)	20.9 (20.8 - 21.1)	6.8	77,685	14.6 (14.5 - 14.7)	18.8 (18.7 - 18.8)	9.0	127,046	17.1 (17.0 - 17.2)	19.6 (19.5 - 19.6)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24