

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2018 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	749	27.8 (26.5 - 29.1)	19.3 (17.8 - 20.8)	4.9	749	27.8 (26.5 - 29.1)	19.3 (17.8 - 20.8)	4.9
4AZ4	104	55.3 (47.6 - 63.0)	34.8 (29.7 - 39.9)	4.4	0	n.a	n.a	n.a	104	55.3 (47.6 - 63.0)	34.8 (29.7 - 39.9)	4.4
4AA1	74	12.0 (10.7 - 13.2)	14.1 (12.1 - 16.0)	8.2	223	11.7 (10.8 - 12.7)	14.8 (13.6 - 16.0)	8.8	300	11.7 (11.0 - 12.5)	14.6 (13.6 - 15.6)	8.7
4AA2	69	13.2 (10.5 - 15.9)	16.1 (13.5 - 18.7)	8.5	252	15.4 (14.3 - 16.6)	16.4 (15.1 - 17.7)	7.4	322	15.0 (13.9 - 16.0)	16.3 (15.1 - 17.4)	7.6
4AA3	23	18.2 (13.5 - 23.0)	26.3 (20.5 - 32.1)	10.1	85	19.3 (16.3 - 22.2)	18.4 (15.7 - 21.1)	6.7	108	19.0 (16.5 - 21.6)	20.1 (17.6 - 22.6)	7.4
4AA4	0	n.a	n.a	n.a	260	21.7 (20.2 - 23.1)	25.7 (23.8 - 27.5)	8.3	260	21.7 (20.2 - 23.1)	25.7 (23.8 - 27.5)	8.3
4AA5	75	30.5 (25.7 - 35.2)	33.7 (30.6 - 36.7)	7.7	16	24.1 (16.7 - 31.4)	33.5 (27.5 - 39.5)	9.7	91	29.3 (25.2 - 33.5)	33.6 (30.9 - 36.3)	8.0
4AA6	0	n.a	n.a	n.a	355	33.0 (30.9 - 35.1)	30.2 (28.0 - 32.3)	6.4	355	33.0 (30.9 - 35.1)	30.2 (28.0 - 32.3)	6.4
4AA7	105	42.5 (38.1 - 46.9)	38.7 (35.0 - 42.4)	6.4	13	39.5 (27.4 - 51.5)	40.1 (30.1 - 50.1)	7.1	118	42.2 (38.1 - 46.3)	38.9 (35.4 - 42.3)	6.5
4AB1-7*												
4AC1	21	18.1 (12.2 - 24.0)	10.9 (8.2 - 13.5)	4.2	27	9.9 (8.1 - 11.8)	8.7 (5.3 - 12.2)	6.2	48	13.5 (10.5 - 16.5)	9.7 (7.4 - 11.9)	5.0
4AC2	17	17.2 (13.0 - 21.4)	25.6 (21.1 - 30.1)	10.4	59	18.7 (15.3 - 22.1)	15.6 (12.3 - 19.0)	5.8	76	18.4 (15.6 - 21.2)	17.8 (14.9 - 20.8)	6.8
4AC3	22	35.0 (26.3 - 43.6)	26.1 (17.0 - 35.2)	5.2	57	21.2 (17.7 - 24.8)	20.7 (15.8 - 25.6)	6.8	80	24.8 (21.1 - 28.6)	22.0 (17.6 - 26.3)	6.2
4AD1-4*												
4AE1	1	n.a	n.a	n.a	2	n.a	n.a	n.a	3	n.a	n.a	n.a
4AE2	25	21.1 (16.7 - 25.5)	18.5 (14.6 - 22.4)	6.1	70	20.3 (17.7 - 23.0)	17.1 (14.7 - 19.4)	5.9	95	20.5 (18.3 - 22.8)	17.5 (15.5 - 19.5)	5.9
4AE3	9	30.6 (20.6 - 40.5)	25.2 (11.6 - 38.9)	5.8	33	30.7 (26.2 - 35.2)	20.6 (14.0 - 27.3)	4.7	42	30.7 (26.6 - 34.8)	21.6 (15.7 - 27.5)	4.9
4AE4	15	27.4 (22.1 - 32.7)	11.3 (7.4 - 15.2)	2.9	0	n.a	n.a	n.a	15	27.4 (22.1 - 32.7)	11.3 (7.4 - 15.2)	2.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2018 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	56	12.8 (10.7 - 14.9)	12.4 (10.0 - 14.9)	6.8	522	12.6 (11.1 - 14.1)	14.8 (14.0 - 15.5)	8.2	586	12.5 (11.2 - 13.9)	14.5 (13.8 - 15.2)	8.1
4AH2	35	11.7 (9.2 - 14.2)	16.8 (13.4 - 20.2)	10.1	954	14.6 (14.1 - 15.2)	16.2 (15.5 - 16.8)	7.7	992	14.5 (14.0 - 15.1)	16.2 (15.6 - 16.8)	7.8
4AH3	35	18.4 (14.7 - 22.0)	28.1 (24.5 - 31.7)	10.7	792	19.3 (18.5 - 20.1)	22.8 (21.9 - 23.6)	8.2	836	19.3 (18.5 - 20.0)	23.1 (22.2 - 23.9)	8.4
4AH4	38	29.1 (22.5 - 35.7)	25.2 (20.5 - 29.8)	6.1	1,177	22.9 (22.1 - 23.6)	27.3 (26.3 - 28.2)	8.3	1,223	23.1 (22.3 - 23.9)	27.3 (26.3 - 28.2)	8.3
4A21	9	12.0 (3.9 - 20.1)	8.1 (3.8 - 12.4)	4.7	100	8.6 (7.6 - 9.7)	7.8 (6.7 - 9.0)	6.4	109	8.9 (7.7 - 10.1)	7.8 (6.7 - 9.0)	6.2
4A22	17	10.8 (8.3 - 13.4)	18.4 (15.5 - 21.2)	11.9	289	13.0 (12.0 - 13.9)	16.2 (15.1 - 17.2)	8.7	312	12.8 (11.9 - 13.7)	16.3 (15.3 - 17.3)	8.9
4A23	15	18.5 (13.2 - 23.8)	23.9 (16.4 - 31.3)	9.0	297	18.8 (17.4 - 20.1)	22.2 (20.5 - 23.8)	8.3	314	18.8 (17.5 - 20.1)	22.2 (20.6 - 23.8)	8.3
4A31	8	12.1 (7.9 - 16.3)	5.8 (2.1 - 9.4)	3.3	49	9.7 (8.1 - 11.3)	6.8 (5.1 - 8.4)	4.9	57	10.0 (8.5 - 11.5)	6.6 (5.1 - 8.1)	4.6
4A32	6	16.0 (11.4 - 20.6)	14.0 (-0.6 - 28.6)	6.1	172	11.9 (10.8 - 12.9)	14.0 (12.6 - 15.5)	8.3	179	12.0 (10.9 - 13.0)	14.0 (12.6 - 15.5)	8.2
4A33	6	19.7 (8.0 - 31.4)	32.8 (18.1 - 47.5)	11.7	127	16.5 (14.6 - 18.3)	19.8 (17.6 - 22.0)	8.4	133	16.6 (14.8 - 18.5)	20.4 (18.1 - 22.6)	8.6
4A34	2	n.a	n.a	n.a	55	21.8 (19.0 - 24.6)	30.5 (25.9 - 35.1)	9.8	57	22.8 (19.6 - 26.0)	31.1 (26.6 - 35.7)	9.6
4AP1*	6	20.5 (12.5 - 28.5)	22.8 (9.2 - 36.5)	7.8	6	21.8 (16.1 - 27.6)	28.5 (18.6 - 38.4)	9.1	12	21.2 (16.4 - 25.9)	25.7 (17.5 - 33.9)	8.5
4AR1	73	11.2 (9.8 - 12.6)	8.7 (7.0 - 10.4)	5.4	552	11.8 (11.2 - 12.5)	7.6 (7.0 - 8.2)	4.5	629	11.8 (11.2 - 12.4)	7.7 (7.1 - 8.3)	4.6
4AR2	53	16.6 (12.4 - 20.8)	17.8 (15.2 - 20.5)	7.5	654	14.4 (13.6 - 15.2)	15.1 (14.4 - 15.8)	7.3	709	14.6 (13.7 - 15.4)	15.3 (14.6 - 16.0)	7.3
4AR3	29	18.7 (13.3 - 24.1)	19.4 (15.2 - 23.6)	7.3	496	16.0 (15.1 - 16.9)	14.0 (13.1 - 15.0)	6.1	530	16.2 (15.3 - 17.1)	14.3 (13.4 - 15.2)	6.2
4AR4	15	18.7 (13.7 - 23.6)	24.7 (17.9 - 31.5)	9.3	132	19.1 (17.3 - 20.9)	20.9 (18.4 - 23.4)	7.6	150	19.1 (17.5 - 20.7)	21.3 (19.0 - 23.7)	7.8
4AR5	34	23.1 (17.6 - 28.5)	24.7 (18.6 - 30.8)	7.5	727	18.5 (17.7 - 19.4)	20.0 (18.9 - 21.0)	7.6	767	18.7 (17.8 - 19.5)	20.2 (19.2 - 21.2)	7.6
4AR6	51	31.8 (24.8 - 38.8)	23.6 (18.6 - 28.5)	5.2	606	22.5 (21.5 - 23.5)	23.2 (21.7 - 24.7)	7.2	661	23.2 (22.2 - 24.3)	23.2 (21.8 - 24.6)	7.0
4A91	19	13.8 (8.6 - 19.1)	13.9 (9.8 - 18.1)	7.1	109	14.6 (12.6 - 16.6)	10.1 (8.3 - 11.8)	4.8	129	14.5 (12.7 - 16.4)	10.6 (9.0 - 12.2)	5.1
4A92	10	30.7 (14.6 - 46.8)	29.1 (21.4 - 36.8)	6.6	109	19.5 (17.4 - 21.5)	16.8 (14.6 - 19.1)	6.1	119	20.4 (18.1 - 22.8)	17.9 (15.7 - 20.1)	6.1
4A93	4	n.a	n.a	n.a	44	29.2 (24.0 - 34.5)	15.6 (10.5 - 20.8)	3.7	48	29.1 (24.2 - 34.0)	17.1 (12.0 - 22.3)	4.1
Missing or excluded*	561				875				1,456			
All episodes	1,642	29.6 (28.1 - 31.1)	24.9 (23.9 - 25.8)	5.9	11,045	19.1 (18.8 - 19.4)	19.2 (18.9 - 19.5)	7.0	12,774	20.4 (20.1 - 20.8)	19.9 (19.6 - 20.2)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2018 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-202	61	98.2 (85.2 - 111.2)	33.2 (26.2 - 40.2)	2.4	33	56.3 (38.7 - 73.8)	25.5 (16.2 - 34.9)	3.2	94	83.5 (72.3 - 94.6)	30.5 (24.9 - 36.1)	2.6
3-203	55	57.4 (45.5 - 69.3)	37.5 (30.0 - 45.1)	4.6	225	29.3 (26.9 - 31.7)	18.5 (15.6 - 21.3)	4.4	284	35.2 (31.8 - 38.6)	21.9 (19.1 - 24.8)	4.4
3-204	95	11.5 (10.1 - 12.9)	11.7 (10.1 - 13.3)	7.1	239	11.7 (10.7 - 12.6)	11.8 (10.8 - 12.8)	7.1	337	11.6 (10.8 - 12.4)	11.7 (10.9 - 12.6)	7.1
3-205	14	14.2 (9.2 - 19.2)	20.3 (15.2 - 25.4)	10.0	41	18.4 (15.5 - 21.3)	16.4 (13.3 - 19.5)	6.2	55	17.3 (14.8 - 19.8)	17.4 (14.7 - 20.0)	7.0
3-206	67	17.5 (13.9 - 21.1)	24.9 (22.4 - 27.4)	10.0	316	17.1 (15.9 - 18.3)	20.0 (18.8 - 21.3)	8.2	386	17.2 (16.0 - 18.3)	20.9 (19.8 - 22.0)	8.5
3-207	7	20.4 (12.8 - 28.1)	33.0 (17.4 - 48.6)	11.3	35	21.9 (16.1 - 27.6)	23.5 (19.1 - 27.8)	7.5	42	21.6 (16.7 - 26.5)	25.1 (20.6 - 29.6)	8.1
3-208	0	n.a	n.a	n.a	545	28.8 (27.3 - 30.3)	25.8 (24.2 - 27.5)	6.3	545	28.8 (27.3 - 30.3)	25.8 (24.2 - 27.5)	6.3
3-209	192	42.0 (38.5 - 45.5)	36.5 (33.8 - 39.2)	6.1	175	36.7 (33.4 - 40.0)	34.2 (31.1 - 37.3)	6.5	367	39.5 (37.0 - 41.9)	35.4 (33.4 - 37.4)	6.3
3-210	14	10.1 (7.3 - 13.0)	9.6 (4.8 - 14.5)	6.7	15	9.5 (7.5 - 11.4)	13.3 (8.2 - 18.3)	9.8	29	9.8 (8.1 - 11.5)	11.5 (8.0 - 15.0)	8.2
3-211	82	15.0 (12.9 - 17.1)	14.7 (12.8 - 16.6)	6.8	38	14.3 (11.7 - 17.0)	11.8 (9.2 - 14.5)	5.8	121	14.7 (13.1 - 16.4)	13.7 (12.2 - 15.3)	6.5
3-212	40	23.0 (18.4 - 27.5)	18.2 (13.2 - 23.3)	5.6	16	31.7 (24.3 - 39.1)	19.3 (12.7 - 25.8)	4.3	56	25.4 (21.5 - 29.4)	18.5 (14.5 - 22.6)	5.1
3-213	48	30.8 (23.4 - 38.3)	27.6 (23.8 - 31.5)	6.3	34	29.4 (21.8 - 37.1)	22.6 (18.3 - 27.0)	5.4	82	30.2 (24.9 - 35.6)	25.6 (22.7 - 28.5)	5.9
3-214	52	35.6 (28.3 - 43.0)	41.6 (35.3 - 47.9)	8.2	80	27.6 (22.6 - 32.6)	23.4 (19.9 - 27.0)	5.9	133	30.9 (26.7 - 35.1)	30.7 (27.1 - 34.3)	7.0
3-215	19	59.1 (39.1 - 79.0)	63.1 (50.7 - 75.5)	7.5	34	36.9 (25.7 - 48.2)	30.0 (21.1 - 38.9)	5.7	53	44.9 (34.4 - 55.3)	41.8 (33.5 - 50.2)	6.5
3-216	21	18.1 (12.2 - 24.0)	10.9 (8.2 - 13.5)	4.2	20	9.9 (7.8 - 12.0)	8.9 (5.5 - 12.3)	6.3	41	14.1 (10.7 - 17.5)	9.9 (7.8 - 12.0)	4.9
3-217	10	14.5 (10.6 - 18.4)	25.0 (20.3 - 29.7)	12.1	39	17.0 (12.6 - 21.3)	11.6 (7.9 - 15.3)	4.8	49	16.5 (12.9 - 20.0)	14.3 (10.9 - 17.7)	6.1
3-218	29	31.6 (24.5 - 38.7)	26.2 (19.0 - 33.4)	5.8	84	20.5 (17.7 - 23.3)	20.3 (16.6 - 24.1)	6.9	114	23.2 (20.3 - 26.1)	21.7 (18.3 - 25.0)	6.5
3-219	4	n.a	n.a	n.a	11	35.4 (21.6 - 49.1)	27.8 (11.8 - 43.8)	5.5	15	39.1 (28.1 - 50.1)	31.3 (18.8 - 43.9)	5.6
3-220	6	11.2 (7.4 - 14.9)	3.8 (1.1 - 6.6)	2.4	2	n.a	n.a	n.a	8	13.0 (9.0 - 17.0)	3.8 (1.5 - 6.0)	2.0
3-221	42	28.1 (21.5 - 34.7)	17.1 (13.7 - 20.5)	4.2	18	26.0 (18.2 - 33.8)	17.3 (12.1 - 22.5)	4.7	60	27.5 (22.3 - 32.6)	17.1 (14.3 - 19.9)	4.4
3-222	41	54.9 (44.3 - 65.5)	40.2 (34.5 - 45.8)	5.1	38	57.0 (45.8 - 68.3)	24.3 (18.7 - 29.9)	3.0	79	55.9 (48.2 - 63.6)	32.5 (28.2 - 36.9)	4.1
3-223	18	61.6 (48.0 - 75.2)	40.9 (32.7 - 49.1)	4.6	0	n.a	n.a	n.a	18	61.6 (48.0 - 75.2)	40.9 (32.7 - 49.1)	4.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2018 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-224	5	23.6 (15.7 - 31.5)	5.0 (2.9 - 7.1)	1.5	6	9.5 (7.2 - 11.8)	2.2 (-2.0 - 6.4)	1.6	11	15.9 (10.3 - 21.5)	3.5 (0.9 - 6.0)	1.5
3-225	45	24.7 (21.1 - 28.4)	18.6 (14.8 - 22.3)	5.3	101	24.1 (21.6 - 26.6)	18.7 (16.1 - 21.4)	5.4	147	24.6 (22.5 - 26.8)	18.9 (16.7 - 21.0)	5.4
3-226	10	24.3 (11.5 - 37.1)	20.9 (9.4 - 32.4)	6.0	229	14.0 (12.7 - 15.3)	16.4 (14.9 - 18.0)	8.2	239	14.4 (13.1 - 15.8)	16.6 (15.0 - 18.2)	8.1
3-227	64	11.4 (9.5 - 13.2)	11.2 (9.1 - 13.3)	6.9	684	12.4 (11.2 - 13.6)	11.6 (11.0 - 12.3)	6.6	756	12.3 (11.2 - 13.4)	11.6 (11.0 - 12.2)	6.6
3-228	29	14.3 (11.3 - 17.2)	21.2 (18.0 - 24.4)	10.4	796	15.4 (14.7 - 16.0)	19.2 (18.6 - 19.8)	8.7	828	15.3 (14.7 - 15.9)	19.2 (18.7 - 19.8)	8.8
3-229	63	25.4 (20.9 - 30.0)	29.1 (25.9 - 32.4)	8.0	1,498	21.8 (21.1 - 22.5)	27.4 (26.7 - 28.2)	8.8	1,573	22.1 (21.4 - 22.8)	27.5 (26.8 - 28.2)	8.7
3-230	14	24.2 (14.7 - 33.8)	15.9 (8.5 - 23.3)	4.6	643	20.8 (19.9 - 21.7)	19.2 (17.9 - 20.5)	6.5	664	20.9 (20.0 - 21.8)	19.3 (18.0 - 20.6)	6.5
3-231	0	n.a	n.a	n.a	9	6.8 (5.1 - 8.4)	4.8 (0.6 - 9.0)	4.9	9	6.8 (5.1 - 8.4)	4.8 (0.6 - 9.0)	4.9
3-232	7	8.7 (5.3 - 12.2)	16.4 (11.9 - 20.9)	13.2	136	12.0 (10.7 - 13.4)	15.8 (14.5 - 17.1)	9.2	145	11.9 (10.5 - 13.2)	15.8 (14.6 - 17.1)	9.3
3-233	4	n.a	n.a	n.a	89	17.9 (15.4 - 20.4)	25.0 (22.4 - 27.7)	9.8	93	17.8 (15.4 - 20.2)	24.7 (22.2 - 27.3)	9.7
3-234	7	13.0 (2.7 - 23.3)	6.7 (1.6 - 11.8)	3.6	42	8.1 (6.3 - 10.0)	6.4 (4.6 - 8.2)	5.5	49	8.8 (6.7 - 11.0)	6.4 (4.8 - 8.1)	5.1
3-235	12	12.0 (9.0 - 15.0)	17.7 (13.9 - 21.5)	10.3	146	11.9 (10.7 - 13.0)	13.4 (12.0 - 14.8)	7.9	161	11.8 (10.8 - 12.9)	13.8 (12.4 - 15.1)	8.1
3-236	11	19.5 (12.5 - 26.4)	26.9 (18.4 - 35.5)	9.7	275	18.3 (17.0 - 19.7)	20.0 (18.4 - 21.7)	7.7	289	18.3 (17.0 - 19.6)	20.3 (18.6 - 21.9)	7.7
3-237	9	15.0 (10.0 - 20.0)	13.8 (0.4 - 27.1)	6.4	97	14.1 (12.3 - 16.0)	18.3 (15.0 - 21.6)	9.1	107	14.2 (12.4 - 15.9)	17.9 (14.7 - 21.1)	8.8
3-238	5	16.6 (8.2 - 25.0)	12.0 (6.7 - 17.3)	5.1	0	n.a	n.a	n.a	5	16.6 (8.2 - 25.0)	12.0 (6.7 - 17.3)	5.1
3-239	21	24.3 (15.8 - 32.9)	23.8 (18.8 - 28.7)	6.8	11	18.7 (14.1 - 23.4)	17.1 (11.3 - 22.9)	6.4	32	22.4 (16.6 - 28.3)	21.5 (17.5 - 25.4)	6.7
3-240	17	37.6 (27.0 - 48.3)	41.6 (34.4 - 48.9)	7.7	4	n.a	n.a	n.a	21	36.8 (28.1 - 45.5)	42.1 (35.9 - 48.3)	8.0
3-241	10	67.3 (42.7 - 91.9)	68.2 (53.7 - 82.7)	7.1	0	n.a	n.a	n.a	10	67.3 (42.7 - 91.9)	68.2 (53.7 - 82.7)	7.1
3-242	75	11.6 (9.9 - 13.4)	8.1 (6.6 - 9.6)	4.9	508	11.7 (11.0 - 12.4)	6.9 (6.2 - 7.5)	4.1	586	11.7 (11.0 - 12.3)	7.0 (6.5 - 7.6)	4.2
3-243	74	14.7 (11.8 - 17.5)	16.7 (14.6 - 18.8)	8.0	1,030	14.4 (13.8 - 15.0)	13.5 (12.9 - 14.1)	6.5	1,111	14.4 (13.9 - 15.0)	13.6 (13.1 - 14.2)	6.6
3-244	124	24.8 (21.2 - 28.4)	24.7 (21.8 - 27.5)	7.0	1,732	19.1 (18.5 - 19.6)	20.0 (19.3 - 20.7)	7.3	1,870	19.4 (18.9 - 20.0)	20.3 (19.7 - 21.0)	7.3
3-245	20	32.4 (23.0 - 41.7)	26.5 (17.2 - 35.8)	5.7	404	24.8 (23.4 - 26.2)	20.8 (18.9 - 22.8)	5.9	425	25.2 (23.8 - 26.6)	21.1 (19.3 - 23.0)	5.9
Missing or excluded	99				567				675			
All episodes	1,642	29.6 (28.1 - 31.1)	24.9 (23.9 - 25.8)	5.9	11,045	19.1 (18.8 - 19.4)	19.2 (18.9 - 19.5)	7.0	12,774	20.4 (20.1 - 20.8)	19.9 (19.6 - 20.2)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24