

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2019 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	3	n.a	n.a	n.a	3	n.a	n.a	n.a	6	99.3 (40.9 - 157.8)	38.7 (22.6 - 54.8)	2.7
4AZ2*	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AZ3	1,338	35.7 (34.3 - 37.1)	23.8 (22.6 - 25.0)	4.7	421	31.2 (29.5 - 33.0)	25.7 (23.5 - 27.9)	5.8	1,759	34.7 (33.5 - 35.8)	24.2 (23.2 - 25.3)	4.9
4AZ4	344	63.8 (58.2 - 69.3)	33.5 (30.6 - 36.5)	3.7	45	35.4 (28.0 - 42.9)	27.2 (18.7 - 35.7)	5.4	389	60.5 (55.4 - 65.6)	32.8 (30.0 - 35.6)	3.8
4AA1	1,316	14.1 (13.5 - 14.6)	16.0 (15.4 - 16.5)	8.0	638	14.2 (13.6 - 14.7)	17.7 (17.1 - 18.4)	8.8	1,954	14.1 (13.7 - 14.5)	16.5 (16.1 - 17.0)	8.2
4AA2	1,338	18.1 (17.4 - 18.8)	18.2 (17.6 - 18.8)	7.0	458	18.3 (17.5 - 19.2)	20.8 (20.0 - 21.7)	8.0	1,796	18.2 (17.6 - 18.7)	18.9 (18.4 - 19.4)	7.3
4AA3	454	22.7 (21.4 - 24.0)	21.7 (20.4 - 22.9)	6.7	80	22.8 (20.7 - 24.8)	23.1 (19.8 - 26.3)	7.1	534	22.7 (21.5 - 23.9)	21.9 (20.7 - 23.0)	6.7
4AA4	827	26.3 (25.3 - 27.3)	28.8 (27.8 - 29.9)	7.7	315	26.4 (24.3 - 28.4)	28.2 (26.8 - 29.6)	7.5	1,142	26.3 (25.4 - 27.2)	28.7 (27.8 - 29.5)	7.6
4AA5	312	35.1 (32.2 - 38.1)	35.8 (34.2 - 37.5)	7.1	44	28.1 (23.8 - 32.3)	33.5 (30.0 - 37.0)	8.3	356	34.3 (31.6 - 36.9)	35.5 (34.0 - 37.1)	7.3
4AA6	863	39.3 (38.0 - 40.7)	31.5 (30.2 - 32.7)	5.6	230	36.0 (33.4 - 38.6)	26.6 (24.1 - 29.1)	5.2	1,093	38.6 (37.4 - 39.9)	30.5 (29.3 - 31.6)	5.5
4AA7	387	57.0 (53.1 - 60.9)	40.5 (38.5 - 42.6)	5.0	25	43.6 (31.0 - 56.3)	40.5 (31.7 - 49.4)	6.5	412	56.2 (52.4 - 59.9)	40.5 (38.5 - 42.5)	5.0
4AB1-7*												
4AC1	747	14.6 (13.4 - 15.9)	10.7 (10.1 - 11.3)	5.1	845	13.4 (12.9 - 13.9)	14.2 (13.7 - 14.7)	7.4	1,592	14.0 (13.3 - 14.6)	12.6 (12.2 - 13.0)	6.3
4AC2	653	20.7 (19.5 - 21.9)	20.0 (19.1 - 21.0)	6.8	664	18.5 (17.7 - 19.2)	21.0 (20.2 - 21.8)	8.0	1,317	19.6 (18.9 - 20.3)	20.5 (19.9 - 21.2)	7.3
4AC3	549	31.5 (29.5 - 33.5)	25.4 (23.8 - 27.0)	5.6	338	24.6 (23.1 - 26.1)	20.7 (19.1 - 22.4)	5.9	887	28.9 (27.5 - 30.3)	23.6 (22.4 - 24.8)	5.7
4AD1-4*												
4AE1	40	26.4 (18.3 - 34.6)	4.4 (3.2 - 5.6)	1.2	3	n.a	n.a	n.a	43	25.8 (18.1 - 33.4)	4.3 (3.2 - 5.5)	1.2
4AE2	601	29.2 (27.5 - 30.9)	17.2 (16.3 - 18.1)	4.1	142	24.4 (21.2 - 27.6)	18.5 (16.9 - 20.0)	5.3	743	28.3 (26.8 - 29.8)	17.4 (16.6 - 18.2)	4.3
4AE3	104	44.3 (37.7 - 50.8)	26.3 (22.9 - 29.7)	4.2	20	42.9 (32.6 - 53.1)	28.0 (21.1 - 34.8)	4.6	124	44.0 (38.3 - 49.8)	26.6 (23.5 - 29.6)	4.2
4AE4	194	28.2 (24.7 - 31.8)	16.4 (14.8 - 18.0)	4.1	28	28.0 (20.0 - 35.9)	14.7 (11.1 - 18.2)	3.7	222	28.2 (25.0 - 31.5)	16.2 (14.7 - 17.6)	4.0
4AH1	2,088	15.6 (15.0 - 16.2)	16.1 (15.7 - 16.5)	7.2	3,140	16.2 (15.8 - 16.6)	18.6 (18.4 - 18.9)	8.1	5,228	16.0 (15.6 - 16.3)	17.6 (17.4 - 17.8)	7.7
4AH2	2,334	17.0 (16.6 - 17.4)	18.4 (18.0 - 18.9)	7.6	3,003	17.9 (17.5 - 18.2)	20.9 (20.6 - 21.2)	8.2	5,337	17.5 (17.2 - 17.8)	19.8 (19.6 - 20.1)	7.9
4AH3	1,787	22.5 (21.9 - 23.1)	26.5 (25.9 - 27.0)	8.2	1,512	24.6 (23.9 - 25.3)	29.1 (28.5 - 29.6)	8.3	3,299	23.5 (23.0 - 23.9)	27.6 (27.2 - 28.1)	8.3
4AH4	1,817	26.2 (25.5 - 27.0)	30.4 (29.6 - 31.1)	8.1	1,243	30.5 (29.5 - 31.4)	33.6 (32.7 - 34.5)	7.7	3,060	27.9 (27.4 - 28.5)	31.7 (31.1 - 32.3)	7.9
4A21 Ortho Replacements	1,181	9.8 (9.5 - 10.1)	10.1 (9.8 - 10.4)	7.2	13,234	9.5 (9.4 - 9.6)	12.7 (12.7 - 12.8)	9.4	14,415	9.5 (9.4 - 9.6)	12.5 (12.4 - 12.6)	9.2
4A22 Ortho Replacements	2,133	12.2 (11.9 - 12.5)	20.7 (20.3 - 21.0)	11.9	10,864	11.9 (11.7 - 12.0)	22.8 (22.7 - 23.0)	13.5	12,997	11.9 (11.8 - 12.1)	22.5 (22.4 - 22.6)	13.2
4A23 Ortho Replacements	856	18.3 (17.6 - 19.0)	32.9 (32.1 - 33.8)	12.6	1,273	19.1 (18.5 - 19.7)	33.6 (32.9 - 34.2)	12.3	2,129	18.8 (18.3 - 19.3)	33.3 (32.8 - 33.8)	12.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2019 (2/2)

AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	63	11.6 (9.8 - 13.3)	9.5 (7.6 - 11.3)	5.7	245	11.5 (10.6 - 12.4)	12.1 (11.3 - 12.9)	7.4	308	11.5 (10.7 - 12.3)	11.6 (10.8 - 12.3)	7.0
4A22 Ortho Soft Tissue Injury	161	14.4 (12.9 - 15.9)	18.1 (16.6 - 19.5)	8.8	495	15.1 (14.3 - 15.9)	20.1 (19.4 - 20.8)	9.3	656	14.9 (14.2 - 15.7)	19.6 (18.9 - 20.2)	9.2
4A23 Ortho Soft Tissue Injury	155	19.9 (17.4 - 22.4)	25.8 (23.6 - 28.0)	9.1	164	21.9 (19.8 - 23.9)	27.5 (25.5 - 29.4)	8.8	319	20.9 (19.3 - 22.5)	26.6 (25.2 - 28.1)	8.9
4A21 Ortho Other	298	11.5 (10.6 - 12.4)	9.8 (9.1 - 10.5)	6.0	3,188	10.7 (10.4 - 10.9)	13.0 (12.8 - 13.2)	8.5	3,486	10.7 (10.5 - 10.9)	12.7 (12.5 - 12.9)	8.3
4A22 Ortho Other	464	17.3 (16.2 - 18.4)	20.6 (19.8 - 21.3)	8.3	3,173	14.1 (13.8 - 14.4)	22.9 (22.7 - 23.2)	11.4	3,637	14.5 (14.2 - 14.8)	22.6 (22.4 - 22.9)	10.9
4A23 Ortho Other	300	27.8 (25.3 - 30.2)	29.2 (27.5 - 31.0)	7.4	693	23.0 (22.0 - 24.1)	32.4 (31.4 - 33.4)	9.8	993	24.5 (23.4 - 25.5)	31.4 (30.6 - 32.3)	9.0
4A31 Pain	187	11.0 (9.9 - 12.0)	8.4 (7.7 - 9.2)	5.4	1,226	12.0 (11.3 - 12.7)	7.8 (7.4 - 8.1)	4.5	1,413	11.9 (11.3 - 12.5)	7.9 (7.6 - 8.2)	4.6
4A32 Pain	419	13.5 (12.6 - 14.3)	17.0 (16.2 - 17.8)	8.8	1,107	13.6 (13.2 - 14.1)	18.6 (18.2 - 19.0)	9.6	1,526	13.6 (13.2 - 14.0)	18.2 (17.8 - 18.6)	9.4
4A33 Pain	272	16.8 (15.6 - 17.9)	25.5 (24.2 - 26.9)	10.6	318	18.7 (17.4 - 19.9)	25.4 (24.2 - 26.6)	9.5	590	17.8 (16.9 - 18.7)	25.5 (24.5 - 26.4)	10.0
4A34 Pain	90	22.3 (19.6 - 25.1)	29.0 (25.2 - 32.8)	9.1	62	21.8 (19.2 - 24.4)	29.8 (25.1 - 34.5)	9.6	152	22.1 (20.2 - 24.1)	29.3 (26.4 - 32.3)	9.3
4A31 Cardiac	161	11.9 (10.9 - 12.9)	7.5 (6.5 - 8.4)	4.4	866	10.1 (9.8 - 10.4)	12.6 (12.2 - 13.0)	8.7	1,027	10.4 (10.1 - 10.7)	11.8 (11.4 - 12.2)	8.0
4A32 Cardiac	370	14.1 (13.0 - 15.1)	17.8 (16.9 - 18.8)	8.9	1,468	12.8 (12.3 - 13.4)	21.1 (20.7 - 21.5)	11.5	1,838	13.1 (12.6 - 13.6)	20.4 (20.1 - 20.8)	10.9
4A33 Cardiac	229	18.3 (16.8 - 19.9)	24.2 (22.6 - 25.8)	9.2	394	17.8 (16.9 - 18.6)	26.3 (25.1 - 27.5)	10.4	623	18.0 (17.2 - 18.8)	25.5 (24.6 - 26.5)	9.9
4A34 Cardiac	47	24.1 (19.7 - 28.6)	29.5 (23.0 - 36.0)	8.6	56	23.2 (19.6 - 26.8)	28.5 (24.0 - 33.0)	8.6	103	23.6 (20.8 - 26.4)	29.0 (25.1 - 32.8)	8.6
4A31 Pulmonary	123	11.0 (9.7 - 12.2)	7.4 (5.9 - 8.8)	4.7	284	11.5 (10.8 - 12.1)	11.6 (10.8 - 12.3)	7.0	407	11.3 (10.7 - 11.9)	10.3 (9.6 - 11.0)	6.4
4A32 Pulmonary	278	13.4 (12.4 - 14.3)	15.5 (14.5 - 16.6)	8.1	706	13.7 (13.2 - 14.1)	19.1 (18.6 - 19.7)	9.8	984	13.6 (13.1 - 14.0)	18.1 (17.6 - 18.6)	9.3
4A33 Pulmonary	182	18.2 (16.4 - 20.0)	23.6 (21.7 - 25.5)	9.1	229	17.3 (16.0 - 18.6)	22.7 (21.3 - 24.1)	9.2	411	17.7 (16.6 - 18.8)	23.1 (21.9 - 24.3)	9.1
4A34 Pulmonary	61	24.9 (21.7 - 28.1)	26.2 (21.6 - 30.7)	7.4	40	24.8 (19.5 - 30.0)	33.5 (28.1 - 38.9)	9.5	101	24.9 (22.0 - 27.7)	29.1 (25.5 - 32.6)	8.2
4AP1*	173	26.6 (23.4 - 29.9)	27.8 (25.4 - 30.1)	7.3	210	31.3 (27.8 - 34.8)	31.1 (29.0 - 33.2)	7.0	383	29.2 (26.7 - 31.6)	29.6 (28.0 - 31.2)	7.1
4AR1	2,461	13.0 (12.6 - 13.4)	9.6 (9.3 - 9.9)	5.2	5,831	11.9 (11.7 - 12.0)	12.7 (12.6 - 12.9)	7.5	8,292	12.2 (12.1 - 12.4)	11.8 (11.7 - 12.0)	6.8
4AR2	2,958	15.8 (15.5 - 16.2)	17.8 (17.4 - 18.1)	7.9	6,028	15.0 (14.8 - 15.3)	20.1 (19.9 - 20.3)	9.4	8,986	15.3 (15.1 - 15.5)	19.3 (19.1 - 19.5)	8.8
4AR3	1,600	17.2 (16.4 - 18.0)	18.3 (17.7 - 18.9)	7.4	1,708	16.9 (16.5 - 17.3)	20.4 (19.9 - 20.9)	8.5	3,308	17.1 (16.6 - 17.5)	19.4 (19.0 - 19.8)	8.0
4AR4	605	22.5 (21.3 - 23.8)	25.3 (24.3 - 26.4)	7.9	585	20.9 (20.0 - 21.9)	25.3 (24.4 - 26.3)	8.5	1,190	21.8 (21.0 - 22.6)	25.3 (24.6 - 26.1)	8.2
4AR5	2,129	21.1 (20.5 - 21.7)	23.0 (22.4 - 23.6)	7.6	1,787	20.1 (19.6 - 20.6)	24.1 (23.5 - 24.7)	8.4	3,916	20.6 (20.3 - 21.0)	23.5 (23.1 - 23.9)	8.0
4AR6	1,395	27.5 (26.4 - 28.7)	26.6 (25.6 - 27.6)	6.8	737	25.4 (24.4 - 26.4)	25.7 (24.4 - 26.9)	7.1	2,132	26.8 (26.0 - 27.6)	26.3 (25.5 - 27.1)	6.9
4A91	284	16.0 (14.4 - 17.6)	12.6 (11.5 - 13.7)	5.5	281	14.4 (13.3 - 15.4)	14.0 (13.0 - 15.0)	6.8	565	15.2 (14.2 - 16.2)	13.3 (12.6 - 14.1)	6.1
4A92	197	20.5 (18.4 - 22.6)	23.6 (21.7 - 25.4)	8.0	85	19.0 (16.8 - 21.2)	25.9 (23.6 - 28.1)	9.5	282	20.0 (18.4 - 21.6)	24.3 (22.8 - 25.7)	8.5
4A93	66	35.7 (28.8 - 42.6)	24.8 (20.9 - 28.8)	4.9	11	29.1 (22.7 - 35.5)	23.7 (12.7 - 34.7)	5.7	77	34.7 (28.8 - 40.7)	24.7 (21.0 - 28.4)	5.0
Missing or excluded*	11,281				7,028				18,309			
All episodes	49,275	21.7 (21.5 - 22.0)	21.0 (20.9 - 21.2)	6.8	77,574	14.6 (14.5 - 14.7)	19.2 (19.1 - 19.3)	9.2	126,849	17.2 (17.1 - 17.3)	19.9 (19.8 - 19.9)	8.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2019 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	191	107.0 (93.1 - 120.8)	34.4 (29.8 - 39.0)	2.3	42	82.0 (63.9 - 100.2)	59.0 (46.9 - 71.1)	5.0	233	102.5 (90.6 - 114.3)	38.8 (34.3 - 43.4)	2.7
3-203	514	47.1 (43.8 - 50.3)	26.7 (24.5 - 29.0)	4.0	94	33.6 (29.5 - 37.7)	31.5 (25.5 - 37.6)	6.6	608	45.0 (42.2 - 47.8)	27.5 (25.3 - 29.6)	4.3
3-204	1,538	14.0 (13.4 - 14.5)	12.9 (12.5 - 13.3)	6.5	614	13.8 (13.3 - 14.4)	15.8 (15.2 - 16.4)	8.0	2,152	13.9 (13.5 - 14.4)	13.7 (13.4 - 14.1)	6.9
3-205	290	21.6 (20.0 - 23.3)	18.5 (17.4 - 19.7)	6.0	38	19.7 (16.5 - 23.0)	16.8 (12.4 - 21.3)	6.0	328	21.4 (19.9 - 22.9)	18.4 (17.2 - 19.5)	6.0
3-206	1,419	20.2 (19.5 - 20.9)	24.1 (23.5 - 24.7)	8.4	606	19.7 (18.9 - 20.4)	23.9 (23.2 - 24.7)	8.5	2,025	20.0 (19.5 - 20.5)	24.0 (23.5 - 24.5)	8.4
3-207	167	25.6 (23.3 - 28.0)	27.2 (24.8 - 29.5)	7.4	40	25.5 (22.6 - 28.4)	29.4 (25.0 - 33.8)	8.1	207	25.6 (23.6 - 27.6)	27.6 (25.5 - 29.6)	7.5
3-208	1,322	34.4 (33.4 - 35.4)	27.8 (26.8 - 28.8)	5.7	407	32.0 (30.0 - 34.0)	26.4 (24.8 - 28.0)	5.8	1,729	33.8 (32.9 - 34.7)	27.5 (26.6 - 28.3)	5.7
3-209	1,207	48.1 (46.2 - 50.1)	36.9 (35.8 - 38.0)	5.4	149	37.7 (34.1 - 41.3)	33.9 (30.8 - 37.0)	6.3	1,356	47.0 (45.2 - 48.8)	36.6 (35.5 - 37.6)	5.5
3-210	142	11.7 (10.6 - 12.9)	12.4 (11.0 - 13.9)	7.4	172	13.4 (12.4 - 14.5)	15.5 (14.4 - 16.6)	8.1	314	12.7 (11.9 - 13.5)	14.1 (13.2 - 15.0)	7.8
3-211	413	15.1 (14.0 - 16.2)	14.3 (13.4 - 15.3)	6.6	212	14.9 (14.0 - 15.9)	17.6 (16.4 - 18.8)	8.3	625	15.0 (14.2 - 15.8)	15.4 (14.7 - 16.2)	7.2
3-212	187	21.3 (18.6 - 24.0)	16.7 (14.9 - 18.5)	5.5	41	17.7 (14.7 - 20.6)	21.4 (18.2 - 24.7)	8.5	228	20.6 (18.4 - 22.9)	17.6 (15.9 - 19.2)	6.0
3-213	280	33.3 (29.2 - 37.3)	20.3 (18.6 - 22.0)	4.3	27	19.5 (15.5 - 23.5)	23.0 (18.0 - 28.0)	8.3	307	32.1 (28.3 - 35.8)	20.5 (18.9 - 22.1)	4.5
3-214	555	32.5 (30.2 - 34.9)	33.4 (31.7 - 35.2)	7.2	204	26.8 (23.8 - 29.8)	27.9 (25.8 - 30.0)	7.3	759	31.0 (29.1 - 32.9)	32.0 (30.5 - 33.4)	7.2
3-215	151	64.3 (55.4 - 73.1)	45.3 (40.5 - 50.2)	4.9	22	30.0 (23.0 - 37.0)	26.8 (16.9 - 36.6)	6.2	173	59.9 (52.0 - 67.9)	43.0 (38.5 - 47.5)	5.0
3-216	659	14.5 (13.1 - 15.8)	10.2 (9.5 - 10.8)	4.9	731	12.9 (12.4 - 13.4)	13.6 (13.0 - 14.1)	7.4	1,390	13.6 (12.9 - 14.3)	11.9 (11.5 - 12.4)	6.1
3-217	544	19.2 (17.9 - 20.5)	18.2 (17.2 - 19.2)	6.6	597	17.8 (17.0 - 18.5)	20.2 (19.5 - 21.0)	8.0	1,141	18.5 (17.7 - 19.2)	19.3 (18.6 - 19.9)	7.3
3-218	766	29.5 (27.9 - 31.2)	24.8 (23.5 - 26.0)	5.9	524	23.0 (21.8 - 24.1)	21.2 (19.9 - 22.4)	6.5	1,290	26.9 (25.8 - 27.9)	23.3 (22.4 - 24.2)	6.1
3-219	59	40.9 (29.8 - 52.0)	27.0 (20.2 - 33.8)	4.6	20	30.3 (20.5 - 40.0)	16.1 (7.5 - 24.7)	3.7	79	38.2 (29.5 - 46.9)	24.2 (18.7 - 29.8)	4.4
3-220	18	19.5 (9.9 - 29.1)	2.6 (0.7 - 4.4)	0.9	1	n.a	n.a	n.a	19	18.8 (9.6 - 28.0)	2.9 (1.0 - 4.8)	1.1
3-221	243	30.5 (27.1 - 33.8)	16.2 (14.9 - 17.5)	3.7	57	22.4 (18.8 - 26.1)	20.2 (17.7 - 22.6)	6.3	300	29.0 (26.1 - 31.8)	17.0 (15.8 - 18.1)	4.1
3-222	314	69.6 (63.0 - 76.2)	29.0 (26.9 - 31.1)	2.9	35	43.8 (34.5 - 53.1)	21.0 (14.6 - 27.5)	3.4	349	67.0 (61.0 - 73.1)	28.2 (26.2 - 30.2)	2.9
3-223	38	71.3 (53.5 - 89.1)	37.6 (31.4 - 43.8)	3.7	5	31.8 (9.4 - 54.2)	14.0 (-3.1 - 31.1)	3.1	43	66.7 (50.4 - 83.1)	34.9 (28.7 - 41.1)	3.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2019 (2/2)

AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	178	20.3 (17.7 - 22.9)	6.1 (5.4 - 6.8)	2.1	34	20.1 (14.6 - 25.6)	7.9 (5.6 - 10.2)	2.8	212	20.3 (18.0 - 22.7)	6.4 (5.7 - 7.1)	2.2
3-225	770	33.2 (31.4 - 35.0)	20.3 (19.4 - 21.2)	4.3	163	28.3 (25.1 - 31.6)	21.0 (19.4 - 22.6)	5.2	933	32.3 (30.7 - 33.9)	20.4 (19.6 - 21.2)	4.4
3-226	980	14.9 (14.2 - 15.5)	19.0 (18.3 - 19.8)	9.0	2,717	13.7 (13.3 - 14.1)	14.8 (14.4 - 15.2)	7.6	3,697	14.0 (13.7 - 14.3)	15.9 (15.6 - 16.3)	8.0
3-227	2,283	14.6 (14.2 - 14.9)	13.4 (13.0 - 13.7)	6.4	3,418	14.6 (14.4 - 14.9)	16.4 (16.2 - 16.6)	7.8	5,701	14.6 (14.4 - 14.8)	15.2 (15.0 - 15.4)	7.3
3-228	2,115	18.4 (17.8 - 18.9)	21.6 (21.1 - 22.0)	8.2	2,627	20.0 (19.5 - 20.5)	23.9 (23.6 - 24.2)	8.4	4,742	19.3 (18.9 - 19.6)	22.8 (22.6 - 23.1)	8.3
3-229	3,162	24.4 (23.9 - 25.0)	28.8 (28.3 - 29.3)	8.2	2,510	27.4 (26.8 - 28.0)	31.5 (31.0 - 32.1)	8.1	5,672	25.7 (25.3 - 26.1)	30.0 (29.6 - 30.4)	8.2
3-230	679	25.1 (23.9 - 26.4)	25.6 (24.2 - 26.9)	7.1	459	25.7 (24.4 - 27.0)	26.9 (25.3 - 28.4)	7.3	1,138	25.4 (24.5 - 26.3)	26.1 (25.1 - 27.1)	7.2
3-231	590	10.0 (9.5 - 10.4)	7.4 (7.1 - 7.8)	5.2	6,752	9.0 (8.8 - 9.3)	9.9 (9.8 - 10.0)	7.7	7,342	9.1 (8.9 - 9.3)	9.7 (9.6 - 9.8)	7.4
3-232	2,676	11.6 (11.3 - 11.8)	18.8 (18.5 - 19.1)	11.4	17,243	11.1 (11.0 - 11.2)	20.1 (20.0 - 20.2)	12.7	19,919	11.2 (11.1 - 11.2)	19.9 (19.8 - 20.0)	12.5
3-233	921	18.3 (17.6 - 19.0)	32.5 (31.7 - 33.4)	12.4	1,388	19.4 (18.5 - 20.3)	33.2 (32.6 - 33.9)	12.0	2,309	18.9 (18.3 - 19.6)	33.0 (32.4 - 33.5)	12.2
3-234	299	11.2 (10.3 - 12.0)	8.7 (8.1 - 9.4)	5.5	2,732	10.5 (10.2 - 10.7)	11.8 (11.6 - 12.0)	7.9	3,031	10.5 (10.3 - 10.8)	11.5 (11.3 - 11.7)	7.7
3-235	549	15.5 (14.6 - 16.5)	18.5 (17.8 - 19.1)	8.3	3,851	13.2 (13.0 - 13.5)	20.9 (20.7 - 21.1)	11.1	4,400	13.5 (13.3 - 13.8)	20.6 (20.4 - 20.8)	10.7
3-236	608	23.9 (22.4 - 25.5)	26.8 (25.7 - 27.9)	7.8	1,385	21.0 (20.3 - 21.7)	29.8 (29.2 - 30.5)	9.9	1,993	21.9 (21.2 - 22.6)	28.9 (28.3 - 29.5)	9.2
3-237	816	15.5 (14.8 - 16.3)	18.2 (17.3 - 19.1)	8.2	2,789	12.9 (12.5 - 13.3)	19.3 (19.0 - 19.7)	10.5	3,605	13.5 (13.2 - 13.8)	19.1 (18.7 - 19.4)	9.9
3-238	52	16.4 (12.4 - 20.3)	8.3 (6.5 - 10.0)	3.5	45	16.3 (12.6 - 20.0)	12.2 (10.6 - 13.7)	5.2	97	16.4 (13.6 - 19.1)	10.1 (8.8 - 11.3)	4.3
3-239	225	27.3 (24.2 - 30.4)	21.9 (20.5 - 23.4)	5.6	208	27.6 (24.5 - 30.6)	27.1 (25.8 - 28.4)	6.9	433	27.4 (25.3 - 29.6)	24.4 (23.4 - 25.4)	6.2
3-240	114	45.2 (39.2 - 51.2)	42.8 (40.1 - 45.5)	6.6	158	48.8 (43.2 - 54.4)	49.3 (47.5 - 51.2)	7.1	272	47.3 (43.2 - 51.4)	46.6 (45.0 - 48.2)	6.9
3-241	31	76.8 (63.0 - 90.6)	68.4 (61.3 - 75.5)	6.2	16	60.5 (38.6 - 82.4)	75.6 (70.8 - 80.3)	8.7	47	71.3 (59.4 - 83.1)	70.8 (65.8 - 75.8)	7.0
3-242	2,317	12.6 (12.2 - 13.0)	8.9 (8.6 - 9.2)	4.9	5,351	11.8 (11.6 - 11.9)	11.9 (11.7 - 12.0)	7.1	7,668	12.0 (11.9 - 12.2)	11.0 (10.8 - 11.1)	6.4
3-243	4,203	15.4 (15.1 - 15.7)	16.7 (16.4 - 16.9)	7.6	8,029	14.5 (14.3 - 14.7)	19.3 (19.1 - 19.4)	9.3	12,232	14.8 (14.7 - 15.0)	18.4 (18.2 - 18.5)	8.7
3-244	5,235	21.4 (21.0 - 21.9)	23.6 (23.2 - 24.0)	7.7	4,671	19.9 (19.6 - 20.3)	24.0 (23.6 - 24.3)	8.4	9,906	20.7 (20.5 - 21.0)	23.8 (23.5 - 24.0)	8.0
3-245	852	29.9 (28.1 - 31.6)	24.4 (22.9 - 25.8)	5.7	373	26.2 (24.5 - 27.8)	24.2 (22.2 - 26.2)	6.5	1,225	28.7 (27.4 - 30.0)	24.3 (23.2 - 25.5)	5.9
Missing or excluded	8,603				6,017				14,620			
All episodes	49,275	21.7 (21.5 - 22.0)	21.0 (20.9 - 21.2)	6.8	77,574	14.6 (14.5 - 14.7)	19.2 (19.1 - 19.3)	9.2	126,849	17.2 (17.1 - 17.3)	19.9 (19.8 - 19.9)	8.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24