

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2019 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	763	28.8 (27.5 - 30.1)	20.2 (18.7 - 21.7)	4.9	763	28.8 (27.5 - 30.1)	20.2 (18.7 - 21.7)	4.9
4AZ4	106	60.8 (52.4 - 69.2)	31.5 (26.7 - 36.4)	3.6	0	n.a	n.a	n.a	106	60.8 (52.4 - 69.2)	31.5 (26.7 - 36.4)	3.6
4AA1	70	12.3 (10.7 - 13.8)	15.1 (13.0 - 17.2)	8.6	235	11.3 (10.3 - 12.3)	14.6 (13.4 - 15.7)	9.0	308	11.5 (10.7 - 12.4)	14.7 (13.7 - 15.7)	8.9
4AA2	67	11.4 (9.9 - 13.0)	16.8 (14.3 - 19.3)	10.2	224	15.0 (13.8 - 16.2)	17.1 (15.8 - 18.5)	8.0	292	14.2 (13.2 - 15.2)	17.0 (15.8 - 18.2)	8.4
4AA3	12	18.8 (9.9 - 27.7)	26.5 (18.4 - 34.6)	9.8	87	20.6 (17.5 - 23.7)	20.3 (17.5 - 23.1)	6.9	99	20.4 (17.5 - 23.3)	21.0 (18.4 - 23.7)	7.2
4AA4	0	n.a	n.a	n.a	248	23.6 (20.4 - 26.8)	24.7 (22.7 - 26.6)	7.3	248	23.6 (20.4 - 26.8)	24.7 (22.7 - 26.6)	7.3
4AA5	81	28.9 (24.5 - 33.3)	35.0 (32.3 - 37.6)	8.5	18	26.3 (20.2 - 32.4)	37.6 (31.4 - 43.7)	10.0	99	28.4 (24.6 - 32.2)	35.4 (33.0 - 37.9)	8.7
4AA6	0	n.a	n.a	n.a	353	31.9 (29.9 - 33.9)	27.5 (25.5 - 29.6)	6.0	353	31.9 (29.9 - 33.9)	27.5 (25.5 - 29.6)	6.0
4AA7	88	44.9 (39.8 - 50.0)	39.3 (35.0 - 43.5)	6.1	11	40.1 (28.5 - 51.7)	50.1 (37.6 - 62.6)	8.7	99	44.4 (39.7 - 49.1)	40.5 (36.4 - 44.5)	6.4
4AB1-7*												
4AC1	20	15.9 (10.2 - 21.6)	11.7 (8.0 - 15.4)	5.2	36	13.2 (10.2 - 16.1)	9.3 (6.6 - 11.9)	4.9	56	14.1 (11.4 - 16.9)	10.1 (8.0 - 12.3)	5.0
4AC2	18	19.6 (12.6 - 26.6)	23.8 (19.3 - 28.4)	8.5	73	17.4 (15.0 - 19.7)	16.8 (14.0 - 19.6)	6.8	91	17.8 (15.5 - 20.1)	18.2 (15.7 - 20.7)	7.2
4AC3	21	39.5 (26.5 - 52.5)	28.6 (18.7 - 38.4)	5.1	70	21.4 (18.1 - 24.8)	22.1 (18.2 - 26.0)	7.2	92	25.4 (21.2 - 29.6)	23.3 (19.6 - 27.1)	6.4
4AD1-4*												
4AE1	3	n.a	n.a	n.a	2	n.a	n.a	n.a	5	12.6 (7.2 - 18.0)	4.2 (1.4 - 7.0)	2.3
4AE2	31	23.8 (19.4 - 28.1)	17.0 (12.8 - 21.2)	5.0	76	22.0 (19.1 - 24.9)	15.7 (13.4 - 17.9)	5.0	107	22.5 (20.1 - 24.9)	16.0 (14.1 - 18.0)	5.0
4AE3	9	38.6 (21.6 - 55.5)	30.1 (16.2 - 44.0)	5.5	37	32.4 (27.8 - 37.1)	21.6 (15.4 - 27.8)	4.7	46	33.6 (28.7 - 38.6)	23.3 (17.6 - 29.0)	4.8
4AE4	18	34.8 (6.6 - 63.0)	10.4 (6.0 - 14.8)	2.1	0	n.a	n.a	n.a	18	34.8 (6.6 - 63.0)	10.4 (6.0 - 14.8)	2.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2019 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	64	13.9 (11.5 - 16.2)	13.3 (11.1 - 15.4)	6.7	499	11.7 (11.1 - 12.4)	14.7 (14.0 - 15.4)	8.8	570	12.0 (11.3 - 12.6)	14.5 (13.8 - 15.2)	8.5
4AH2	44	13.2 (10.0 - 16.3)	15.3 (12.7 - 17.8)	8.1	985	14.5 (13.9 - 15.0)	16.1 (15.5 - 16.6)	7.8	1,035	14.4 (13.9 - 14.9)	16.0 (15.5 - 16.6)	7.8
4AH3	29	21.6 (17.6 - 25.7)	27.7 (23.5 - 31.8)	9.0	791	18.5 (17.7 - 19.2)	23.5 (22.7 - 24.4)	8.9	831	18.6 (17.8 - 19.3)	23.7 (22.9 - 24.5)	8.9
4AH4	45	25.8 (21.3 - 30.4)	30.8 (26.0 - 35.6)	8.3	1,253	22.8 (22.0 - 23.5)	27.8 (26.9 - 28.8)	8.6	1,304	22.9 (22.2 - 23.7)	28.0 (27.0 - 28.9)	8.5
4A21	8	7.8 (4.5 - 11.0)	7.6 (3.9 - 11.4)	6.9	101	9.1 (8.0 - 10.3)	6.8 (4.9 - 8.6)	5.2	109	9.0 (8.0 - 10.1)	6.8 (5.1 - 8.6)	5.3
4A22	17	11.8 (9.8 - 13.8)	17.3 (14.5 - 20.1)	10.3	278	12.9 (12.0 - 13.8)	16.3 (15.3 - 17.4)	8.9	300	12.8 (12.0 - 13.6)	16.4 (15.5 - 17.4)	9.0
4A23	14	24.1 (16.0 - 32.1)	24.4 (16.6 - 32.3)	7.1	290	18.5 (17.1 - 19.8)	23.3 (21.6 - 25.0)	8.8	306	18.7 (17.4 - 20.0)	23.3 (21.6 - 24.9)	8.7
4A31	6	13.8 (9.6 - 18.1)	6.2 (1.7 - 10.6)	3.1	68	10.0 (8.3 - 11.7)	6.6 (5.3 - 8.0)	4.6	74	10.3 (8.7 - 12.0)	6.6 (5.3 - 7.9)	4.5
4A32	9	19.2 (9.3 - 29.1)	15.0 (4.9 - 25.1)	5.5	186	12.3 (11.3 - 13.4)	15.2 (13.9 - 16.5)	8.6	196	12.6 (11.6 - 13.7)	15.2 (13.9 - 16.5)	8.4
4A33	4	n.a	n.a	n.a	154	15.5 (14.1 - 16.9)	19.8 (17.8 - 21.9)	9.0	158	15.7 (14.2 - 17.1)	20.2 (18.1 - 22.2)	9.0
4A34	3	n.a	n.a	n.a	66	21.2 (18.8 - 23.6)	27.4 (22.8 - 32.0)	9.0	69	22.0 (19.3 - 24.7)	28.1 (23.6 - 32.6)	8.9
4AP1*	14	26.3 (9.7 - 42.8)	19.4 (12.9 - 25.8)	5.2	10	20.1 (11.4 - 28.8)	23.9 (15.5 - 32.3)	8.3	24	23.7 (13.5 - 33.9)	21.3 (16.1 - 26.4)	6.3
4AR1	71	12.5 (10.3 - 14.6)	10.2 (8.5 - 12.0)	5.7	505	11.8 (11.1 - 12.6)	7.6 (6.9 - 8.3)	4.5	578	11.9 (11.2 - 12.6)	7.9 (7.3 - 8.6)	4.7
4AR2	60	18.4 (14.4 - 22.3)	18.7 (16.4 - 20.9)	7.1	606	14.5 (13.7 - 15.3)	14.9 (14.1 - 15.7)	7.2	669	14.8 (14.0 - 15.6)	15.2 (14.5 - 15.9)	7.2
4AR3	26	18.4 (12.8 - 24.0)	18.1 (13.7 - 22.6)	6.9	540	15.6 (14.8 - 16.5)	14.1 (13.2 - 15.0)	6.3	572	15.8 (15.0 - 16.6)	14.3 (13.4 - 15.2)	6.3
4AR4	15	23.3 (7.0 - 39.6)	23.2 (15.8 - 30.6)	7.0	121	18.9 (17.0 - 20.8)	21.2 (18.8 - 23.6)	7.9	137	19.4 (17.0 - 21.8)	21.5 (19.2 - 23.8)	7.8
4AR5	35	29.6 (20.0 - 39.3)	23.9 (18.7 - 29.0)	5.6	805	18.4 (17.6 - 19.2)	19.7 (18.7 - 20.8)	7.5	845	18.8 (18.0 - 19.7)	19.9 (18.9 - 20.9)	7.4
4AR6	56	33.1 (26.5 - 39.7)	22.8 (17.9 - 27.7)	4.8	616	22.4 (21.4 - 23.5)	22.6 (21.2 - 24.1)	7.1	674	23.3 (22.2 - 24.4)	22.6 (21.2 - 24.0)	6.8
4A91	19	13.3 (8.0 - 18.7)	13.4 (9.4 - 17.5)	7.1	102	14.8 (13.0 - 16.7)	9.5 (7.8 - 11.3)	4.5	122	14.6 (12.8 - 16.3)	10.1 (8.4 - 11.7)	4.8
4A92	9	28.2 (13.6 - 42.9)	26.4 (16.2 - 36.7)	6.6	106	18.9 (16.6 - 21.1)	16.5 (14.2 - 18.8)	6.1	115	19.6 (17.2 - 22.0)	17.3 (15.0 - 19.6)	6.2
4A93	5	39.8 (12.3 - 67.3)	43.2 (25.3 - 61.1)	7.6	51	24.7 (20.1 - 29.4)	15.7 (11.6 - 19.8)	4.4	56	26.1 (21.2 - 31.0)	18.2 (13.7 - 22.7)	4.9
Missing or excluded*	569				886				1,475			
All episodes	1,666	30.8 (29.2 - 32.4)	24.8 (23.8 - 25.7)	5.6	11,252	18.9 (18.7 - 19.2)	19.3 (19.1 - 19.6)	7.1	13,001	20.5 (20.2 - 20.8)	20.0 (19.7 - 20.3)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2019 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	55	101.1 (86.6 - 115.5)	29.1 (21.9 - 36.4)	2.0	34	54.3 (39.2 - 69.3)	22.4 (14.3 - 30.6)	2.9	89	83.2 (71.6 - 94.8)	26.6 (21.1 - 32.1)	2.2
3-203	51	68.0 (54.4 - 81.6)	35.3 (28.3 - 42.3)	3.6	219	30.8 (28.3 - 33.3)	19.0 (16.3 - 21.8)	4.3	274	37.6 (34.0 - 41.3)	21.8 (19.1 - 24.5)	4.1
3-204	92	11.0 (9.8 - 12.3)	12.1 (10.6 - 13.7)	7.7	229	11.6 (10.5 - 12.6)	11.3 (10.3 - 12.3)	6.8	324	11.4 (10.6 - 12.2)	11.5 (10.7 - 12.3)	7.1
3-205	7	14.9 (6.8 - 22.9)	19.3 (9.6 - 28.9)	9.1	38	18.1 (15.2 - 21.0)	16.9 (13.4 - 20.4)	6.5	45	17.6 (14.9 - 20.3)	17.3 (14.0 - 20.5)	6.9
3-206	66	17.1 (13.8 - 20.4)	27.0 (24.6 - 29.4)	11.0	307	17.5 (14.9 - 20.1)	20.7 (19.5 - 21.9)	8.3	376	17.4 (15.2 - 19.6)	21.8 (20.7 - 22.9)	8.8
3-207	1	n.a	n.a	n.a	45	23.5 (18.2 - 28.7)	23.5 (19.4 - 27.6)	7.0	46	24.0 (18.7 - 29.2)	23.9 (19.8 - 28.0)	7.0
3-208	0	n.a	n.a	n.a	529	28.7 (27.3 - 30.2)	24.4 (22.7 - 26.0)	5.9	529	28.7 (27.3 - 30.2)	24.4 (22.7 - 26.0)	5.9
3-209	180	41.2 (37.5 - 44.8)	36.8 (34.0 - 39.6)	6.3	186	36.7 (33.7 - 39.7)	33.5 (30.6 - 36.5)	6.4	366	38.9 (36.5 - 41.3)	35.2 (33.1 - 37.2)	6.3
3-210	16	10.4 (8.2 - 12.7)	13.7 (9.1 - 18.3)	9.2	9	11.9 (8.6 - 15.1)	12.3 (7.0 - 17.6)	7.3	25	11.0 (9.1 - 12.8)	13.2 (9.7 - 16.7)	8.4
3-211	78	15.8 (13.7 - 17.9)	16.0 (14.1 - 17.9)	7.1	33	14.0 (10.9 - 17.2)	11.6 (8.5 - 14.7)	5.8	112	15.2 (13.4 - 16.9)	14.6 (13.0 - 16.3)	6.7
3-212	33	22.9 (17.8 - 28.1)	20.5 (17.0 - 24.0)	6.3	15	26.5 (20.2 - 32.7)	21.3 (15.3 - 27.3)	5.6	48	24.0 (20.0 - 28.1)	20.8 (17.8 - 23.8)	6.0
3-213	56	37.3 (27.6 - 47.0)	29.6 (26.3 - 32.9)	5.6	30	22.8 (15.1 - 30.5)	19.2 (13.9 - 24.4)	5.9	86	32.2 (25.2 - 39.2)	26.0 (23.0 - 29.0)	5.6
3-214	57	39.1 (29.9 - 48.2)	45.2 (40.0 - 50.4)	8.1	107	27.3 (22.6 - 32.0)	23.9 (20.5 - 27.2)	6.1	165	31.5 (27.0 - 36.0)	31.4 (28.2 - 34.6)	7.0
3-215	14	58.9 (35.9 - 81.8)	55.4 (38.8 - 72.0)	6.6	28	30.3 (24.9 - 35.7)	22.5 (13.9 - 31.1)	5.2	42	39.8 (30.6 - 49.1)	33.5 (24.3 - 42.7)	5.9
3-216	20	15.9 (10.2 - 21.6)	11.7 (8.0 - 15.4)	5.2	33	13.1 (10.1 - 16.0)	9.5 (6.6 - 12.3)	5.1	53	14.1 (11.3 - 17.0)	10.3 (8.1 - 12.6)	5.1
3-217	15	20.7 (12.4 - 29.0)	23.7 (18.8 - 28.6)	8.0	41	17.6 (14.2 - 21.1)	13.6 (10.5 - 16.7)	5.4	56	18.4 (15.1 - 21.8)	16.3 (13.5 - 19.2)	6.2
3-218	25	38.5 (26.4 - 50.6)	27.1 (18.5 - 35.7)	4.9	105	19.9 (17.4 - 22.4)	21.3 (18.3 - 24.3)	7.5	131	23.3 (20.1 - 26.6)	22.3 (19.3 - 25.2)	6.7
3-219	4	n.a	n.a	n.a	11	36.8 (21.3 - 52.3)	33.5 (14.4 - 52.5)	6.4	15	44.6 (28.0 - 61.2)	36.9 (20.7 - 53.1)	5.8
3-220	4	n.a	n.a	n.a	2	n.a	n.a	n.a	6	9.8 (7.8 - 11.8)	5.5 (2.8 - 8.2)	3.9
3-221	46	29.8 (23.0 - 36.7)	18.5 (15.4 - 21.5)	4.3	19	26.6 (15.5 - 37.7)	17.1 (11.1 - 23.1)	4.5	65	28.9 (23.1 - 34.7)	18.1 (15.3 - 20.8)	4.4
3-222	39	55.0 (44.6 - 65.4)	33.7 (28.3 - 39.1)	4.3	30	53.8 (41.9 - 65.8)	25.5 (18.1 - 32.8)	3.3	69	54.5 (46.7 - 62.3)	30.1 (25.6 - 34.6)	3.9
3-223	18	53.7 (42.9 - 64.4)	44.9 (37.8 - 51.9)	5.9	0	n.a	n.a	n.a	18	53.7 (42.9 - 64.4)	44.9 (37.8 - 51.9)	5.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2019 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-224	11	14.3 (10.0 - 18.5)	4.7 (3.0 - 6.5)	2.3	6	9.2 (6.3 - 12.0)	3.8 (1.1 - 6.5)	2.9	17	12.5 (9.4 - 15.6)	4.4 (3.0 - 5.9)	2.5
3-225	50	31.9 (21.2 - 42.6)	18.9 (14.9 - 22.9)	4.2	112	25.9 (23.3 - 28.5)	18.1 (15.5 - 20.6)	4.9	162	27.8 (24.0 - 31.5)	18.3 (16.2 - 20.5)	4.6
3-226	10	28.3 (14.4 - 42.2)	23.2 (11.7 - 34.7)	5.7	259	14.2 (13.1 - 15.3)	16.7 (15.2 - 18.3)	8.2	270	14.8 (13.6 - 16.1)	17.1 (15.5 - 18.7)	8.1
3-227	73	12.8 (10.8 - 14.7)	11.4 (9.5 - 13.2)	6.2	659	11.9 (11.3 - 12.5)	11.7 (11.2 - 12.3)	6.9	741	12.0 (11.4 - 12.5)	11.7 (11.2 - 12.2)	6.8
3-228	34	15.2 (11.2 - 19.1)	20.2 (17.8 - 22.6)	9.3	823	15.0 (14.5 - 15.6)	18.7 (18.1 - 19.3)	8.7	861	15.0 (14.4 - 15.6)	18.7 (18.2 - 19.3)	8.7
3-229	61	23.1 (20.2 - 26.0)	30.1 (26.6 - 33.6)	9.1	1,600	21.6 (20.9 - 22.2)	27.9 (27.1 - 28.6)	9.0	1,673	21.8 (21.1 - 22.5)	27.9 (27.2 - 28.6)	9.0
3-230	18	27.4 (18.1 - 36.6)	24.7 (16.3 - 33.0)	6.3	641	20.1 (19.2 - 21.0)	20.3 (18.9 - 21.6)	7.1	665	20.4 (19.5 - 21.3)	20.4 (19.1 - 21.7)	7.0
3-231	1	n.a	n.a	n.a	16	8.9 (6.4 - 11.4)	5.6 (3.4 - 7.8)	4.4	17	9.3 (6.9 - 11.7)	5.6 (3.5 - 7.6)	4.2
3-232	6	12.3 (10.3 - 14.4)	13.8 (8.6 - 19.0)	7.9	132	11.0 (10.0 - 12.0)	15.7 (14.4 - 17.1)	10.0	140	11.1 (10.1 - 12.0)	15.6 (14.3 - 16.9)	9.9
3-233	5	26.4 (1.8 - 51.0)	12.0 (5.4 - 18.6)	3.2	114	18.1 (15.7 - 20.5)	25.4 (22.7 - 28.2)	9.8	119	18.5 (16.0 - 21.0)	24.9 (22.2 - 27.5)	9.4
3-234	3	n.a	n.a	n.a	51	9.0 (7.5 - 10.4)	4.5 (1.3 - 7.7)	3.5	54	8.8 (7.4 - 10.2)	4.7 (1.6 - 7.8)	3.7
3-235	13	10.5 (7.6 - 13.5)	15.8 (12.1 - 19.6)	10.5	125	13.4 (11.9 - 14.9)	14.1 (12.6 - 15.7)	7.4	140	13.1 (11.7 - 14.5)	14.4 (12.9 - 15.8)	7.7
3-236	12	24.8 (15.6 - 34.1)	27.3 (19.3 - 35.2)	7.7	248	18.3 (16.9 - 19.7)	20.9 (19.2 - 22.6)	8.0	263	18.6 (17.2 - 20.0)	21.2 (19.5 - 22.8)	8.0
3-237	9	16.2 (11.5 - 21.0)	15.9 (2.7 - 29.1)	6.9	128	14.2 (12.8 - 15.7)	17.7 (15.0 - 20.4)	8.7	138	14.3 (12.9 - 15.7)	17.5 (14.9 - 20.1)	8.6
3-238	13	17.2 (9.2 - 25.1)	10.1 (6.8 - 13.3)	4.1	2	n.a	n.a	n.a	15	16.1 (9.2 - 23.1)	9.9 (6.8 - 12.9)	4.3
3-239	32	27.6 (20.6 - 34.7)	23.9 (20.6 - 27.2)	6.0	8	16.8 (11.0 - 22.5)	17.0 (10.1 - 23.9)	7.1	40	25.5 (19.5 - 31.4)	22.5 (19.4 - 25.6)	6.2
3-240	16	50.4 (38.1 - 62.8)	42.6 (36.9 - 48.3)	5.9	6	31.2 (19.7 - 42.7)	33.3 (25.0 - 41.7)	7.5	22	45.2 (35.1 - 55.2)	40.0 (35.1 - 45.0)	6.2
3-241	16	71.2 (47.2 - 95.2)	62.9 (52.0 - 73.9)	6.2	0	n.a	n.a	n.a	16	71.2 (47.2 - 95.2)	62.9 (52.0 - 73.9)	6.2
3-242	74	11.9 (10.0 - 13.9)	9.4 (7.8 - 11.0)	5.5	456	11.8 (11.0 - 12.6)	6.5 (5.8 - 7.2)	3.9	530	11.8 (11.1 - 12.5)	6.9 (6.3 - 7.6)	4.1
3-243	83	16.8 (13.7 - 19.9)	17.7 (15.9 - 19.5)	7.4	1,012	14.4 (13.8 - 15.0)	13.4 (12.8 - 14.0)	6.5	1,105	14.6 (14.0 - 15.2)	13.7 (13.1 - 14.3)	6.6
3-244	120	28.2 (23.5 - 33.0)	23.8 (20.8 - 26.7)	5.9	1,828	18.8 (18.3 - 19.3)	19.6 (19.0 - 20.3)	7.3	1,958	19.4 (18.8 - 19.9)	19.9 (19.3 - 20.5)	7.2
3-245	31	32.9 (24.8 - 40.9)	21.2 (14.5 - 27.9)	4.5	392	24.3 (22.9 - 25.7)	20.8 (18.9 - 22.8)	6.0	423	24.9 (23.5 - 26.4)	20.8 (19.0 - 22.7)	5.9
Missing or excluded	98				584				692			
All episodes	1,666	30.8 (29.2 - 32.4)	24.8 (23.8 - 25.7)	5.6	11,252	18.9 (18.7 - 19.2)	19.3 (19.1 - 19.6)	7.1	13,001	20.5 (20.2 - 20.8)	20.0 (19.7 - 20.3)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24