

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2019 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4AZ1*	3	n.a	n.a	n.a	7	90.4 (41.0 - 139.9)	53.9 (46.6 - 61.1)	4.2	10	83.5 (46.3 - 120.7)	41.8 (28.4 - 55.2)	3.5
4AZ2*	2	n.a	n.a	n.a	1	n.a	n.a	n.a	3	n.a	n.a	n.a
4AZ3	1,231	36.8 (35.3 - 38.3)	23.3 (22.0 - 24.6)	4.4	402	30.8 (29.0 - 32.6)	27.5 (25.2 - 29.8)	6.3	1,633	35.3 (34.1 - 36.5)	24.3 (23.2 - 25.5)	4.8
4AZ4	334	71.9 (65.7 - 78.1)	36.9 (33.8 - 39.9)	3.6	44	39.7 (30.4 - 48.9)	28.3 (19.1 - 37.5)	5.0	378	68.1 (62.5 - 73.8)	35.9 (33.0 - 38.8)	3.7
4AA1	1,385	13.7 (13.2 - 14.2)	16.2 (15.7 - 16.8)	8.3	679	14.1 (13.6 - 14.7)	18.4 (17.7 - 19.0)	9.1	2,064	13.8 (13.5 - 14.2)	16.9 (16.5 - 17.4)	8.6
4AA2	1,332	17.7 (17.1 - 18.3)	18.1 (17.4 - 18.7)	7.1	457	19.0 (17.3 - 20.8)	21.9 (21.1 - 22.8)	8.1	1,789	18.0 (17.4 - 18.7)	19.1 (18.5 - 19.6)	7.4
4AA3	422	23.4 (21.7 - 25.1)	22.3 (21.0 - 23.6)	6.7	87	21.3 (19.2 - 23.3)	23.0 (20.8 - 25.2)	7.6	509	23.0 (21.6 - 24.5)	22.4 (21.3 - 23.6)	6.8
4AA4	773	26.6 (25.6 - 27.7)	28.6 (27.5 - 29.7)	7.5	297	24.4 (23.1 - 25.7)	28.1 (26.7 - 29.6)	8.1	1,070	26.0 (25.2 - 26.8)	28.5 (27.6 - 29.4)	7.7
4AA5	326	32.2 (29.6 - 34.7)	35.3 (33.8 - 36.9)	7.7	38	25.0 (20.3 - 29.7)	32.1 (27.4 - 36.8)	9.0	364	31.4 (29.1 - 33.8)	35.0 (33.5 - 36.5)	7.8
4AA6	902	39.6 (38.2 - 41.0)	33.0 (31.8 - 34.2)	5.8	228	36.3 (33.6 - 39.0)	27.1 (24.7 - 29.5)	5.2	1,130	38.9 (37.7 - 40.2)	31.8 (30.7 - 32.9)	5.7
4AA7	370	53.6 (49.7 - 57.5)	39.5 (37.3 - 41.7)	5.2	28	40.6 (29.6 - 51.6)	37.6 (29.2 - 46.0)	6.5	398	52.7 (48.9 - 56.4)	39.3 (37.3 - 41.4)	5.2
4AB1-7*												
4AC1	732	14.9 (13.7 - 16.1)	11.2 (10.6 - 11.8)	5.3	800	13.0 (12.5 - 13.4)	14.8 (14.3 - 15.4)	8.0	1,532	13.9 (13.3 - 14.5)	13.1 (12.7 - 13.5)	6.6
4AC2	623	20.8 (19.6 - 22.0)	21.0 (20.0 - 22.0)	7.1	720	18.4 (17.7 - 19.2)	22.2 (21.5 - 23.0)	8.5	1,343	19.5 (18.8 - 20.2)	21.6 (21.0 - 22.3)	7.8
4AC3	560	30.7 (28.5 - 32.8)	25.8 (24.3 - 27.3)	5.9	352	25.5 (23.5 - 27.5)	21.8 (20.1 - 23.5)	6.0	912	28.7 (27.2 - 30.2)	24.3 (23.1 - 25.4)	5.9
4AD1-4*												
4AE1	43	21.3 (17.2 - 25.3)	4.4 (3.2 - 5.6)	1.4	3	n.a	n.a	n.a	46	21.2 (17.4 - 25.0)	4.7 (3.5 - 5.8)	1.5
4AE2	636	28.1 (26.5 - 29.7)	17.3 (16.4 - 18.2)	4.3	141	23.9 (21.3 - 26.5)	20.0 (18.2 - 21.9)	5.9	777	27.3 (26.0 - 28.7)	17.8 (17.0 - 18.6)	4.6
4AE3	103	44.7 (38.8 - 50.7)	23.2 (20.1 - 26.3)	3.6	14	29.0 (22.0 - 36.0)	21.6 (12.4 - 30.7)	5.2	117	42.9 (37.5 - 48.2)	23.0 (20.1 - 25.9)	3.8
4AE4	177	29.2 (25.2 - 33.2)	16.3 (14.4 - 18.1)	3.9	29	33.0 (22.9 - 43.1)	16.9 (12.4 - 21.3)	3.6	206	29.7 (26.0 - 33.5)	16.3 (14.6 - 18.0)	3.8
4AH1	1,946	14.9 (14.5 - 15.4)	15.9 (15.5 - 16.3)	7.5	3,038	16.0 (15.6 - 16.3)	18.5 (18.3 - 18.8)	8.1	4,984	15.6 (15.3 - 15.8)	17.5 (17.3 - 17.8)	7.9
4AH2	2,244	16.9 (16.5 - 17.3)	18.3 (17.9 - 18.8)	7.6	3,067	17.8 (17.3 - 18.3)	21.1 (20.8 - 21.4)	8.3	5,311	17.4 (17.1 - 17.7)	19.9 (19.7 - 20.2)	8.0
4AH3	1,729	22.5 (21.8 - 23.1)	27.3 (26.7 - 27.9)	8.5	1,614	24.3 (23.6 - 24.9)	29.4 (28.9 - 30.0)	8.5	3,343	23.3 (22.9 - 23.8)	28.3 (27.9 - 28.7)	8.5
4AH4	1,697	25.9 (25.2 - 26.7)	31.2 (30.4 - 32.0)	8.4	1,330	30.3 (29.4 - 31.2)	33.9 (33.1 - 34.8)	7.8	3,027	27.8 (27.3 - 28.4)	32.4 (31.8 - 33.0)	8.1
4A21 Ortho Replacements	1,027	9.8 (9.5 - 10.2)	10.0 (9.7 - 10.4)	7.1	12,417	9.6 (9.4 - 9.7)	12.9 (12.8 - 13.0)	9.5	13,444	9.6 (9.4 - 9.7)	12.7 (12.6 - 12.8)	9.3
4A22 Ortho Replacements	1,971	12.1 (11.8 - 12.4)	21.2 (20.8 - 21.6)	12.3	11,578	11.6 (11.5 - 11.7)	23.0 (22.8 - 23.1)	13.9	13,549	11.7 (11.5 - 11.8)	22.7 (22.6 - 22.8)	13.6
4A23 Ortho Replacements	876	18.1 (17.3 - 18.8)	33.2 (32.4 - 34.1)	12.9	1,434	19.1 (18.5 - 19.6)	33.8 (33.2 - 34.4)	12.4	2,310	18.7 (18.2 - 19.1)	33.6 (33.1 - 34.1)	12.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2019 (2/2)

AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4A21 Ortho Soft Tissue Injury	67	13.0 (9.2 - 16.8)	8.5 (6.5 - 10.4)	4.6	215	12.0 (11.1 - 13.0)	11.9 (11.2 - 12.7)	6.9	282	12.3 (11.1 - 13.4)	11.1 (10.3 - 11.9)	6.3
4A22 Ortho Soft Tissue Injury	175	14.6 (13.3 - 16.0)	19.2 (17.6 - 20.8)	9.2	467	15.1 (13.4 - 16.8)	20.2 (19.4 - 20.9)	9.4	642	15.0 (13.7 - 16.2)	19.9 (19.2 - 20.6)	9.3
4A23 Ortho Soft Tissue Injury	165	19.6 (17.4 - 21.8)	26.1 (24.0 - 28.1)	9.3	158	21.1 (19.1 - 23.1)	26.5 (24.3 - 28.6)	8.8	323	20.3 (18.8 - 21.8)	26.3 (24.8 - 27.7)	9.0
4A21 Ortho Other	275	10.6 (9.9 - 11.4)	10.1 (9.4 - 10.8)	6.7	3,049	10.4 (10.2 - 10.6)	13.1 (12.9 - 13.3)	8.8	3,324	10.4 (10.2 - 10.6)	12.8 (12.6 - 13.0)	8.6
4A22 Ortho Other	415	16.6 (15.6 - 17.6)	21.1 (20.3 - 21.9)	8.9	3,377	13.9 (13.6 - 14.2)	23.1 (22.8 - 23.3)	11.6	3,792	14.2 (13.9 - 14.5)	22.9 (22.6 - 23.1)	11.2
4A23 Ortho Other	281	27.0 (24.3 - 29.7)	28.3 (26.5 - 30.0)	7.3	740	22.7 (21.7 - 23.8)	33.3 (32.4 - 34.2)	10.2	1,021	23.9 (22.8 - 25.0)	31.9 (31.1 - 32.7)	9.3
4A31 Pain	178	11.0 (10.0 - 11.9)	8.0 (7.1 - 9.0)	5.1	1,080	12.1 (11.5 - 12.8)	8.2 (7.9 - 8.6)	4.8	1,258	12.0 (11.4 - 12.5)	8.2 (7.9 - 8.5)	4.8
4A32 Pain	384	14.7 (13.7 - 15.7)	17.3 (16.4 - 18.2)	8.3	1,069	13.3 (12.9 - 13.8)	18.7 (18.3 - 19.2)	9.8	1,453	13.7 (13.3 - 14.1)	18.4 (17.9 - 18.8)	9.4
4A33 Pain	261	17.2 (16.0 - 18.5)	26.0 (24.6 - 27.5)	10.6	315	18.6 (17.5 - 19.7)	26.2 (25.1 - 27.4)	9.9	576	18.0 (17.2 - 18.8)	26.2 (25.2 - 27.1)	10.2
4A34 Pain	78	20.5 (17.7 - 23.3)	31.6 (27.3 - 36.0)	10.8	51	23.9 (20.7 - 27.2)	29.9 (24.4 - 35.3)	8.7	129	21.9 (19.7 - 24.0)	30.9 (27.6 - 34.3)	9.9
4A31 Cardiac	154	12.6 (11.0 - 14.3)	8.0 (6.6 - 9.3)	4.4	762	10.0 (9.7 - 10.3)	12.9 (12.5 - 13.3)	9.0	916	10.4 (10.0 - 10.8)	12.1 (11.7 - 12.5)	8.1
4A32 Cardiac	345	14.0 (12.9 - 15.1)	17.7 (16.6 - 18.8)	8.8	1,462	12.9 (12.3 - 13.4)	21.0 (20.6 - 21.4)	11.4	1,807	13.1 (12.6 - 13.6)	20.4 (20.0 - 20.7)	10.9
4A33 Cardiac	213	18.3 (16.8 - 19.8)	25.2 (23.4 - 27.0)	9.6	406	17.6 (16.8 - 18.4)	26.4 (25.2 - 27.5)	10.5	619	17.8 (17.1 - 18.6)	26.0 (25.0 - 26.9)	10.2
4A34 Cardiac	57	23.9 (20.5 - 27.4)	31.6 (27.0 - 36.2)	9.2	49	23.9 (20.1 - 27.6)	27.8 (23.6 - 32.0)	8.2	106	23.9 (21.4 - 26.4)	29.9 (26.7 - 33.0)	8.7
4A31 Pulmonary	115	11.5 (10.4 - 12.7)	6.7 (5.3 - 8.2)	4.1	308	11.3 (10.6 - 12.0)	11.6 (11.0 - 12.2)	7.2	423	11.4 (10.8 - 12.0)	10.3 (9.7 - 10.9)	6.3
4A32 Pulmonary	248	13.7 (12.8 - 14.7)	15.9 (14.7 - 17.1)	8.1	750	13.8 (13.3 - 14.3)	19.6 (19.1 - 20.2)	10.0	998	13.8 (13.4 - 14.2)	18.7 (18.2 - 19.2)	9.5
4A33 Pulmonary	174	16.8 (15.3 - 18.3)	26.3 (24.7 - 28.0)	11.0	257	17.2 (16.0 - 18.4)	24.4 (22.9 - 25.9)	9.9	431	17.0 (16.1 - 18.0)	25.2 (24.1 - 26.3)	10.4
4A34 Pulmonary	68	23.4 (20.0 - 26.7)	27.4 (23.0 - 31.8)	8.2	45	22.8 (19.2 - 26.4)	27.8 (22.4 - 33.2)	8.5	113	23.1 (20.7 - 25.6)	27.5 (24.1 - 30.9)	8.3
4AP1*	174	26.9 (23.4 - 30.5)	28.4 (26.1 - 30.8)	7.4	218	31.2 (28.1 - 34.3)	31.5 (29.5 - 33.5)	7.1	392	29.3 (26.9 - 31.6)	30.2 (28.6 - 31.7)	7.2
4AR1	2,288	12.8 (12.5 - 13.2)	9.5 (9.2 - 9.8)	5.2	5,358	11.8 (11.6 - 12.0)	13.0 (12.8 - 13.2)	7.7	7,646	12.1 (12.0 - 12.3)	11.9 (11.8 - 12.1)	6.9
4AR2	2,857	15.5 (15.2 - 15.9)	18.3 (18.0 - 18.7)	8.3	6,160	15.1 (14.8 - 15.3)	20.4 (20.2 - 20.7)	9.5	9,017	15.2 (15.0 - 15.4)	19.8 (19.6 - 20.0)	9.1
4AR3	1,509	16.8 (16.2 - 17.4)	18.1 (17.5 - 18.7)	7.5	1,711	17.3 (16.6 - 18.1)	20.4 (19.9 - 20.9)	8.2	3,220	17.1 (16.6 - 17.6)	19.3 (18.9 - 19.7)	7.9
4AR4	623	21.8 (20.5 - 23.1)	26.2 (25.2 - 27.2)	8.4	543	19.9 (19.0 - 20.9)	26.0 (25.0 - 27.1)	9.1	1,166	20.9 (20.1 - 21.8)	26.1 (25.4 - 26.8)	8.7
4AR5	2,078	21.1 (20.3 - 21.8)	23.0 (22.3 - 23.6)	7.6	1,870	20.6 (20.0 - 21.3)	24.1 (23.5 - 24.7)	8.2	3,948	20.9 (20.4 - 21.4)	23.5 (23.1 - 23.9)	7.9
4AR6	1,443	27.4 (26.3 - 28.5)	26.7 (25.7 - 27.7)	6.8	765	25.8 (24.7 - 26.9)	26.5 (25.3 - 27.7)	7.2	2,208	26.9 (26.1 - 27.7)	26.6 (25.9 - 27.4)	6.9
4A91	265	14.4 (13.0 - 15.9)	12.8 (11.6 - 14.0)	6.2	234	14.3 (13.4 - 15.2)	15.8 (14.8 - 16.8)	7.7	499	14.3 (13.5 - 15.2)	14.2 (13.4 - 15.0)	6.9
4A92	174	21.9 (19.4 - 24.4)	23.3 (21.1 - 25.6)	7.5	65	19.4 (17.3 - 21.5)	25.6 (22.7 - 28.4)	9.2	239	21.2 (19.3 - 23.1)	23.9 (22.1 - 25.7)	7.9
4A93	58	27.3 (23.0 - 31.5)	25.2 (21.0 - 29.3)	6.5	14	29.4 (24.7 - 34.0)	30.6 (20.2 - 41.1)	7.3	72	27.7 (24.1 - 31.2)	26.3 (22.3 - 30.2)	6.6
Missing or excluded*	11,329				7,206				18,535			
All episodes	47,895	21.8 (21.6 - 22.1)	21.4 (21.2 - 21.5)	6.9	77,509	14.6 (14.5 - 14.7)	19.7 (19.7 - 19.8)	9.5	125,404	17.2 (17.1 - 17.3)	20.3 (20.2 - 20.4)	8.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2019 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-202	195	109.5 (96.1 - 122.8)	35.3 (30.6 - 40.0)	2.3	35	61.4 (47.5 - 75.3)	58.5 (45.3 - 71.8)	6.7	230	102.1 (90.4 - 113.9)	38.9 (34.3 - 43.4)	2.7
3-203	495	47.6 (44.2 - 51.0)	25.7 (23.4 - 28.0)	3.8	83	34.4 (29.7 - 39.1)	35.2 (28.2 - 42.2)	7.2	578	45.7 (42.7 - 48.7)	27.1 (24.8 - 29.3)	4.1
3-204	1,595	13.6 (13.1 - 14.0)	12.8 (12.4 - 13.3)	6.6	597	13.6 (13.0 - 14.2)	16.4 (15.8 - 17.0)	8.4	2,192	13.6 (13.2 - 13.9)	13.8 (13.4 - 14.1)	7.1
3-205	257	21.8 (20.0 - 23.6)	18.3 (16.9 - 19.6)	5.9	46	17.3 (14.9 - 19.7)	20.8 (18.3 - 23.4)	8.4	303	21.1 (19.5 - 22.7)	18.7 (17.4 - 19.9)	6.2
3-206	1,453	20.1 (19.4 - 20.7)	24.8 (24.1 - 25.4)	8.6	649	19.7 (18.4 - 21.0)	24.2 (23.5 - 25.0)	8.6	2,102	19.9 (19.3 - 20.6)	24.6 (24.1 - 25.1)	8.6
3-207	156	26.4 (23.0 - 29.8)	28.2 (26.0 - 30.4)	7.5	39	24.1 (20.5 - 27.7)	25.1 (21.0 - 29.2)	7.3	195	26.0 (23.2 - 28.8)	27.6 (25.6 - 29.6)	7.4
3-208	1,279	34.8 (33.7 - 35.9)	28.7 (27.7 - 29.8)	5.8	401	31.2 (29.5 - 32.8)	26.1 (24.5 - 27.7)	5.9	1,680	34.0 (33.0 - 34.9)	28.1 (27.2 - 29.0)	5.8
3-209	1,198	47.6 (45.6 - 49.6)	37.8 (36.7 - 39.0)	5.6	148	37.9 (33.7 - 42.1)	33.8 (30.7 - 36.9)	6.2	1,346	46.5 (44.7 - 48.4)	37.4 (36.3 - 38.5)	5.6
3-210	120	12.5 (11.0 - 14.0)	12.8 (11.2 - 14.4)	7.2	163	12.2 (11.3 - 13.1)	16.4 (15.3 - 17.6)	9.4	283	12.3 (11.5 - 13.1)	14.9 (13.9 - 15.8)	8.5
3-211	420	14.7 (13.7 - 15.7)	14.3 (13.3 - 15.2)	6.8	200	15.2 (14.1 - 16.3)	18.6 (17.4 - 19.7)	8.6	620	14.9 (14.1 - 15.6)	15.7 (14.9 - 16.4)	7.4
3-212	190	21.2 (19.0 - 23.5)	16.6 (14.9 - 18.4)	5.5	42	16.6 (13.6 - 19.6)	22.5 (19.8 - 25.1)	9.5	232	20.4 (18.4 - 22.3)	17.7 (16.1 - 19.2)	6.1
3-213	246	31.0 (27.7 - 34.4)	22.1 (20.4 - 23.9)	5.0	31	22.0 (17.1 - 26.9)	21.8 (17.0 - 26.7)	6.9	277	30.0 (27.0 - 33.1)	22.1 (20.4 - 23.8)	5.2
3-214	547	33.5 (30.8 - 36.3)	34.2 (32.5 - 35.8)	7.1	248	24.4 (22.0 - 26.8)	28.0 (26.2 - 29.8)	8.0	795	30.7 (28.7 - 32.7)	32.2 (30.9 - 33.5)	7.4
3-215	143	68.5 (55.8 - 81.1)	46.8 (41.9 - 51.7)	4.8	25	32.2 (24.6 - 39.7)	28.0 (17.9 - 38.2)	6.1	168	63.1 (52.1 - 74.1)	44.0 (39.5 - 48.5)	4.9
3-216	645	14.5 (13.2 - 15.8)	10.6 (10.0 - 11.3)	5.1	684	12.5 (12.1 - 13.0)	13.9 (13.4 - 14.4)	7.8	1,329	13.5 (12.8 - 14.2)	12.3 (11.9 - 12.7)	6.4
3-217	520	19.2 (17.9 - 20.5)	18.8 (17.8 - 19.8)	6.9	638	17.3 (16.6 - 18.0)	21.2 (20.5 - 21.9)	8.6	1,158	18.1 (17.4 - 18.8)	20.1 (19.5 - 20.7)	7.8
3-218	772	29.8 (28.0 - 31.7)	25.5 (24.3 - 26.8)	6.0	553	23.6 (22.2 - 25.1)	22.8 (21.5 - 24.0)	6.7	1,325	27.3 (26.0 - 28.5)	24.4 (23.5 - 25.3)	6.3
3-219	51	36.5 (24.8 - 48.2)	23.2 (16.8 - 29.6)	4.4	16	25.8 (16.8 - 34.7)	17.6 (9.4 - 25.8)	4.8	67	34.0 (24.8 - 43.2)	21.9 (16.6 - 27.1)	4.5
3-220	12	13.7 (6.8 - 20.5)	2.3 (0.1 - 4.5)	1.2	1	n.a	n.a	n.a	13	13.1 (6.7 - 19.5)	2.8 (0.6 - 5.1)	1.5
3-221	269	29.0 (25.8 - 32.2)	16.4 (15.2 - 17.7)	4.0	64	20.4 (16.8 - 24.0)	20.6 (18.2 - 22.9)	7.1	333	27.3 (24.6 - 30.0)	17.2 (16.1 - 18.3)	4.4
3-222	348	73.7 (66.7 - 80.7)	29.8 (27.7 - 31.9)	2.8	46	41.1 (33.3 - 48.9)	26.2 (20.8 - 31.7)	4.5	394	69.9 (63.6 - 76.2)	29.4 (27.4 - 31.4)	2.9
3-223	27	70.5 (54.9 - 86.1)	34.0 (26.6 - 41.3)	3.4	5	32.8 (6.5 - 59.1)	13.8 (-3.4 - 31.0)	2.9	32	64.6 (50.2 - 79.1)	30.8 (23.7 - 37.9)	3.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2019 (2/2)

AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-224	196	20.0 (18.2 - 21.8)	6.4 (5.8 - 7.1)	2.3	19	21.7 (12.3 - 31.2)	7.0 (3.2 - 10.8)	2.3	215	20.1 (18.3 - 22.0)	6.5 (5.8 - 7.1)	2.3
3-225	772	32.4 (30.6 - 34.1)	19.9 (19.1 - 20.8)	4.3	170	26.3 (23.6 - 29.0)	21.0 (19.3 - 22.8)	5.6	942	31.3 (29.8 - 32.8)	20.1 (19.4 - 20.9)	4.5
3-226	912	15.4 (14.7 - 16.1)	19.6 (18.7 - 20.4)	8.9	2,518	13.7 (13.3 - 14.1)	15.4 (15.0 - 15.8)	7.9	3,430	14.2 (13.8 - 14.5)	16.5 (16.1 - 16.9)	8.2
3-227	2,158	14.3 (13.9 - 14.7)	13.2 (12.9 - 13.6)	6.5	3,401	14.7 (14.3 - 15.0)	16.5 (16.3 - 16.7)	7.9	5,559	14.5 (14.3 - 14.8)	15.2 (15.0 - 15.4)	7.3
3-228	2,015	17.8 (17.4 - 18.3)	21.5 (21.1 - 21.9)	8.4	2,621	19.8 (19.3 - 20.3)	24.0 (23.7 - 24.3)	8.5	4,636	18.9 (18.6 - 19.3)	22.9 (22.7 - 23.2)	8.5
3-229	3,016	24.5 (23.9 - 25.0)	29.5 (29.0 - 30.1)	8.5	2,635	26.8 (26.2 - 27.4)	31.7 (31.2 - 32.2)	8.3	5,651	25.6 (25.2 - 26.0)	30.6 (30.2 - 30.9)	8.4
3-230	610	24.5 (23.3 - 25.7)	25.4 (23.9 - 26.8)	7.2	520	26.6 (25.5 - 27.7)	28.7 (27.3 - 30.2)	7.6	1,130	25.5 (24.6 - 26.3)	26.9 (25.9 - 27.9)	7.4
3-231	497	10.1 (9.6 - 10.7)	7.3 (6.9 - 7.8)	5.1	6,000	9.1 (8.8 - 9.3)	10.1 (10.0 - 10.1)	7.8	6,497	9.2 (8.9 - 9.4)	9.8 (9.7 - 9.9)	7.5
3-232	2,475	11.5 (11.2 - 11.8)	19.3 (19.0 - 19.6)	11.7	17,901	11.0 (10.9 - 11.1)	20.3 (20.2 - 20.4)	12.9	20,376	11.0 (10.9 - 11.1)	20.2 (20.1 - 20.3)	12.8
3-233	917	18.1 (17.4 - 18.8)	33.0 (32.1 - 33.8)	12.7	1,538	19.2 (18.4 - 20.0)	33.5 (32.9 - 34.1)	12.2	2,455	18.8 (18.2 - 19.4)	33.3 (32.8 - 33.8)	12.4
3-234	280	10.9 (9.8 - 11.9)	9.1 (8.3 - 9.8)	5.8	2,597	10.2 (10.0 - 10.5)	11.9 (11.7 - 12.1)	8.2	2,877	10.3 (10.1 - 10.5)	11.6 (11.4 - 11.8)	7.9
3-235	517	15.1 (14.2 - 15.9)	18.9 (18.2 - 19.7)	8.8	3,968	13.1 (12.8 - 13.4)	21.1 (20.9 - 21.4)	11.3	4,485	13.4 (13.1 - 13.6)	20.9 (20.7 - 21.1)	10.9
3-236	593	22.7 (21.2 - 24.3)	26.3 (25.2 - 27.5)	8.1	1,449	20.7 (20.0 - 21.4)	30.3 (29.7 - 30.9)	10.3	2,042	21.3 (20.6 - 21.9)	29.2 (28.6 - 29.7)	9.6
3-237	773	15.9 (15.0 - 16.7)	18.8 (17.9 - 19.8)	8.3	2,682	13.0 (12.6 - 13.3)	19.6 (19.3 - 20.0)	10.6	3,455	13.6 (13.3 - 14.0)	19.5 (19.1 - 19.8)	10.0
3-238	52	13.6 (11.0 - 16.3)	8.0 (6.2 - 9.8)	4.1	48	15.1 (12.4 - 17.8)	12.9 (11.5 - 14.4)	6.0	100	14.3 (12.4 - 16.2)	10.4 (9.1 - 11.6)	5.1
3-239	236	24.9 (22.3 - 27.5)	22.5 (21.1 - 23.9)	6.3	204	27.7 (25.0 - 30.4)	27.8 (26.5 - 29.1)	7.0	440	26.2 (24.3 - 28.1)	24.9 (23.9 - 25.9)	6.7
3-240	113	50.8 (43.4 - 58.3)	40.7 (37.9 - 43.5)	5.6	159	48.6 (43.6 - 53.7)	49.1 (47.3 - 50.9)	7.1	272	49.6 (45.3 - 53.8)	45.6 (43.9 - 47.2)	6.4
3-241	25	85.8 (58.3 - 113.3)	64.9 (56.0 - 73.8)	5.3	15	62.1 (38.9 - 85.3)	69.3 (58.7 - 79.9)	7.8	40	76.9 (57.5 - 96.3)	66.5 (59.8 - 73.3)	6.1
3-242	2,142	12.7 (12.3 - 13.0)	8.6 (8.3 - 8.9)	4.8	4,878	11.6 (11.5 - 11.8)	12.1 (12.0 - 12.3)	7.3	7,020	12.0 (11.8 - 12.1)	11.1 (10.9 - 11.2)	6.5
3-243	3,992	15.1 (14.8 - 15.4)	16.8 (16.5 - 17.1)	7.8	8,107	14.6 (14.4 - 14.8)	19.5 (19.3 - 19.7)	9.4	12,099	14.7 (14.6 - 14.9)	18.6 (18.5 - 18.8)	8.8
3-244	5,171	21.1 (20.7 - 21.5)	23.9 (23.5 - 24.3)	7.9	4,836	20.1 (19.7 - 20.5)	24.3 (23.9 - 24.7)	8.4	10,007	20.6 (20.3 - 20.9)	24.1 (23.8 - 24.4)	8.2
3-245	836	31.7 (29.8 - 33.6)	24.4 (23.0 - 25.8)	5.4	367	26.9 (25.1 - 28.7)	25.0 (23.0 - 27.0)	6.5	1,203	30.2 (28.8 - 31.6)	24.6 (23.4 - 25.7)	5.7
Missing or excluded	8,659				6,162				14,821			
All episodes	47,895	21.8 (21.6 - 22.1)	21.4 (21.2 - 21.5)	6.9	77,509	14.6 (14.5 - 14.7)	19.7 (19.7 - 19.8)	9.5	125,404	17.2 (17.1 - 17.3)	20.3 (20.2 - 20.4)	8.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24