

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2019 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	743	30.7 (29.2 - 32.1)	21.2 (19.6 - 22.8)	4.8	743	30.7 (29.2 - 32.1)	21.2 (19.6 - 22.8)	4.8
4AZ4	97	60.6 (53.0 - 68.2)	32.8 (27.6 - 37.9)	3.8	0	n.a	n.a	n.a	97	60.6 (53.0 - 68.2)	32.8 (27.6 - 37.9)	3.8
4AA1	73	11.4 (9.8 - 13.1)	14.9 (12.7 - 17.1)	9.1	192	12.5 (11.2 - 13.9)	14.0 (12.7 - 15.2)	7.8	265	12.2 (11.2 - 13.3)	14.2 (13.2 - 15.3)	8.2
4AA2	66	15.4 (12.8 - 18.0)	16.9 (14.4 - 19.5)	7.7	200	14.5 (13.3 - 15.7)	16.7 (15.1 - 18.2)	8.0	266	14.7 (13.6 - 15.8)	16.7 (15.4 - 18.1)	7.9
4AA3	15	24.6 (14.8 - 34.4)	28.5 (21.4 - 35.5)	8.1	86	18.8 (16.3 - 21.3)	18.2 (15.7 - 20.8)	6.8	101	19.7 (17.1 - 22.2)	19.8 (17.3 - 22.2)	7.0
4AA4	0	n.a	n.a	n.a	253	23.8 (20.6 - 27.1)	25.5 (23.6 - 27.4)	7.5	253	23.8 (20.6 - 27.1)	25.5 (23.6 - 27.4)	7.5
4AA5	57	23.4 (20.2 - 26.6)	35.0 (31.7 - 38.4)	10.5	17	25.5 (19.7 - 31.2)	38.8 (30.8 - 46.8)	10.7	74	23.9 (21.1 - 26.6)	35.9 (32.7 - 39.1)	10.5
4AA6	0	n.a	n.a	n.a	335	32.1 (30.3 - 34.0)	28.7 (26.4 - 30.9)	6.3	335	32.1 (30.3 - 34.0)	28.7 (26.4 - 30.9)	6.3
4AA7	80	41.1 (36.0 - 46.3)	45.6 (41.4 - 49.7)	7.8	15	37.3 (26.1 - 48.6)	43.6 (32.4 - 54.8)	8.2	95	40.5 (35.9 - 45.2)	45.2 (41.3 - 49.2)	7.8
4AB1-7*												
4AC1	25	12.6 (9.2 - 15.9)	12.7 (9.2 - 16.2)	7.1	43	14.0 (11.4 - 16.5)	10.7 (7.3 - 14.2)	5.4	68	13.4 (11.4 - 15.5)	11.5 (8.9 - 14.0)	6.0
4AC2	12	26.0 (16.5 - 35.5)	16.8 (10.0 - 23.7)	4.5	58	18.4 (15.5 - 21.2)	12.8 (9.9 - 15.7)	4.9	71	19.9 (17.0 - 22.8)	13.7 (11.0 - 16.4)	4.8
4AC3	28	33.3 (22.5 - 44.0)	23.6 (15.9 - 31.3)	5.0	65	22.6 (19.2 - 25.9)	17.9 (13.8 - 22.0)	5.6	94	26.0 (21.9 - 30.0)	20.1 (16.3 - 23.8)	5.4
4AD1-4*												
4AE1	3	n.a	n.a	n.a	1	n.a	n.a	n.a	4	n.a	n.a	n.a
4AE2	38	23.3 (18.0 - 28.7)	16.1 (12.2 - 19.9)	4.8	82	21.7 (19.0 - 24.5)	16.3 (14.1 - 18.5)	5.2	120	22.3 (19.7 - 24.8)	16.2 (14.3 - 18.2)	5.1
4AE3	8	42.0 (23.0 - 61.0)	27.5 (17.0 - 38.0)	4.6	39	32.9 (28.0 - 37.9)	25.5 (20.3 - 30.7)	5.4	47	34.5 (29.3 - 39.7)	25.8 (21.2 - 30.5)	5.2
4AE4	26	29.8 (9.7 - 49.9)	11.0 (7.6 - 14.3)	2.6	0	n.a	n.a	n.a	26	29.8 (9.7 - 49.9)	11.0 (7.6 - 14.3)	2.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2019 (2/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	58	13.9 (11.2 - 16.7)	14.6 (12.5 - 16.7)	7.3	487	12.7 (11.1 - 14.4)	14.6 (13.9 - 15.3)	8.0	548	12.9 (11.4 - 14.4)	14.6 (13.9 - 15.3)	7.9
4AH2	48	16.0 (12.7 - 19.3)	15.6 (12.8 - 18.4)	6.8	914	14.4 (13.9 - 15.0)	16.1 (15.5 - 16.7)	7.8	969	14.5 (13.9 - 15.1)	16.0 (15.4 - 16.6)	7.7
4AH3	28	20.4 (16.3 - 24.6)	28.8 (24.9 - 32.6)	9.9	813	17.9 (17.1 - 18.6)	23.6 (22.7 - 24.4)	9.2	849	17.9 (17.2 - 18.7)	23.7 (22.9 - 24.6)	9.3
4AH4	48	28.6 (23.5 - 33.7)	34.7 (30.2 - 39.2)	8.5	1,274	22.7 (22.0 - 23.4)	28.0 (27.1 - 29.0)	8.7	1,328	22.9 (22.2 - 23.6)	28.3 (27.4 - 29.2)	8.6
4A21	13	11.4 (6.2 - 16.6)	6.3 (4.4 - 8.2)	3.9	79	9.4 (8.1 - 10.6)	6.8 (4.4 - 9.1)	5.1	92	9.6 (8.4 - 10.9)	6.7 (4.7 - 8.7)	4.9
4A22	19	12.0 (9.0 - 15.0)	17.3 (14.2 - 20.4)	10.1	285	13.6 (10.9 - 16.3)	15.7 (14.7 - 16.8)	8.1	304	13.5 (11.0 - 16.0)	15.8 (14.9 - 16.8)	8.2
4A23	16	22.8 (15.3 - 30.2)	29.3 (23.5 - 35.0)	9.0	274	18.5 (17.2 - 19.8)	24.1 (22.2 - 25.9)	9.1	293	18.9 (17.6 - 20.3)	24.5 (22.7 - 26.3)	9.1
4A31	2	n.a	n.a	n.a	74	11.9 (10.0 - 13.8)	7.3 (5.9 - 8.7)	4.3	76	12.1 (10.2 - 14.0)	7.4 (6.1 - 8.8)	4.3
4A32	6	19.3 (4.3 - 34.3)	18.8 (11.5 - 26.2)	6.8	171	13.8 (12.7 - 14.9)	14.4 (13.1 - 15.6)	7.3	177	14.0 (12.8 - 15.2)	14.5 (13.3 - 15.8)	7.3
4A33	5	20.8 (11.7 - 29.9)	27.8 (14.9 - 40.7)	9.4	167	15.5 (14.3 - 16.8)	21.1 (19.1 - 23.2)	9.5	172	15.7 (14.4 - 16.9)	21.3 (19.3 - 23.4)	9.5
4A34	1	n.a	n.a	n.a	70	21.4 (18.8 - 24.0)	24.1 (19.3 - 28.9)	7.9	71	21.3 (18.8 - 23.8)	24.2 (19.5 - 28.9)	7.9
4AP1*	14	24.8 (8.5 - 41.1)	18.9 (12.8 - 24.9)	5.3	11	14.1 (5.8 - 22.4)	20.4 (12.3 - 28.4)	10.1	25	20.1 (10.2 - 30.0)	19.5 (14.7 - 24.3)	6.8
4AR1	48	13.8 (10.6 - 16.9)	10.6 (8.4 - 12.9)	5.4	408	12.0 (11.2 - 12.8)	7.5 (6.7 - 8.3)	4.4	459	12.1 (11.3 - 12.9)	7.9 (7.1 - 8.6)	4.5
4AR2	45	19.4 (15.7 - 23.2)	18.0 (15.4 - 20.5)	6.5	520	14.3 (13.5 - 15.1)	14.5 (13.7 - 15.4)	7.1	569	14.7 (13.9 - 15.5)	14.8 (14.0 - 15.6)	7.1
4AR3	18	15.4 (10.8 - 20.1)	14.0 (9.2 - 18.8)	6.3	549	16.3 (15.5 - 17.2)	14.7 (13.8 - 15.6)	6.3	572	16.3 (15.4 - 17.1)	14.6 (13.8 - 15.5)	6.3
4AR4	15	26.1 (10.2 - 42.1)	27.3 (19.7 - 34.9)	7.3	104	18.0 (16.0 - 20.0)	21.8 (19.5 - 24.1)	8.5	119	19.0 (16.4 - 21.7)	22.5 (20.2 - 24.7)	8.3
4AR5	25	27.9 (14.7 - 41.1)	26.4 (21.0 - 31.8)	6.6	805	18.7 (17.8 - 19.5)	18.8 (17.9 - 19.8)	7.1	832	19.0 (18.1 - 19.8)	19.0 (18.1 - 20.0)	7.0
4AR6	52	32.8 (26.1 - 39.5)	25.2 (19.6 - 30.9)	5.4	551	22.8 (21.5 - 24.2)	21.0 (19.6 - 22.5)	6.5	604	23.7 (22.4 - 25.1)	21.5 (20.0 - 22.9)	6.3
4A91	17	14.9 (7.2 - 22.6)	15.1 (10.5 - 19.6)	7.1	69	13.8 (11.9 - 15.7)	10.4 (8.5 - 12.2)	5.3	87	13.9 (11.8 - 16.0)	11.3 (9.5 - 13.0)	5.7
4A92	11	20.3 (16.5 - 24.0)	27.3 (14.9 - 39.7)	9.4	77	18.1 (15.2 - 21.0)	18.5 (15.5 - 21.5)	7.1	90	18.3 (15.7 - 20.8)	19.6 (16.6 - 22.6)	7.5
4A93	7	42.0 (20.8 - 63.2)	52.7 (39.7 - 65.7)	8.8	36	26.0 (19.1 - 32.9)	18.9 (14.8 - 23.0)	5.1	43	28.6 (21.8 - 35.4)	24.4 (18.9 - 29.9)	6.0
Missing or excluded*	557				812				1,383			
All episodes	1,581	31.5 (29.9 - 33.2)	25.7 (24.7 - 26.7)	5.7	10,679	19.4 (19.1 - 19.7)	19.6 (19.3 - 19.9)	7.1	12,321	20.9 (20.6 - 21.3)	20.4 (20.1 - 20.7)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2019 (1/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	53	107.8 (94.6 - 121.1)	32.6 (24.7 - 40.5)	2.1	34	48.2 (38.6 - 57.8)	16.6 (9.2 - 24.1)	2.4	87	84.5 (73.8 - 95.3)	26.3 (20.5 - 32.2)	2.2
3-203	40	66.0 (54.3 - 77.6)	33.7 (25.3 - 42.1)	3.6	196	35.1 (32.0 - 38.1)	21.1 (17.9 - 24.3)	4.2	238	40.2 (36.7 - 43.7)	23.0 (20.0 - 26.1)	4.0
3-204	94	12.9 (10.9 - 14.8)	11.8 (10.4 - 13.3)	6.4	185	11.7 (10.5 - 12.8)	10.8 (9.5 - 12.1)	6.5	279	12.1 (11.1 - 13.1)	11.1 (10.2 - 12.1)	6.5
3-205	6	13.2 (7.3 - 19.1)	16.2 (11.6 - 20.7)	8.6	40	16.6 (13.7 - 19.4)	15.3 (12.4 - 18.2)	6.5	46	16.1 (13.5 - 18.7)	15.4 (12.8 - 18.0)	6.7
3-206	64	17.5 (14.6 - 20.5)	28.3 (25.6 - 31.1)	11.3	282	17.7 (14.9 - 20.5)	20.2 (18.9 - 21.5)	8.0	347	17.7 (15.4 - 20.0)	21.7 (20.5 - 22.9)	8.6
3-207	8	27.8 (17.1 - 38.4)	33.9 (25.1 - 42.7)	8.5	40	23.5 (19.0 - 27.9)	21.9 (17.7 - 26.2)	6.5	48	24.2 (20.1 - 28.2)	23.9 (19.9 - 27.9)	6.9
3-208	0	n.a	n.a	n.a	533	29.8 (28.3 - 31.4)	24.3 (22.6 - 25.9)	5.7	533	29.8 (28.3 - 31.4)	24.3 (22.6 - 25.9)	5.7
3-209	150	40.3 (36.2 - 44.4)	40.8 (37.7 - 44.0)	7.1	186	36.0 (33.1 - 38.8)	34.4 (31.4 - 37.4)	6.7	336	37.9 (35.5 - 40.3)	37.3 (35.1 - 39.4)	6.9
3-210	17	10.7 (7.7 - 13.7)	14.4 (9.5 - 19.2)	9.4	3	n.a	n.a	n.a	20	11.1 (8.3 - 13.9)	13.5 (9.2 - 17.8)	8.5
3-211	60	15.8 (13.1 - 18.4)	14.1 (12.0 - 16.2)	6.2	33	13.7 (10.9 - 16.5)	15.3 (11.8 - 18.9)	7.8	93	15.0 (13.1 - 17.0)	14.5 (12.7 - 16.4)	6.8
3-212	33	19.2 (15.7 - 22.7)	21.4 (18.3 - 24.5)	7.8	12	19.3 (14.5 - 24.0)	20.3 (14.3 - 26.3)	7.4	45	19.2 (16.4 - 22.0)	21.1 (18.4 - 23.9)	7.7
3-213	51	39.1 (29.3 - 48.9)	27.1 (23.9 - 30.4)	4.9	24	25.6 (14.4 - 36.8)	14.3 (8.5 - 20.1)	3.9	75	34.8 (27.1 - 42.4)	23.0 (19.8 - 26.2)	4.6
3-214	72	39.3 (31.5 - 47.1)	42.7 (37.7 - 47.7)	7.6	110	27.9 (23.2 - 32.5)	25.4 (21.8 - 29.1)	6.4	182	32.4 (28.2 - 36.6)	32.3 (29.1 - 35.5)	7.0
3-215	13	83.2 (55.2 - 111.1)	57.3 (43.6 - 71.0)	4.8	19	31.5 (21.5 - 41.5)	28.7 (16.2 - 41.1)	6.4	32	52.5 (37.1 - 67.9)	40.3 (29.9 - 50.7)	5.4
3-216	24	12.1 (8.8 - 15.5)	12.1 (8.7 - 15.6)	7.0	38	13.7 (10.9 - 16.4)	10.4 (6.7 - 14.2)	5.3	62	13.1 (11.0 - 15.2)	11.1 (8.4 - 13.7)	5.9
3-217	12	25.8 (16.2 - 35.3)	16.7 (9.9 - 23.4)	4.5	43	18.8 (15.4 - 22.2)	11.3 (7.8 - 14.8)	4.2	55	20.3 (16.9 - 23.7)	12.4 (9.3 - 15.6)	4.3
3-218	31	34.5 (24.2 - 44.9)	24.7 (17.1 - 32.3)	5.0	86	21.1 (18.3 - 23.9)	17.6 (14.3 - 20.9)	5.9	120	24.8 (21.3 - 28.3)	19.9 (16.7 - 23.0)	5.6
3-219	4	n.a	n.a	n.a	10	29.0 (16.6 - 41.4)	31.0 (12.9 - 49.1)	7.5	14	35.1 (18.9 - 51.4)	37.7 (21.0 - 54.4)	7.5
3-220	3	n.a	n.a	n.a	1	n.a	n.a	n.a	4	n.a	n.a	n.a
3-221	37	27.1 (20.5 - 33.8)	20.9 (17.7 - 24.2)	5.4	22	21.1 (12.0 - 30.3)	16.6 (12.7 - 20.5)	5.5	59	24.9 (19.5 - 30.3)	19.3 (16.8 - 21.9)	5.4
3-222	47	56.3 (45.1 - 67.5)	31.4 (25.8 - 37.1)	3.9	33	57.3 (45.3 - 69.2)	29.4 (22.4 - 36.4)	3.6	80	56.7 (48.5 - 64.8)	30.6 (26.2 - 35.0)	3.8
3-223	18	58.8 (47.9 - 69.7)	47.0 (41.6 - 52.4)	5.6	0	n.a	n.a	n.a	18	58.8 (47.9 - 69.7)	47.0 (41.6 - 52.4)	5.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2019 (2/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	14	13.6 (9.7 - 17.6)	3.9 (2.2 - 5.7)	2.0	7	10.3 (7.4 - 13.2)	5.3 (2.8 - 7.8)	3.6	21	12.5 (9.7 - 15.4)	4.4 (2.9 - 5.8)	2.4
3-225	61	30.2 (20.8 - 39.5)	17.6 (14.6 - 20.6)	4.1	118	26.4 (23.8 - 29.0)	19.8 (17.5 - 22.2)	5.3	179	27.7 (24.1 - 31.3)	19.1 (17.2 - 20.9)	4.8
3-226	4	n.a	n.a	n.a	291	14.9 (13.8 - 16.0)	16.9 (15.4 - 18.5)	8.0	296	15.2 (14.1 - 16.3)	17.2 (15.6 - 18.7)	7.9
3-227	63	14.3 (11.6 - 16.9)	10.9 (9.1 - 12.7)	5.4	619	12.7 (11.4 - 14.1)	11.8 (11.2 - 12.4)	6.5	687	12.9 (11.7 - 14.2)	11.6 (11.1 - 12.2)	6.3
3-228	45	15.1 (11.9 - 18.3)	21.3 (19.1 - 23.4)	9.9	772	14.8 (14.2 - 15.5)	18.7 (18.0 - 19.3)	8.8	822	14.8 (14.2 - 15.5)	18.8 (18.2 - 19.4)	8.9
3-229	60	25.9 (22.0 - 29.7)	33.8 (30.4 - 37.1)	9.1	1,678	21.1 (20.5 - 21.7)	27.5 (26.8 - 28.3)	9.1	1,749	21.3 (20.7 - 21.9)	27.8 (27.1 - 28.5)	9.1
3-230	17	27.3 (18.0 - 36.6)	28.1 (18.8 - 37.3)	7.2	634	20.4 (19.5 - 21.3)	21.9 (20.5 - 23.3)	7.5	654	20.6 (19.7 - 21.5)	22.0 (20.6 - 23.4)	7.5
3-231	3	n.a	n.a	n.a	11	9.7 (6.9 - 12.6)	4.5 (2.2 - 6.9)	3.3	14	9.7 (7.3 - 12.1)	5.1 (3.1 - 7.0)	3.7
3-232	9	10.6 (7.9 - 13.2)	15.9 (10.8 - 21.0)	10.5	126	13.7 (7.8 - 19.6)	15.4 (14.1 - 16.8)	7.9	135	13.5 (8.0 - 19.0)	15.5 (14.2 - 16.7)	8.0
3-233	6	31.8 (11.9 - 51.8)	21.7 (11.2 - 32.2)	4.8	108	18.7 (16.5 - 20.9)	28.7 (25.9 - 31.5)	10.7	116	19.9 (17.4 - 22.4)	28.5 (25.8 - 31.2)	10.0
3-234	4	n.a	n.a	n.a	43	9.7 (8.1 - 11.3)	3.9 (0.2 - 7.6)	2.8	47	10.2 (8.4 - 12.0)	3.9 (0.5 - 7.3)	2.7
3-235	12	10.5 (6.6 - 14.4)	12.8 (9.6 - 16.1)	8.6	128	12.6 (11.2 - 14.0)	13.9 (12.4 - 15.4)	7.7	140	12.4 (11.1 - 13.7)	13.8 (12.5 - 15.2)	7.8
3-236	15	20.9 (13.3 - 28.5)	28.3 (22.3 - 34.3)	9.5	234	18.1 (16.6 - 19.6)	20.6 (18.8 - 22.5)	8.0	250	18.3 (16.8 - 19.8)	21.1 (19.4 - 22.9)	8.1
3-237	7	13.3 (9.2 - 17.4)	17.1 (11.0 - 23.3)	9.0	116	16.3 (14.8 - 17.9)	16.8 (14.2 - 19.5)	7.2	123	16.1 (14.6 - 17.6)	16.9 (14.4 - 19.4)	7.3
3-238	13	15.5 (7.5 - 23.5)	9.6 (6.3 - 12.9)	4.4	5	9.6 (7.5 - 11.7)	9.6 (5.4 - 13.8)	7.0	18	13.8 (8.0 - 19.7)	9.6 (7.0 - 12.2)	4.9
3-239	27	26.7 (20.3 - 33.0)	23.5 (20.0 - 27.0)	6.2	4	n.a	n.a	n.a	31	25.1 (19.3 - 30.9)	21.4 (17.6 - 25.1)	5.9
3-240	16	45.4 (32.7 - 58.1)	42.4 (36.1 - 48.7)	6.5	7	29.6 (11.6 - 47.5)	35.4 (28.1 - 42.8)	8.4	23	40.6 (30.0 - 51.2)	40.3 (35.3 - 45.3)	7.0
3-241	15	80.1 (55.8 - 104.4)	63.4 (51.2 - 75.6)	5.5	0	n.a	n.a	n.a	15	80.1 (55.8 - 104.4)	63.4 (51.2 - 75.6)	5.5
3-242	52	12.2 (10.0 - 14.4)	10.3 (8.0 - 12.6)	5.9	371	11.8 (11.0 - 12.6)	6.6 (5.8 - 7.3)	3.9	425	11.8 (11.1 - 12.6)	7.0 (6.3 - 7.7)	4.1
3-243	65	18.1 (14.8 - 21.4)	16.5 (14.4 - 18.6)	6.4	870	14.5 (13.8 - 15.1)	13.2 (12.6 - 13.9)	6.4	946	14.7 (14.1 - 15.3)	13.5 (12.8 - 14.1)	6.4
3-244	102	27.4 (22.6 - 32.3)	27.6 (24.0 - 31.1)	7.0	1,724	19.0 (18.4 - 19.6)	19.3 (18.7 - 20.0)	7.1	1,831	19.5 (18.9 - 20.2)	19.8 (19.2 - 20.5)	7.1
3-245	35	37.3 (27.8 - 46.8)	21.8 (15.2 - 28.4)	4.1	355	24.2 (22.7 - 25.8)	19.0 (17.1 - 20.9)	5.5	390	25.4 (23.7 - 27.1)	19.2 (17.4 - 21.1)	5.3
Missing or excluded	99				528				636			
All episodes	1,581	31.5 (29.9 - 33.2)	25.7 (24.7 - 26.7)	5.7	10,679	19.4 (19.1 - 19.7)	19.6 (19.3 - 19.9)	7.1	12,321	20.9 (20.6 - 21.3)	20.4 (20.1 - 20.7)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24