

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2020 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4AZ1*	2	n.a	n.a	n.a	7	58.1 (40.1 - 76.2)	52.4 (43.9 - 61.0)	6.3	9	76.1 (31.4 - 120.8)	43.7 (30.5 - 56.9)	4.0
4AZ2*	3	n.a	n.a	n.a	1	n.a	n.a	n.a	4	n.a	n.a	n.a
4AZ3	1,271	36.1 (34.7 - 37.6)	24.0 (22.7 - 25.2)	4.6	441	31.6 (29.9 - 33.4)	27.2 (25.1 - 29.3)	6.0	1,712	35.0 (33.8 - 36.1)	24.8 (23.8 - 25.9)	5.0
4AZ4	339	70.0 (63.9 - 76.1)	37.6 (34.6 - 40.5)	3.8	45	41.0 (30.8 - 51.1)	32.1 (22.9 - 41.3)	5.5	384	66.6 (61.0 - 72.2)	36.9 (34.1 - 39.8)	3.9
4AA1	1,484	13.9 (13.2 - 14.6)	15.5 (15.0 - 16.0)	7.8	676	14.5 (13.9 - 15.1)	18.4 (17.8 - 19.1)	8.9	2,160	14.1 (13.6 - 14.6)	16.4 (16.0 - 16.8)	8.1
4AA2	1,299	18.0 (17.3 - 18.7)	18.2 (17.6 - 18.8)	7.1	457	18.5 (16.8 - 20.3)	22.4 (21.5 - 23.3)	8.5	1,756	18.2 (17.5 - 18.8)	19.3 (18.8 - 19.8)	7.4
4AA3	447	24.2 (22.4 - 25.9)	22.3 (20.9 - 23.6)	6.5	84	21.4 (18.6 - 24.3)	23.6 (21.2 - 25.9)	7.7	531	23.7 (22.2 - 25.2)	22.5 (21.3 - 23.7)	6.6
4AA4	802	26.2 (25.2 - 27.3)	29.1 (28.1 - 30.1)	7.8	318	24.2 (22.9 - 25.4)	27.6 (26.2 - 29.0)	8.0	1,120	25.7 (24.8 - 26.5)	28.7 (27.8 - 29.5)	7.8
4AA5	341	32.5 (30.1 - 34.9)	36.9 (35.5 - 38.3)	7.9	37	25.6 (21.0 - 30.1)	31.5 (26.1 - 36.9)	8.6	378	31.8 (29.6 - 34.1)	36.4 (35.0 - 37.8)	8.0
4AA6	887	38.7 (37.1 - 40.2)	33.5 (32.2 - 34.7)	6.1	240	35.7 (33.3 - 38.2)	31.0 (28.6 - 33.4)	6.1	1,127	38.0 (36.7 - 39.3)	32.9 (31.8 - 34.1)	6.1
4AA7	399	54.7 (51.1 - 58.4)	41.8 (39.7 - 43.9)	5.3	38	40.7 (33.7 - 47.8)	40.1 (33.8 - 46.5)	6.9	437	53.5 (50.1 - 56.9)	41.7 (39.7 - 43.7)	5.5
4AB1-7*												
4AC1	650	16.1 (13.9 - 18.4)	11.2 (10.5 - 11.8)	4.8	712	12.7 (12.2 - 13.1)	15.7 (15.1 - 16.2)	8.7	1,362	14.3 (13.2 - 15.4)	13.5 (13.1 - 14.0)	6.6
4AC2	592	20.9 (19.7 - 22.1)	22.2 (21.2 - 23.2)	7.4	677	18.1 (17.4 - 18.8)	22.5 (21.7 - 23.3)	8.7	1,269	19.4 (18.7 - 20.1)	22.4 (21.7 - 23.0)	8.1
4AC3	554	32.0 (29.5 - 34.4)	26.4 (24.8 - 28.0)	5.8	317	26.0 (22.9 - 29.0)	24.5 (22.8 - 26.3)	6.6	871	29.8 (27.9 - 31.7)	25.7 (24.5 - 26.9)	6.0
4AD1-4*												
4AE1	45	18.6 (15.2 - 22.0)	3.2 (2.2 - 4.3)	1.2	3	n.a	n.a	n.a	48	18.7 (15.5 - 22.0)	3.6 (2.5 - 4.7)	1.3
4AE2	630	29.4 (27.7 - 31.0)	17.7 (16.8 - 18.6)	4.2	140	25.2 (22.1 - 28.3)	20.8 (18.8 - 22.8)	5.8	770	28.6 (27.1 - 30.0)	18.3 (17.4 - 19.1)	4.5
4AE3	97	43.0 (36.9 - 49.1)	28.0 (24.5 - 31.5)	4.6	18	34.7 (22.8 - 46.6)	27.6 (20.1 - 35.1)	5.6	115	41.7 (36.3 - 47.2)	28.0 (24.8 - 31.1)	4.7
4AE4	168	32.2 (26.8 - 37.7)	15.7 (13.9 - 17.6)	3.4	32	39.9 (26.2 - 53.5)	17.5 (13.4 - 21.6)	3.1	200	33.5 (28.4 - 38.5)	16.0 (14.3 - 17.7)	3.3
4AH1	1,788	14.4 (14.0 - 14.8)	16.0 (15.6 - 16.4)	7.8	2,945	15.9 (15.6 - 16.3)	18.6 (18.3 - 18.9)	8.2	4,733	15.3 (15.1 - 15.6)	17.6 (17.4 - 17.9)	8.1
4AH2	2,080	17.2 (16.8 - 17.7)	18.4 (18.0 - 18.9)	7.5	3,025	17.6 (17.2 - 18.1)	21.3 (20.9 - 21.6)	8.4	5,105	17.5 (17.2 - 17.8)	20.1 (19.8 - 20.4)	8.1
4AH3	1,592	21.2 (20.5 - 21.8)	27.6 (27.0 - 28.3)	9.1	1,647	23.6 (23.0 - 24.2)	29.4 (28.9 - 30.0)	8.7	3,239	22.4 (22.0 - 22.9)	28.5 (28.1 - 29.0)	8.9
4AH4	1,631	26.7 (25.8 - 27.5)	31.9 (31.1 - 32.8)	8.4	1,451	30.2 (29.3 - 31.2)	34.4 (33.6 - 35.2)	8.0	3,082	28.4 (27.7 - 29.0)	33.1 (32.5 - 33.7)	8.2
4A21 Ortho Replacements	868	9.5 (9.1 - 9.9)	9.9 (9.5 - 10.3)	7.3	10,706	9.5 (9.3 - 9.7)	13.0 (12.9 - 13.1)	9.6	11,574	9.5 (9.3 - 9.7)	12.7 (12.7 - 12.8)	9.4
4A22 Ortho Replacements	1,635	11.8 (11.4 - 12.2)	21.5 (21.1 - 21.9)	12.7	10,422	11.6 (11.4 - 11.7)	23.0 (22.9 - 23.2)	13.9	12,057	11.6 (11.5 - 11.7)	22.8 (22.7 - 22.9)	13.8
4A23 Ortho Replacements	787	18.4 (17.6 - 19.3)	33.5 (32.6 - 34.4)	12.7	1,350	19.8 (19.1 - 20.5)	34.1 (33.5 - 34.7)	12.1	2,137	19.3 (18.8 - 19.8)	33.9 (33.4 - 34.4)	12.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2020 (2/2)

AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4A21 Ortho Soft Tissue Injury	67	11.9 (8.1 - 15.6)	9.2 (7.5 - 10.8)	5.4	200	12.1 (11.3 - 12.9)	12.2 (11.4 - 13.0)	7.1	267	12.0 (10.9 - 13.1)	11.4 (10.7 - 12.2)	6.7
4A22 Ortho Soft Tissue Injury	163	14.4 (13.0 - 15.8)	18.3 (16.6 - 20.1)	8.9	435	15.2 (13.4 - 17.0)	20.4 (19.6 - 21.2)	9.4	598	15.0 (13.6 - 16.3)	19.8 (19.1 - 20.6)	9.3
4A23 Ortho Soft Tissue Injury	142	19.6 (17.4 - 21.9)	24.1 (21.8 - 26.5)	8.6	176	19.8 (18.4 - 21.2)	27.1 (25.2 - 29.0)	9.6	318	19.7 (18.4 - 21.0)	25.8 (24.3 - 27.3)	9.2
4A21 Ortho Other	268	11.3 (10.4 - 12.3)	10.8 (10.0 - 11.6)	6.7	2,694	10.4 (10.2 - 10.7)	13.1 (12.9 - 13.3)	8.8	2,962	10.5 (10.3 - 10.7)	12.9 (12.7 - 13.1)	8.6
4A22 Ortho Other	415	16.1 (15.2 - 17.1)	20.9 (20.2 - 21.7)	9.1	3,199	13.6 (13.3 - 13.9)	22.9 (22.7 - 23.2)	11.8	3,614	13.9 (13.6 - 14.2)	22.7 (22.5 - 22.9)	11.5
4A23 Ortho Other	279	25.8 (23.6 - 28.0)	29.0 (27.3 - 30.7)	7.9	726	25.3 (23.8 - 26.7)	33.4 (32.5 - 34.2)	9.2	1,005	25.4 (24.2 - 26.6)	32.2 (31.4 - 33.0)	8.9
4A31 Pain	160	10.9 (10.0 - 11.9)	7.9 (6.9 - 9.0)	5.1	942	12.0 (11.3 - 12.7)	8.6 (8.2 - 8.9)	5.0	1,102	11.8 (11.2 - 12.5)	8.5 (8.1 - 8.8)	5.0
4A32 Pain	365	15.4 (13.8 - 17.0)	18.2 (17.3 - 19.1)	8.3	957	13.6 (13.2 - 14.1)	18.7 (18.2 - 19.2)	9.6	1,322	14.1 (13.6 - 14.7)	18.6 (18.1 - 19.0)	9.2
4A33 Pain	270	16.8 (15.6 - 18.0)	26.5 (24.9 - 28.1)	11.0	309	18.6 (17.6 - 19.6)	26.3 (25.0 - 27.5)	9.9	579	17.8 (17.0 - 18.5)	26.4 (25.4 - 27.4)	10.4
4A34 Pain	66	20.9 (17.6 - 24.3)	34.0 (29.6 - 38.5)	11.4	37	24.2 (20.1 - 28.3)	29.5 (23.6 - 35.4)	8.5	103	22.1 (19.5 - 24.7)	32.4 (28.8 - 36.0)	10.3
4A31 Cardiac	138	12.1 (10.3 - 14.0)	7.6 (6.2 - 9.1)	4.4	622	10.0 (9.6 - 10.3)	12.8 (12.3 - 13.2)	9.0	760	10.4 (9.9 - 10.8)	11.8 (11.4 - 12.3)	8.0
4A32 Cardiac	312	13.3 (12.5 - 14.1)	17.4 (16.3 - 18.5)	9.2	1,435	12.9 (12.3 - 13.5)	21.1 (20.7 - 21.5)	11.5	1,747	13.0 (12.5 - 13.5)	20.4 (20.1 - 20.8)	11.0
4A33 Cardiac	196	18.1 (16.5 - 19.7)	24.3 (22.3 - 26.3)	9.4	420	17.7 (16.9 - 18.6)	26.4 (25.3 - 27.5)	10.4	616	17.8 (17.1 - 18.6)	25.7 (24.8 - 26.7)	10.1
4A34 Cardiac	71	26.6 (22.8 - 30.4)	37.3 (33.2 - 41.5)	9.8	46	22.6 (19.2 - 26.0)	29.6 (25.9 - 33.2)	9.1	117	25.0 (22.3 - 27.7)	34.3 (31.3 - 37.3)	9.6
4A31 Pulmonary	103	10.3 (9.2 - 11.4)	6.4 (4.8 - 8.0)	4.4	268	10.9 (10.3 - 11.6)	11.5 (10.8 - 12.2)	7.4	371	10.8 (10.2 - 11.3)	10.1 (9.4 - 10.8)	6.6
4A32 Pulmonary	209	14.1 (12.7 - 15.5)	17.0 (15.8 - 18.3)	8.5	682	13.8 (13.3 - 14.3)	19.9 (19.3 - 20.5)	10.1	891	13.9 (13.4 - 14.4)	19.2 (18.7 - 19.7)	9.7
4A33 Pulmonary	157	16.0 (14.6 - 17.4)	23.8 (21.9 - 25.8)	10.4	250	16.6 (15.5 - 17.6)	26.0 (24.6 - 27.4)	11.0	407	16.4 (15.5 - 17.2)	25.2 (24.0 - 26.3)	10.8
4A34 Pulmonary	65	19.8 (16.7 - 22.9)	26.7 (21.9 - 31.4)	9.4	43	21.5 (17.6 - 25.4)	25.0 (19.4 - 30.6)	8.1	108	20.5 (18.0 - 22.9)	26.0 (22.4 - 29.6)	8.9
4AP1*	172	27.8 (23.0 - 32.6)	27.0 (24.9 - 29.0)	6.8	220	32.5 (29.6 - 35.5)	33.1 (31.2 - 35.0)	7.1	392	30.5 (27.8 - 33.1)	30.4 (29.0 - 31.8)	7.0
4AR1	2,207	12.3 (12.0 - 12.7)	9.2 (8.9 - 9.5)	5.2	4,603	11.9 (11.7 - 12.1)	13.0 (12.8 - 13.2)	7.6	6,810	12.0 (11.9 - 12.2)	11.8 (11.6 - 11.9)	6.8
4AR2	2,789	15.1 (14.7 - 15.4)	18.6 (18.3 - 19.0)	8.7	5,936	15.1 (14.9 - 15.3)	20.7 (20.5 - 20.9)	9.6	8,725	15.1 (14.9 - 15.3)	20.0 (19.9 - 20.2)	9.3
4AR3	1,409	16.3 (15.7 - 16.8)	17.4 (16.8 - 18.0)	7.5	1,699	17.7 (16.9 - 18.4)	20.7 (20.3 - 21.2)	8.2	3,108	17.0 (16.5 - 17.5)	19.2 (18.8 - 19.6)	7.9
4AR4	604	21.1 (19.9 - 22.3)	26.4 (25.5 - 27.4)	8.8	550	21.0 (20.0 - 22.0)	26.2 (25.2 - 27.2)	8.7	1,154	21.0 (20.2 - 21.9)	26.3 (25.6 - 27.0)	8.8
4AR5	2,010	20.0 (19.2 - 20.7)	23.1 (22.4 - 23.7)	8.1	1,921	20.1 (19.5 - 20.8)	24.7 (24.1 - 25.3)	8.6	3,931	20.1 (19.6 - 20.5)	23.9 (23.4 - 24.3)	8.3
4AR6	1,508	26.8 (25.8 - 27.8)	26.4 (25.4 - 27.3)	6.9	818	25.3 (24.3 - 26.4)	26.8 (25.6 - 28.0)	7.4	2,326	26.3 (25.5 - 27.0)	26.5 (25.8 - 27.3)	7.1
4A91	249	16.0 (14.3 - 17.7)	13.1 (11.8 - 14.4)	5.7	202	14.0 (13.1 - 14.9)	15.5 (14.5 - 16.6)	7.8	451	15.1 (14.1 - 16.1)	14.2 (13.3 - 15.0)	6.6
4A92	155	20.5 (18.4 - 22.6)	23.8 (21.4 - 26.1)	8.1	62	18.7 (16.8 - 20.7)	24.3 (21.4 - 27.1)	9.1	217	20.0 (18.4 - 21.6)	23.9 (22.1 - 25.8)	8.4
4A93	55	35.5 (20.5 - 50.5)	26.3 (21.3 - 31.3)	5.2	13	22.5 (16.6 - 28.3)	21.6 (10.4 - 32.8)	6.7	68	33.0 (20.8 - 45.2)	25.4 (20.9 - 30.0)	5.4
Missing or excluded*	10,858				6,935				17,793			
All episodes	45,853	22.2 (21.9 - 22.4)	21.7 (21.5 - 21.8)	6.8	72,189	14.9 (14.8 - 15.0)	20.2 (20.1 - 20.3)	9.5	118,042	17.5 (17.4 - 17.7)	20.7 (20.7 - 20.8)	8.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2020 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	per week	No.	Mean (95%CI)	per week	No.	Mean (95%CI)	per week			
3-202	230	111.3 (97.5 - 125.0)	32.6 (28.4 - 36.7)	2.0	31	85.3 (62.0 - 108.5)	59.6 (46.8 - 72.3)	4.9	261	108.2 (95.7 - 120.6)	35.8 (31.7 - 39.9)	2.3
3-203	482	46.0 (42.7 - 49.3)	25.3 (23.0 - 27.6)	3.8	89	34.5 (29.4 - 39.6)	30.5 (24.0 - 36.9)	6.2	571	44.2 (41.3 - 47.2)	26.1 (23.9 - 28.3)	4.1
3-204	1,685	14.0 (13.4 - 14.6)	12.5 (12.1 - 12.9)	6.2	576	13.4 (12.8 - 14.0)	16.4 (15.8 - 17.1)	8.6	2,261	13.9 (13.4 - 14.3)	13.5 (13.1 - 13.8)	6.8
3-205	263	21.7 (20.0 - 23.3)	17.3 (15.9 - 18.8)	5.6	46	17.9 (14.1 - 21.7)	21.3 (18.7 - 24.0)	8.4	309	21.1 (19.5 - 22.6)	17.9 (16.6 - 19.3)	6.0
3-206	1,441	19.9 (19.2 - 20.6)	24.9 (24.3 - 25.5)	8.8	667	19.7 (18.4 - 21.0)	24.3 (23.6 - 25.0)	8.7	2,108	19.8 (19.2 - 20.4)	24.7 (24.3 - 25.2)	8.7
3-207	186	28.3 (24.9 - 31.7)	26.7 (24.5 - 29.0)	6.6	45	24.1 (20.3 - 28.0)	24.3 (20.2 - 28.4)	7.0	231	27.5 (24.7 - 30.3)	26.3 (24.3 - 28.2)	6.7
3-208	1,285	33.9 (32.8 - 35.0)	29.8 (28.8 - 30.8)	6.1	426	31.4 (29.8 - 32.9)	27.2 (25.6 - 28.8)	6.1	1,711	33.3 (32.4 - 34.2)	29.1 (28.3 - 30.0)	6.1
3-209	1,250	48.6 (46.6 - 50.6)	39.0 (37.9 - 40.2)	5.6	171	37.6 (34.0 - 41.2)	36.8 (33.9 - 39.7)	6.8	1,421	47.3 (45.4 - 49.1)	38.8 (37.7 - 39.8)	5.7
3-210	136	12.5 (11.0 - 14.0)	12.6 (11.2 - 14.1)	7.1	144	11.4 (10.4 - 12.3)	16.4 (15.2 - 17.6)	10.1	280	11.9 (11.0 - 12.8)	14.6 (13.6 - 15.5)	8.6
3-211	404	15.3 (14.3 - 16.3)	15.1 (14.1 - 16.1)	6.9	207	15.1 (14.1 - 16.1)	18.7 (17.7 - 19.8)	8.7	611	15.2 (14.5 - 16.0)	16.3 (15.6 - 17.1)	7.5
3-212	171	21.4 (19.0 - 23.8)	17.0 (15.3 - 18.7)	5.5	34	16.1 (13.5 - 18.7)	23.2 (20.7 - 25.7)	10.1	205	20.5 (18.5 - 22.6)	18.0 (16.5 - 19.5)	6.1
3-213	274	34.1 (29.7 - 38.5)	24.2 (22.7 - 25.8)	5.0	27	21.3 (15.7 - 26.9)	20.7 (15.7 - 25.8)	6.8	301	33.0 (28.9 - 37.0)	23.9 (22.5 - 25.4)	5.1
3-214	527	31.6 (29.0 - 34.2)	32.3 (30.7 - 33.9)	7.2	273	22.6 (21.0 - 24.2)	28.5 (26.7 - 30.2)	8.8	800	28.6 (26.7 - 30.4)	31.0 (29.8 - 32.2)	7.6
3-215	154	62.2 (51.3 - 73.1)	45.1 (40.6 - 49.6)	5.1	23	35.2 (26.0 - 44.3)	26.8 (17.2 - 36.5)	5.3	177	58.7 (49.1 - 68.3)	42.7 (38.5 - 46.9)	5.1
3-216	567	15.6 (13.1 - 18.0)	10.5 (9.8 - 11.2)	4.7	585	12.2 (11.8 - 12.7)	14.6 (14.0 - 15.1)	8.3	1,152	13.9 (12.6 - 15.1)	12.6 (12.1 - 13.0)	6.3
3-217	505	19.4 (18.2 - 20.7)	19.9 (18.9 - 20.9)	7.2	604	16.5 (15.9 - 17.1)	21.3 (20.6 - 22.0)	9.0	1,109	17.8 (17.2 - 18.5)	20.7 (20.1 - 21.3)	8.1
3-218	746	31.6 (29.5 - 33.8)	26.5 (25.2 - 27.8)	5.9	520	23.9 (22.0 - 25.9)	24.9 (23.6 - 26.2)	7.3	1,266	28.5 (26.9 - 30.0)	25.9 (24.9 - 26.8)	6.4
3-219	61	34.8 (25.6 - 44.0)	24.6 (19.3 - 30.0)	4.9	18	24.1 (18.7 - 29.4)	22.2 (12.3 - 32.1)	6.5	79	32.4 (25.1 - 39.6)	24.1 (19.4 - 28.8)	5.2
3-220	14	10.8 (8.0 - 13.6)	2.3 (1.2 - 3.4)	1.5	0	n.a	n.a	n.a	14	10.8 (8.0 - 13.6)	2.3 (1.2 - 3.4)	1.5
3-221	302	28.6 (25.3 - 31.9)	17.7 (16.5 - 18.9)	4.3	63	20.4 (16.4 - 24.4)	19.8 (17.4 - 22.1)	6.8	365	27.2 (24.4 - 30.0)	18.1 (17.0 - 19.1)	4.6
3-222	362	75.1 (67.8 - 82.4)	28.5 (26.5 - 30.5)	2.7	49	39.2 (30.2 - 48.2)	30.3 (25.4 - 35.2)	5.4	411	70.9 (64.2 - 77.5)	28.7 (26.8 - 30.6)	2.8
3-223	38	69.2 (53.1 - 85.3)	34.9 (28.6 - 41.2)	3.5	4	n.a	n.a	n.a	42	66.2 (51.1 - 81.3)	33.4 (27.2 - 39.5)	3.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2020 (2/2)

AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain			
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-224	193	19.9 (18.0 - 21.9)	5.8 (5.1 - 6.5)	2.0	17	18.5 (8.5 - 28.5)	7.4 (5.3 - 9.5)	2.8	210	19.8 (17.9 - 21.8)	5.9 (5.3 - 6.6)	2.1
3-225	758	33.9 (32.0 - 35.9)	20.8 (19.9 - 21.7)	4.3	178	29.9 (26.2 - 33.5)	21.9 (20.1 - 23.8)	5.1	936	33.2 (31.4 - 34.9)	21.0 (20.2 - 21.8)	4.4
3-226	875	15.7 (14.8 - 16.5)	20.3 (19.4 - 21.2)	9.1	2,249	13.8 (13.4 - 14.2)	15.7 (15.2 - 16.1)	7.9	3,124	14.3 (13.9 - 14.7)	17.0 (16.5 - 17.4)	8.3
3-227	1,998	14.2 (13.8 - 14.5)	13.1 (12.7 - 13.4)	6.5	3,322	14.9 (14.5 - 15.2)	16.7 (16.5 - 17.0)	7.9	5,320	14.6 (14.3 - 14.9)	15.4 (15.1 - 15.6)	7.4
3-228	1,864	17.8 (17.3 - 18.3)	21.9 (21.5 - 22.4)	8.6	2,594	19.3 (18.8 - 19.8)	24.0 (23.7 - 24.3)	8.7	4,458	18.7 (18.3 - 19.0)	23.1 (22.9 - 23.4)	8.7
3-229	2,823	24.0 (23.4 - 24.6)	30.2 (29.7 - 30.8)	8.8	2,760	26.6 (26.0 - 27.1)	32.0 (31.5 - 32.5)	8.4	5,583	25.3 (24.9 - 25.7)	31.1 (30.7 - 31.5)	8.6
3-230	574	25.1 (23.8 - 26.3)	26.1 (24.6 - 27.7)	7.3	508	26.7 (25.5 - 27.9)	29.9 (28.4 - 31.4)	7.8	1,082	25.8 (25.0 - 26.7)	27.9 (26.8 - 29.0)	7.6
3-231	417	9.5 (9.0 - 10.1)	7.1 (6.6 - 7.6)	5.2	5,140	9.0 (8.7 - 9.3)	10.1 (10.0 - 10.2)	7.9	5,557	9.0 (8.8 - 9.3)	9.9 (9.8 - 10.0)	7.7
3-232	2,063	11.3 (11.0 - 11.6)	19.5 (19.1 - 19.8)	12.1	15,903	11.0 (10.9 - 11.1)	20.4 (20.3 - 20.5)	13.0	17,966	11.0 (10.9 - 11.1)	20.3 (20.2 - 20.4)	12.9
3-233	824	18.4 (17.6 - 19.2)	33.2 (32.3 - 34.0)	12.6	1,451	19.5 (18.9 - 20.2)	33.9 (33.3 - 34.5)	12.1	2,275	19.1 (18.6 - 19.6)	33.6 (33.1 - 34.1)	12.3
3-234	269	11.4 (10.1 - 12.6)	9.6 (8.8 - 10.4)	5.9	2,315	10.2 (10.0 - 10.5)	12.0 (11.8 - 12.3)	8.2	2,584	10.4 (10.1 - 10.6)	11.8 (11.6 - 12.0)	8.0
3-235	489	14.9 (14.0 - 15.7)	18.6 (17.8 - 19.3)	8.7	3,677	13.1 (12.8 - 13.4)	21.1 (20.8 - 21.3)	11.3	4,166	13.3 (13.0 - 13.6)	20.8 (20.5 - 21.0)	10.9
3-236	586	21.7 (20.4 - 23.0)	26.0 (24.9 - 27.1)	8.4	1,452	21.4 (20.6 - 22.2)	30.6 (30.0 - 31.2)	10.0	2,038	21.5 (20.8 - 22.2)	29.2 (28.7 - 29.8)	9.5
3-237	720	15.9 (15.0 - 16.7)	19.4 (18.3 - 20.4)	8.5	2,529	13.2 (12.8 - 13.6)	20.1 (19.8 - 20.5)	10.7	3,249	13.8 (13.4 - 14.1)	20.0 (19.6 - 20.3)	10.1
3-238	44	13.7 (10.8 - 16.6)	10.1 (8.2 - 11.9)	5.1	36	17.9 (13.7 - 22.2)	12.6 (10.7 - 14.5)	4.9	80	15.6 (13.1 - 18.1)	11.2 (9.9 - 12.6)	5.0
3-239	222	25.0 (22.2 - 27.9)	23.9 (22.4 - 25.4)	6.7	195	26.8 (24.2 - 29.4)	29.0 (27.8 - 30.3)	7.6	417	25.9 (23.9 - 27.8)	26.3 (25.3 - 27.3)	7.1
3-240	109	61.2 (49.3 - 73.2)	39.9 (37.0 - 42.9)	4.6	159	50.4 (45.8 - 55.1)	48.3 (46.3 - 50.2)	6.7	268	54.8 (49.2 - 60.4)	44.9 (43.1 - 46.6)	5.7
3-241	25	100.3 (68.3 - 132.4)	61.1 (51.7 - 70.6)	4.3	16	56.6 (46.0 - 67.3)	75.2 (64.0 - 86.4)	9.3	41	83.3 (62.4 - 104.1)	66.6 (59.2 - 74.1)	5.6
3-242	2,068	12.2 (11.8 - 12.6)	8.3 (8.0 - 8.7)	4.8	4,147	11.7 (11.5 - 11.9)	12.1 (11.9 - 12.3)	7.2	6,215	11.9 (11.7 - 12.0)	10.8 (10.7 - 11.0)	6.4
3-243	3,751	14.7 (14.4 - 15.1)	16.9 (16.5 - 17.2)	8.0	7,667	14.7 (14.5 - 14.9)	19.6 (19.5 - 19.8)	9.4	11,418	14.7 (14.5 - 14.9)	18.7 (18.6 - 18.9)	8.9
3-244	5,093	20.5 (20.1 - 21.0)	23.9 (23.5 - 24.3)	8.2	4,975	19.9 (19.5 - 20.3)	24.8 (24.4 - 25.1)	8.7	10,068	20.2 (19.9 - 20.5)	24.4 (24.1 - 24.6)	8.4
3-245	885	29.4 (27.6 - 31.2)	24.1 (22.7 - 25.4)	5.7	381	27.8 (26.0 - 29.5)	24.7 (22.8 - 26.6)	6.2	1,266	28.9 (27.5 - 30.3)	24.2 (23.1 - 25.4)	5.9
Missing or excluded	8,120				5,916				14,036			
All episodes	45,853	22.2 (21.9 - 22.4)	21.7 (21.5 - 21.8)	6.8	72,189	14.9 (14.8 - 15.0)	20.2 (20.1 - 20.3)	9.5	118,042	17.5 (17.4 - 17.7)	20.7 (20.7 - 20.8)	8.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24