

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2020 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	711	29.4 (28.0 - 30.8)	21.2 (19.5 - 22.8)	5.0	711	29.4 (28.0 - 30.8)	21.2 (19.5 - 22.8)	5.0
4AZ4	85	57.7 (50.1 - 65.3)	38.2 (32.8 - 43.6)	4.6	0	n.a	n.a	n.a	85	57.7 (50.1 - 65.3)	38.2 (32.8 - 43.6)	4.6
4AA1	75	12.4 (10.2 - 14.6)	15.7 (13.5 - 17.8)	8.8	136	13.1 (11.5 - 14.6)	13.9 (12.3 - 15.4)	7.4	212	12.8 (11.6 - 14.1)	14.5 (13.2 - 15.8)	7.9
4AA2	63	19.4 (16.4 - 22.5)	17.5 (14.9 - 20.1)	6.3	193	14.8 (13.5 - 16.1)	16.6 (15.0 - 18.1)	7.8	259	15.9 (14.7 - 17.2)	16.9 (15.5 - 18.2)	7.4
4AA3	22	24.3 (16.1 - 32.5)	23.1 (17.0 - 29.2)	6.6	72	16.8 (14.9 - 18.8)	17.6 (15.1 - 20.1)	7.3	94	18.6 (16.1 - 21.1)	18.9 (16.5 - 21.3)	7.1
4AA4	0	n.a	n.a	n.a	252	22.5 (20.9 - 24.1)	26.3 (24.6 - 28.1)	8.2	252	22.5 (20.9 - 24.1)	26.3 (24.6 - 28.1)	8.2
4AA5	57	20.9 (18.4 - 23.5)	33.4 (29.9 - 36.8)	11.2	21	23.1 (19.3 - 26.9)	32.5 (24.9 - 40.1)	9.8	78	21.5 (19.4 - 23.6)	33.1 (29.9 - 36.3)	10.8
4AA6	0	n.a	n.a	n.a	334	32.4 (30.7 - 34.2)	28.5 (26.2 - 30.8)	6.1	334	32.4 (30.7 - 34.2)	28.5 (26.2 - 30.8)	6.1
4AA7	89	38.1 (34.0 - 42.2)	47.2 (43.6 - 50.7)	8.7	23	38.0 (29.8 - 46.2)	33.9 (25.2 - 42.6)	6.2	112	38.1 (34.5 - 41.7)	44.4 (40.9 - 47.9)	8.2
4AB1-7*												
4AC1	25	13.0 (9.4 - 16.5)	12.9 (9.9 - 16.0)	7.0	27	12.3 (9.8 - 14.7)	8.7 (3.7 - 13.7)	5.0	52	12.6 (10.5 - 14.7)	10.7 (7.7 - 13.7)	6.0
4AC2	12	21.9 (17.4 - 26.4)	20.3 (13.2 - 27.4)	6.5	57	16.3 (13.7 - 18.8)	11.4 (8.2 - 14.5)	4.9	70	17.5 (15.2 - 19.8)	13.1 (10.2 - 16.1)	5.3
4AC3	29	31.9 (21.6 - 42.2)	26.8 (19.5 - 34.1)	5.9	68	21.0 (18.0 - 24.0)	15.5 (11.5 - 19.5)	5.2	98	24.4 (20.6 - 28.2)	19.3 (15.5 - 23.0)	5.5
4AD1-4*												
4AE1	2	n.a	n.a	n.a	0	n.a	n.a	n.a	2	n.a	n.a	n.a
4AE2	36	21.1 (15.6 - 26.5)	16.1 (12.7 - 19.5)	5.3	93	21.0 (18.9 - 23.2)	15.9 (13.6 - 18.1)	5.3	129	21.1 (18.9 - 23.2)	15.9 (14.1 - 17.8)	5.3
4AE3	6	34.5 (20.3 - 48.7)	19.3 (8.5 - 30.2)	3.9	35	29.3 (24.7 - 33.8)	29.1 (24.5 - 33.7)	7.0	41	30.0 (25.7 - 34.4)	27.7 (23.4 - 32.0)	6.4
4AE4	17	18.9 (11.2 - 26.6)	11.5 (7.0 - 15.9)	4.3	0	n.a	n.a	n.a	17	18.9 (11.2 - 26.6)	11.5 (7.0 - 15.9)	4.3

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2020 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	42	13.4 (10.2 - 16.6)	13.4 (11.3 - 15.6)	7.0	453	12.3 (10.5 - 14.0)	14.6 (13.9 - 15.4)	8.4	497	12.4 (10.7 - 14.0)	14.5 (13.8 - 15.2)	8.2
4AH2	37	16.2 (13.1 - 19.3)	18.9 (15.8 - 22.1)	8.2	787	14.0 (13.4 - 14.6)	15.9 (15.3 - 16.6)	8.0	830	14.1 (13.5 - 14.7)	16.0 (15.4 - 16.7)	8.0
4AH3	30	22.0 (15.2 - 28.7)	29.8 (26.4 - 33.2)	9.5	757	17.3 (16.5 - 18.1)	23.0 (22.1 - 23.9)	9.3	794	17.4 (16.7 - 18.2)	23.3 (22.4 - 24.2)	9.4
4AH4	42	28.1 (22.3 - 33.9)	30.3 (25.1 - 35.5)	7.5	1,260	21.5 (20.8 - 22.3)	28.5 (27.6 - 29.4)	9.3	1,308	21.8 (21.1 - 22.5)	28.5 (27.6 - 29.5)	9.2
4A21	11	11.8 (6.0 - 17.6)	5.4 (3.0 - 7.8)	3.2	58	7.3 (6.3 - 8.3)	8.1 (6.4 - 9.7)	7.8	69	8.0 (6.7 - 9.3)	7.6 (6.2 - 9.1)	6.7
4A22	14	12.0 (8.0 - 16.0)	18.7 (14.4 - 23.1)	10.9	263	13.2 (10.3 - 16.1)	16.0 (15.0 - 17.0)	8.4	278	13.2 (10.4 - 15.9)	16.1 (15.2 - 17.1)	8.6
4A23	18	19.8 (12.4 - 27.2)	28.7 (24.3 - 33.1)	10.1	282	17.7 (16.5 - 19.0)	22.7 (21.0 - 24.5)	9.0	304	18.1 (16.9 - 19.4)	23.3 (21.6 - 24.9)	9.0
4A31	1	n.a	n.a	n.a	51	12.3 (10.3 - 14.4)	6.7 (5.0 - 8.5)	3.8	52	12.3 (10.3 - 14.4)	6.9 (5.2 - 8.6)	3.9
4A32	5	18.8 (7.4 - 30.2)	16.0 (9.1 - 22.9)	6.0	142	13.5 (12.3 - 14.7)	14.3 (12.9 - 15.8)	7.4	148	13.6 (12.4 - 14.9)	14.5 (13.1 - 15.9)	7.4
4A33	7	20.6 (13.2 - 27.9)	31.1 (22.1 - 40.2)	10.6	153	15.2 (13.9 - 16.5)	22.2 (20.2 - 24.2)	10.2	160	15.4 (14.1 - 16.7)	22.6 (20.6 - 24.6)	10.3
4A34	1	n.a	n.a	n.a	68	19.9 (17.5 - 22.4)	24.8 (20.2 - 29.4)	8.7	69	20.9 (17.8 - 24.1)	25.3 (20.6 - 29.9)	8.4
4AP1*	8	23.8 (17.3 - 30.2)	20.5 (15.2 - 25.8)	6.0	10	8.3 (5.5 - 11.1)	20.1 (11.1 - 29.1)	17.0	18	15.2 (10.4 - 20.0)	20.3 (14.9 - 25.7)	9.4
4AR1	37	13.6 (10.6 - 16.6)	10.9 (8.1 - 13.7)	5.6	327	13.6 (11.2 - 16.0)	8.1 (7.4 - 8.8)	4.2	366	13.6 (11.4 - 15.7)	8.4 (7.6 - 9.1)	4.3
4AR2	28	18.3 (13.8 - 22.9)	15.4 (12.1 - 18.7)	5.9	420	14.3 (13.4 - 15.2)	15.1 (14.2 - 16.0)	7.4	451	14.5 (13.7 - 15.4)	15.1 (14.3 - 16.0)	7.3
4AR3	14	15.1 (9.6 - 20.6)	12.2 (7.1 - 17.3)	5.6	512	17.0 (16.1 - 18.0)	14.4 (13.4 - 15.3)	5.9	530	17.0 (16.0 - 17.9)	14.3 (13.3 - 15.2)	5.9
4AR4	18	21.5 (17.8 - 25.2)	33.8 (29.2 - 38.5)	11.0	109	18.0 (15.6 - 20.4)	22.0 (19.5 - 24.5)	8.6	127	18.5 (16.3 - 20.6)	23.7 (21.3 - 26.1)	9.0
4AR5	16	15.4 (10.6 - 20.3)	27.7 (21.0 - 34.4)	12.6	748	18.3 (17.5 - 19.2)	18.7 (17.7 - 19.7)	7.2	766	18.3 (17.5 - 19.1)	18.9 (17.9 - 19.9)	7.2
4AR6	47	35.5 (27.5 - 43.6)	26.9 (21.2 - 32.5)	5.3	523	23.2 (21.7 - 24.7)	21.7 (20.2 - 23.3)	6.6	572	24.3 (22.7 - 25.9)	22.3 (20.8 - 23.8)	6.4
4A91	17	15.5 (7.8 - 23.2)	17.9 (12.8 - 22.9)	8.1	57	13.4 (10.9 - 15.9)	11.4 (9.2 - 13.5)	5.9	75	13.8 (11.2 - 16.4)	12.8 (10.7 - 14.9)	6.5
4A92	10	16.9 (13.4 - 20.4)	24.8 (10.4 - 39.2)	10.3	62	16.0 (12.0 - 20.1)	19.8 (16.3 - 23.3)	8.6	74	16.1 (12.6 - 19.5)	20.5 (17.0 - 24.0)	8.9
4A93	7	47.0 (28.9 - 65.1)	36.4 (7.7 - 65.2)	5.4	30	27.2 (19.5 - 34.8)	17.9 (10.7 - 25.1)	4.6	37	30.9 (23.5 - 38.3)	21.4 (13.3 - 29.5)	4.8
Missing or excluded*	492				814				1,321			
All episodes	1,420	31.1 (29.4 - 32.8)	26.5 (25.4 - 27.6)	6.0	9,909	19.4 (19.0 - 19.7)	20.0 (19.7 - 20.3)	7.2	11,393	20.8 (20.5 - 21.2)	20.8 (20.5 - 21.1)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2020 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	49	109.3 (93.7 - 124.9)	38.2 (30.2 - 46.2)	2.4	30	53.1 (40.7 - 65.6)	26.3 (16.7 - 35.9)	3.5	79	87.9 (75.6 - 100.3)	33.7 (27.4 - 39.9)	2.7
3-203	34	56.3 (46.5 - 66.1)	38.0 (29.2 - 46.8)	4.7	188	33.4 (30.3 - 36.4)	21.1 (17.6 - 24.5)	4.4	223	36.8 (33.6 - 40.0)	23.5 (20.2 - 26.9)	4.5
3-204	87	15.5 (13.0 - 18.1)	12.8 (11.2 - 14.5)	5.8	143	11.8 (10.5 - 13.2)	10.3 (8.9 - 11.8)	6.1	231	13.2 (12.0 - 14.5)	11.4 (10.2 - 12.5)	6.0
3-205	13	16.8 (9.7 - 24.0)	13.9 (10.2 - 17.7)	5.8	33	14.7 (11.8 - 17.6)	16.8 (14.3 - 19.4)	8.0	46	15.3 (12.4 - 18.2)	16.0 (13.9 - 18.1)	7.3
3-206	70	18.5 (15.6 - 21.4)	27.3 (24.4 - 30.2)	10.3	256	16.9 (15.7 - 18.1)	20.5 (19.2 - 21.9)	8.5	330	17.2 (16.1 - 18.4)	21.9 (20.7 - 23.2)	8.9
3-207	13	24.2 (15.1 - 33.2)	29.6 (22.1 - 37.1)	8.6	29	20.1 (16.2 - 24.1)	19.4 (14.4 - 24.3)	6.7	42	21.4 (17.5 - 25.2)	22.5 (18.2 - 26.9)	7.4
3-208	0	n.a	n.a	n.a	545	29.7 (28.2 - 31.2)	24.7 (23.1 - 26.3)	5.8	545	29.7 (28.2 - 31.2)	24.7 (23.1 - 26.3)	5.8
3-209	159	40.5 (36.3 - 44.7)	42.5 (39.5 - 45.4)	7.3	179	35.6 (32.9 - 38.4)	33.6 (30.5 - 36.7)	6.6	338	37.9 (35.5 - 40.4)	37.8 (35.5 - 40.0)	7.0
3-210	16	12.9 (7.3 - 18.6)	11.6 (6.7 - 16.6)	6.3	9	11.0 (6.7 - 15.3)	6.9 (2.0 - 11.8)	4.4	25	12.2 (8.4 - 16.1)	9.9 (6.3 - 13.6)	5.7
3-211	62	15.0 (11.6 - 18.3)	12.4 (10.1 - 14.6)	5.8	39	14.5 (10.4 - 18.5)	13.9 (11.3 - 16.6)	6.8	101	14.8 (12.2 - 17.3)	13.0 (11.3 - 14.7)	6.1
3-212	27	18.6 (15.8 - 21.4)	22.3 (18.7 - 25.8)	8.4	15	16.3 (11.5 - 21.1)	13.7 (8.0 - 19.4)	5.9	42	17.8 (15.3 - 20.3)	19.2 (15.9 - 22.5)	7.6
3-213	30	36.6 (25.4 - 47.8)	24.5 (20.0 - 28.9)	4.7	20	25.4 (14.8 - 36.0)	14.7 (8.9 - 20.5)	4.1	50	32.1 (24.1 - 40.1)	20.6 (16.8 - 24.3)	4.5
3-214	60	43.2 (34.2 - 52.1)	41.3 (35.8 - 46.8)	6.7	92	26.6 (22.1 - 31.0)	22.4 (18.8 - 26.1)	5.9	152	33.1 (28.5 - 37.7)	29.9 (26.4 - 33.3)	6.3
3-215	17	64.1 (39.6 - 88.5)	58.2 (46.9 - 69.4)	6.4	21	41.6 (25.2 - 58.0)	31.8 (20.9 - 42.6)	5.3	38	51.7 (37.2 - 66.1)	43.6 (34.8 - 52.4)	5.9
3-216	23	11.5 (8.4 - 14.6)	12.0 (9.0 - 15.0)	7.3	21	12.7 (9.6 - 15.7)	8.0 (2.0 - 13.9)	4.4	44	12.0 (9.9 - 14.2)	10.1 (6.8 - 13.3)	5.9
3-217	8	22.4 (15.5 - 29.2)	17.1 (8.2 - 26.1)	5.4	51	16.0 (13.4 - 18.7)	10.0 (6.7 - 13.2)	4.3	59	16.9 (14.4 - 19.4)	10.9 (7.8 - 14.0)	4.5
3-218	36	30.3 (21.9 - 38.7)	27.8 (21.4 - 34.1)	6.4	81	19.9 (17.2 - 22.5)	15.9 (12.4 - 19.3)	5.6	120	23.3 (20.1 - 26.6)	19.9 (16.7 - 23.1)	6.0
3-219	2	n.a	n.a	n.a	8	19.8 (14.8 - 24.7)	22.3 (10.2 - 34.3)	7.9	10	21.0 (16.2 - 25.8)	31.5 (16.1 - 46.9)	10.5
3-220	3	n.a	n.a	n.a	1	n.a	n.a	n.a	4	n.a	n.a	n.a
3-221	30	24.0 (18.8 - 29.1)	20.9 (17.8 - 24.0)	6.1	15	19.4 (14.0 - 24.8)	19.2 (15.8 - 22.6)	6.9	45	22.4 (18.5 - 26.3)	20.3 (18.0 - 22.7)	6.3
3-222	54	57.6 (46.9 - 68.4)	31.8 (26.5 - 37.1)	3.9	41	62.2 (51.3 - 73.1)	32.6 (27.1 - 38.0)	3.7	95	59.6 (51.9 - 67.3)	32.1 (28.3 - 36.0)	3.8
3-223	18	69.2 (51.7 - 86.6)	41.8 (35.5 - 48.1)	4.2	0	n.a	n.a	n.a	18	69.2 (51.7 - 86.6)	41.8 (35.5 - 48.1)	4.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2020 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	11	12.4 (8.3 - 16.4)	4.5 (0.8 - 8.1)	2.5	7	16.4 (12.1 - 20.7)	4.9 (1.7 - 8.0)	2.1	18	13.9 (10.9 - 17.0)	4.6 (2.1 - 7.1)	2.3
3-225	50	23.5 (18.7 - 28.4)	17.0 (14.3 - 19.8)	5.1	126	24.4 (22.0 - 26.8)	20.5 (18.1 - 22.8)	5.9	177	24.1 (22.0 - 26.3)	19.6 (17.7 - 21.4)	5.7
3-226	6	20.8 (12.1 - 29.5)	26.0 (15.2 - 36.8)	8.7	263	14.3 (13.3 - 15.4)	17.9 (16.2 - 19.5)	8.7	269	14.5 (13.4 - 15.5)	18.1 (16.4 - 19.7)	8.7
3-227	41	14.4 (10.8 - 18.1)	11.3 (9.1 - 13.4)	5.5	571	12.0 (10.6 - 13.5)	11.8 (11.2 - 12.5)	6.9	616	12.3 (10.9 - 13.6)	11.8 (11.2 - 12.4)	6.7
3-228	41	14.5 (12.2 - 16.9)	20.9 (18.5 - 23.2)	10.1	660	14.5 (13.9 - 15.2)	18.7 (18.0 - 19.4)	9.0	705	14.5 (13.9 - 15.1)	18.8 (18.2 - 19.5)	9.1
3-229	59	27.7 (22.6 - 32.8)	31.9 (28.2 - 35.6)	8.1	1,647	20.1 (19.5 - 20.7)	27.6 (26.8 - 28.3)	9.6	1,719	20.4 (19.8 - 21.0)	27.7 (27.0 - 28.4)	9.5
3-230	13	21.5 (15.5 - 27.4)	26.7 (16.7 - 36.7)	8.7	577	20.0 (19.0 - 21.0)	21.6 (20.1 - 23.1)	7.5	592	20.1 (19.1 - 21.0)	21.6 (20.2 - 23.1)	7.6
3-231	3	n.a	n.a	n.a	7	6.6 (5.3 - 7.8)	8.4 (4.0 - 12.8)	9.0	10	7.0 (5.9 - 8.1)	7.4 (4.0 - 10.8)	7.4
3-232	8	9.6 (6.7 - 12.5)	15.5 (9.7 - 21.3)	11.3	100	14.0 (6.6 - 21.4)	15.9 (14.6 - 17.3)	8.0	108	13.7 (6.9 - 20.5)	15.9 (14.6 - 17.2)	8.1
3-233	5	22.4 (9.8 - 35.0)	35.0 (24.4 - 45.6)	10.9	92	18.6 (16.3 - 20.9)	27.5 (24.7 - 30.4)	10.4	100	19.6 (17.1 - 22.0)	28.1 (25.5 - 30.8)	10.0
3-234	4	n.a	n.a	n.a	28	6.9 (5.2 - 8.5)	5.3 (3.1 - 7.4)	5.4	32	7.9 (5.6 - 10.2)	5.1 (3.2 - 7.0)	4.5
3-235	8	11.6 (6.8 - 16.5)	14.4 (8.2 - 20.6)	8.7	141	11.8 (10.5 - 13.1)	14.5 (13.2 - 15.9)	8.6	150	11.7 (10.5 - 13.0)	14.5 (13.2 - 15.8)	8.7
3-236	15	19.2 (10.8 - 27.6)	26.2 (22.5 - 29.9)	9.6	244	16.8 (15.6 - 18.0)	19.9 (18.1 - 21.7)	8.3	260	17.0 (15.7 - 18.2)	20.3 (18.7 - 22.0)	8.4
3-237	6	29.2 (3.4 - 55.0)	23.7 (8.7 - 38.6)	5.7	83	17.6 (15.6 - 19.5)	19.7 (16.4 - 23.1)	7.9	90	18.2 (15.7 - 20.7)	20.1 (16.9 - 23.3)	7.7
3-238	14	13.7 (9.1 - 18.3)	10.9 (7.3 - 14.6)	5.6	4	n.a	n.a	n.a	18	13.0 (9.3 - 16.7)	10.4 (7.5 - 13.3)	5.6
3-239	17	25.7 (21.1 - 30.3)	25.5 (22.4 - 28.6)	6.9	10	22.9 (14.2 - 31.6)	19.2 (11.7 - 26.7)	5.9	27	24.7 (20.4 - 28.9)	23.1 (19.6 - 26.7)	6.6
3-240	11	31.7 (21.7 - 41.7)	37.5 (28.9 - 46.2)	8.3	6	17.2 (-2.0 - 36.4)	31.0 (19.0 - 43.0)	12.6	17	26.6 (16.9 - 36.2)	35.2 (28.2 - 42.2)	9.3
3-241	8	71.3 (55.2 - 87.3)	65.4 (47.5 - 83.2)	6.4	3	n.a	n.a	n.a	11	64.7 (43.7 - 85.8)	53.8 (34.9 - 72.7)	5.8
3-242	42	13.0 (10.3 - 15.7)	10.3 (7.7 - 12.9)	5.5	310	13.5 (10.9 - 16.1)	7.6 (6.9 - 8.3)	4.0	354	13.4 (11.1 - 15.7)	7.9 (7.2 - 8.6)	4.1
3-243	45	17.6 (13.5 - 21.6)	15.5 (12.8 - 18.2)	6.2	738	14.7 (14.0 - 15.4)	13.3 (12.6 - 13.9)	6.3	791	14.9 (14.2 - 15.5)	13.4 (12.7 - 14.0)	6.3
3-244	87	23.9 (20.5 - 27.3)	28.2 (24.4 - 32.1)	8.3	1,620	19.0 (18.4 - 19.7)	19.3 (18.6 - 20.0)	7.1	1,713	19.3 (18.6 - 20.0)	19.8 (19.1 - 20.5)	7.2
3-245	30	39.5 (28.2 - 50.9)	24.8 (16.9 - 32.6)	4.4	325	25.1 (23.2 - 27.0)	20.7 (18.5 - 22.8)	5.8	355	26.3 (24.3 - 28.3)	21.0 (19.0 - 23.1)	5.6
Missing or excluded	85				530				624			
All episodes	1,420	31.1 (29.4 - 32.8)	26.5 (25.4 - 27.6)	6.0	9,909	19.4 (19.0 - 19.7)	20.0 (19.7 - 20.3)	7.2	11,393	20.8 (20.5 - 21.2)	20.8 (20.5 - 21.1)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24