

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2020 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	2	n.a	n.a	n.a	6	61.8 (25.9 - 97.8)	53.7 (43.5 - 63.8)	6.1	8	87.3 (34.9 - 139.6)	46.0 (33.5 - 58.5)	3.7
4AZ2*	1	n.a	n.a	n.a	1	n.a	n.a	n.a	2	n.a	n.a	n.a
4AZ3	1,266	36.1 (34.7 - 37.5)	24.4 (23.1 - 25.6)	4.7	465	31.8 (30.0 - 33.6)	25.4 (23.4 - 27.3)	5.6	1,731	34.9 (33.8 - 36.1)	24.6 (23.6 - 25.7)	4.9
4AZ4	340	66.1 (60.5 - 71.7)	35.2 (32.4 - 38.0)	3.7	36	38.1 (28.1 - 48.2)	35.6 (25.7 - 45.4)	6.5	376	63.4 (58.2 - 68.7)	35.2 (32.5 - 37.9)	3.9
4AA1	1,468	13.9 (13.2 - 14.7)	15.1 (14.6 - 15.6)	7.6	615	14.4 (13.7 - 15.0)	18.6 (17.9 - 19.3)	9.0	2,083	14.1 (13.5 - 14.6)	16.1 (15.7 - 16.6)	8.0
4AA2	1,378	17.8 (17.1 - 18.4)	18.1 (17.6 - 18.7)	7.1	475	17.1 (16.2 - 17.9)	21.7 (20.9 - 22.6)	8.9	1,853	17.6 (17.1 - 18.1)	19.1 (18.6 - 19.6)	7.6
4AA3	474	23.2 (21.9 - 24.6)	21.9 (20.6 - 23.2)	6.6	82	21.3 (18.3 - 24.4)	21.8 (19.1 - 24.5)	7.2	556	23.0 (21.7 - 24.2)	21.9 (20.7 - 23.0)	6.7
4AA4	809	25.5 (24.5 - 26.5)	29.9 (28.9 - 30.9)	8.2	298	24.5 (23.2 - 25.8)	27.8 (26.2 - 29.3)	7.9	1,107	25.2 (24.4 - 26.0)	29.3 (28.5 - 30.2)	8.1
4AA5	348	34.6 (31.8 - 37.3)	37.0 (35.6 - 38.4)	7.5	43	31.4 (25.5 - 37.4)	29.9 (25.3 - 34.5)	6.7	391	34.2 (31.7 - 36.7)	36.3 (34.9 - 37.6)	7.4
4AA6	924	37.5 (36.1 - 38.9)	32.2 (30.9 - 33.5)	6.0	248	36.6 (34.4 - 38.7)	33.6 (31.3 - 35.8)	6.4	1,172	37.3 (36.1 - 38.5)	32.5 (31.4 - 33.6)	6.1
4AA7	399	52.8 (49.7 - 55.8)	43.6 (41.6 - 45.6)	5.8	47	50.3 (42.3 - 58.3)	43.3 (38.0 - 48.5)	6.0	446	52.5 (49.6 - 55.4)	43.5 (41.7 - 45.4)	5.8
4AB1-7*												
4AC1	604	15.7 (13.4 - 18.0)	10.9 (10.3 - 11.6)	4.9	680	12.6 (12.1 - 13.1)	15.0 (14.5 - 15.6)	8.3	1,284	14.1 (12.9 - 15.2)	13.1 (12.7 - 13.6)	6.5
4AC2	616	20.7 (19.4 - 22.0)	22.6 (21.5 - 23.6)	7.6	640	17.7 (17.1 - 18.4)	22.1 (21.3 - 22.9)	8.7	1,256	19.2 (18.5 - 19.9)	22.3 (21.7 - 23.0)	8.2
4AC3	502	32.5 (29.9 - 35.1)	27.0 (25.2 - 28.7)	5.8	280	25.5 (22.5 - 28.5)	24.7 (22.8 - 26.5)	6.8	782	30.0 (28.0 - 32.0)	26.1 (24.8 - 27.4)	6.1
4AD1-4*												
4AE1	46	17.1 (12.5 - 21.7)	3.5 (2.4 - 4.6)	1.4	2	n.a	n.a	n.a	48	16.9 (12.5 - 21.3)	4.0 (2.8 - 5.2)	1.7
4AE2	585	30.1 (28.3 - 31.9)	17.5 (16.6 - 18.4)	4.1	139	28.1 (24.6 - 31.7)	19.9 (17.9 - 21.9)	5.0	724	29.7 (28.1 - 31.3)	18.0 (17.1 - 18.8)	4.2
4AE3	99	39.5 (34.0 - 45.0)	27.5 (23.8 - 31.2)	4.9	28	52.5 (22.1 - 82.8)	30.9 (26.0 - 35.7)	4.1	127	42.4 (34.4 - 50.3)	28.3 (25.2 - 31.3)	4.7
4AE4	189	31.4 (26.6 - 36.2)	16.3 (14.6 - 18.1)	3.6	23	46.1 (27.8 - 64.4)	14.7 (11.4 - 18.0)	2.2	212	33.0 (28.3 - 37.7)	16.1 (14.5 - 17.8)	3.4
4AH1	1,669	13.8 (13.3 - 14.2)	16.4 (15.9 - 16.8)	8.3	2,618	15.9 (15.5 - 16.3)	18.9 (18.6 - 19.2)	8.3	4,287	15.1 (14.8 - 15.4)	17.9 (17.7 - 18.2)	8.3
4AH2	2,069	16.9 (16.5 - 17.4)	18.6 (18.1 - 19.0)	7.7	3,082	17.4 (17.1 - 17.7)	21.2 (20.9 - 21.6)	8.5	5,151	17.2 (16.9 - 17.5)	20.2 (19.9 - 20.4)	8.2
4AH3	1,571	20.8 (20.2 - 21.4)	27.5 (26.9 - 28.1)	9.2	1,606	24.1 (23.5 - 24.7)	29.6 (29.0 - 30.2)	8.6	3,177	22.5 (22.0 - 22.9)	28.6 (28.1 - 29.0)	8.9
4AH4	1,686	26.5 (25.7 - 27.3)	31.4 (30.6 - 32.2)	8.3	1,429	30.1 (29.2 - 31.1)	34.1 (33.3 - 34.9)	7.9	3,115	28.2 (27.6 - 28.8)	32.6 (32.1 - 33.2)	8.1
4A21 Ortho Replacements	761	9.0 (8.6 - 9.4)	9.9 (9.5 - 10.4)	7.7	10,106	9.2 (9.1 - 9.3)	13.0 (12.9 - 13.1)	9.9	10,867	9.1 (9.0 - 9.3)	12.7 (12.7 - 12.8)	9.8
4A22 Ortho Replacements	1,414	11.4 (11.1 - 11.8)	21.3 (20.9 - 21.7)	13.0	9,525	11.5 (11.4 - 11.7)	23.0 (22.9 - 23.1)	14.0	10,939	11.5 (11.4 - 11.6)	22.8 (22.7 - 22.9)	13.8
4A23 Ortho Replacements	671	18.6 (17.7 - 19.6)	33.1 (32.1 - 34.0)	12.4	1,214	19.8 (19.1 - 20.6)	34.2 (33.6 - 34.9)	12.1	1,885	19.4 (18.8 - 20.0)	33.8 (33.3 - 34.4)	12.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2020 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	53	9.8 (7.9 - 11.7)	8.7 (6.1 - 11.2)	6.2	179	11.3 (10.6 - 12.0)	12.8 (12.0 - 13.6)	7.9	232	11.0 (10.3 - 11.7)	11.9 (11.0 - 12.8)	7.6
4A22 Ortho Soft Tissue Injury	147	13.4 (12.0 - 14.7)	18.8 (17.2 - 20.4)	9.8	404	15.1 (14.3 - 16.0)	20.4 (19.6 - 21.2)	9.4	551	14.7 (14.0 - 15.4)	20.0 (19.2 - 20.7)	9.5
4A23 Ortho Soft Tissue Injury	114	20.3 (17.3 - 23.3)	22.6 (19.9 - 25.2)	7.8	160	20.5 (18.7 - 22.2)	26.9 (25.0 - 28.9)	9.2	274	20.4 (18.8 - 22.0)	25.1 (23.5 - 26.7)	8.6
4A21 Ortho Other	235	11.9 (10.8 - 13.0)	10.1 (9.3 - 11.0)	6.0	2,377	10.2 (10.0 - 10.5)	12.9 (12.7 - 13.2)	8.9	2,612	10.4 (10.1 - 10.6)	12.7 (12.4 - 12.9)	8.6
4A22 Ortho Other	393	15.7 (14.6 - 16.8)	20.8 (20.0 - 21.6)	9.3	2,929	13.5 (13.2 - 13.8)	22.8 (22.5 - 23.1)	11.8	3,322	13.8 (13.5 - 14.1)	22.6 (22.3 - 22.8)	11.4
4A23 Ortho Other	274	24.9 (23.0 - 26.9)	29.2 (27.4 - 30.9)	8.2	694	25.8 (24.3 - 27.3)	32.6 (31.7 - 33.5)	8.8	968	25.6 (24.4 - 26.8)	31.6 (30.8 - 32.5)	8.7
4A31 Pain	139	10.4 (9.4 - 11.4)	8.5 (7.4 - 9.6)	5.7	841	10.9 (10.5 - 11.3)	9.0 (8.6 - 9.4)	5.8	980	10.8 (10.4 - 11.2)	8.9 (8.5 - 9.3)	5.8
4A32 Pain	358	13.2 (11.7 - 14.7)	18.2 (17.3 - 19.1)	9.7	878	13.5 (13.1 - 14.0)	19.0 (18.6 - 19.5)	9.8	1,236	13.4 (12.9 - 14.0)	18.8 (18.4 - 19.2)	9.8
4A33 Pain	278	17.2 (16.0 - 18.4)	25.1 (23.5 - 26.7)	10.2	331	17.7 (16.7 - 18.7)	25.8 (24.5 - 27.1)	10.2	609	17.5 (16.7 - 18.3)	25.5 (24.5 - 26.5)	10.2
4A34 Pain	62	21.2 (17.9 - 24.5)	31.9 (27.3 - 36.4)	10.5	46	21.8 (18.0 - 25.5)	31.5 (26.9 - 36.2)	10.1	108	21.5 (19.0 - 23.9)	31.7 (28.5 - 35.0)	10.3
4A31 Cardiac	128	10.4 (9.4 - 11.4)	7.5 (6.4 - 8.5)	5.0	498	10.5 (10.1 - 11.0)	12.4 (11.8 - 12.9)	8.2	626	10.5 (10.1 - 10.9)	11.4 (10.9 - 11.9)	7.6
4A32 Cardiac	278	12.9 (12.1 - 13.8)	17.8 (16.7 - 18.9)	9.6	1,267	12.8 (12.2 - 13.3)	21.0 (20.6 - 21.4)	11.5	1,545	12.8 (12.3 - 13.3)	20.5 (20.1 - 20.8)	11.2
4A33 Cardiac	191	17.4 (15.4 - 19.3)	24.7 (22.8 - 26.7)	10.0	422	17.4 (16.5 - 18.2)	27.0 (25.9 - 28.1)	10.9	613	17.4 (16.5 - 18.2)	26.3 (25.3 - 27.2)	10.6
4A34 Cardiac	74	25.3 (21.3 - 29.3)	35.4 (30.6 - 40.3)	9.8	53	24.8 (21.5 - 28.0)	30.1 (26.5 - 33.7)	8.5	127	25.1 (22.4 - 27.7)	33.2 (30.0 - 36.4)	9.3
4A31 Pulmonary	73	9.7 (8.3 - 11.0)	7.3 (5.9 - 8.8)	5.3	152	11.3 (10.5 - 12.1)	11.5 (10.5 - 12.5)	7.1	225	10.8 (10.1 - 11.5)	10.1 (9.3 - 11.0)	6.6
4A32 Pulmonary	178	14.0 (12.1 - 15.9)	17.9 (16.6 - 19.2)	8.9	425	14.3 (13.6 - 15.0)	19.9 (19.1 - 20.6)	9.8	603	14.2 (13.4 - 14.9)	19.3 (18.6 - 19.9)	9.5
4A33 Pulmonary	122	15.2 (13.5 - 17.0)	20.7 (18.1 - 23.3)	9.5	172	17.6 (16.0 - 19.1)	25.7 (24.0 - 27.4)	10.2	294	16.6 (15.4 - 17.8)	23.6 (22.1 - 25.1)	9.9
4A34 Pulmonary	53	19.8 (16.7 - 22.9)	30.8 (25.4 - 36.1)	10.9	36	20.2 (16.0 - 24.4)	21.6 (15.6 - 27.5)	7.5	89	20.0 (17.5 - 22.5)	27.1 (23.0 - 31.2)	9.5
4AP1*	182	27.4 (23.0 - 31.8)	27.8 (25.8 - 29.8)	7.1	185	31.5 (28.4 - 34.7)	30.9 (28.7 - 33.0)	6.9	367	29.5 (26.8 - 32.2)	29.3 (27.9 - 30.8)	7.0
4AR1	2,246	12.2 (11.8 - 12.5)	9.0 (8.7 - 9.3)	5.2	4,046	11.8 (11.6 - 12.0)	12.9 (12.7 - 13.1)	7.6	6,292	11.9 (11.7 - 12.1)	11.5 (11.3 - 11.7)	6.7
4AR2	2,707	14.7 (14.4 - 15.1)	18.4 (18.0 - 18.8)	8.7	5,419	15.1 (14.9 - 15.4)	20.6 (20.4 - 20.8)	9.5	8,126	15.0 (14.8 - 15.2)	19.9 (19.7 - 20.0)	9.3
4AR3	1,405	15.8 (15.3 - 16.4)	17.6 (17.0 - 18.3)	7.8	1,652	17.4 (16.8 - 18.0)	20.6 (20.1 - 21.1)	8.3	3,057	16.7 (16.3 - 17.1)	19.3 (18.9 - 19.6)	8.1
4AR4	558	21.3 (20.1 - 22.5)	26.0 (25.0 - 27.0)	8.6	549	20.5 (19.5 - 21.5)	26.3 (25.3 - 27.3)	9.0	1,107	20.9 (20.1 - 21.7)	26.1 (25.4 - 26.8)	8.8
4AR5	1,960	19.3 (18.7 - 20.0)	23.1 (22.4 - 23.7)	8.4	1,802	19.9 (19.4 - 20.4)	24.9 (24.3 - 25.5)	8.8	3,762	19.6 (19.2 - 20.0)	24.0 (23.5 - 24.4)	8.6
4AR6	1,478	26.0 (25.1 - 27.0)	26.5 (25.6 - 27.5)	7.1	799	25.6 (24.5 - 26.7)	27.0 (25.8 - 28.3)	7.4	2,277	25.9 (25.1 - 26.6)	26.7 (25.9 - 27.4)	7.2
4A91	209	16.3 (14.8 - 17.8)	12.5 (11.2 - 13.9)	5.4	179	13.4 (12.4 - 14.4)	15.1 (13.9 - 16.3)	7.9	388	15.0 (14.0 - 15.9)	13.7 (12.8 - 14.6)	6.4
4A92	155	20.5 (18.2 - 22.9)	25.9 (23.7 - 28.1)	8.8	65	20.4 (17.8 - 23.1)	24.4 (21.6 - 27.2)	8.4	220	20.5 (18.7 - 22.3)	25.4 (23.7 - 27.2)	8.7
4A93	62	38.2 (24.7 - 51.6)	32.1 (27.8 - 36.4)	5.9	10	21.6 (14.6 - 28.6)	23.5 (11.7 - 35.3)	7.6	72	35.9 (24.2 - 47.5)	30.9 (26.8 - 35.0)	6.0
Missing or excluded*	10,381				6,715				17,096			
<b>All episodes</b>	<b>44,384</b>	<b>21.9 (21.7 - 22.2)</b>	<b>21.7 (21.6 - 21.9)</b>	<b>6.9</b>	<b>66,973</b>	<b>15.0 (14.9 - 15.0)</b>	<b>20.2 (20.2 - 20.3)</b>	<b>9.5</b>	<b>111,357</b>	<b>17.6 (17.5 - 17.7)</b>	<b>20.8 (20.7 - 20.9)</b>	<b>8.3</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

<b>Class</b>	<b>Description of V4 AN-SNAP class</b>	<b>Class</b>	<b>Description of V4 AN-SNAP class</b>
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2020 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-202	202	104.9 (90.3 - 119.4)	30.7 (26.5 - 35.0)	2.1	34	86.7 (65.7 - 107.7)	60.7 (48.4 - 73.1)	4.9	236	102.3 (89.4 - 115.1)	35.1 (30.8 - 39.3)	2.4
3-203	481	46.2 (42.9 - 49.4)	25.5 (23.3 - 27.7)	3.9	86	35.2 (30.0 - 40.4)	23.9 (18.5 - 29.4)	4.8	567	44.5 (41.6 - 47.4)	25.3 (23.2 - 27.3)	4.0
3-204	1,733	13.9 (13.3 - 14.5)	12.2 (11.8 - 12.6)	6.1	574	13.3 (12.6 - 13.9)	16.2 (15.5 - 16.8)	8.5	2,307	13.8 (13.3 - 14.2)	13.2 (12.8 - 13.5)	6.7
3-205	289	21.6 (20.0 - 23.2)	16.5 (15.2 - 17.8)	5.4	41	18.5 (14.3 - 22.6)	18.7 (15.7 - 21.8)	7.1	330	21.2 (19.7 - 22.7)	16.8 (15.6 - 18.0)	5.5
3-206	1,448	19.7 (19.0 - 20.4)	25.1 (24.5 - 25.7)	8.9	615	18.8 (18.0 - 19.6)	24.5 (23.7 - 25.2)	9.1	2,063	19.4 (18.9 - 20.0)	24.9 (24.4 - 25.4)	9.0
3-207	180	26.5 (23.9 - 29.1)	27.0 (24.8 - 29.2)	7.1	51	23.5 (19.8 - 27.1)	25.7 (21.9 - 29.4)	7.7	231	25.9 (23.7 - 28.0)	26.7 (24.8 - 28.6)	7.2
3-208	1,331	33.9 (32.8 - 35.0)	29.1 (28.1 - 30.1)	6.0	416	31.8 (30.3 - 33.4)	29.6 (27.9 - 31.3)	6.5	1,747	33.4 (32.5 - 34.3)	29.2 (28.3 - 30.1)	6.1
3-209	1,278	47.3 (45.5 - 49.2)	38.7 (37.6 - 39.8)	5.7	190	41.2 (37.8 - 44.5)	37.5 (34.8 - 40.2)	6.4	1,468	46.5 (44.9 - 48.2)	38.5 (37.5 - 39.5)	5.8
3-210	127	12.0 (10.5 - 13.6)	11.2 (9.8 - 12.7)	6.5	140	11.9 (10.9 - 13.0)	15.5 (14.4 - 16.6)	9.1	267	12.0 (11.1 - 12.9)	13.5 (12.5 - 14.4)	7.9
3-211	357	16.3 (15.0 - 17.5)	15.2 (14.1 - 16.2)	6.5	202	13.9 (13.0 - 14.9)	18.7 (17.5 - 19.8)	9.4	559	15.4 (14.5 - 16.3)	16.4 (15.6 - 17.2)	7.5
3-212	155	20.9 (18.2 - 23.5)	15.7 (14.1 - 17.4)	5.3	32	17.8 (15.1 - 20.5)	21.1 (17.5 - 24.6)	8.3	187	20.3 (18.1 - 22.6)	16.6 (15.1 - 18.2)	5.7
3-213	327	33.5 (29.6 - 37.3)	23.8 (22.4 - 25.2)	5.0	22	26.3 (11.9 - 40.8)	21.7 (17.3 - 26.1)	5.8	349	33.0 (29.3 - 36.7)	23.7 (22.3 - 25.0)	5.0
3-214	575	31.8 (29.7 - 33.8)	33.1 (31.5 - 34.7)	7.3	255	23.5 (21.7 - 25.3)	26.9 (25.1 - 28.6)	8.0	830	29.2 (27.7 - 30.8)	31.2 (30.0 - 32.4)	7.5
3-215	156	66.1 (58.5 - 73.7)	46.1 (41.8 - 50.4)	4.9	26	49.9 (31.7 - 68.1)	33.0 (24.4 - 41.6)	4.6	182	63.8 (56.8 - 70.8)	44.3 (40.3 - 48.2)	4.9
3-216	532	15.0 (12.4 - 17.6)	10.0 (9.4 - 10.7)	4.7	568	12.1 (11.6 - 12.6)	14.2 (13.7 - 14.8)	8.2	1,100	13.5 (12.2 - 14.8)	12.2 (11.7 - 12.7)	6.3
3-217	509	19.4 (18.1 - 20.7)	20.7 (19.7 - 21.7)	7.4	550	16.4 (15.7 - 17.0)	20.9 (20.1 - 21.6)	8.9	1,059	17.8 (17.1 - 18.6)	20.8 (20.2 - 21.4)	8.2
3-218	697	31.0 (28.8 - 33.1)	26.9 (25.5 - 28.3)	6.1	487	23.3 (21.5 - 25.1)	24.3 (23.0 - 25.6)	7.3	1,184	27.8 (26.3 - 29.3)	25.8 (24.8 - 26.8)	6.5
3-219	66	37.8 (28.8 - 46.8)	26.5 (21.1 - 31.9)	4.9	22	24.7 (18.5 - 30.9)	23.2 (10.1 - 36.3)	6.6	88	34.5 (27.5 - 41.5)	25.7 (20.5 - 30.9)	5.2
3-220	16	12.2 (8.3 - 16.1)	2.2 (0.9 - 3.5)	1.3	2	n.a	n.a	n.a	18	12.2 (8.5 - 16.0)	2.0 (0.8 - 3.2)	1.1
3-221	296	28.8 (25.7 - 32.0)	19.1 (17.9 - 20.3)	4.6	57	20.1 (16.1 - 24.0)	18.0 (15.9 - 20.0)	6.3	353	27.4 (24.7 - 30.2)	18.9 (17.9 - 20.0)	4.8
3-222	356	68.2 (62.2 - 74.2)	29.0 (27.0 - 30.9)	3.0	41	48.8 (33.2 - 64.4)	28.8 (23.5 - 34.0)	4.1	397	66.2 (60.6 - 71.8)	28.9 (27.1 - 30.8)	3.1
3-223	44	78.3 (63.2 - 93.5)	39.3 (33.3 - 45.2)	3.5	6	42.2 (11.8 - 72.5)	35.0 (21.4 - 48.6)	5.8	50	74.0 (59.8 - 88.2)	38.8 (33.3 - 44.2)	3.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2020 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	171	18.4 (16.2 - 20.6)	5.7 (5.0 - 6.5)	2.2	16	24.7 (8.1 - 41.3)	9.1 (6.9 - 11.4)	2.6	187	18.9 (16.5 - 21.4)	6.0 (5.3 - 6.7)	2.2
3-225	763	33.9 (31.9 - 35.8)	20.4 (19.5 - 21.3)	4.2	177	34.8 (28.8 - 40.8)	21.8 (19.9 - 23.7)	4.4	940	34.1 (32.1 - 36.0)	20.7 (19.9 - 21.5)	4.3
3-226	851	14.8 (14.0 - 15.7)	20.0 (19.1 - 20.9)	9.4	2,099	13.3 (13.0 - 13.7)	16.3 (15.9 - 16.8)	8.6	2,950	13.8 (13.4 - 14.1)	17.4 (17.0 - 17.8)	8.9
3-227	1,913	13.6 (13.2 - 14.0)	13.3 (13.0 - 13.7)	6.8	3,045	14.9 (14.6 - 15.2)	16.8 (16.6 - 17.1)	7.9	4,958	14.4 (14.2 - 14.7)	15.5 (15.3 - 15.7)	7.5
3-228	1,829	17.6 (17.1 - 18.1)	22.2 (21.7 - 22.6)	8.8	2,603	18.8 (18.4 - 19.2)	24.0 (23.6 - 24.3)	8.9	4,432	18.3 (18.0 - 18.6)	23.2 (22.9 - 23.5)	8.9
3-229	2,869	23.7 (23.2 - 24.3)	30.0 (29.5 - 30.5)	8.8	2,656	27.1 (26.5 - 27.7)	32.1 (31.5 - 32.6)	8.3	5,525	25.3 (24.9 - 25.8)	31.0 (30.6 - 31.4)	8.6
3-230	538	25.3 (23.9 - 26.7)	26.2 (24.6 - 27.8)	7.2	558	26.2 (24.9 - 27.4)	29.2 (27.8 - 30.6)	7.8	1,096	25.7 (24.8 - 26.7)	27.7 (26.7 - 28.8)	7.5
3-231	378	8.8 (8.3 - 9.3)	6.7 (6.2 - 7.2)	5.3	5,062	8.5 (8.3 - 8.7)	10.1 (10.0 - 10.2)	8.3	5,440	8.5 (8.4 - 8.7)	9.9 (9.8 - 10.0)	8.1
3-232	1,768	11.0 (10.6 - 11.3)	19.4 (19.1 - 19.8)	12.4	14,463	10.9 (10.8 - 11.0)	20.4 (20.3 - 20.6)	13.1	16,231	10.9 (10.8 - 11.0)	20.3 (20.2 - 20.4)	13.0
3-233	711	18.5 (17.6 - 19.3)	32.8 (31.9 - 33.8)	12.4	1,338	19.6 (18.9 - 20.2)	33.9 (33.2 - 34.5)	12.1	2,049	19.2 (18.6 - 19.7)	33.5 (33.0 - 34.0)	12.2
3-234	237	11.0 (10.0 - 12.1)	8.8 (7.9 - 9.7)	5.6	2,090	10.0 (9.7 - 10.2)	12.0 (11.7 - 12.2)	8.4	2,327	10.1 (9.8 - 10.3)	11.6 (11.4 - 11.9)	8.1
3-235	443	14.2 (13.2 - 15.2)	18.8 (18.0 - 19.5)	9.3	3,327	13.0 (12.8 - 13.3)	21.0 (20.8 - 21.3)	11.3	3,770	13.2 (12.9 - 13.4)	20.8 (20.6 - 21.0)	11.0
3-236	547	21.8 (20.5 - 23.1)	25.9 (24.8 - 27.1)	8.3	1,337	22.1 (21.2 - 23.0)	30.2 (29.6 - 30.8)	9.6	1,884	22.0 (21.3 - 22.8)	29.0 (28.4 - 29.5)	9.2
3-237	677	15.1 (14.3 - 16.0)	19.9 (18.8 - 21.0)	9.2	2,248	13.5 (13.1 - 13.8)	20.5 (20.1 - 20.9)	10.7	2,925	13.8 (13.5 - 14.2)	20.3 (19.9 - 20.7)	10.3
3-238	38	15.3 (12.8 - 17.8)	10.7 (8.9 - 12.5)	4.9	35	19.5 (14.8 - 24.2)	10.9 (8.7 - 13.0)	3.9	73	17.3 (14.7 - 19.9)	10.8 (9.4 - 12.2)	4.4
3-239	199	25.8 (22.7 - 28.9)	25.1 (23.5 - 26.7)	6.8	162	26.9 (24.0 - 29.7)	28.3 (26.8 - 29.8)	7.4	361	26.3 (24.1 - 28.4)	26.5 (25.4 - 27.6)	7.1
3-240	121	57.3 (46.3 - 68.3)	39.8 (37.0 - 42.5)	4.9	123	48.2 (43.1 - 53.3)	46.4 (43.8 - 49.0)	6.7	244	52.7 (46.7 - 58.8)	43.1 (41.2 - 45.1)	5.7
3-241	20	93.1 (64.6 - 121.6)	57.2 (44.7 - 69.7)	4.3	14	61.9 (46.5 - 77.2)	79.4 (73.1 - 85.6)	9.0	34	80.2 (61.8 - 98.7)	66.3 (57.8 - 74.9)	5.8
3-242	2,109	12.0 (11.7 - 12.4)	8.3 (8.0 - 8.6)	4.8	3,601	11.7 (11.5 - 11.9)	11.9 (11.7 - 12.1)	7.1	5,710	11.8 (11.6 - 12.0)	10.6 (10.4 - 10.8)	6.3
3-243	3,563	14.6 (14.2 - 14.9)	16.9 (16.6 - 17.2)	8.1	6,868	14.7 (14.5 - 14.9)	19.7 (19.5 - 19.9)	9.4	10,431	14.7 (14.5 - 14.8)	18.7 (18.6 - 18.9)	9.0
3-244	4,938	20.0 (19.6 - 20.5)	23.7 (23.3 - 24.1)	8.3	4,589	19.9 (19.6 - 20.3)	24.8 (24.4 - 25.2)	8.7	9,527	20.0 (19.7 - 20.3)	24.2 (24.0 - 24.5)	8.5
3-245	873	27.8 (26.2 - 29.5)	25.7 (24.3 - 27.1)	6.5	376	27.2 (25.5 - 28.8)	24.4 (22.4 - 26.3)	6.3	1,249	27.6 (26.4 - 28.9)	25.3 (24.2 - 26.4)	6.4
Missing or excluded	7,673				5,769				13,442			
<b>All episodes</b>	<b>44,384</b>	<b>21.9 (21.7 - 22.2)</b>	<b>21.7 (21.6 - 21.9)</b>	<b>6.9</b>	<b>66,973</b>	<b>15.0 (14.9 - 15.0)</b>	<b>20.2 (20.2 - 20.3)</b>	<b>9.5</b>	<b>111,357</b>	<b>17.6 (17.5 - 17.7)</b>	<b>20.8 (20.7 - 20.9)</b>	<b>8.3</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

<b>Class</b>	<b>Description of V3 AN-SNAP class</b>	<b>Class</b>	<b>Description of V3 AN-SNAP class</b>
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24