

**LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2020 (1/2)**



Australasian Rehabilitation Outcomes Centre

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4AZ1*	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	687	28.8 (27.4 - 30.1)	20.8 (19.2 - 22.4)	5.1	687	28.8 (27.4 - 30.1)	20.8 (19.2 - 22.4)	5.1
4AZ4	107	62.5 (52.2 - 72.8)	34.3 (29.3 - 39.3)	3.8	0	n.a	n.a	n.a	107	62.5 (52.2 - 72.8)	34.3 (29.3 - 39.3)	3.8
4AA1	67	13.9 (11.5 - 16.3)	16.4 (14.1 - 18.6)	8.2	158	11.6 (10.4 - 12.8)	14.2 (12.7 - 15.7)	8.6	226	12.3 (11.2 - 13.4)	14.8 (13.6 - 16.1)	8.5
4AA2	54	18.0 (15.2 - 20.8)	20.5 (17.5 - 23.6)	8.0	203	14.0 (12.8 - 15.2)	16.7 (15.3 - 18.0)	8.3	261	14.8 (13.7 - 15.9)	17.5 (16.3 - 18.8)	8.3
4AA3	26	21.5 (13.9 - 29.0)	19.8 (15.2 - 24.4)	6.4	68	17.9 (15.5 - 20.3)	17.1 (14.7 - 19.6)	6.7	94	18.9 (16.2 - 21.6)	17.9 (15.7 - 20.1)	6.6
4AA4	0	n.a	n.a	n.a	218	21.9 (20.3 - 23.5)	25.9 (23.9 - 27.9)	8.3	218	21.9 (20.3 - 23.5)	25.9 (23.9 - 27.9)	8.3
4AA5	61	21.1 (18.1 - 24.1)	32.7 (29.3 - 36.1)	10.8	21	20.2 (15.9 - 24.5)	30.2 (23.7 - 36.6)	10.5	82	20.9 (18.4 - 23.3)	32.0 (29.1 - 35.0)	10.8
4AA6	0	n.a	n.a	n.a	326	31.7 (30.0 - 33.4)	29.4 (27.0 - 31.7)	6.5	326	31.7 (30.0 - 33.4)	29.4 (27.0 - 31.7)	6.5
4AA7	103	40.8 (36.3 - 45.3)	44.1 (40.6 - 47.6)	7.6	28	35.6 (30.0 - 41.2)	33.0 (25.1 - 41.0)	6.5	131	39.7 (35.9 - 43.4)	41.8 (38.5 - 45.1)	7.4
4AB1-7*												
4AC1	25	19.6 (12.3 - 26.8)	11.8 (8.8 - 14.7)	4.2	12	18.8 (13.4 - 24.1)	2.8 (-0.1 - 5.7)	1.1	37	19.3 (14.1 - 24.4)	8.9 (6.3 - 11.4)	3.2
4AC2	13	26.2 (12.8 - 39.7)	23.2 (17.7 - 28.6)	6.2	50	15.8 (13.2 - 18.5)	15.4 (12.1 - 18.7)	6.8	63	18.0 (14.4 - 21.6)	17.0 (14.0 - 19.9)	6.6
4AC3	20	34.8 (22.7 - 46.9)	37.8 (30.2 - 45.3)	7.6	69	23.8 (20.4 - 27.2)	19.4 (15.5 - 23.3)	5.7	89	26.3 (22.4 - 30.1)	23.5 (19.7 - 27.3)	6.3
4AD1-4*												
4AE1	1	n.a	n.a	n.a	1	n.a	n.a	n.a	2	n.a	n.a	n.a
4AE2	27	18.7 (14.4 - 23.1)	13.7 (10.0 - 17.5)	5.1	105	22.9 (20.9 - 25.0)	15.4 (13.0 - 17.8)	4.7	132	22.1 (20.2 - 24.0)	15.1 (13.0 - 17.1)	4.8
4AE3	6	27.7 (12.1 - 43.3)	28.2 (15.1 - 41.3)	7.1	33	26.5 (22.5 - 30.5)	26.8 (22.6 - 31.1)	7.1	39	26.7 (22.6 - 30.8)	27.1 (23.0 - 31.1)	7.1
4AE4	18	23.7 (14.4 - 32.9)	10.8 (5.1 - 16.4)	3.2	0	n.a	n.a	n.a	18	23.7 (14.4 - 32.9)	10.8 (5.1 - 16.4)	3.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2020 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	37	11.1 (9.3 - 12.9)	12.9 (9.9 - 15.9)	8.1	429	11.9 (11.2 - 12.6)	15.1 (14.3 - 16.0)	8.9	468	11.8 (11.1 - 12.5)	15.0 (14.2 - 15.7)	8.8
4AH2	30	16.7 (12.6 - 20.8)	19.2 (16.5 - 22.0)	8.1	730	14.2 (13.5 - 14.8)	15.6 (15.0 - 16.3)	7.7	764	14.3 (13.6 - 14.9)	15.8 (15.1 - 16.4)	7.7
4AH3	21	22.6 (13.7 - 31.5)	33.0 (29.8 - 36.1)	10.2	714	17.0 (16.3 - 17.7)	22.8 (21.9 - 23.7)	9.4	744	17.2 (16.5 - 17.9)	23.0 (22.1 - 23.9)	9.4
4AH4	34	23.9 (18.6 - 29.2)	27.6 (21.1 - 34.2)	8.1	1,271	21.5 (20.8 - 22.2)	28.7 (27.8 - 29.7)	9.4	1,311	21.6 (20.9 - 22.3)	28.8 (27.8 - 29.7)	9.3
4A21	7	11.9 (8.3 - 15.4)	7.6 (4.3 - 10.9)	4.5	58	7.1 (5.9 - 8.2)	8.1 (6.6 - 9.6)	8.1	66	7.6 (6.5 - 8.7)	7.9 (6.5 - 9.3)	7.3
4A22	10	11.6 (8.5 - 14.7)	18.5 (13.6 - 23.4)	11.2	268	12.0 (10.9 - 13.0)	16.5 (15.4 - 17.5)	9.6	280	11.9 (10.9 - 12.9)	16.5 (15.5 - 17.5)	9.7
4A23	15	28.1 (15.9 - 40.4)	26.9 (21.3 - 32.6)	6.7	328	17.8 (16.6 - 19.0)	24.6 (23.1 - 26.2)	9.7	344	18.3 (17.0 - 19.6)	24.7 (23.2 - 26.3)	9.5
4A31	3	n.a	n.a	n.a	31	12.0 (8.9 - 15.0)	4.1 (0.6 - 7.6)	2.4	34	12.4 (9.5 - 15.2)	4.1 (0.9 - 7.4)	2.4
4A32	5	25.2 (9.1 - 41.3)	17.0 (11.0 - 23.0)	4.7	90	13.5 (11.5 - 15.4)	13.7 (11.7 - 15.7)	7.1	96	14.0 (12.0 - 16.0)	14.0 (12.1 - 16.0)	7.0
4A33	3	n.a	n.a	n.a	125	15.7 (13.9 - 17.6)	21.3 (19.0 - 23.7)	9.5	128	15.7 (13.9 - 17.6)	21.5 (19.2 - 23.8)	9.6
4A34	6	32.5 (7.3 - 57.7)	39.5 (24.3 - 54.7)	8.5	64	17.6 (15.5 - 19.8)	24.7 (20.5 - 28.8)	9.8	70	18.9 (16.0 - 21.9)	25.9 (21.8 - 30.0)	9.6
4AP1*	9	19.4 (13.4 - 25.5)	21.4 (16.0 - 26.8)	7.7	13	19.0 (0.7 - 37.3)	20.5 (15.5 - 25.4)	7.5	22	19.2 (8.3 - 30.1)	20.9 (17.3 - 24.4)	7.6
4AR1	27	16.0 (10.3 - 21.6)	11.1 (8.2 - 14.0)	4.9	257	14.5 (11.5 - 17.6)	8.3 (7.4 - 9.2)	4.0	285	14.6 (11.8 - 17.5)	8.6 (7.7 - 9.4)	4.1
4AR2	36	20.1 (16.0 - 24.1)	14.3 (11.6 - 16.9)	5.0	366	15.3 (14.2 - 16.3)	15.6 (14.7 - 16.6)	7.2	404	15.7 (14.7 - 16.7)	15.5 (14.6 - 16.4)	6.9
4AR3	14	21.0 (14.4 - 27.6)	22.6 (16.1 - 29.0)	7.5	423	16.6 (15.7 - 17.6)	13.6 (12.5 - 14.6)	5.7	437	16.8 (15.8 - 17.7)	13.9 (12.8 - 14.9)	5.8
4AR4	12	21.9 (16.4 - 27.4)	27.9 (19.8 - 36.0)	8.9	101	19.3 (16.7 - 21.8)	22.3 (19.4 - 25.2)	8.1	114	19.5 (17.1 - 21.8)	23.0 (20.3 - 25.7)	8.3
4AR5	17	20.0 (14.5 - 25.5)	27.8 (21.3 - 34.3)	9.7	652	18.4 (17.6 - 19.2)	18.0 (16.9 - 19.1)	6.8	669	18.4 (17.7 - 19.2)	18.2 (17.2 - 19.3)	6.9
4AR6	40	29.9 (22.7 - 37.1)	29.3 (23.4 - 35.1)	6.9	486	23.5 (22.1 - 24.8)	22.2 (20.5 - 23.9)	6.6	528	23.9 (22.6 - 25.3)	22.8 (21.1 - 24.4)	6.7
4A91	17	11.9 (9.1 - 14.7)	15.2 (10.9 - 19.4)	8.9	56	12.9 (10.4 - 15.4)	11.9 (9.4 - 14.3)	6.4	73	12.7 (10.7 - 14.7)	12.6 (10.5 - 14.8)	7.0
4A92	4	n.a	n.a	n.a	69	18.1 (13.7 - 22.4)	19.1 (15.9 - 22.2)	7.4	75	17.7 (13.6 - 21.7)	19.4 (16.2 - 22.6)	7.7
4A93	7	39.9 (21.5 - 58.2)	30.9 (5.2 - 56.5)	5.4	35	19.3 (16.0 - 22.7)	18.6 (11.8 - 25.4)	6.7	42	22.8 (18.1 - 27.4)	20.7 (13.6 - 27.8)	6.4
Missing or excluded*	449				951				1,423			
All episodes	1,331	32.4 (30.4 - 34.3)	26.8 (25.7 - 27.9)	5.8	9,497	19.5 (19.2 - 19.9)	20.3 (20.0 - 20.7)	7.3	10,890	21.1 (20.7 - 21.5)	21.2 (20.8 - 21.5)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

<b>Class</b>	<b>Description of V4 AN-SNAP class</b>	<b>Class</b>	<b>Description of V4 AN-SNAP class</b>
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age $\geq$ 49	4AE1	Amputation of limb, Age $\geq$ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age $\leq$ 48	4AE2	Amputation of limb, Age $\geq$ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age $\geq$ 65	4AE3	Amputation of limb, Age $\geq$ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age $\leq$ 64	4AE4	Amputation of limb, Age $\leq$ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age $\geq$ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age $\leq$ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age $\geq$ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age $\leq$ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age $\geq$ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age $\geq$ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age $\leq$ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age $\leq$ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2020 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay Mean (95%CI)	FIM change Mean (95%CI)	FIM gain per week	No.	Length of stay Mean (95%CI)	FIM change Mean (95%CI)	FIM gain per week	No.	Length of stay Mean (95%CI)	FIM change Mean (95%CI)	FIM gain per week
3-202	45	96.1 (78.1 - 114.0)	35.8 (27.5 - 44.0)	2.6	31	82.1 (64.0 - 100.2)	29.8 (20.7 - 38.9)	2.5	76	90.4 (77.4 - 103.3)	33.3 (27.2 - 39.5)	2.6
3-203	42	73.9 (55.7 - 92.1)	35.2 (26.8 - 43.6)	3.3	198	30.0 (27.5 - 32.5)	20.2 (17.1 - 23.3)	4.7	240	37.7 (33.4 - 42.0)	22.8 (19.8 - 25.9)	4.2
3-204	68	15.0 (12.4 - 17.7)	13.1 (11.2 - 14.9)	6.1	169	10.9 (9.8 - 12.1)	11.2 (10.1 - 12.4)	7.2	239	12.1 (10.9 - 13.2)	11.8 (10.9 - 12.8)	6.9
3-205	18	18.5 (10.0 - 27.0)	16.5 (13.1 - 19.9)	6.2	35	15.4 (11.9 - 18.9)	15.8 (12.8 - 18.8)	7.2	53	16.5 (12.8 - 20.2)	16.1 (13.8 - 18.3)	6.8
3-206	70	18.3 (15.8 - 20.7)	26.5 (23.9 - 29.2)	10.2	255	16.4 (15.2 - 17.6)	20.5 (19.2 - 21.8)	8.7	328	16.8 (15.7 - 17.8)	21.7 (20.5 - 22.9)	9.1
3-207	8	20.5 (7.8 - 33.2)	26.9 (16.5 - 37.2)	9.2	21	17.6 (14.1 - 21.0)	17.2 (11.6 - 22.8)	6.8	29	18.4 (14.2 - 22.6)	19.9 (14.7 - 25.0)	7.6
3-208	0	n.a	n.a	n.a	491	29.1 (27.7 - 30.5)	25.8 (24.0 - 27.5)	6.2	491	29.1 (27.7 - 30.5)	25.8 (24.0 - 27.5)	6.2
3-209	185	40.3 (36.4 - 44.1)	40.5 (37.7 - 43.3)	7.0	190	34.1 (31.5 - 36.7)	31.8 (28.9 - 34.7)	6.5	375	37.1 (34.8 - 39.5)	36.1 (34.0 - 38.1)	6.8
3-210	15	13.9 (6.0 - 21.8)	12.1 (8.4 - 15.8)	6.1	9	12.0 (7.1 - 16.9)	7.4 (2.6 - 12.3)	4.3	24	13.2 (8.0 - 18.4)	10.4 (7.3 - 13.4)	5.5
3-211	54	17.1 (13.1 - 21.0)	12.8 (10.2 - 15.4)	5.3	42	19.4 (13.6 - 25.2)	13.5 (11.0 - 16.1)	4.9	96	18.1 (14.7 - 21.5)	13.1 (11.3 - 15.0)	5.1
3-212	15	22.1 (16.4 - 27.8)	24.9 (19.3 - 30.6)	7.9	10	13.7 (9.3 - 18.1)	7.2 (4.3 - 10.1)	3.7	25	18.7 (14.6 - 22.8)	17.8 (12.9 - 22.8)	6.7
3-213	28	42.1 (26.7 - 57.5)	28.1 (23.3 - 33.0)	4.7	17	22.8 (16.6 - 29.0)	12.7 (6.2 - 19.2)	3.9	45	34.8 (24.6 - 45.0)	22.3 (17.9 - 26.8)	4.5
3-214	45	42.5 (33.4 - 51.6)	37.2 (31.1 - 43.3)	6.1	89	22.4 (18.9 - 26.0)	22.0 (18.2 - 25.9)	6.9	134	29.2 (25.0 - 33.4)	27.1 (23.6 - 30.6)	6.5
3-215	17	47.0 (29.0 - 65.0)	57.6 (44.0 - 71.3)	8.6	28	36.5 (24.5 - 48.5)	26.8 (18.3 - 35.2)	5.1	45	40.4 (30.3 - 50.5)	38.4 (29.9 - 46.9)	6.7
3-216	21	17.0 (9.7 - 24.4)	11.0 (8.1 - 13.8)	4.5	10	20.7 (15.1 - 26.3)	3.0 (-0.4 - 6.4)	1.0	31	18.2 (12.9 - 23.5)	8.4 (5.8 - 10.9)	3.2
3-217	9	20.1 (8.3 - 31.9)	20.9 (14.2 - 27.5)	7.3	34	15.3 (12.2 - 18.3)	12.1 (8.2 - 16.1)	5.6	43	16.3 (12.9 - 19.7)	14.0 (10.5 - 17.5)	6.0
3-218	29	34.6 (24.8 - 44.3)	32.2 (25.7 - 38.7)	6.5	87	22.2 (19.2 - 25.1)	19.5 (16.2 - 22.8)	6.2	116	25.3 (21.9 - 28.7)	22.7 (19.6 - 25.8)	6.3
3-219	2	n.a	n.a	n.a	10	21.9 (14.6 - 29.2)	14.3 (1.3 - 27.3)	4.6	12	23.0 (16.6 - 29.4)	19.4 (6.6 - 32.2)	5.9
3-220	2	n.a	n.a	n.a	1	n.a	n.a	n.a	3	n.a	n.a	n.a
3-221	27	21.2 (16.8 - 25.6)	20.1 (16.6 - 23.7)	6.6	11	15.9 (8.7 - 23.1)	21.6 (16.0 - 27.3)	9.5	39	20.3 (16.4 - 24.1)	20.8 (17.9 - 23.7)	7.2
3-222	53	58.1 (48.5 - 67.7)	38.9 (34.0 - 43.8)	4.7	43	56.8 (46.4 - 67.2)	31.6 (26.2 - 37.0)	3.9	96	57.5 (50.5 - 64.5)	35.6 (31.9 - 39.3)	4.3
3-223	17	72.6 (40.7 - 104.6)	30.4 (20.5 - 40.3)	2.9	0	n.a	n.a	n.a	17	72.6 (40.7 - 104.6)	30.4 (20.5 - 40.3)	2.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2020 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	11	26.9 (12.0 - 41.8)	3.2 (-1.1 - 7.5)	0.8	7	18.4 (13.1 - 23.8)	4.1 (1.1 - 7.1)	1.6	18	23.6 (14.2 - 33.0)	3.6 (0.7 - 6.4)	1.1
3-225	41	20.0 (16.3 - 23.7)	17.2 (13.6 - 20.9)	6.0	139	24.7 (22.5 - 26.9)	19.1 (16.7 - 21.4)	5.4	182	23.6 (21.7 - 25.4)	18.7 (16.7 - 20.7)	5.6
3-226	10	20.8 (11.6 - 30.0)	26.1 (14.3 - 37.9)	8.8	205	13.0 (11.9 - 14.2)	18.5 (16.6 - 20.5)	9.9	215	13.4 (12.2 - 14.6)	18.9 (16.9 - 20.8)	9.9
3-227	36	11.9 (9.8 - 14.0)	11.6 (8.8 - 14.4)	6.9	529	11.1 (10.4 - 11.7)	11.8 (11.2 - 12.5)	7.5	569	11.1 (10.5 - 11.8)	11.8 (11.2 - 12.4)	7.4
3-228	31	15.7 (11.8 - 19.7)	20.5 (17.9 - 23.0)	9.1	608	15.4 (14.6 - 16.1)	18.5 (17.8 - 19.2)	8.4	641	15.4 (14.6 - 16.1)	18.6 (17.9 - 19.3)	8.5
3-229	46	25.3 (19.7 - 30.9)	32.2 (27.5 - 36.9)	8.9	1,627	19.9 (19.4 - 20.5)	27.9 (27.2 - 28.6)	9.8	1,686	20.1 (19.5 - 20.7)	28.0 (27.2 - 28.7)	9.7
3-230	12	19.8 (14.3 - 25.4)	20.0 (11.3 - 28.7)	7.1	574	20.3 (19.3 - 21.3)	20.7 (19.2 - 22.2)	7.1	590	20.3 (19.3 - 21.3)	20.8 (19.3 - 22.3)	7.2
3-231	1	n.a	n.a	n.a	9	7.8 (3.2 - 12.4)	7.9 (4.8 - 11.0)	7.1	10	8.0 (3.8 - 12.2)	7.1 (3.9 - 10.3)	6.2
3-232	5	8.2 (6.0 - 10.4)	15.8 (7.4 - 24.2)	13.5	105	10.9 (9.9 - 11.9)	18.7 (17.3 - 20.1)	12.0	110	10.8 (9.8 - 11.7)	18.6 (17.2 - 20.0)	12.1
3-233	4	n.a	n.a	n.a	101	17.4 (15.2 - 19.6)	28.5 (25.8 - 31.3)	11.5	106	18.1 (15.6 - 20.6)	28.9 (26.2 - 31.5)	11.2
3-234	3	n.a	n.a	n.a	33	5.9 (4.8 - 7.0)	7.0 (5.0 - 9.0)	8.3	37	6.7 (5.4 - 8.0)	6.9 (5.1 - 8.8)	7.3
3-235	7	12.9 (9.1 - 16.6)	16.0 (9.6 - 22.4)	8.7	132	11.7 (10.3 - 13.2)	13.8 (12.4 - 15.1)	8.2	140	11.8 (10.4 - 13.1)	13.9 (12.6 - 15.1)	8.3
3-236	13	24.2 (13.4 - 34.9)	20.4 (14.2 - 26.6)	5.9	282	17.5 (16.1 - 18.8)	21.6 (20.0 - 23.3)	8.7	296	17.7 (16.4 - 19.1)	21.5 (19.9 - 23.1)	8.5
3-237	6	30.7 (5.0 - 56.3)	27.2 (13.1 - 41.2)	6.2	68	20.5 (17.5 - 23.5)	18.9 (14.9 - 22.9)	6.5	75	21.1 (17.7 - 24.5)	19.7 (15.9 - 23.5)	6.5
3-238	18	15.9 (11.1 - 20.7)	9.1 (6.0 - 12.2)	4.0	2	n.a	n.a	n.a	20	15.7 (11.4 - 20.0)	9.1 (6.2 - 11.9)	4.0
3-239	21	27.0 (20.1 - 34.0)	27.0 (24.1 - 29.9)	7.0	15	21.4 (14.3 - 28.5)	22.3 (18.3 - 26.2)	7.3	36	24.7 (19.6 - 29.8)	25.0 (22.6 - 27.5)	7.1
3-240	11	27.6 (17.5 - 37.7)	40.5 (30.3 - 50.6)	10.2	10	49.5 (16.5 - 82.5)	31.8 (21.8 - 41.8)	4.5	21	38.0 (21.2 - 54.9)	36.3 (29.1 - 43.5)	6.7
3-241	6	92.5 (44.7 - 140.3)	69.5 (58.7 - 80.3)	5.3	7	54.0 (23.6 - 84.4)	38.7 (17.4 - 60.0)	5.0	13	71.8 (43.4 - 100.2)	52.9 (38.1 - 67.7)	5.2
3-242	36	13.5 (10.6 - 16.5)	10.1 (7.8 - 12.5)	5.2	247	14.6 (11.4 - 17.7)	7.5 (6.6 - 8.3)	3.6	284	14.4 (11.6 - 17.2)	7.8 (7.0 - 8.6)	3.8
3-243	50	20.1 (16.2 - 24.0)	17.3 (14.4 - 20.1)	6.0	637	15.1 (14.3 - 15.8)	13.8 (13.0 - 14.6)	6.4	689	15.4 (14.7 - 16.2)	14.0 (13.3 - 14.8)	6.4
3-244	71	23.4 (19.9 - 27.0)	25.8 (21.6 - 30.0)	7.7	1,428	19.3 (18.6 - 19.9)	18.8 (18.0 - 19.6)	6.8	1,503	19.4 (18.8 - 20.0)	19.2 (18.4 - 20.0)	6.9
3-245	32	42.2 (20.7 - 63.7)	26.9 (19.5 - 34.4)	4.5	294	26.0 (24.0 - 28.1)	22.3 (20.0 - 24.6)	6.0	327	27.6 (24.8 - 30.4)	22.7 (20.5 - 24.9)	5.8
Missing or excluded	90				657				765			
All episodes	1,331	32.4 (30.4 - 34.3)	26.8 (25.7 - 27.9)	5.8	9,497	19.5 (19.2 - 19.9)	20.3 (20.0 - 20.7)	7.3	10,890	21.1 (20.7 - 21.5)	21.2 (20.8 - 21.5)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

<b>Class</b>	<b>Description of V3 AN-SNAP class</b>	<b>Class</b>	<b>Description of V3 AN-SNAP class</b>
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24