

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2021 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	1	n.a	n.a	n.a	4	n.a	n.a	n.a	5	68.8 (29.6 - 108.0)	54.2 (40.6 - 67.8)	5.5
4AZ2*	0	n.a	n.a	n.a	2	n.a	n.a	n.a	2	n.a	n.a	n.a
4AZ3	1,194	35.2 (33.9 - 36.6)	23.5 (22.2 - 24.7)	4.7	446	32.2 (30.2 - 34.2)	24.9 (23.0 - 26.9)	5.4	1,640	34.4 (33.3 - 35.5)	23.9 (22.8 - 24.9)	4.9
4AZ4	290	70.1 (64.1 - 76.1)	35.0 (31.8 - 38.1)	3.5	35	41.9 (30.7 - 53.0)	32.6 (23.0 - 42.1)	5.4	325	67.1 (61.5 - 72.6)	34.7 (31.7 - 37.7)	3.6
4AA1	1,416	13.8 (13.3 - 14.3)	15.3 (14.7 - 15.8)	7.7	621	14.2 (13.6 - 14.8)	18.3 (17.6 - 19.0)	9.0	2,037	14.0 (13.6 - 14.4)	16.2 (15.8 - 16.7)	8.1
4AA2	1,372	17.6 (16.9 - 18.2)	18.0 (17.4 - 18.6)	7.2	499	17.5 (16.5 - 18.4)	20.9 (20.0 - 21.7)	8.4	1,871	17.5 (17.0 - 18.1)	18.8 (18.3 - 19.3)	7.5
4AA3	470	23.4 (22.1 - 24.7)	22.0 (20.9 - 23.2)	6.6	104	21.0 (18.9 - 23.2)	24.2 (21.8 - 26.5)	8.0	574	22.9 (21.8 - 24.1)	22.4 (21.4 - 23.5)	6.8
4AA4	770	25.4 (24.4 - 26.3)	29.7 (28.7 - 30.8)	8.2	295	25.3 (23.3 - 27.3)	28.8 (27.3 - 30.3)	8.0	1,065	25.4 (24.5 - 26.2)	29.5 (28.6 - 30.3)	8.1
4AA5	332	35.2 (32.4 - 38.0)	36.8 (35.3 - 38.3)	7.3	42	33.2 (26.7 - 39.7)	29.8 (24.8 - 34.8)	6.3	374	35.0 (32.4 - 37.6)	36.0 (34.6 - 37.4)	7.2
4AA6	963	38.3 (37.0 - 39.7)	31.1 (29.9 - 32.4)	5.7	245	38.7 (36.0 - 41.5)	32.1 (30.0 - 34.2)	5.8	1,208	38.4 (37.2 - 39.6)	31.3 (30.2 - 32.4)	5.7
4AA7	386	53.9 (50.6 - 57.2)	41.3 (39.3 - 43.3)	5.4	46	51.6 (43.7 - 59.5)	38.6 (33.0 - 44.3)	5.2	432	53.6 (50.5 - 56.7)	41.1 (39.2 - 42.9)	5.4
4AB1-7*												
4AC1	557	14.2 (13.1 - 15.3)	10.9 (10.1 - 11.6)	5.3	760	12.9 (12.4 - 13.4)	14.3 (13.8 - 14.9)	7.8	1,317	13.5 (12.9 - 14.0)	12.9 (12.4 - 13.3)	6.7
4AC2	576	20.4 (19.1 - 21.7)	22.3 (21.2 - 23.3)	7.6	692	18.2 (17.5 - 18.9)	21.8 (21.1 - 22.6)	8.4	1,268	19.2 (18.5 - 19.9)	22.0 (21.4 - 22.6)	8.0
4AC3	472	32.3 (30.0 - 34.6)	26.2 (24.4 - 27.9)	5.7	289	25.2 (23.6 - 26.8)	22.7 (20.9 - 24.5)	6.3	761	29.6 (28.0 - 31.2)	24.9 (23.6 - 26.1)	5.9
4AD1-4*												
4AE1	49	20.9 (15.3 - 26.5)	4.4 (3.4 - 5.5)	1.5	4	n.a	n.a	n.a	53	20.7 (15.5 - 25.9)	4.9 (3.8 - 6.1)	1.7
4AE2	568	30.3 (28.4 - 32.2)	17.1 (16.2 - 18.0)	4.0	137	26.7 (22.9 - 30.6)	18.7 (16.7 - 20.8)	4.9	705	29.6 (27.9 - 31.3)	17.4 (16.6 - 18.3)	4.1
4AE3	106	45.0 (39.4 - 50.6)	24.8 (21.6 - 28.0)	3.9	22	51.6 (13.2 - 90.0)	28.8 (22.5 - 35.1)	3.9	128	46.1 (38.2 - 54.1)	25.5 (22.6 - 28.4)	3.9
4AE4	202	27.6 (23.8 - 31.3)	15.1 (13.3 - 16.8)	3.8	28	36.4 (24.5 - 48.3)	12.9 (10.8 - 15.0)	2.5	230	28.7 (25.0 - 32.3)	14.8 (13.3 - 16.4)	3.6
4AH1	1,559	13.8 (13.3 - 14.2)	16.6 (16.2 - 17.1)	8.5	2,716	16.2 (15.8 - 16.6)	18.7 (18.4 - 19.0)	8.1	4,275	15.3 (15.0 - 15.6)	18.0 (17.7 - 18.2)	8.2
4AH2	2,110	16.7 (16.3 - 17.2)	18.6 (18.2 - 19.1)	7.8	3,319	17.6 (17.2 - 17.9)	21.0 (20.6 - 21.3)	8.3	5,429	17.3 (17.0 - 17.5)	20.1 (19.8 - 20.3)	8.1
4AH3	1,534	21.1 (20.5 - 21.7)	27.7 (27.1 - 28.3)	9.2	1,753	24.9 (24.2 - 25.5)	29.6 (29.1 - 30.1)	8.3	3,287	23.1 (22.7 - 23.5)	28.7 (28.3 - 29.1)	8.7
4AH4	1,686	26.1 (25.3 - 26.8)	31.4 (30.6 - 32.2)	8.4	1,445	30.5 (29.6 - 31.4)	33.5 (32.7 - 34.3)	7.7	3,131	28.1 (27.5 - 28.7)	32.4 (31.8 - 32.9)	8.1
4A21 Ortho Replacements	799	8.9 (8.6 - 9.3)	10.0 (9.6 - 10.4)	7.8	11,348	9.0 (9.0 - 9.1)	12.7 (12.6 - 12.8)	9.8	12,147	9.0 (9.0 - 9.1)	12.5 (12.4 - 12.6)	9.7
4A22 Ortho Replacements	1,475	11.7 (11.3 - 12.1)	21.2 (20.8 - 21.6)	12.6	10,411	11.5 (11.3 - 11.6)	22.9 (22.8 - 23.0)	14.0	11,886	11.5 (11.4 - 11.6)	22.7 (22.6 - 22.8)	13.8
4A23 Ortho Replacements	673	18.7 (17.8 - 19.6)	33.5 (32.5 - 34.4)	12.5	1,372	19.1 (18.5 - 19.8)	34.2 (33.6 - 34.9)	12.5	2,045	19.0 (18.5 - 19.5)	34.0 (33.4 - 34.5)	12.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2021 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	42	10.3 (8.2 - 12.5)	7.0 (3.9 - 10.1)	4.7	194	11.0 (10.3 - 11.7)	12.3 (11.5 - 13.1)	7.8	236	10.9 (10.2 - 11.6)	11.3 (10.4 - 12.2)	7.3
4A22 Ortho Soft Tissue Injury	166	14.4 (11.7 - 17.1)	18.9 (17.3 - 20.4)	9.2	450	15.1 (14.3 - 15.8)	20.2 (19.5 - 21.0)	9.4	616	14.9 (14.0 - 15.8)	19.9 (19.2 - 20.6)	9.3
4A23 Ortho Soft Tissue Injury	110	20.3 (17.4 - 23.2)	23.9 (21.3 - 26.5)	8.2	166	21.3 (19.7 - 23.0)	27.6 (25.6 - 29.7)	9.1	276	20.9 (19.4 - 22.4)	26.1 (24.5 - 27.8)	8.7
4A21 Ortho Other	220	11.1 (10.2 - 12.0)	9.3 (8.4 - 10.1)	5.8	2,614	10.0 (9.7 - 10.2)	12.5 (12.3 - 12.7)	8.8	2,834	10.1 (9.8 - 10.3)	12.3 (12.0 - 12.5)	8.5
4A22 Ortho Other	360	15.8 (14.6 - 16.9)	21.1 (20.2 - 22.0)	9.4	3,019	14.0 (13.7 - 14.3)	22.7 (22.4 - 22.9)	11.3	3,379	14.2 (13.9 - 14.5)	22.5 (22.3 - 22.8)	11.1
4A23 Ortho Other	271	26.1 (23.8 - 28.5)	30.9 (29.1 - 32.7)	8.3	717	24.0 (22.9 - 25.1)	31.5 (30.6 - 32.4)	9.2	988	24.6 (23.6 - 25.6)	31.3 (30.5 - 32.1)	8.9
4A31 Pain	124	11.8 (9.6 - 14.1)	8.0 (7.0 - 9.1)	4.8	881	11.6 (10.7 - 12.5)	9.0 (8.5 - 9.4)	5.4	1,005	11.6 (10.8 - 12.4)	8.8 (8.5 - 9.2)	5.3
4A32 Pain	337	12.4 (11.6 - 13.2)	18.0 (16.9 - 19.0)	10.1	941	13.2 (12.8 - 13.7)	18.9 (18.4 - 19.4)	10.0	1,278	13.0 (12.7 - 13.4)	18.6 (18.2 - 19.1)	10.0
4A33 Pain	268	18.3 (16.6 - 19.9)	25.1 (23.6 - 26.5)	9.6	370	18.4 (17.3 - 19.4)	25.0 (23.8 - 26.2)	9.5	638	18.3 (17.4 - 19.2)	25.0 (24.1 - 25.9)	9.6
4A34 Pain	75	21.3 (18.8 - 23.9)	29.4 (25.7 - 33.1)	9.6	56	21.4 (18.3 - 24.6)	28.2 (23.8 - 32.5)	9.2	131	21.4 (19.4 - 23.4)	28.9 (26.1 - 31.7)	9.5
4A31 Cardiac	135	10.8 (9.6 - 12.0)	7.7 (6.7 - 8.6)	5.0	534	10.5 (10.1 - 11.0)	12.3 (11.8 - 12.8)	8.2	669	10.6 (10.2 - 11.0)	11.4 (10.9 - 11.8)	7.5
4A32 Cardiac	274	12.7 (11.9 - 13.6)	18.9 (17.8 - 20.0)	10.4	1,328	13.1 (12.6 - 13.6)	20.4 (20.0 - 20.8)	10.9	1,602	13.0 (12.6 - 13.5)	20.2 (19.8 - 20.6)	10.8
4A33 Cardiac	209	17.5 (15.8 - 19.3)	24.9 (23.0 - 26.7)	9.9	505	18.0 (17.1 - 18.8)	26.6 (25.6 - 27.6)	10.4	714	17.8 (17.1 - 18.6)	26.1 (25.2 - 27.0)	10.2
4A34 Cardiac	63	26.1 (21.5 - 30.7)	31.0 (26.0 - 36.1)	8.3	63	25.1 (21.6 - 28.6)	32.1 (27.7 - 36.5)	9.0	126	25.6 (22.7 - 28.5)	31.6 (28.3 - 34.9)	8.6
4A31 Pulmonary	64	10.3 (8.8 - 11.7)	5.8 (4.4 - 7.2)	4.0	147	10.5 (9.8 - 11.2)	11.0 (10.2 - 11.9)	7.4	211	10.4 (9.8 - 11.0)	9.4 (8.6 - 10.2)	6.3
4A32 Pulmonary	139	13.4 (11.6 - 15.2)	16.4 (14.9 - 17.9)	8.6	386	14.3 (13.5 - 15.1)	19.1 (18.2 - 19.9)	9.4	525	14.0 (13.3 - 14.8)	18.4 (17.6 - 19.1)	9.2
4A33 Pulmonary	117	15.5 (13.7 - 17.3)	21.7 (19.3 - 24.1)	9.8	168	19.3 (17.4 - 21.1)	25.3 (23.5 - 27.1)	9.2	285	17.7 (16.4 - 19.0)	23.8 (22.3 - 25.3)	9.4
4A34 Pulmonary	43	20.8 (17.4 - 24.1)	28.7 (22.6 - 34.9)	9.7	40	23.3 (18.8 - 27.7)	21.4 (16.7 - 26.1)	6.5	83	22.0 (19.2 - 24.7)	25.2 (21.2 - 29.2)	8.0
4AP1*	179	28.0 (24.0 - 32.0)	29.0 (26.8 - 31.2)	7.3	193	31.6 (28.3 - 34.9)	31.0 (28.9 - 33.2)	6.9	372	29.9 (27.3 - 32.4)	30.1 (28.5 - 31.6)	7.0
4AR1	2,127	12.0 (11.6 - 12.3)	9.0 (8.7 - 9.4)	5.3	4,224	11.8 (11.6 - 12.0)	12.8 (12.6 - 13.0)	7.6	6,351	11.8 (11.7 - 12.0)	11.5 (11.4 - 11.7)	6.8
4AR2	2,547	15.2 (14.8 - 15.5)	18.4 (18.1 - 18.8)	8.5	5,320	15.3 (15.0 - 15.6)	20.1 (19.8 - 20.3)	9.2	7,867	15.3 (15.0 - 15.5)	19.5 (19.3 - 19.7)	9.0
4AR3	1,430	16.5 (15.9 - 17.1)	18.7 (18.1 - 19.3)	7.9	1,767	17.0 (16.5 - 17.5)	20.0 (19.5 - 20.5)	8.2	3,197	16.8 (16.4 - 17.2)	19.4 (19.0 - 19.8)	8.1
4AR4	530	22.1 (20.9 - 23.4)	26.7 (25.6 - 27.8)	8.4	529	21.0 (19.8 - 22.1)	25.6 (24.6 - 26.6)	8.6	1,059	21.5 (20.7 - 22.4)	26.2 (25.4 - 26.9)	8.5
4AR5	1,957	20.0 (19.3 - 20.7)	23.2 (22.6 - 23.9)	8.1	1,839	20.6 (20.1 - 21.2)	24.2 (23.5 - 24.8)	8.2	3,796	20.3 (19.9 - 20.7)	23.7 (23.2 - 24.1)	8.2
4AR6	1,415	27.8 (26.7 - 28.8)	26.3 (25.3 - 27.2)	6.6	803	26.7 (25.6 - 27.9)	25.6 (24.4 - 26.8)	6.7	2,218	27.4 (26.6 - 28.2)	26.0 (25.3 - 26.8)	6.7
4A91	197	16.3 (14.4 - 18.3)	12.2 (10.8 - 13.6)	5.2	195	13.2 (12.3 - 14.1)	15.0 (13.9 - 16.1)	7.9	392	14.8 (13.7 - 15.9)	13.6 (12.7 - 14.5)	6.4
4A92	139	22.8 (19.7 - 25.8)	28.4 (25.9 - 30.8)	8.7	75	20.9 (18.4 - 23.4)	25.7 (23.0 - 28.4)	8.6	214	22.1 (19.9 - 24.3)	27.4 (25.6 - 29.3)	8.7
4A93	52	33.9 (28.3 - 39.6)	35.5 (31.5 - 39.6)	7.3	12	23.1 (17.7 - 28.4)	31.3 (22.0 - 40.7)	9.5	64	31.9 (27.1 - 36.7)	34.8 (31.0 - 38.5)	7.6
Missing or excluded*	10,485				7,113				17,598			
All episodes	43,635	22.0 (21.8 - 22.2)	21.7 (21.6 - 21.9)	6.9	71,284	14.9 (14.8 - 15.0)	19.8 (19.8 - 19.9)	9.3	114,919	17.4 (17.3 - 17.5)	20.5 (20.4 - 20.6)	8.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2021 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
3-202	185	113.2 (99.6 - 126.7)	32.4 (28.0 - 36.9)	2.0	27	57.5 (39.6 - 75.4)	50.6 (35.6 - 65.6)	6.2	212	106.1 (93.8 - 118.4)	34.8 (30.4 - 39.1)	2.3
3-203	455	45.1 (41.8 - 48.4)	25.0 (22.7 - 27.4)	3.9	88	36.8 (30.7 - 42.9)	22.1 (17.4 - 26.8)	4.2	543	43.8 (40.8 - 46.7)	24.6 (22.5 - 26.7)	3.9
3-204	1,707	13.5 (13.1 - 13.9)	12.1 (11.7 - 12.5)	6.3	596	13.3 (12.7 - 13.9)	15.5 (14.9 - 16.1)	8.1	2,303	13.4 (13.1 - 13.8)	12.9 (12.6 - 13.3)	6.8
3-205	305	21.9 (20.2 - 23.5)	17.7 (16.6 - 18.9)	5.7	42	18.3 (15.6 - 20.9)	18.7 (15.8 - 21.6)	7.2	347	21.5 (20.0 - 22.9)	17.8 (16.8 - 18.9)	5.8
3-206	1,406	20.3 (19.6 - 21.1)	25.3 (24.7 - 25.9)	8.7	641	19.1 (18.3 - 19.9)	24.5 (23.8 - 25.2)	9.0	2,047	20.0 (19.4 - 20.5)	25.0 (24.6 - 25.5)	8.8
3-207	155	25.8 (23.5 - 28.2)	27.7 (25.6 - 29.8)	7.5	58	23.1 (19.9 - 26.2)	28.3 (25.1 - 31.5)	8.6	213	25.1 (23.2 - 27.0)	27.9 (26.1 - 29.6)	7.8
3-208	1,331	34.4 (33.3 - 35.4)	28.5 (27.5 - 29.6)	5.8	398	33.2 (31.3 - 35.1)	29.9 (28.3 - 31.5)	6.3	1,729	34.1 (33.2 - 35.0)	28.8 (27.9 - 29.7)	5.9
3-209	1,238	46.7 (45.0 - 48.5)	37.6 (36.5 - 38.7)	5.6	192	43.8 (39.6 - 48.0)	35.1 (32.4 - 37.8)	5.6	1,430	46.4 (44.7 - 48.0)	37.2 (36.2 - 38.3)	5.6
3-210	110	13.0 (10.3 - 15.8)	11.2 (9.6 - 12.8)	6.0	143	12.6 (11.5 - 13.6)	15.3 (14.2 - 16.4)	8.5	253	12.8 (11.4 - 14.1)	13.5 (12.5 - 14.5)	7.4
3-211	350	16.7 (15.1 - 18.2)	13.9 (12.8 - 15.0)	5.8	211	14.2 (13.2 - 15.1)	18.7 (17.6 - 19.8)	9.3	561	15.7 (14.7 - 16.8)	15.7 (14.9 - 16.5)	7.0
3-212	178	23.8 (19.7 - 28.0)	16.5 (14.8 - 18.1)	4.8	36	17.1 (14.5 - 19.6)	21.1 (17.1 - 25.1)	8.6	214	22.7 (19.2 - 26.2)	17.2 (15.7 - 18.8)	5.3
3-213	301	30.9 (28.1 - 33.8)	23.4 (21.9 - 24.9)	5.3	25	27.9 (15.6 - 40.1)	22.2 (17.8 - 26.5)	5.6	326	30.7 (27.9 - 33.5)	23.3 (21.9 - 24.8)	5.3
3-214	592	34.1 (31.6 - 36.6)	34.3 (32.7 - 35.8)	7.0	264	25.2 (23.2 - 27.3)	26.9 (25.1 - 28.7)	7.5	856	31.4 (29.5 - 33.2)	32.0 (30.7 - 33.2)	7.1
3-215	147	65.7 (57.9 - 73.4)	42.0 (37.2 - 46.8)	4.5	27	53.6 (36.1 - 71.2)	35.0 (26.3 - 43.7)	4.6	174	63.8 (56.7 - 70.9)	40.9 (36.6 - 45.2)	4.5
3-216	497	13.8 (12.6 - 15.0)	10.0 (9.3 - 10.7)	5.1	643	12.4 (12.0 - 12.9)	13.7 (13.2 - 14.3)	7.7	1,140	13.0 (12.4 - 13.6)	12.1 (11.6 - 12.5)	6.5
3-217	451	19.3 (18.0 - 20.6)	20.6 (19.6 - 21.7)	7.5	609	17.0 (16.2 - 17.8)	20.4 (19.6 - 21.1)	8.4	1,060	18.0 (17.3 - 18.7)	20.5 (19.9 - 21.1)	8.0
3-218	666	29.6 (27.8 - 31.5)	25.9 (24.5 - 27.3)	6.1	495	23.2 (22.1 - 24.3)	23.1 (21.9 - 24.3)	7.0	1,161	26.9 (25.7 - 28.1)	24.7 (23.8 - 25.7)	6.4
3-219	50	38.7 (29.9 - 47.4)	26.9 (20.2 - 33.5)	4.9	15	24.3 (16.1 - 32.5)	24.3 (6.6 - 42.0)	7.0	65	35.4 (28.2 - 42.5)	26.3 (19.8 - 32.7)	5.2
3-220	22	13.2 (8.5 - 17.9)	3.0 (1.6 - 4.4)	1.6	6	9.2 (3.7 - 14.6)	4.2 (1.1 - 7.3)	3.2	28	12.3 (8.5 - 16.2)	3.3 (2.0 - 4.5)	1.8
3-221	249	29.0 (25.8 - 32.2)	19.0 (17.7 - 20.3)	4.6	57	22.1 (17.3 - 26.8)	17.4 (15.2 - 19.7)	5.5	306	27.7 (25.0 - 30.5)	18.7 (17.6 - 19.9)	4.7
3-222	338	65.8 (60.5 - 71.0)	28.9 (26.8 - 30.9)	3.1	33	59.2 (41.4 - 76.9)	23.2 (17.1 - 29.2)	2.7	371	65.2 (60.1 - 70.2)	28.3 (26.4 - 30.3)	3.0
3-223	40	76.9 (61.9 - 92.0)	36.8 (30.6 - 42.9)	3.3	4	n.a	n.a	n.a	44	74.0 (59.6 - 88.5)	36.5 (30.7 - 42.3)	3.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2021 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	190	20.4 (17.8 - 23.1)	5.4 (4.7 - 6.2)	1.9	19	25.8 (11.8 - 39.7)	8.8 (6.8 - 10.9)	2.4	209	20.9 (18.2 - 23.6)	5.7 (5.0 - 6.4)	1.9
3-225	746	33.6 (31.7 - 35.4)	19.9 (19.0 - 20.8)	4.1	172	31.4 (25.4 - 37.4)	20.0 (18.1 - 21.8)	4.5	918	33.2 (31.3 - 35.0)	19.9 (19.1 - 20.7)	4.2
3-226	811	15.2 (14.4 - 16.0)	19.9 (19.0 - 20.7)	9.1	2,249	13.6 (13.2 - 14.1)	16.2 (15.8 - 16.7)	8.3	3,060	14.1 (13.7 - 14.4)	17.2 (16.8 - 17.6)	8.6
3-227	1,852	13.5 (13.1 - 13.8)	13.5 (13.1 - 13.9)	7.0	3,202	14.9 (14.6 - 15.3)	16.4 (16.2 - 16.7)	7.7	5,054	14.4 (14.2 - 14.6)	15.4 (15.2 - 15.6)	7.5
3-228	1,805	17.6 (17.1 - 18.1)	22.2 (21.7 - 22.6)	8.8	2,777	19.3 (18.9 - 19.7)	23.9 (23.6 - 24.3)	8.7	4,582	18.6 (18.3 - 18.9)	23.2 (23.0 - 23.5)	8.7
3-229	2,816	23.9 (23.4 - 24.5)	30.3 (29.8 - 30.9)	8.9	2,800	27.5 (26.9 - 28.1)	31.7 (31.2 - 32.2)	8.1	5,616	25.7 (25.3 - 26.1)	31.0 (30.6 - 31.4)	8.4
3-230	568	24.1 (22.9 - 25.4)	24.5 (23.0 - 25.9)	7.1	588	27.0 (25.7 - 28.4)	28.4 (27.0 - 29.7)	7.3	1,156	25.6 (24.7 - 26.5)	26.5 (25.4 - 27.5)	7.2
3-231	419	8.8 (8.3 - 9.3)	7.1 (6.6 - 7.5)	5.6	5,879	8.4 (8.3 - 8.5)	10.0 (9.9 - 10.1)	8.4	6,298	8.4 (8.3 - 8.5)	9.8 (9.7 - 9.9)	8.2
3-232	1,832	11.2 (10.8 - 11.5)	19.5 (19.1 - 19.8)	12.2	15,775	10.8 (10.8 - 10.9)	20.3 (20.2 - 20.4)	13.1	17,607	10.9 (10.8 - 11.0)	20.2 (20.1 - 20.3)	13.0
3-233	702	18.5 (17.6 - 19.4)	33.4 (32.4 - 34.3)	12.6	1,492	18.9 (18.3 - 19.5)	33.9 (33.2 - 34.5)	12.5	2,194	18.8 (18.3 - 19.3)	33.7 (33.2 - 34.2)	12.6
3-234	222	10.6 (9.7 - 11.6)	8.1 (7.2 - 9.1)	5.3	2,330	9.8 (9.5 - 10.0)	11.6 (11.4 - 11.8)	8.3	2,552	9.8 (9.6 - 10.1)	11.3 (11.1 - 11.5)	8.1
3-235	441	14.1 (13.1 - 15.1)	18.9 (18.1 - 19.7)	9.4	3,452	13.2 (12.9 - 13.5)	20.9 (20.6 - 21.1)	11.1	3,893	13.3 (13.1 - 13.6)	20.7 (20.4 - 20.9)	10.9
3-236	517	23.2 (21.6 - 24.9)	27.5 (26.2 - 28.7)	8.3	1,391	21.7 (20.9 - 22.4)	29.6 (29.0 - 30.2)	9.6	1,908	22.1 (21.4 - 22.8)	29.0 (28.5 - 29.6)	9.2
3-237	691	15.2 (14.3 - 16.1)	19.7 (18.7 - 20.7)	9.1	2,438	13.9 (13.5 - 14.3)	20.3 (19.9 - 20.7)	10.2	3,129	14.2 (13.8 - 14.5)	20.1 (19.8 - 20.5)	9.9
3-238	42	19.2 (14.3 - 24.1)	8.3 (6.7 - 9.9)	3.0	40	18.6 (15.0 - 22.2)	11.5 (9.8 - 13.2)	4.3	82	18.9 (15.9 - 22.0)	9.9 (8.6 - 11.1)	3.6
3-239	187	25.9 (22.7 - 29.0)	24.9 (23.1 - 26.7)	6.7	162	27.6 (24.4 - 30.7)	28.1 (26.8 - 29.5)	7.1	349	26.7 (24.4 - 28.9)	26.4 (25.3 - 27.6)	6.9
3-240	117	50.2 (42.0 - 58.5)	41.3 (38.3 - 44.2)	5.8	119	44.5 (40.0 - 49.1)	47.2 (44.6 - 49.8)	7.4	236	47.3 (42.7 - 52.0)	44.3 (42.3 - 46.3)	6.5
3-241	19	87.6 (61.6 - 113.6)	52.2 (39.8 - 64.5)	4.2	16	68.9 (50.1 - 87.8)	71.1 (64.1 - 78.0)	7.2	35	79.1 (62.5 - 95.7)	60.8 (52.8 - 68.8)	5.4
3-242	1,977	11.9 (11.5 - 12.3)	8.3 (8.0 - 8.6)	4.9	3,773	11.6 (11.4 - 11.8)	11.9 (11.7 - 12.1)	7.2	5,750	11.7 (11.6 - 11.9)	10.7 (10.5 - 10.8)	6.4
3-243	3,409	14.9 (14.5 - 15.2)	17.0 (16.7 - 17.4)	8.0	6,896	14.8 (14.6 - 15.1)	19.3 (19.1 - 19.5)	9.1	10,305	14.8 (14.6 - 15.0)	18.5 (18.4 - 18.7)	8.7
3-244	4,823	20.9 (20.4 - 21.3)	23.9 (23.5 - 24.3)	8.0	4,586	20.6 (20.2 - 20.9)	24.0 (23.6 - 24.4)	8.2	9,409	20.7 (20.4 - 21.0)	24.0 (23.7 - 24.2)	8.1
3-245	797	29.5 (27.9 - 31.1)	25.6 (24.1 - 27.0)	6.1	364	26.6 (25.0 - 28.2)	22.1 (20.1 - 24.0)	5.8	1,161	28.6 (27.4 - 29.8)	24.5 (23.3 - 25.6)	6.0
Missing or excluded	7,879				6,154				14,033			
All episodes	43,635	22.0 (21.8 - 22.2)	21.7 (21.6 - 21.9)	6.9	71,284	14.9 (14.8 - 15.0)	19.8 (19.8 - 19.9)	9.3	114,919	17.4 (17.3 - 17.5)	20.5 (20.4 - 20.6)	8.2

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24