

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2021 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	687	29.5 (28.1 - 30.9)	20.2 (18.6 - 21.8)	4.8	687	29.5 (28.1 - 30.9)	20.2 (18.6 - 21.8)	4.8
4AZ4	106	59.3 (49.1 - 69.6)	31.5 (26.3 - 36.7)	3.7	0	n.a	n.a	n.a	106	59.3 (49.1 - 69.6)	31.5 (26.3 - 36.7)	3.7
4AA1	56	15.8 (13.5 - 18.0)	17.9 (15.6 - 20.2)	8.0	179	12.4 (11.0 - 13.8)	14.5 (13.1 - 15.8)	8.1	235	13.2 (12.0 - 14.4)	15.3 (14.1 - 16.5)	8.1
4AA2	48	15.6 (13.2 - 18.1)	21.3 (18.2 - 24.4)	9.5	186	13.9 (12.9 - 14.9)	16.4 (14.7 - 18.0)	8.3	235	14.2 (13.2 - 15.2)	17.4 (15.9 - 18.9)	8.6
4AA3	25	23.3 (16.1 - 30.6)	23.3 (19.2 - 27.4)	7.0	80	17.3 (15.1 - 19.5)	19.7 (16.7 - 22.6)	7.9	105	18.7 (16.3 - 21.2)	20.5 (18.1 - 23.0)	7.7
4AA4	0	n.a	n.a	n.a	239	22.4 (20.8 - 24.1)	26.1 (24.2 - 27.9)	8.1	239	22.4 (20.8 - 24.1)	26.1 (24.2 - 27.9)	8.1
4AA5	59	23.9 (19.6 - 28.1)	32.5 (29.2 - 35.9)	9.5	12	25.2 (11.4 - 38.9)	27.2 (20.1 - 34.2)	7.6	71	24.1 (19.9 - 28.3)	31.6 (28.6 - 34.7)	9.2
4AA6	0	n.a	n.a	n.a	328	32.9 (31.0 - 34.9)	29.9 (27.7 - 32.1)	6.4	328	32.9 (31.0 - 34.9)	29.9 (27.7 - 32.1)	6.4
4AA7	98	41.8 (37.2 - 46.5)	40.1 (36.2 - 44.0)	6.7	26	32.0 (26.4 - 37.7)	38.2 (30.4 - 46.0)	8.3	124	39.8 (35.9 - 43.7)	39.7 (36.2 - 43.2)	7.0
4AB1-7*												
4AC1	27	20.7 (13.8 - 27.6)	12.0 (8.9 - 15.0)	4.0	19	17.1 (11.8 - 22.3)	9.2 (4.3 - 14.1)	3.8	46	19.2 (14.6 - 23.8)	10.8 (8.1 - 13.5)	3.9
4AC2	16	23.4 (11.3 - 35.4)	23.2 (18.2 - 28.2)	6.9	53	16.7 (14.2 - 19.3)	16.3 (13.7 - 18.9)	6.8	69	18.3 (14.9 - 21.7)	17.9 (15.5 - 20.3)	6.9
4AC3	20	27.1 (20.6 - 33.5)	38.2 (31.1 - 45.3)	9.9	59	22.9 (19.8 - 25.9)	18.9 (15.3 - 22.6)	5.8	80	24.0 (21.2 - 26.8)	23.6 (19.9 - 27.3)	6.9
4AD1-4*												
4AE1	1	n.a	n.a	n.a	1	n.a	n.a	n.a	2	n.a	n.a	n.a
4AE2	23	21.3 (15.5 - 27.1)	15.5 (11.4 - 19.6)	5.1	95	24.2 (20.5 - 27.9)	16.7 (14.3 - 19.1)	4.8	118	23.6 (20.4 - 26.8)	16.5 (14.4 - 18.5)	4.9
4AE3	6	34.2 (17.2 - 51.1)	32.8 (19.7 - 46.0)	6.7	26	31.3 (24.1 - 38.4)	20.4 (14.4 - 26.4)	4.6	32	31.8 (25.3 - 38.3)	22.7 (17.1 - 28.3)	5.0
4AE4	19	24.1 (15.5 - 32.7)	9.9 (5.1 - 14.8)	2.9	0	n.a	n.a	n.a	19	24.1 (15.5 - 32.7)	9.9 (5.1 - 14.8)	2.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2021 (2/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	34	11.4 (8.8 - 14.0)	14.1 (10.6 - 17.5)	8.6	438	11.9 (11.1 - 12.7)	16.2 (15.5 - 17.0)	9.5	474	11.9 (11.2 - 12.7)	16.1 (15.3 - 16.8)	9.5
4AH2	29	16.4 (11.6 - 21.3)	16.1 (13.0 - 19.1)	6.8	737	14.5 (13.8 - 15.1)	16.3 (15.7 - 17.0)	7.9	768	14.5 (13.9 - 15.2)	16.3 (15.6 - 16.9)	7.8
4AH3	23	16.3 (12.8 - 19.8)	30.8 (26.2 - 35.5)	13.2	747	17.6 (16.8 - 18.3)	23.7 (22.9 - 24.6)	9.5	777	17.5 (16.8 - 18.2)	23.9 (23.0 - 24.7)	9.5
4AH4	29	21.5 (17.2 - 25.8)	34.2 (27.2 - 41.2)	11.1	1,308	22.3 (21.6 - 22.9)	28.7 (27.8 - 29.6)	9.0	1,342	22.2 (21.6 - 22.9)	28.8 (27.9 - 29.7)	9.1
4A21	7	17.4 (10.7 - 24.1)	9.0 (4.8 - 13.2)	3.6	62	8.6 (7.1 - 10.2)	8.5 (7.1 - 9.9)	6.9	70	9.5 (7.9 - 11.2)	8.4 (7.1 - 9.7)	6.2
4A22	13	13.0 (9.5 - 16.5)	21.1 (16.6 - 25.6)	11.3	306	11.8 (11.0 - 12.7)	17.1 (16.1 - 18.1)	10.1	321	11.9 (11.0 - 12.7)	17.2 (16.2 - 18.2)	10.1
4A23	18	29.1 (19.7 - 38.4)	30.6 (23.8 - 37.3)	7.4	322	18.0 (16.8 - 19.2)	26.1 (24.5 - 27.7)	10.2	340	18.6 (17.3 - 19.8)	26.4 (24.8 - 27.9)	9.9
4A31	2	n.a	n.a	n.a	28	11.4 (7.6 - 15.2)	1.4 (-3.9 - 6.7)	0.9	31	12.0 (8.5 - 15.6)	1.6 (-3.2 - 6.5)	1.0
4A32	5	19.6 (5.1 - 34.1)	13.0 (3.0 - 23.0)	4.6	98	12.6 (10.7 - 14.4)	13.3 (11.7 - 14.9)	7.4	103	12.9 (11.0 - 14.8)	13.3 (11.7 - 14.9)	7.2
4A33	3	n.a	n.a	n.a	125	15.6 (13.7 - 17.5)	20.7 (18.3 - 23.1)	9.3	128	15.5 (13.7 - 17.4)	21.1 (18.7 - 23.5)	9.5
4A34	7	20.9 (11.8 - 29.9)	31.6 (19.3 - 43.8)	10.6	61	19.0 (16.3 - 21.7)	27.7 (23.0 - 32.4)	10.2	68	19.2 (16.6 - 21.8)	28.1 (23.8 - 32.5)	10.3
4AP1*	6	25.0 (9.8 - 40.2)	31.2 (19.5 - 42.8)	8.7	14	20.9 (4.2 - 37.6)	20.2 (13.2 - 27.2)	6.8	20	22.2 (9.8 - 34.5)	23.5 (17.2 - 29.8)	7.4
4AR1	23	16.5 (10.3 - 22.7)	9.7 (7.3 - 12.2)	4.1	236	12.6 (11.4 - 13.8)	8.2 (7.2 - 9.2)	4.5	260	12.9 (11.7 - 14.1)	8.3 (7.4 - 9.3)	4.5
4AR2	41	20.5 (16.3 - 24.7)	16.2 (14.3 - 18.1)	5.5	391	14.9 (14.0 - 15.9)	15.2 (14.2 - 16.2)	7.1	435	15.5 (14.5 - 16.5)	15.3 (14.4 - 16.2)	6.9
4AR3	19	24.4 (16.2 - 32.5)	26.4 (20.3 - 32.5)	7.6	400	16.2 (15.2 - 17.1)	13.5 (12.4 - 14.6)	5.8	419	16.5 (15.6 - 17.5)	14.1 (12.9 - 15.2)	6.0
4AR4	11	16.5 (12.1 - 20.8)	17.8 (9.9 - 25.7)	7.6	103	18.4 (16.4 - 20.4)	23.7 (21.2 - 26.1)	9.0	115	18.1 (16.3 - 19.9)	23.2 (20.9 - 25.5)	9.0
4AR5	24	24.0 (18.9 - 29.0)	24.5 (17.7 - 31.2)	7.1	647	19.0 (18.2 - 19.8)	18.3 (17.3 - 19.4)	6.8	671	19.2 (18.4 - 20.0)	18.6 (17.5 - 19.6)	6.8
4AR6	51	26.9 (20.7 - 33.0)	25.3 (20.3 - 30.3)	6.6	486	24.3 (22.9 - 25.7)	21.9 (20.2 - 23.5)	6.3	538	24.5 (23.1 - 25.9)	22.2 (20.6 - 23.7)	6.3
4A91	19	14.7 (10.8 - 18.6)	11.4 (8.7 - 14.0)	5.4	79	12.9 (11.1 - 14.7)	11.9 (9.9 - 13.9)	6.4	98	13.2 (11.6 - 14.9)	11.8 (10.1 - 13.5)	6.2
4A92	6	21.5 (10.9 - 32.1)	43.0 (36.9 - 49.1)	14.0	78	17.1 (14.1 - 20.1)	18.5 (15.6 - 21.4)	7.6	86	17.2 (14.4 - 20.0)	20.3 (17.4 - 23.3)	8.3
4A93	8	31.1 (18.9 - 43.3)	51.0 (40.0 - 62.0)	11.5	37	17.6 (14.7 - 20.5)	20.3 (14.4 - 26.2)	8.1	45	20.0 (16.5 - 23.5)	25.8 (19.6 - 32.0)	9.0
Missing or excluded*	489				1,060				1,569			
All episodes	1,371	33.1 (31.2 - 35.0)	26.3 (25.2 - 27.4)	5.6	9,754	19.8 (19.5 - 20.1)	20.6 (20.3 - 21.0)	7.3	11,175	21.4 (21.1 - 21.8)	21.3 (21.0 - 21.7)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2021 (1/2)



AN-SNAP class	Aged under 65			Aged 65 and over			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-202	47	101.2 (86.0 - 116.4)	31.4 (22.8 - 40.1)	2.2	39	78.3 (63.8 - 92.7)	26.4 (18.2 - 34.6)	2.4	86	90.8 (80.0 - 101.6)	29.2 (23.2 - 35.1)	2.2
3-203	44	72.7 (55.1 - 90.2)	30.3 (22.0 - 38.5)	2.9	194	30.8 (27.9 - 33.6)	18.3 (15.2 - 21.4)	4.2	238	38.5 (34.0 - 43.0)	20.5 (17.5 - 23.5)	3.7
3-204	52	13.2 (11.1 - 15.4)	13.8 (11.9 - 15.8)	7.3	174	11.0 (10.1 - 12.0)	11.4 (9.9 - 12.8)	7.2	227	11.5 (10.6 - 12.4)	11.9 (10.8 - 13.1)	7.3
3-205	17	19.5 (11.5 - 27.5)	23.4 (19.1 - 27.6)	8.4	37	13.6 (11.5 - 15.8)	15.2 (11.5 - 18.9)	7.8	54	15.5 (12.5 - 18.4)	17.8 (14.7 - 20.8)	8.0
3-206	65	20.7 (17.8 - 23.6)	25.2 (22.6 - 27.7)	8.5	260	16.7 (15.4 - 18.0)	20.8 (19.5 - 22.0)	8.7	325	17.5 (16.3 - 18.7)	21.6 (20.5 - 22.8)	8.7
3-207	8	29.5 (7.5 - 51.5)	30.9 (22.8 - 39.0)	7.3	31	20.2 (16.2 - 24.1)	21.2 (15.6 - 26.9)	7.4	39	22.1 (16.7 - 27.5)	23.2 (18.3 - 28.1)	7.3
3-208	0	n.a	n.a	n.a	504	30.3 (28.8 - 31.9)	26.4 (24.7 - 28.0)	6.1	504	30.3 (28.8 - 31.9)	26.4 (24.7 - 28.0)	6.1
3-209	178	38.6 (35.1 - 42.1)	38.2 (35.3 - 41.1)	6.9	193	33.8 (31.1 - 36.5)	33.5 (30.7 - 36.3)	7.0	371	36.1 (33.9 - 38.3)	35.8 (33.7 - 37.8)	6.9
3-210	10	17.4 (6.0 - 28.8)	11.5 (6.1 - 16.9)	4.6	8	11.8 (7.7 - 15.8)	18.5 (15.3 - 21.7)	11.0	18	14.9 (8.3 - 21.4)	14.6 (11.0 - 18.2)	6.9
3-211	66	17.3 (14.5 - 20.2)	13.4 (11.0 - 15.9)	5.4	37	19.5 (13.7 - 25.2)	13.1 (9.9 - 16.3)	4.7	103	18.1 (15.4 - 20.9)	13.3 (11.4 - 15.3)	5.1
3-212	21	30.2 (20.9 - 39.4)	21.0 (16.6 - 25.5)	4.9	9	26.2 (12.5 - 40.0)	16.1 (9.6 - 22.7)	4.3	30	29.0 (21.4 - 36.6)	19.6 (15.8 - 23.3)	4.7
3-213	29	38.6 (26.8 - 50.3)	26.2 (22.2 - 30.2)	4.8	19	24.5 (17.8 - 31.3)	17.9 (10.9 - 25.0)	5.1	48	33.0 (25.2 - 40.8)	22.9 (19.1 - 26.8)	4.9
3-214	45	42.0 (32.6 - 51.3)	37.7 (31.5 - 43.9)	6.3	97	24.4 (20.0 - 28.8)	25.8 (22.1 - 29.5)	7.4	142	30.0 (25.6 - 34.4)	29.6 (26.3 - 32.9)	6.9
3-215	20	71.3 (51.6 - 90.9)	49.1 (34.8 - 63.4)	4.8	23	39.0 (22.8 - 55.2)	25.3 (14.0 - 36.5)	4.5	43	54.0 (40.6 - 67.3)	36.3 (26.8 - 45.9)	4.7
3-216	22	18.7 (11.6 - 25.8)	10.5 (7.8 - 13.2)	3.9	17	15.4 (10.8 - 19.9)	8.1 (3.9 - 12.4)	3.7	39	17.3 (12.8 - 21.7)	9.5 (7.0 - 11.9)	3.8
3-217	15	18.0 (9.1 - 26.9)	21.3 (16.4 - 26.3)	8.3	34	17.1 (13.8 - 20.3)	16.4 (13.4 - 19.5)	6.7	49	17.3 (13.9 - 20.8)	17.9 (15.3 - 20.6)	7.2
3-218	28	30.3 (23.1 - 37.4)	32.9 (26.3 - 39.4)	7.6	80	21.5 (18.9 - 24.1)	18.2 (15.3 - 21.2)	5.9	109	23.8 (21.1 - 26.5)	21.9 (18.9 - 24.9)	6.4
3-219	2	n.a	n.a	n.a	6	29.7 (16.2 - 43.1)	10.5 (-9.1 - 30.1)	2.5	8	29.4 (19.2 - 39.5)	19.1 (0.9 - 37.4)	4.6
3-220	1	n.a	n.a	n.a	1	n.a	n.a	n.a	2	n.a	n.a	n.a
3-221	28	22.3 (17.4 - 27.1)	21.5 (17.7 - 25.3)	6.8	14	14.5 (9.7 - 19.3)	19.6 (14.8 - 24.5)	9.5	43	20.2 (16.4 - 24.0)	21.1 (18.2 - 24.0)	7.3
3-222	49	64.7 (54.1 - 75.2)	41.8 (37.3 - 46.3)	4.5	52	53.3 (43.6 - 62.9)	24.5 (19.7 - 29.3)	3.2	101	58.8 (51.6 - 66.0)	32.9 (29.2 - 36.6)	3.9
3-223	19	64.5 (38.0 - 91.0)	32.4 (21.1 - 43.7)	3.5	0	n.a	n.a	n.a	19	64.5 (38.0 - 91.0)	32.4 (21.1 - 43.7)	3.5

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2021 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	7	40.1 (21.9 - 58.4)	0.6 (-3.1 - 4.3)	0.1	6	20.7 (7.4 - 34.0)	4.5 (1.3 - 7.7)	1.5	13	31.2 (18.8 - 43.6)	2.4 (-0.2 - 5.0)	0.5
3-225	42	21.6 (17.2 - 25.9)	17.6 (13.8 - 21.4)	5.7	121	26.0 (22.7 - 29.3)	18.0 (15.7 - 20.4)	4.8	164	24.9 (22.2 - 27.6)	17.9 (16.0 - 19.9)	5.0
3-226	10	20.2 (11.1 - 29.3)	27.6 (16.3 - 38.9)	9.6	216	12.7 (11.6 - 13.8)	17.9 (16.0 - 19.8)	9.9	227	13.1 (11.9 - 14.2)	18.3 (16.4 - 20.2)	9.8
3-227	40	11.7 (9.5 - 14.0)	12.4 (9.7 - 15.1)	7.4	490	11.1 (10.4 - 11.9)	12.2 (11.5 - 12.8)	7.6	533	11.2 (10.5 - 11.9)	12.2 (11.5 - 12.8)	7.6
3-228	23	17.3 (11.3 - 23.4)	19.5 (15.7 - 23.2)	7.9	667	15.3 (14.6 - 16.0)	19.3 (18.6 - 20.0)	8.8	691	15.4 (14.7 - 16.1)	19.3 (18.6 - 19.9)	8.8
3-229	46	20.0 (16.4 - 23.6)	32.6 (28.4 - 36.7)	11.4	1,661	20.5 (20.0 - 21.1)	28.3 (27.7 - 29.0)	9.7	1,716	20.5 (19.9 - 21.1)	28.4 (27.7 - 29.1)	9.7
3-230	9	22.1 (15.3 - 28.9)	27.0 (9.9 - 44.1)	8.5	607	21.0 (20.0 - 21.9)	20.3 (18.9 - 21.7)	6.8	619	21.0 (20.1 - 21.9)	20.5 (19.1 - 21.9)	6.8
3-231	1	n.a	n.a	n.a	14	10.2 (5.5 - 15.0)	5.7 (3.9 - 7.5)	3.9	15	10.1 (5.6 - 14.5)	5.4 (3.6 - 7.2)	3.8
3-232	7	14.4 (8.0 - 20.9)	19.9 (14.3 - 25.4)	9.6	130	12.0 (10.9 - 13.1)	19.0 (17.6 - 20.3)	11.1	138	12.1 (11.0 - 13.2)	19.0 (17.7 - 20.3)	11.0
3-233	3	n.a	n.a	n.a	106	17.4 (15.3 - 19.5)	29.8 (27.0 - 32.5)	12.0	109	18.0 (15.6 - 20.4)	29.7 (27.1 - 32.4)	11.6
3-234	4	n.a	n.a	n.a	33	6.8 (5.6 - 8.0)	8.5 (6.5 - 10.4)	8.7	38	8.1 (6.3 - 10.0)	8.2 (6.3 - 10.0)	7.0
3-235	4	n.a	n.a	n.a	134	11.2 (10.1 - 12.2)	14.1 (12.8 - 15.4)	8.8	138	11.3 (10.2 - 12.3)	14.1 (12.8 - 15.4)	8.8
3-236	20	23.1 (16.5 - 29.7)	28.0 (21.0 - 35.0)	8.5	284	17.5 (16.1 - 18.8)	22.9 (21.3 - 24.6)	9.2	305	17.8 (16.5 - 19.2)	23.2 (21.6 - 24.8)	9.1
3-237	4	n.a	n.a	n.a	63	19.7 (16.5 - 22.9)	16.3 (12.0 - 20.7)	5.8	67	19.4 (16.4 - 22.5)	17.1 (12.9 - 21.3)	6.2
3-238	17	17.8 (12.9 - 22.7)	8.7 (6.6 - 10.9)	3.4	2	n.a	n.a	n.a	19	17.2 (12.7 - 21.6)	8.7 (6.7 - 10.8)	3.6
3-239	31	29.1 (23.8 - 34.4)	28.1 (25.1 - 31.1)	6.8	16	21.0 (15.0 - 27.0)	22.7 (18.7 - 26.7)	7.6	47	26.3 (22.2 - 30.5)	26.3 (23.8 - 28.8)	7.0
3-240	9	28.9 (18.6 - 39.1)	39.7 (25.6 - 53.7)	9.6	9	61.8 (29.1 - 94.5)	31.9 (20.5 - 43.3)	3.6	18	45.3 (27.0 - 63.7)	35.8 (26.8 - 44.8)	5.5
3-241	4	n.a	n.a	n.a	7	63.0 (18.3 - 107.7)	40.9 (20.8 - 60.9)	4.5	11	86.0 (44.3 - 127.7)	52.5 (35.9 - 69.0)	4.3
3-242	31	14.3 (11.3 - 17.3)	9.5 (7.2 - 11.7)	4.7	224	12.3 (11.2 - 13.4)	7.4 (6.3 - 8.4)	4.2	256	12.5 (11.5 - 13.5)	7.6 (6.7 - 8.6)	4.3
3-243	61	21.1 (17.2 - 25.1)	16.2 (13.9 - 18.4)	5.4	648	14.7 (14.0 - 15.4)	13.5 (12.7 - 14.3)	6.4	712	15.3 (14.6 - 16.0)	13.8 (13.0 - 14.5)	6.3
3-244	88	24.3 (20.3 - 28.3)	27.7 (24.0 - 31.4)	8.0	1,418	19.5 (18.8 - 20.1)	19.2 (18.5 - 20.0)	6.9	1,509	19.7 (19.1 - 20.3)	19.7 (19.0 - 20.5)	7.0
3-245	39	34.8 (17.5 - 52.1)	22.8 (16.6 - 28.9)	4.6	323	26.5 (24.4 - 28.6)	20.8 (18.8 - 22.9)	5.5	363	27.3 (24.7 - 30.0)	21.0 (19.1 - 23.0)	5.4
Missing or excluded	105				746				869			
All episodes	1,371	33.1 (31.2 - 35.0)	26.3 (25.2 - 27.4)	5.6	9,754	19.8 (19.5 - 20.1)	20.6 (20.3 - 21.0)	7.3	11,175	21.4 (21.1 - 21.8)	21.3 (21.0 - 21.7)	7.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24