

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2021 (1/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
4AZ1*	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	649	30.5 (28.7 - 32.2)	20.8 (19.1 - 22.5)	4.8	649	30.5 (28.7 - 32.2)	20.8 (19.1 - 22.5)	4.8
4AZ4	91	54.7 (46.8 - 62.6)	35.2 (29.7 - 40.8)	4.5	0	n.a	n.a	n.a	91	54.7 (46.8 - 62.6)	35.2 (29.7 - 40.8)	4.5
4AA1	54	14.9 (12.2 - 17.5)	18.5 (16.2 - 20.7)	8.7	158	13.9 (12.1 - 15.6)	15.4 (14.0 - 16.9)	7.8	212	14.1 (12.7 - 15.6)	16.2 (15.0 - 17.5)	8.0
4AA2	52	16.4 (14.1 - 18.7)	20.9 (18.1 - 23.6)	8.9	131	14.4 (13.0 - 15.7)	16.7 (15.0 - 18.4)	8.1	183	14.9 (13.8 - 16.1)	17.9 (16.4 - 19.3)	8.4
4AA3	19	19.1 (13.2 - 25.0)	26.9 (23.0 - 30.9)	9.9	87	19.5 (17.0 - 22.0)	18.1 (14.4 - 21.8)	6.5	106	19.4 (17.1 - 21.8)	19.7 (16.5 - 22.9)	7.1
4AA4	0	n.a	n.a	n.a	203	21.5 (19.7 - 23.4)	27.0 (25.0 - 29.1)	8.8	203	21.5 (19.7 - 23.4)	27.0 (25.0 - 29.1)	8.8
4AA5	59	26.4 (21.8 - 30.9)	34.0 (30.2 - 37.9)	9.0	8	33.3 (15.7 - 50.8)	30.8 (22.5 - 39.0)	6.5	67	27.2 (22.7 - 31.7)	33.6 (30.1 - 37.1)	8.7
4AA6	0	n.a	n.a	n.a	303	32.5 (30.5 - 34.6)	29.8 (27.6 - 32.0)	6.4	303	32.5 (30.5 - 34.6)	29.8 (27.6 - 32.0)	6.4
4AA7	94	40.7 (36.3 - 45.1)	38.6 (34.6 - 42.7)	6.7	17	31.6 (22.1 - 41.0)	44.1 (36.6 - 51.6)	9.8	111	39.3 (35.2 - 43.3)	39.5 (35.9 - 43.1)	7.0
4AB1-7*												
4AC1	19	19.9 (12.8 - 27.1)	12.5 (9.1 - 15.9)	4.4	20	14.2 (9.1 - 19.3)	13.4 (8.4 - 18.3)	6.6	39	17.0 (12.6 - 21.4)	12.9 (10.0 - 15.9)	5.3
4AC2	18	19.7 (13.8 - 25.6)	25.3 (20.9 - 29.7)	9.0	61	17.0 (14.2 - 19.7)	16.1 (13.7 - 18.5)	6.6	79	17.6 (15.1 - 20.1)	18.2 (15.9 - 20.5)	7.2
4AC3	22	32.6 (22.4 - 42.9)	37.9 (31.1 - 44.7)	8.1	41	20.0 (16.9 - 23.2)	16.0 (11.7 - 20.4)	5.6	63	24.4 (20.1 - 28.8)	23.7 (19.2 - 28.2)	6.8
4AD1-4*												
4AE1	3	n.a	n.a	n.a	1	n.a	n.a	n.a	4	n.a	n.a	n.a
4AE2	26	23.5 (15.2 - 31.8)	19.0 (15.3 - 22.8)	5.7	76	21.5 (17.0 - 25.9)	18.3 (15.8 - 20.9)	6.0	102	22.0 (18.1 - 25.9)	18.5 (16.4 - 20.6)	5.9
4AE3	6	54.0 (35.6 - 72.4)	33.5 (19.9 - 47.1)	4.3	27	35.5 (28.2 - 42.8)	23.6 (16.9 - 30.2)	4.6	33	38.8 (31.7 - 46.0)	25.4 (19.3 - 31.4)	4.6
4AE4	13	17.7 (13.1 - 22.3)	15.5 (7.0 - 23.9)	6.1	0	n.a	n.a	n.a	13	17.7 (13.1 - 22.3)	15.5 (7.0 - 23.9)	6.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Calendar Year 2021 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	29	12.4 (8.9 - 16.0)	16.3 (13.4 - 19.1)	9.2	376	11.6 (10.8 - 12.4)	16.9 (16.0 - 17.7)	10.2	405	11.7 (10.9 - 12.5)	16.8 (16.0 - 17.6)	10.1
4AH2	22	15.9 (9.7 - 22.1)	13.9 (10.1 - 17.6)	6.1	609	13.7 (13.0 - 14.3)	16.3 (15.5 - 17.1)	8.3	631	13.8 (13.1 - 14.4)	16.2 (15.5 - 17.0)	8.2
4AH3	31	15.7 (12.8 - 18.6)	27.8 (23.6 - 32.1)	12.4	635	17.5 (16.6 - 18.3)	24.6 (23.7 - 25.5)	9.9	667	17.4 (16.6 - 18.2)	24.7 (23.8 - 25.6)	10.0
4AH4	31	25.2 (19.4 - 31.0)	36.7 (30.4 - 42.9)	10.2	1,212	22.3 (21.6 - 23.0)	28.9 (28.0 - 29.8)	9.1	1,244	22.4 (21.7 - 23.1)	29.1 (28.2 - 30.0)	9.1
4A21	12	11.3 (6.4 - 16.3)	12.5 (7.9 - 17.1)	7.7	52	10.3 (8.3 - 12.4)	8.1 (6.6 - 9.5)	5.5	64	10.5 (8.6 - 12.4)	8.9 (7.4 - 10.4)	5.9
4A22	11	16.0 (11.0 - 21.0)	20.1 (14.3 - 25.8)	8.8	259	12.0 (11.2 - 12.8)	16.5 (15.5 - 17.6)	9.7	271	12.1 (11.3 - 13.0)	16.7 (15.6 - 17.7)	9.6
4A23	20	25.2 (16.0 - 34.3)	32.9 (27.1 - 38.6)	9.1	271	16.9 (15.7 - 18.2)	25.8 (24.1 - 27.5)	10.7	291	17.5 (16.2 - 18.9)	26.3 (24.7 - 27.9)	10.5
4A31	1	n.a	n.a	n.a	26	9.8 (6.3 - 13.2)	2.6 (-1.9 - 7.1)	1.8	28	10.3 (7.0 - 13.5)	2.8 (-1.5 - 7.0)	1.9
4A32	9	16.4 (10.1 - 22.7)	16.9 (9.3 - 24.5)	7.2	114	10.8 (9.6 - 12.0)	13.0 (11.5 - 14.4)	8.4	124	11.2 (10.0 - 12.4)	13.2 (11.8 - 14.7)	8.2
4A33	7	23.7 (10.9 - 36.5)	26.4 (16.4 - 36.5)	7.8	120	15.7 (13.6 - 17.7)	20.0 (17.9 - 22.2)	9.0	127	16.1 (14.0 - 18.2)	20.4 (18.3 - 22.5)	8.9
4A34	4	n.a	n.a	n.a	52	20.6 (17.5 - 23.7)	27.7 (22.8 - 32.5)	9.4	56	20.5 (17.6 - 23.4)	27.4 (22.9 - 31.9)	9.4
4AP1*	5	30.6 (14.6 - 46.6)	37.8 (25.4 - 50.2)	8.6	7	14.0 (8.7 - 19.3)	17.3 (3.6 - 31.0)	8.6	12	20.9 (12.5 - 29.4)	25.8 (14.9 - 36.7)	8.6
4AR1	29	16.9 (10.6 - 23.1)	10.6 (8.2 - 13.0)	4.4	179	12.8 (11.0 - 14.6)	7.8 (6.6 - 8.9)	4.3	208	13.3 (11.6 - 15.1)	8.2 (7.1 - 9.2)	4.3
4AR2	31	19.5 (13.9 - 25.1)	19.4 (17.0 - 21.7)	7.0	334	13.1 (12.3 - 14.0)	14.9 (13.8 - 16.0)	7.9	368	13.7 (12.7 - 14.6)	15.3 (14.3 - 16.4)	7.8
4AR3	12	34.1 (16.4 - 51.8)	22.2 (14.2 - 30.1)	4.6	300	15.3 (14.3 - 16.3)	14.0 (12.6 - 15.4)	6.4	313	16.0 (14.7 - 17.2)	14.3 (12.9 - 15.6)	6.3
4AR4	15	19.6 (13.7 - 25.5)	23.5 (15.5 - 31.5)	8.4	92	18.0 (15.8 - 20.1)	23.1 (20.5 - 25.7)	9.0	107	18.2 (16.2 - 20.2)	23.1 (20.6 - 25.6)	8.9
4AR5	24	26.1 (21.5 - 30.8)	21.9 (15.1 - 28.8)	5.9	511	18.4 (17.5 - 19.3)	19.3 (18.1 - 20.5)	7.3	535	18.8 (17.9 - 19.6)	19.4 (18.3 - 20.6)	7.3
4AR6	53	28.2 (22.2 - 34.2)	27.0 (22.3 - 31.7)	6.7	452	25.3 (23.2 - 27.4)	22.9 (21.2 - 24.6)	6.3	507	25.6 (23.7 - 27.6)	23.3 (21.7 - 24.9)	6.4
4A91	18	17.4 (11.8 - 23.1)	10.9 (6.9 - 14.9)	4.4	66	13.7 (10.2 - 17.1)	12.1 (10.0 - 14.3)	6.2	84	14.5 (11.5 - 17.4)	11.9 (10.0 - 13.8)	5.7
4A92	11	20.3 (13.5 - 27.0)	41.7 (36.4 - 47.1)	14.4	60	14.5 (12.2 - 16.8)	18.8 (15.5 - 22.2)	9.1	72	15.5 (13.3 - 17.8)	22.3 (18.9 - 25.8)	10.1
4A93	6	30.3 (16.1 - 44.6)	53.0 (40.7 - 65.3)	12.2	30	21.1 (16.8 - 25.3)	19.2 (12.2 - 26.1)	6.4	36	22.6 (18.3 - 26.9)	24.8 (17.4 - 32.2)	7.7
Missing or excluded*	468				902				1,380			
<b>All episodes</b>	<b>1,325</b>	<b>33.4 (31.5 - 35.3)</b>	<b>27.2 (26.1 - 28.2)</b>	<b>5.7</b>	<b>8,442</b>	<b>19.8 (19.5 - 20.2)</b>	<b>21.1 (20.8 - 21.4)</b>	<b>7.4</b>	<b>9,789</b>	<b>21.7 (21.3 - 22.1)</b>	<b>21.9 (21.6 - 22.3)</b>	<b>7.1</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

<b>Class</b>	<b>Description of V4 AN-SNAP class</b>	<b>Class</b>	<b>Description of V4 AN-SNAP class</b>
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2021 (1/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-202	42	121.6 (103.7 - 139.6)	32.1 (23.2 - 41.1)	1.9	34	67.7 (55.0 - 80.4)	25.0 (17.2 - 32.8)	2.6	76	97.5 (84.6 - 110.4)	28.9 (22.9 - 35.0)	2.1
3-203	38	50.8 (43.8 - 57.7)	32.2 (23.6 - 40.8)	4.4	186	31.8 (27.8 - 35.8)	18.0 (14.8 - 21.2)	4.0	224	35.0 (31.4 - 38.7)	20.4 (17.3 - 23.5)	4.1
3-204	60	13.0 (11.2 - 14.8)	16.1 (14.1 - 18.1)	8.7	126	11.8 (10.7 - 13.0)	12.1 (10.8 - 13.3)	7.1	186	12.2 (11.2 - 13.2)	13.4 (12.3 - 14.5)	7.7
3-205	12	14.8 (11.2 - 18.5)	24.7 (19.1 - 30.2)	11.6	43	15.7 (13.5 - 17.8)	13.3 (8.8 - 17.8)	6.0	55	15.5 (13.6 - 17.3)	15.8 (11.9 - 19.7)	7.1
3-206	56	21.4 (18.2 - 24.7)	25.2 (22.5 - 27.9)	8.2	218	16.8 (15.3 - 18.3)	20.2 (18.8 - 21.6)	8.4	274	17.7 (16.4 - 19.1)	21.2 (20.0 - 22.5)	8.4
3-207	12	26.1 (11.5 - 40.7)	30.2 (25.0 - 35.3)	8.1	34	24.0 (18.8 - 29.1)	22.3 (15.3 - 29.3)	6.5	46	24.5 (19.2 - 29.8)	24.3 (18.9 - 29.7)	6.9
3-208	0	n.a	n.a	n.a	470	30.3 (28.6 - 32.0)	26.2 (24.5 - 28.0)	6.1	470	30.3 (28.6 - 32.0)	26.2 (24.5 - 28.0)	6.1
3-209	173	38.1 (34.7 - 41.5)	38.5 (35.4 - 41.5)	7.1	175	33.7 (30.9 - 36.5)	35.8 (32.8 - 38.7)	7.4	348	35.9 (33.7 - 38.1)	37.1 (35.0 - 39.2)	7.2
3-210	11	9.4 (6.8 - 12.0)	6.4 (1.6 - 11.1)	4.8	9	10.7 (8.5 - 12.9)	15.8 (11.8 - 19.7)	10.4	20	10.0 (8.2 - 11.7)	10.6 (6.9 - 14.3)	7.5
3-211	67	17.7 (12.1 - 23.3)	12.7 (10.0 - 15.4)	5.0	29	16.1 (12.6 - 19.6)	11.8 (8.4 - 15.1)	5.1	96	17.2 (13.2 - 21.3)	12.4 (10.3 - 14.5)	5.0
3-212	23	30.8 (21.4 - 40.3)	18.3 (14.3 - 22.4)	4.2	11	27.2 (13.6 - 40.7)	18.0 (11.1 - 24.9)	4.6	34	29.6 (22.0 - 37.3)	18.2 (14.8 - 21.7)	4.3
3-213	30	36.1 (21.7 - 50.5)	26.1 (21.9 - 30.4)	5.1	16	20.1 (13.6 - 26.5)	23.1 (16.2 - 30.0)	8.1	46	30.5 (20.7 - 40.4)	25.1 (21.4 - 28.7)	5.8
3-214	44	44.3 (33.5 - 55.1)	47.0 (42.1 - 51.9)	7.4	92	26.3 (21.4 - 31.1)	26.7 (23.3 - 30.1)	7.1	136	32.1 (27.1 - 37.1)	33.3 (30.1 - 36.5)	7.3
3-215	28	78.6 (60.1 - 97.2)	43.9 (32.9 - 54.8)	3.9	24	43.0 (26.3 - 59.8)	23.9 (13.9 - 33.9)	3.9	52	62.2 (48.8 - 75.6)	34.7 (26.7 - 42.6)	3.9
3-216	17	19.2 (12.0 - 26.4)	11.2 (8.2 - 14.1)	4.1	17	12.5 (8.0 - 17.0)	12.8 (7.9 - 17.6)	7.2	34	15.8 (11.5 - 20.2)	12.0 (9.1 - 14.8)	5.3
3-217	16	18.3 (11.6 - 24.9)	24.3 (19.5 - 29.1)	9.3	42	17.5 (13.5 - 21.6)	15.1 (12.4 - 17.8)	6.0	58	17.7 (14.3 - 21.2)	17.7 (15.1 - 20.2)	7.0
3-218	28	34.8 (25.3 - 44.3)	36.5 (30.4 - 42.6)	7.3	63	18.9 (16.6 - 21.2)	16.7 (13.5 - 20.0)	6.2	91	23.8 (20.2 - 27.4)	22.8 (19.3 - 26.3)	6.7
3-219	1	n.a	n.a	n.a	3	n.a	n.a	n.a	4	n.a	n.a	n.a
3-220	0	n.a	n.a	n.a	1	n.a	n.a	n.a	1	n.a	n.a	n.a
3-221	24	22.1 (17.1 - 27.1)	23.3 (19.2 - 27.5)	7.4	12	21.3 (13.1 - 29.6)	15.9 (11.3 - 20.5)	5.2	37	21.6 (17.5 - 25.8)	21.3 (17.9 - 24.6)	6.9
3-222	51	68.1 (57.5 - 78.8)	36.3 (31.4 - 41.3)	3.7	52	50.9 (42.4 - 59.4)	22.2 (17.5 - 26.9)	3.1	103	59.4 (52.5 - 66.4)	29.2 (25.5 - 32.9)	3.4
3-223	16	56.9 (43.2 - 70.6)	41.6 (31.0 - 52.1)	5.1	0	n.a	n.a	n.a	16	56.9 (43.2 - 70.6)	41.6 (31.0 - 52.1)	5.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

## LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Calendar Year 2021 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	5	19.6 (8.2 - 31.0)	2.2 (0.1 - 4.3)	0.8	5	20.6 (4.7 - 36.5)	4.4 (0.9 - 7.9)	1.5	10	20.1 (10.9 - 29.3)	3.3 (1.2 - 5.4)	1.1
3-225	43	26.8 (20.2 - 33.3)	20.7 (16.7 - 24.7)	5.4	103	25.3 (21.3 - 29.3)	20.3 (17.8 - 22.8)	5.6	146	25.8 (22.4 - 29.2)	20.4 (18.3 - 22.6)	5.5
3-226	11	16.6 (9.8 - 23.5)	19.8 (12.1 - 27.5)	8.3	218	13.4 (12.1 - 14.6)	16.9 (15.2 - 18.6)	8.9	230	13.5 (12.3 - 14.8)	17.0 (15.3 - 18.7)	8.8
3-227	32	12.2 (8.1 - 16.3)	12.8 (10.4 - 15.1)	7.3	383	10.8 (10.0 - 11.6)	12.2 (11.4 - 12.9)	7.9	415	10.9 (10.1 - 11.7)	12.2 (11.5 - 12.9)	7.8
3-228	23	15.9 (11.1 - 20.7)	20.1 (16.1 - 24.2)	8.9	589	14.1 (13.5 - 14.8)	19.3 (18.5 - 20.0)	9.5	612	14.2 (13.5 - 14.9)	19.3 (18.6 - 20.0)	9.5
3-229	55	20.9 (17.2 - 24.5)	31.7 (27.9 - 35.6)	10.6	1,524	20.6 (20.0 - 21.2)	28.5 (27.8 - 29.2)	9.7	1,583	20.7 (20.1 - 21.3)	28.7 (28.0 - 29.4)	9.7
3-230	6	30.3 (18.4 - 42.2)	37.3 (16.6 - 58.1)	8.6	510	21.4 (20.3 - 22.5)	21.2 (19.7 - 22.8)	7.0	516	21.5 (20.4 - 22.6)	21.4 (19.9 - 23.0)	7.0
3-231	1	n.a	n.a	n.a	12	11.8 (7.0 - 16.7)	5.6 (3.4 - 7.8)	3.3	13	11.5 (7.1 - 16.0)	5.2 (3.1 - 7.4)	3.2
3-232	8	16.9 (9.4 - 24.3)	17.3 (11.6 - 22.9)	7.2	110	12.5 (11.2 - 13.9)	17.9 (16.5 - 19.4)	10.0	119	12.8 (11.5 - 14.2)	17.8 (16.4 - 19.2)	9.7
3-233	4	n.a	n.a	n.a	89	17.1 (15.1 - 19.0)	31.0 (28.3 - 33.7)	12.7	93	16.8 (14.9 - 18.8)	30.8 (28.2 - 33.5)	12.8
3-234	6	12.2 (3.8 - 20.5)	10.2 (3.3 - 17.0)	5.8	28	9.3 (6.6 - 12.0)	7.7 (5.8 - 9.6)	5.8	34	9.8 (7.2 - 12.5)	8.1 (6.2 - 10.1)	5.8
3-235	5	10.8 (6.1 - 15.5)	18.4 (12.9 - 23.9)	11.9	112	11.2 (10.1 - 12.3)	13.2 (11.7 - 14.7)	8.3	117	11.2 (10.1 - 12.3)	13.4 (11.9 - 14.9)	8.4
3-236	19	26.2 (16.7 - 35.6)	33.1 (27.1 - 39.1)	8.9	243	16.5 (15.1 - 17.9)	22.5 (20.8 - 24.2)	9.5	262	17.2 (15.7 - 18.7)	23.3 (21.6 - 24.9)	9.5
3-237	6	19.8 (11.1 - 28.5)	27.7 (22.6 - 32.7)	9.8	59	14.7 (12.2 - 17.2)	15.7 (11.8 - 19.7)	7.5	66	15.1 (12.8 - 17.5)	16.7 (13.1 - 20.4)	7.7
3-238	19	17.6 (14.1 - 21.1)	9.2 (6.6 - 11.7)	3.6	1	n.a	n.a	n.a	20	17.4 (14.0 - 20.7)	8.9 (6.4 - 11.4)	3.6
3-239	30	24.9 (20.2 - 29.6)	25.5 (22.0 - 29.1)	7.2	12	23.5 (16.3 - 30.7)	22.8 (17.6 - 27.9)	6.8	42	24.5 (20.6 - 28.4)	24.7 (21.8 - 27.7)	7.1
3-240	14	45.7 (32.7 - 58.7)	40.5 (33.3 - 47.7)	6.2	6	36.7 (22.0 - 51.3)	35.8 (17.4 - 54.2)	6.8	20	43.0 (32.9 - 53.1)	39.1 (31.9 - 46.3)	6.4
3-241	3	n.a	n.a	n.a	4	n.a	n.a	n.a	7	84.6 (31.0 - 138.1)	52.9 (30.9 - 74.9)	4.4
3-242	32	17.6 (11.7 - 23.5)	10.3 (7.8 - 12.7)	4.1	168	11.9 (10.1 - 13.7)	7.4 (6.2 - 8.6)	4.3	200	12.8 (11.0 - 14.6)	7.8 (6.8 - 8.9)	4.3
3-243	50	19.2 (14.9 - 23.5)	16.0 (13.7 - 18.2)	5.8	521	13.8 (13.0 - 14.6)	13.3 (12.4 - 14.2)	6.7	574	14.3 (13.4 - 15.1)	13.6 (12.7 - 14.4)	6.6
3-244	96	27.0 (23.0 - 31.1)	29.1 (25.7 - 32.6)	7.5	1,181	19.2 (18.4 - 20.1)	20.2 (19.4 - 21.0)	7.4	1,279	19.8 (19.0 - 20.6)	20.9 (20.1 - 21.7)	7.4
3-245	32	35.3 (22.0 - 48.5)	22.3 (15.6 - 29.1)	4.4	296	26.9 (24.5 - 29.2)	21.1 (18.8 - 23.4)	5.5	330	27.6 (25.2 - 30.1)	21.2 (19.1 - 23.4)	5.4
Missing or excluded	76				611				694			
<b>All episodes</b>	<b>1,325</b>	<b>33.4 (31.5 - 35.3)</b>	<b>27.2 (26.1 - 28.2)</b>	<b>5.7</b>	<b>8,442</b>	<b>19.8 (19.5 - 20.2)</b>	<b>21.1 (20.8 - 21.4)</b>	<b>7.4</b>	<b>9,789</b>	<b>21.7 (21.3 - 22.1)</b>	<b>21.9 (21.6 - 22.3)</b>	<b>7.1</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

<b>Class</b>	<b>Description of V3 AN-SNAP class</b>	<b>Class</b>	<b>Description of V3 AN-SNAP class</b>
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments,-FIM 13 -	3-225	Amputation of limb, FIM motor 14 71
3-204	Stroke , FIM motor 63-91, FIM cognition 20 35	3-226	Pain Syndromes -
3-205	Stroke , FIM motor 63 91, FIM cognition 5 49	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16 35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57 -
3-207	Stroke, FIM motor 47-62, FIM cognition 5 15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19 35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14 47,-FIM cognition 5 18
3-209	Stroke, FIM motor 14 46, age<=74 -	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3 232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14 48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20 23	3-234	Orthopaedic conditions, all other, FIM motor 68 91
3 213	Brain Dysfunction, FIM motor 56 91, FIM cognition 5 19	3-235	Orthopaedic conditions, all other, FIM motor 53 67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14 52
3-215	Brain Dysfunction, FIM motor 14 23	3-237	Cardiac -
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101 126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14 17 -	3-241	Major Multiple Trauma, FIM total 19 43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67 91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53 66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25 52
3 223	Spinal Cord Dysfunction, FIM motor 14 46, age<=32	3 245	All other impairments, FIM motor 14 24