

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V5 AN-SNAP class and sector, Financial Year 2022 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5AZ1*	0	n.a	n.a	n.a	2	n.a	n.a	n.a	2	n.a	n.a	n.a
5AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
5AZ3 Stroke	0	n.a	n.a	n.a	133	35.2 (32.0 - 38.4)	17.7 (14.3 - 21.0)	3.5	133	35.2 (32.0 - 38.4)	17.7 (14.3 - 21.0)	3.5
5AZ4 Stroke	53	57.2 (48.9 - 65.4)	37.2 (29.9 - 44.6)	4.6	87	51.3 (42.5 - 60.0)	29.7 (24.1 - 35.4)	4.1	140	53.5 (47.2 - 59.8)	32.6 (28.1 - 37.1)	4.3
5AZ3 All other impairments	0	n.a	n.a	n.a	257	24.4 (22.6 - 26.2)	21.9 (19.3 - 24.5)	6.3	257	24.4 (22.6 - 26.2)	21.9 (19.3 - 24.5)	6.3
5AZ4 All other impairments	34	78.1 (55.9 - 100.2)	30.9 (23.6 - 38.1)	2.8	98	32.7 (28.1 - 37.3)	26.1 (21.4 - 30.8)	5.6	132	44.4 (37.0 - 51.8)	27.3 (23.4 - 31.3)	4.3
5AA1	26	10.2 (8.3 - 12.0)	13.5 (10.3 - 16.7)	9.3	51	10.9 (9.3 - 12.5)	11.1 (9.4 - 12.9)	7.2	77	10.7 (9.4 - 11.9)	11.9 (10.3 - 13.5)	7.8
5AA2	27	17.6 (13.9 - 21.3)	12.6 (9.9 - 15.3)	5.0	56	11.9 (10.2 - 13.7)	12.5 (10.5 - 14.6)	7.3	83	13.8 (12.0 - 15.6)	12.5 (10.9 - 14.2)	6.4
5AA3	14	17.3 (12.2 - 22.4)	15.6 (10.8 - 20.5)	6.3	40	16.4 (13.6 - 19.2)	13.4 (8.8 - 17.9)	5.7	54	16.6 (14.2 - 19.1)	13.9 (10.4 - 17.5)	5.9
5AA4	45	23.5 (19.9 - 27.1)	25.3 (22.5 - 28.2)	7.5	209	16.8 (15.3 - 18.3)	19.6 (17.9 - 21.3)	8.2	254	18.0 (16.6 - 19.4)	20.6 (19.1 - 22.1)	8.0
5AA5	11	21.4 (11.3 - 31.4)	32.1 (23.8 - 40.4)	10.5	53	20.7 (17.4 - 23.9)	20.6 (16.0 - 25.3)	7.0	64	20.8 (17.6 - 23.9)	22.6 (18.4 - 26.8)	7.6
5AA6	0	n.a	n.a	n.a	204	28.9 (26.7 - 31.0)	27.0 (24.5 - 29.5)	6.5	204	28.9 (26.7 - 31.0)	27.0 (24.5 - 29.5)	6.5
5AA7	0	n.a	n.a	n.a	166	32.0 (29.2 - 34.7)	31.2 (28.4 - 34.0)	6.8	166	32.0 (29.2 - 34.7)	31.2 (28.4 - 34.0)	6.8
5AA8	113	36.5 (32.5 - 40.5)	38.9 (35.7 - 42.1)	7.5	11	33.5 (24.1 - 43.0)	50.2 (46.1 - 54.2)	10.5	124	36.2 (32.5 - 39.9)	39.9 (36.9 - 42.9)	7.7
5ABI-6*												
5AC1	4	n.a	n.a	n.a	6	10.5 (5.0 - 16.0)	10.5 (5.7 - 15.3)	7.0	10	12.3 (8.6 - 16.0)	11.4 (8.2 - 14.6)	6.5
5AC2	14	27.4 (18.4 - 36.3)	23.1 (18.5 - 27.6)	5.9	29	19.2 (12.4 - 26.0)	12.0 (5.8 - 18.2)	4.4	44	21.6 (16.2 - 27.0)	15.5 (10.9 - 20.1)	5.0
5AC3	27	34.3 (23.7 - 44.9)	28.7 (22.3 - 35.2)	5.9	41	23.9 (18.8 - 29.0)	23.1 (18.2 - 28.0)	6.8	68	28.0 (22.7 - 33.3)	25.3 (21.4 - 29.3)	6.3
5ADI-3*												
5AE1	49	27.0 (19.3 - 34.7)	18.5 (15.0 - 22.0)	4.8	74	22.5 (19.4 - 25.7)	20.1 (17.2 - 23.0)	6.2	123	24.3 (20.7 - 27.9)	19.4 (17.2 - 21.7)	5.6
5AH1	25	18.1 (11.7 - 24.5)	15.7 (12.9 - 18.4)	6.1	237	12.0 (11.0 - 12.9)	16.8 (15.7 - 17.9)	9.8	262	12.5 (11.5 - 13.6)	16.7 (15.7 - 17.7)	9.3
5AH2	16	19.4 (10.7 - 28.2)	15.6 (11.2 - 19.9)	5.6	333	12.8 (12.0 - 13.6)	15.8 (14.9 - 16.7)	8.7	349	13.1 (12.2 - 14.0)	15.8 (14.9 - 16.7)	8.4
5AH3	2	n.a	n.a	n.a	64	17.0 (14.3 - 19.8)	14.3 (11.3 - 17.2)	5.9	66	17.7 (14.7 - 20.7)	14.4 (11.5 - 17.3)	5.7
5AH4	53	23.5 (18.5 - 28.4)	30.6 (27.0 - 34.2)	9.1	1,363	20.3 (19.7 - 21.0)	26.9 (26.1 - 27.7)	9.3	1,418	20.5 (19.8 - 21.1)	27.0 (26.3 - 27.8)	9.2
5AA1	3	n.a	n.a	n.a	28	10.0 (8.3 - 11.7)	10.8 (8.4 - 13.1)	7.6	31	9.6 (8.1 - 11.2)	11.0 (8.9 - 13.2)	8.0
5A42	2	n.a	n.a	n.a	48	12.8 (10.8 - 14.8)	21.2 (18.8 - 23.6)	11.6	50	12.5 (10.6 - 14.5)	21.0 (18.6 - 23.3)	11.7
5A43	4	n.a	n.a	n.a	43	18.5 (16.0 - 21.0)	31.6 (27.6 - 35.7)	12.0	47	18.7 (16.3 - 21.1)	31.1 (27.2 - 35.0)	11.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V5 AN-SNAP class and sector, Financial Year 2022 (2/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5A21	10	11.0 (8.1 - 13.9)	17.5 (12.9 - 22.1)	11.1	66	11.6 (9.4 - 13.9)	8.9 (7.1 - 10.7)	5.4	76	11.6 (9.6 - 13.5)	10.0 (8.2 - 11.8)	6.1
5A22	3	n.a	n.a	n.a	83	13.7 (12.0 - 15.4)	19.7 (17.4 - 22.0)	10.0	86	13.8 (12.1 - 15.5)	19.9 (17.6 - 22.1)	10.1
5A23	11	30.1 (15.4 - 44.7)	36.5 (28.8 - 44.1)	8.5	89	19.3 (16.4 - 22.2)	24.3 (20.9 - 27.7)	8.8	100	20.5 (17.4 - 23.6)	25.7 (22.5 - 28.9)	8.8
5A31	4	n.a	n.a	n.a	28	9.0 (6.7 - 11.3)	7.3 (4.9 - 9.7)	5.7	32	10.2 (7.8 - 12.6)	7.3 (4.9 - 9.6)	5.0
5A32	14	21.1 (14.3 - 28.0)	21.6 (17.6 - 25.6)	7.1	120	13.3 (11.6 - 15.0)	16.2 (14.3 - 18.1)	8.6	135	14.1 (12.4 - 15.8)	16.7 (14.9 - 18.5)	8.3
5A33	2	n.a	n.a	n.a	54	20.7 (17.1 - 24.3)	22.9 (18.9 - 26.9)	7.7	56	20.6 (17.1 - 24.2)	23.0 (19.2 - 26.9)	7.8
5AP1*	2	n.a	n.a	n.a	4	n.a	n.a	n.a	6	22.8 (12.5 - 33.2)	15.5 (10.2 - 20.8)	4.8
5AP2*	2	n.a	n.a	n.a	2	n.a	n.a	n.a	4	n.a	n.a	n.a
5AR1	15	14.1 (9.6 - 18.7)	10.1 (6.6 - 13.5)	5.0	81	12.1 (9.0 - 15.2)	7.0 (5.6 - 8.5)	4.1	96	12.4 (9.7 - 15.1)	7.5 (6.1 - 8.9)	4.2
5AR2	8	22.9 (2.0 - 43.7)	11.1 (7.4 - 14.9)	3.4	43	13.1 (10.4 - 15.8)	8.4 (6.0 - 10.9)	4.5	51	14.6 (10.7 - 18.6)	8.9 (6.7 - 11.0)	4.2
5AR3	28	19.1 (11.4 - 26.9)	18.0 (14.9 - 21.1)	6.6	328	13.2 (12.3 - 14.0)	15.6 (14.4 - 16.7)	8.3	358	13.6 (12.6 - 14.6)	15.8 (14.7 - 16.8)	8.1
5AR4	0	n.a	n.a	n.a	44	16.5 (13.6 - 19.4)	15.5 (10.9 - 20.2)	6.6	44	16.5 (13.6 - 19.4)	15.5 (10.9 - 20.2)	6.6
5AR5	65	30.2 (24.8 - 35.6)	26.7 (22.3 - 31.0)	6.2	627	21.5 (20.0 - 23.0)	21.8 (20.5 - 23.0)	7.1	695	22.4 (20.9 - 23.8)	22.2 (21.0 - 23.5)	7.0
5A91	10	17.4 (10.9 - 23.9)	11.6 (6.8 - 16.4)	4.7	22	13.0 (4.0 - 21.9)	11.3 (7.8 - 14.8)	6.1	32	14.3 (7.9 - 20.8)	11.4 (8.6 - 14.2)	5.6
5A92	9	20.0 (12.3 - 27.7)	27.8 (17.2 - 38.4)	9.7	22	11.4 (9.2 - 13.6)	17.3 (13.5 - 21.1)	10.6	32	14.2 (11.3 - 17.2)	20.4 (16.2 - 24.6)	10.0
5A93	5	24.8 (13.7 - 35.9)	49.0 (39.1 - 58.9)	13.8	33	20.5 (17.3 - 23.8)	24.5 (18.8 - 30.3)	8.4	38	21.1 (17.9 - 24.3)	27.8 (22.0 - 33.5)	9.2
Missing or excluded*	409				721				1,133			
All episodes	1,119	36.4 (34.2 - 38.6)	27.2 (26.0 - 28.3)	5.2	5,851	20.7 (20.2 - 21.1)	21.6 (21.2 - 22.0)	7.3	6,970	23.2 (22.7 - 23.8)	22.5 (22.1 - 22.9)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V5 AN-SNAP class	Class	Description of V5 AN-SNAP class
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59	5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58	5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79	5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78	5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35	5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29	5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20	5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35	5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17	5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80	5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79	5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66	5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91	5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58	5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91	5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49	5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91	5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38	5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91	5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69	5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49	5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91	5A91	All other impairments, Weighted FIM Motor 61 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54	5A92	All other impairments, Weighted FIM Motor 42 - 60
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36	5A93	All other impairments, Weighted FIM Motor 19 - 41

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2022 (1/2)



AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AZ1*	0	n.a	n.a	n.a	3	n.a	n.a	n.a	3	n.a	n.a	n.a
4AZ2*	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
4AZ3	0	n.a	n.a	n.a	519	33.1 (30.9 - 35.3)	22.6 (20.6 - 24.5)	4.8	519	33.1 (30.9 - 35.3)	22.6 (20.6 - 24.5)	4.8
4AZ4	83	67.2 (56.7 - 77.7)	35.8 (30.4 - 41.3)	3.7	0	n.a	n.a	n.a	83	67.2 (56.7 - 77.7)	35.8 (30.4 - 41.3)	3.7
4AA1	46	16.5 (12.5 - 20.4)	16.4 (13.7 - 19.1)	7.0	141	12.4 (10.9 - 13.8)	16.1 (14.6 - 17.7)	9.1	187	13.4 (11.9 - 14.8)	16.2 (14.8 - 17.5)	8.5
4AA2	43	18.6 (16.1 - 21.2)	17.3 (14.4 - 20.3)	6.5	129	15.9 (14.1 - 17.7)	15.5 (13.4 - 17.5)	6.8	172	16.6 (15.0 - 18.1)	15.9 (14.2 - 17.7)	6.7
4AA3	19	18.5 (12.0 - 25.1)	23.8 (18.4 - 29.2)	9.0	73	19.6 (17.0 - 22.1)	17.1 (13.4 - 20.9)	6.1	92	19.3 (16.9 - 21.7)	18.5 (15.3 - 21.7)	6.7
4AA4	0	n.a	n.a	n.a	155	21.8 (19.8 - 23.8)	25.6 (23.1 - 28.1)	8.2	155	21.8 (19.8 - 23.8)	25.6 (23.1 - 28.1)	8.2
4AA5	48	22.6 (18.8 - 26.5)	35.8 (31.9 - 39.7)	11.1	9	24.2 (17.5 - 30.9)	37.1 (28.3 - 46.0)	10.7	57	22.9 (19.5 - 26.3)	36.0 (32.5 - 39.6)	11.0
4AA6	0	n.a	n.a	n.a	268	32.2 (30.2 - 34.2)	29.2 (26.9 - 31.5)	6.4	268	32.2 (30.2 - 34.2)	29.2 (26.9 - 31.5)	6.4
4AA7	80	42.5 (37.9 - 47.1)	39.1 (34.9 - 43.3)	6.4	15	40.8 (30.2 - 51.4)	38.3 (27.7 - 49.0)	6.6	95	42.2 (38.0 - 46.4)	39.0 (35.1 - 42.9)	6.5
4ABI-7*												
4AC1	10	19.3 (14.5 - 24.1)	16.2 (13.3 - 19.1)	5.9	12	14.6 (8.2 - 21.0)	12.8 (7.2 - 18.3)	6.1	23	16.4 (12.4 - 20.4)	14.2 (11.1 - 17.4)	6.1
4AC2	14	26.6 (17.2 - 36.1)	26.3 (21.8 - 30.8)	6.9	38	21.4 (15.7 - 27.1)	14.5 (9.4 - 19.6)	4.7	52	22.8 (17.9 - 27.7)	17.7 (13.5 - 21.8)	5.4
4AC3	23	38.3 (26.4 - 50.2)	27.8 (19.9 - 35.6)	5.1	25	24.1 (16.9 - 31.2)	24.6 (17.4 - 31.8)	7.2	48	30.9 (23.9 - 37.9)	26.1 (20.9 - 31.4)	5.9
4ADI-4*												
4AE1	2	n.a	n.a	n.a	1	n.a	n.a	n.a	3	n.a	n.a	n.a
4AE2	23	23.0 (14.3 - 31.6)	19.5 (15.5 - 23.5)	5.9	55	19.8 (16.9 - 22.7)	18.8 (15.7 - 21.9)	6.7	78	20.7 (17.5 - 24.0)	19.0 (16.6 - 21.5)	6.4
4AE3	7	59.3 (23.7 - 94.9)	24.0 (15.5 - 32.5)	2.8	27	32.0 (25.9 - 38.1)	23.2 (17.5 - 28.8)	5.1	34	37.6 (28.4 - 46.8)	23.4 (18.6 - 28.1)	4.3
4AE4	18	19.9 (12.9 - 27.0)	16.8 (10.0 - 23.5)	5.9	0	n.a	n.a	n.a	18	19.9 (12.9 - 27.0)	16.8 (10.0 - 23.5)	5.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V4 AN-SNAP class and age, Financial Year 2022 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4AH1	25	18.1 (11.7 - 24.5)	15.7 (12.9 - 18.4)	6.1	244	12.1 (11.1 - 13.1)	16.9 (15.8 - 17.9)	9.8	269	12.7 (11.6 - 13.8)	16.8 (15.8 - 17.8)	9.3
4AH2	18	21.6 (12.5 - 30.7)	15.8 (11.6 - 20.1)	5.1	412	13.7 (12.8 - 14.5)	15.8 (14.9 - 16.8)	8.1	430	14.0 (13.1 - 14.9)	15.8 (14.9 - 16.7)	7.9
4AH3	26	17.8 (14.0 - 21.5)	26.0 (21.5 - 30.4)	10.2	471	17.8 (16.8 - 18.8)	23.7 (22.7 - 24.8)	9.3	497	17.8 (16.8 - 18.7)	23.9 (22.9 - 24.8)	9.4
4AH4	27	29.0 (20.4 - 37.6)	35.0 (29.9 - 40.1)	8.5	900	21.8 (21.0 - 22.7)	28.9 (27.8 - 29.9)	9.3	929	22.0 (21.2 - 22.9)	29.0 (28.0 - 30.0)	9.2
4A21	9	8.6 (6.1 - 11.0)	15.4 (11.1 - 19.8)	12.6	35	12.8 (9.2 - 16.4)	6.5 (4.4 - 8.6)	3.6	44	11.9 (9.0 - 14.8)	8.3 (6.2 - 10.5)	4.9
4A22	7	12.9 (8.9 - 16.9)	20.4 (15.0 - 25.9)	11.1	138	12.2 (11.0 - 13.4)	15.5 (14.2 - 16.8)	8.9	145	12.2 (11.1 - 13.4)	15.7 (14.4 - 17.0)	9.0
4A23	17	25.9 (15.8 - 35.9)	31.9 (25.5 - 38.4)	8.6	186	17.3 (15.7 - 19.0)	25.3 (23.1 - 27.5)	10.2	203	18.0 (16.3 - 19.8)	25.9 (23.8 - 28.0)	10.1
4A31	3	n.a	n.a	n.a	18	7.5 (5.3 - 9.7)	5.7 (3.6 - 7.8)	5.3	21	8.7 (6.4 - 11.0)	5.2 (3.3 - 7.2)	4.2
4A32	8	18.6 (11.2 - 26.0)	20.4 (14.7 - 26.0)	7.7	64	10.2 (8.7 - 11.7)	11.8 (9.5 - 14.1)	8.1	73	11.2 (9.5 - 12.8)	12.7 (10.5 - 14.9)	8.0
4A33	7	25.0 (14.2 - 35.8)	22.9 (17.9 - 27.8)	6.4	83	16.8 (14.2 - 19.5)	20.1 (17.6 - 22.6)	8.4	90	17.5 (14.9 - 20.1)	20.3 (18.0 - 22.6)	8.1
4A34	2	n.a	n.a	n.a	37	20.9 (16.9 - 25.0)	23.2 (18.4 - 28.0)	7.8	39	20.8 (16.9 - 24.7)	23.4 (18.8 - 27.9)	7.9
4API*	4	n.a	n.a	n.a	5	15.2 (5.5 - 24.9)	13.4 (9.0 - 17.8)	6.2	9	20.7 (12.6 - 28.8)	21.4 (13.6 - 29.3)	7.3
4AR1	23	17.2 (9.4 - 24.9)	10.4 (7.9 - 13.0)	4.3	108	12.9 (10.4 - 15.4)	7.2 (5.9 - 8.5)	3.9	131	13.6 (11.2 - 16.1)	7.8 (6.6 - 9.0)	4.0
4AR2	23	15.6 (10.9 - 20.3)	18.0 (14.4 - 21.7)	8.1	210	12.4 (11.4 - 13.4)	15.2 (13.8 - 16.6)	8.5	234	12.7 (11.7 - 13.8)	15.5 (14.2 - 16.8)	8.5
4AR3	5	35.4 (-2.0 - 72.8)	18.0 (12.0 - 24.0)	3.6	168	14.4 (13.0 - 15.8)	15.3 (13.4 - 17.1)	7.4	174	15.0 (13.2 - 16.7)	15.3 (13.5 - 17.1)	7.1
4AR4	15	30.7 (16.9 - 44.5)	28.1 (19.7 - 36.5)	6.4	62	17.9 (15.4 - 20.3)	23.7 (20.1 - 27.4)	9.3	77	20.4 (16.9 - 23.8)	24.6 (21.2 - 28.0)	8.5
4AR5	18	26.4 (21.6 - 31.2)	23.3 (16.7 - 29.9)	6.2	291	18.5 (17.0 - 20.0)	19.2 (17.6 - 20.9)	7.3	310	19.0 (17.6 - 20.5)	19.5 (17.9 - 21.1)	7.2
4AR6	34	31.9 (23.9 - 39.9)	27.0 (20.2 - 33.8)	5.9	301	25.2 (22.5 - 27.8)	23.5 (21.4 - 25.6)	6.5	337	25.8 (23.3 - 28.3)	23.9 (21.9 - 25.9)	6.5
4A91	12	18.8 (11.7 - 25.8)	12.1 (6.4 - 17.7)	4.5	27	12.8 (5.5 - 20.1)	12.4 (9.2 - 15.6)	6.8	39	14.6 (9.1 - 20.1)	12.3 (9.6 - 15.1)	5.9
4A92	8	18.8 (13.4 - 24.1)	33.9 (24.1 - 43.7)	12.6	34	13.4 (11.7 - 15.2)	20.6 (16.6 - 24.7)	10.7	43	14.7 (12.8 - 16.5)	23.1 (19.2 - 27.0)	11.0
4A93	4	n.a	n.a	n.a	15	25.7 (20.2 - 31.3)	24.5 (13.9 - 35.1)	6.7	19	25.7 (20.6 - 30.8)	29.6 (19.8 - 39.4)	8.0
Missing or excluded*	408				572				985			
All episodes	1,119	36.4 (34.2 - 38.6)	27.2 (26.0 - 28.3)	5.2	5,851	20.7 (20.2 - 21.1)	21.6 (21.2 - 22.0)	7.3	6,985	23.2 (22.7 - 23.8)	22.5 (22.1 - 22.9)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2022 (1/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)		
3-202	46	123.1 (105.6 - 140.6)	30.2 (22.8 - 37.6)	1.7	35	74.6 (60.9 - 88.2)	27.5 (19.6 - 35.5)	2.6	81	102.1 (89.5 - 114.8)	29.0 (23.7 - 34.4)	2.0
3-203	29	57.9 (50.2 - 65.7)	30.5 (21.1 - 39.9)	3.7	179	35.4 (31.4 - 39.5)	19.8 (16.4 - 23.2)	3.9	208	38.6 (34.7 - 42.4)	21.3 (18.1 - 24.5)	3.9
3-204	54	14.1 (11.9 - 16.4)	13.1 (11.1 - 15.1)	6.5	112	11.6 (10.3 - 12.8)	11.8 (10.5 - 13.2)	7.2	166	12.4 (11.3 - 13.5)	12.3 (11.1 - 13.4)	6.9
3-205	14	17.3 (12.2 - 22.4)	15.6 (10.8 - 20.5)	6.3	36	17.2 (14.2 - 20.2)	13.7 (8.7 - 18.7)	5.6	50	17.2 (14.7 - 19.8)	14.2 (10.4 - 18.1)	5.8
3-206	41	22.6 (18.8 - 26.4)	24.8 (22.0 - 27.5)	7.7	199	16.4 (14.9 - 17.9)	18.6 (16.9 - 20.2)	7.9	240	17.5 (16.0 - 18.9)	19.6 (18.1 - 21.1)	7.9
3-207	9	21.4 (9.0 - 33.9)	29.1 (20.7 - 37.5)	9.5	29	24.0 (19.2 - 28.8)	23.2 (16.7 - 29.7)	6.8	38	23.4 (18.8 - 28.0)	24.6 (19.2 - 30.0)	7.4
3-208	0	n.a	n.a	n.a	388	30.6 (28.8 - 32.4)	25.6 (23.7 - 27.5)	5.9	388	30.6 (28.8 - 32.4)	25.6 (23.7 - 27.5)	5.9
3-209	147	40.1 (35.9 - 44.3)	39.5 (36.4 - 42.7)	6.9	143	35.0 (30.5 - 39.4)	34.1 (30.9 - 37.4)	6.8	290	37.6 (34.5 - 40.6)	36.9 (34.6 - 39.1)	6.9
3-210	11	9.2 (6.4 - 12.0)	9.2 (3.3 - 15.1)	7.0	7	8.6 (6.2 - 10.9)	9.0 (4.4 - 13.6)	7.4	18	8.9 (7.1 - 10.8)	9.1 (5.2 - 13.0)	7.1
3-211	48	20.0 (12.3 - 27.7)	12.0 (9.0 - 15.1)	4.2	24	17.0 (13.4 - 20.5)	13.9 (10.3 - 17.5)	5.7	72	19.0 (13.7 - 24.2)	12.7 (10.3 - 15.0)	4.7
3-212	18	28.2 (17.2 - 39.1)	16.5 (12.5 - 20.5)	4.1	5	21.2 (1.4 - 41.0)	15.4 (3.0 - 27.8)	5.1	23	26.7 (17.2 - 36.1)	16.3 (12.3 - 20.3)	4.3
3-213	33	37.6 (23.9 - 51.4)	25.5 (21.2 - 29.8)	4.7	6	31.8 (9.9 - 53.7)	17.0 (4.7 - 29.3)	3.7	39	36.7 (24.7 - 48.8)	24.2 (20.1 - 28.3)	4.6
3-214	35	41.0 (29.5 - 52.6)	48.9 (42.8 - 54.9)	8.3	72	29.0 (22.3 - 35.7)	27.7 (24.1 - 31.3)	6.7	107	32.9 (27.0 - 38.9)	34.6 (31.0 - 38.2)	7.4
3-215	18	70.3 (47.4 - 93.2)	46.9 (33.3 - 60.6)	4.7	25	36.2 (27.0 - 45.5)	27.2 (19.1 - 35.4)	5.3	43	50.5 (38.5 - 62.5)	35.5 (27.6 - 43.4)	4.9
3-216	9	20.4 (15.6 - 25.2)	16.0 (12.8 - 19.2)	5.5	10	15.6 (8.0 - 23.2)	12.6 (5.9 - 19.3)	5.7	19	17.9 (13.3 - 22.5)	14.2 (10.4 - 18.0)	5.6
3-217	12	26.7 (15.9 - 37.4)	24.9 (19.8 - 30.1)	6.5	27	19.8 (12.2 - 27.4)	11.6 (5.2 - 17.9)	4.1	40	21.6 (15.5 - 27.7)	15.6 (10.7 - 20.5)	5.0
3-218	27	38.7 (27.2 - 50.1)	29.1 (22.0 - 36.3)	5.3	39	23.3 (18.2 - 28.4)	23.6 (18.5 - 28.7)	7.1	66	29.6 (23.8 - 35.4)	25.9 (21.7 - 30.1)	6.1
3-219	4	n.a	n.a	n.a	6	42.7 (16.5 - 68.9)	17.2 (6.4 - 27.9)	2.8	10	64.3 (34.3 - 94.3)	25.5 (13.7 - 37.3)	2.8
3-220	0	n.a	n.a	n.a	0	n.a	n.a	n.a	0	n.a	n.a	n.a
3-221	19	22.1 (16.4 - 27.7)	19.4 (14.2 - 24.7)	6.2	5	23.0 (8.7 - 37.3)	12.2 (4.9 - 19.5)	3.7	25	22.0 (17.0 - 27.0)	18.6 (14.1 - 23.2)	5.9
3-222	53	67.5 (57.0 - 78.0)	35.9 (30.9 - 40.8)	3.7	32	51.9 (42.0 - 61.8)	22.7 (17.1 - 28.3)	3.1	85	61.6 (54.0 - 69.3)	30.9 (26.9 - 34.8)	3.5
3-223	17	69.1 (56.6 - 81.5)	40.2 (33.6 - 46.9)	4.1	0	n.a	n.a	n.a	17	69.1 (56.6 - 81.5)	40.2 (33.6 - 46.9)	4.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in New Zealand, by V3 AN-SNAP class and age, Financial Year 2022 (2/2)

AN-SNAP class	Aged under 65				Aged 65 and over				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	9	13.6 (7.7 - 19.4)	5.1 (2.5 - 7.7)	2.6	4	n.a	n.a	n.a	13	15.2 (10.4 - 20.0)	5.4 (3.4 - 7.4)	2.5
3-225	41	30.0 (21.1 - 38.9)	21.4 (17.8 - 24.9)	5.0	85	24.2 (21.0 - 27.3)	20.8 (18.0 - 23.6)	6.0	126	26.1 (22.5 - 29.7)	21.0 (18.8 - 23.2)	5.6
3-226	11	14.8 (11.1 - 18.5)	15.0 (9.4 - 20.6)	7.1	133	14.2 (12.3 - 16.1)	17.5 (15.4 - 19.7)	8.7	144	14.2 (12.5 - 16.0)	17.3 (15.3 - 19.4)	8.5
3-227	24	15.2 (9.7 - 20.8)	13.0 (10.3 - 15.7)	6.0	243	11.2 (10.3 - 12.0)	11.9 (11.1 - 12.7)	7.4	267	11.5 (10.6 - 12.5)	12.0 (11.2 - 12.7)	7.3
3-228	23	22.7 (14.7 - 30.7)	20.0 (16.3 - 23.7)	6.2	401	14.0 (13.2 - 14.9)	18.6 (17.7 - 19.5)	9.3	424	14.5 (13.6 - 15.4)	18.7 (17.8 - 19.6)	9.0
3-229	50	25.0 (19.9 - 30.2)	32.3 (28.6 - 36.0)	9.0	1,174	20.6 (19.9 - 21.3)	28.1 (27.3 - 28.9)	9.5	1,227	20.8 (20.1 - 21.5)	28.3 (27.5 - 29.1)	9.5
3-230	4	n.a	n.a	n.a	331	21.3 (19.8 - 22.7)	22.6 (20.6 - 24.6)	7.4	336	21.3 (19.8 - 22.8)	22.5 (20.5 - 24.5)	7.4
3-231	0	n.a	n.a	n.a	5	15.2 (9.9 - 20.5)	4.8 (0.2 - 9.4)	2.2	5	15.2 (9.9 - 20.5)	4.8 (0.2 - 9.4)	2.2
3-232	4	n.a	n.a	n.a	60	11.1 (9.6 - 12.5)	16.3 (14.4 - 18.2)	10.3	64	10.8 (9.4 - 12.1)	16.1 (14.3 - 17.9)	10.5
3-233	5	18.4 (9.2 - 27.6)	24.2 (13.4 - 35.0)	9.2	56	17.8 (15.3 - 20.2)	31.2 (27.9 - 34.5)	12.3	61	17.8 (15.5 - 20.1)	30.6 (27.4 - 33.8)	12.0
3-234	5	8.8 (5.8 - 11.8)	13.6 (6.7 - 20.5)	10.8	18	12.1 (7.8 - 16.4)	7.2 (4.7 - 9.6)	4.2	23	11.3 (7.9 - 14.8)	8.6 (6.0 - 11.2)	5.3
3-235	5	13.2 (8.7 - 17.7)	21.4 (17.2 - 25.6)	11.3	61	12.6 (10.3 - 14.9)	10.7 (8.7 - 12.8)	6.0	66	12.6 (10.5 - 14.8)	11.5 (9.5 - 13.6)	6.4
3-236	14	27.1 (15.2 - 38.9)	34.0 (27.5 - 40.5)	8.8	167	17.3 (15.4 - 19.3)	22.6 (20.4 - 24.8)	9.1	181	18.1 (16.0 - 20.1)	23.5 (21.3 - 25.6)	9.1
3-237	4	n.a	n.a	n.a	40	14.1 (11.4 - 16.8)	16.1 (11.6 - 20.5)	8.0	45	14.8 (12.1 - 17.5)	16.9 (12.8 - 21.0)	8.0
3-238	21	17.0 (13.6 - 20.5)	7.9 (5.3 - 10.5)	3.2	2	n.a	n.a	n.a	23	16.8 (13.6 - 20.0)	8.0 (5.6 - 10.4)	3.3
3-239	17	20.4 (14.3 - 26.6)	22.4 (18.1 - 26.6)	7.7	12	23.7 (16.2 - 31.1)	21.8 (15.2 - 28.3)	6.4	29	21.8 (17.1 - 26.5)	22.1 (18.5 - 25.7)	7.1
3-240	20	45.5 (35.3 - 55.7)	47.1 (40.6 - 53.5)	7.2	7	27.0 (15.1 - 38.9)	47.0 (30.7 - 63.3)	12.2	27	40.7 (32.1 - 49.3)	47.0 (40.9 - 53.2)	8.1
3-241	6	69.0 (25.7 - 112.3)	68.2 (55.7 - 80.6)	6.9	2	n.a	n.a	n.a	8	62.3 (29.3 - 95.2)	58.8 (40.9 - 76.6)	6.6
3-242	27	17.9 (11.1 - 24.7)	10.2 (7.7 - 12.8)	4.0	95	12.0 (9.2 - 14.7)	6.3 (5.0 - 7.7)	3.7	122	13.3 (10.6 - 15.9)	7.2 (6.0 - 8.4)	3.8
3-243	32	15.3 (11.7 - 19.0)	16.2 (13.4 - 19.0)	7.4	306	12.8 (11.7 - 13.8)	13.6 (12.4 - 14.8)	7.5	339	13.0 (12.0 - 14.0)	13.8 (12.7 - 14.9)	7.5
3-244	74	30.2 (25.0 - 35.4)	28.0 (24.4 - 31.7)	6.5	725	19.6 (18.3 - 20.8)	20.8 (19.7 - 21.8)	7.4	802	20.6 (19.3 - 21.8)	21.4 (20.4 - 22.5)	7.3
3-245	21	46.1 (27.0 - 65.3)	26.4 (16.2 - 36.5)	4.0	194	26.1 (23.6 - 28.6)	22.7 (19.7 - 25.6)	6.1	217	28.0 (25.0 - 31.0)	23.0 (20.2 - 25.8)	5.8
Missing or excluded	58				351				411			
All episodes	1,119	36.4 (34.2 - 38.6)	27.2 (26.0 - 28.3)	5.2	5,851	20.7 (20.2 - 21.1)	21.6 (21.2 - 22.0)	7.3	6,985	23.2 (22.7 - 23.8)	22.5 (22.1 - 22.9)	6.8

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24