

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Calendar Year 2022 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5AZ1*	3	n.a	n.a	n.a	5	64.4 (42.6 - 86.2)	51.2 (25.1 - 77.3)	5.6	8	53.9 (33.9 - 73.8)	52.1 (35.1 - 69.2)	6.8
5AZ2*	2	n.a	n.a	n.a	5	91.6 (39.3 - 143.9)	63.8 (58.6 - 69.0)	4.9	7	84.7 (47.4 - 122.1)	63.9 (54.6 - 73.1)	5.3
5AZ3 Stroke	282	41.1 (38.5 - 43.8)	21.0 (18.5 - 23.5)	3.6	40	37.0 (30.9 - 43.1)	23.2 (15.7 - 30.7)	4.4	322	40.6 (38.2 - 43.0)	21.3 (18.9 - 23.6)	3.7
5AZ4 Stroke	401	71.9 (65.8 - 78.1)	33.1 (30.5 - 35.6)	3.2	45	63.6 (45.7 - 81.5)	28.9 (22.9 - 35.0)	3.2	446	71.1 (65.3 - 76.9)	32.7 (30.3 - 35.0)	3.2
5AZ3 All other impairments	455	30.3 (28.3 - 32.2)	22.4 (20.5 - 24.3)	5.2	264	33.0 (30.5 - 35.4)	26.0 (23.1 - 28.9)	5.5	719	31.2 (29.7 - 32.8)	23.8 (22.1 - 25.4)	5.3
5AZ4 All other impairments	449	47.8 (43.3 - 52.3)	27.9 (25.7 - 30.2)	4.1	153	30.3 (27.0 - 33.6)	24.8 (20.9 - 28.6)	5.7	602	43.3 (39.8 - 46.9)	27.1 (25.2 - 29.1)	4.4
5AA1	770	12.7 (11.9 - 13.4)	9.7 (9.2 - 10.3)	5.4	333	12.2 (11.6 - 12.9)	13.8 (13.1 - 14.6)	7.9	1,103	12.5 (12.0 - 13.1)	11.0 (10.5 - 11.4)	6.1
5AA2	632	15.3 (14.4 - 16.2)	13.4 (12.8 - 14.1)	6.1	223	15.4 (13.9 - 16.9)	16.4 (15.4 - 17.3)	7.4	855	15.3 (14.6 - 16.1)	14.2 (13.6 - 14.8)	6.5
5AA3	267	24.3 (20.9 - 27.7)	15.9 (14.6 - 17.2)	4.6	52	25.3 (17.1 - 33.4)	19.4 (15.9 - 22.8)	5.4	319	24.4 (21.3 - 27.6)	16.5 (15.3 - 17.7)	4.7
5AA4	1,261	21.4 (20.7 - 22.2)	25.7 (25.1 - 26.3)	8.4	719	20.5 (19.7 - 21.4)	25.3 (24.5 - 26.0)	8.6	1,980	21.1 (20.5 - 21.7)	25.6 (25.1 - 26.0)	8.5
5AA5	250	30.1 (27.2 - 32.9)	27.5 (25.5 - 29.4)	6.4	74	23.7 (20.8 - 26.6)	26.6 (23.8 - 29.4)	7.9	324	28.6 (26.3 - 30.9)	27.3 (25.7 - 28.9)	6.7
5AA6	644	33.6 (32.1 - 35.0)	28.4 (27.0 - 29.7)	5.9	230	33.2 (31.1 - 35.4)	27.3 (25.1 - 29.5)	5.7	874	33.5 (32.3 - 34.7)	28.1 (26.9 - 29.2)	5.9
5AA7	652	39.5 (37.5 - 41.6)	35.0 (33.6 - 36.4)	6.2	171	35.9 (32.6 - 39.3)	33.4 (30.8 - 36.0)	6.5	823	38.8 (37.0 - 40.6)	34.7 (33.5 - 35.9)	6.3
5AA8	532	52.6 (48.9 - 56.2)	42.4 (40.8 - 44.0)	5.6	62	57.5 (38.9 - 76.1)	41.6 (37.5 - 45.8)	5.1	594	53.1 (49.3 - 56.9)	42.3 (40.8 - 43.8)	5.6
5ABI-6*												
5AC1	223	12.8 (11.5 - 14.0)	8.1 (7.3 - 9.0)	4.5	208	11.6 (10.6 - 12.5)	10.3 (9.5 - 11.1)	6.2	431	12.2 (11.4 - 13.0)	9.2 (8.6 - 9.8)	5.3
5AC2	454	20.5 (18.7 - 22.4)	19.1 (18.1 - 20.0)	6.5	810	15.6 (15.0 - 16.2)	18.7 (18.1 - 19.2)	8.4	1,264	17.4 (16.6 - 18.2)	18.8 (18.3 - 19.3)	7.6
5AC3	565	32.4 (29.9 - 35.0)	29.2 (27.8 - 30.7)	6.3	461	24.2 (22.9 - 25.6)	23.4 (22.0 - 24.7)	6.8	1,026	28.7 (27.2 - 30.3)	26.6 (25.6 - 27.6)	6.5
5ADI-3*												
5AE1	853	32.2 (30.3 - 34.1)	17.1 (16.2 - 18.0)	3.7	200	29.1 (25.6 - 32.6)	18.7 (17.3 - 20.1)	4.5	1,053	31.6 (29.9 - 33.3)	17.4 (16.7 - 18.2)	3.9
5AH1	1,291	13.6 (13.2 - 14.1)	15.5 (15.0 - 16.0)	7.9	2,668	15.6 (15.3 - 16.0)	18.5 (18.2 - 18.8)	8.3	3,959	15.0 (14.7 - 15.2)	17.5 (17.2 - 17.8)	8.2
5AH2	1,428	17.2 (16.6 - 17.8)	17.9 (17.4 - 18.4)	7.3	2,951	17.3 (16.9 - 17.8)	20.5 (20.2 - 20.9)	8.3	4,379	17.3 (16.9 - 17.6)	19.7 (19.4 - 20.0)	8.0
5AH3	161	20.4 (18.1 - 22.7)	18.6 (16.6 - 20.7)	6.4	189	21.0 (19.2 - 22.7)	21.6 (20.0 - 23.1)	7.2	350	20.7 (19.3 - 22.1)	20.2 (18.9 - 21.5)	6.8
5AH4	2,717	25.4 (24.7 - 26.0)	29.5 (29.0 - 30.1)	8.2	3,230	27.5 (26.9 - 28.0)	31.4 (30.9 - 31.9)	8.0	5,947	26.5 (26.1 - 26.9)	30.6 (30.2 - 30.9)	8.1
5A41	846	9.4 (9.0 - 9.8)	13.0 (12.5 - 13.5)	9.7	14,977	9.5 (9.4 - 9.6)	15.0 (14.9 - 15.1)	11.1	15,823	9.5 (9.4 - 9.6)	14.9 (14.8 - 15.0)	11.0
5A42	659	14.8 (13.6 - 16.1)	24.6 (23.9 - 25.4)	11.6	5,550	12.6 (12.4 - 12.8)	26.1 (25.9 - 26.3)	14.5	6,209	12.8 (12.6 - 13.0)	25.9 (25.7 - 26.1)	14.1
5A43	341	22.6 (20.9 - 24.3)	33.9 (32.3 - 35.6)	10.5	840	20.4 (19.5 - 21.3)	36.7 (35.7 - 37.7)	12.6	1,181	21.1 (20.3 - 21.9)	35.9 (35.1 - 36.8)	11.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Calendar Year 2022 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5A21 Ortho Soft Tissue Injury	95	13.8 (12.1 - 15.5)	14.3 (12.7 - 16.0)	7.3	314	13.2 (12.2 - 14.1)	17.0 (16.1 - 17.9)	9.1	409	13.3 (12.5 - 14.2)	16.4 (15.6 - 17.2)	8.6
5A22 Ortho Soft Tissue Injury	91	21.0 (16.4 - 25.6)	21.7 (19.2 - 24.2)	7.2	205	19.7 (18.2 - 21.3)	24.9 (23.5 - 26.2)	8.8	296	20.1 (18.4 - 21.9)	23.9 (22.7 - 25.1)	8.3
5A23 Ortho Soft Tissue Injury	45	24.0 (19.0 - 29.1)	27.4 (22.2 - 32.5)	8.0	74	24.5 (20.7 - 28.3)	29.9 (27.1 - 32.7)	8.6	119	24.3 (21.3 - 27.3)	29.0 (26.3 - 31.6)	8.3
5A21 Ortho Other	272	14.1 (12.9 - 15.2)	13.7 (12.7 - 14.7)	6.8	4,278	11.1 (10.9 - 11.3)	16.4 (16.2 - 16.7)	10.3	4,550	11.3 (11.1 - 11.5)	16.3 (16.1 - 16.5)	10.1
5A22 Ortho Other	186	20.4 (18.7 - 22.2)	25.7 (24.1 - 27.3)	8.8	1,138	18.3 (17.5 - 19.2)	27.8 (27.2 - 28.4)	10.6	1,324	18.6 (17.9 - 19.4)	27.5 (27.0 - 28.0)	10.3
5A23 Ortho Other	130	37.8 (30.3 - 45.3)	32.9 (30.2 - 35.6)	6.1	321	29.2 (27.1 - 31.2)	36.7 (34.9 - 38.4)	8.8	451	31.6 (29.0 - 34.3)	35.6 (34.1 - 37.0)	7.9
5A31 Pain	91	12.0 (10.5 - 13.5)	9.4 (7.8 - 10.9)	5.5	714	11.7 (11.2 - 12.1)	10.9 (10.5 - 11.3)	6.5	805	11.7 (11.3 - 12.1)	10.7 (10.3 - 11.1)	6.4
5A32 Pain	271	17.8 (16.3 - 19.2)	20.9 (19.6 - 22.1)	8.2	933	15.6 (15.0 - 16.1)	22.0 (21.3 - 22.6)	9.9	1,204	16.1 (15.5 - 16.6)	21.7 (21.2 - 22.3)	9.5
5A33 Pain	73	29.8 (24.0 - 35.6)	29.6 (25.3 - 33.9)	7.0	81	23.4 (20.4 - 26.4)	28.1 (24.4 - 31.8)	8.4	154	26.4 (23.2 - 29.6)	28.8 (26.0 - 31.6)	7.6
5A31 Cardiac	111	10.5 (9.3 - 11.7)	9.1 (7.6 - 10.7)	6.1	703	10.4 (10.0 - 10.8)	13.4 (12.9 - 13.9)	9.0	814	10.4 (10.0 - 10.8)	12.8 (12.3 - 13.3)	8.6
5A32 Cardiac	299	17.7 (16.5 - 19.0)	21.8 (20.5 - 23.0)	8.6	1,332	14.9 (14.4 - 15.4)	23.2 (22.7 - 23.6)	10.9	1,631	15.4 (14.9 - 15.9)	22.9 (22.4 - 23.4)	10.4
5A33 Cardiac	83	25.9 (22.5 - 29.3)	30.5 (26.0 - 34.9)	8.2	106	23.6 (21.1 - 26.1)	30.8 (27.5 - 34.2)	9.1	189	24.6 (22.6 - 26.6)	30.7 (28.0 - 33.4)	8.7
5A31 Pulmonary	93	12.3 (10.4 - 14.2)	8.7 (7.1 - 10.3)	4.9	242	11.6 (11.0 - 12.3)	12.9 (12.1 - 13.7)	7.7	335	11.8 (11.1 - 12.5)	11.7 (11.0 - 12.5)	6.9
5A32 Pulmonary	218	16.8 (15.4 - 18.3)	20.2 (18.6 - 21.7)	8.4	608	15.1 (14.4 - 15.7)	21.7 (21.0 - 22.5)	10.1	826	15.5 (14.9 - 16.1)	21.3 (20.6 - 22.0)	9.6
5A33 Pulmonary	70	29.4 (25.0 - 33.9)	30.0 (25.4 - 34.6)	7.1	81	27.5 (23.8 - 31.3)	26.0 (22.5 - 29.4)	6.6	151	28.4 (25.5 - 31.3)	27.8 (25.0 - 30.6)	6.9
5AP1*	79	17.9 (14.6 - 21.3)	17.1 (15.0 - 19.2)	6.7	94	21.1 (17.8 - 24.4)	21.9 (20.0 - 23.8)	7.3	173	19.6 (17.3 - 22.0)	19.7 (18.2 - 21.1)	7.0
5AP2*	87	43.0 (36.7 - 49.2)	39.1 (36.2 - 41.9)	6.4	105	45.0 (37.7 - 52.3)	42.8 (40.4 - 45.1)	6.7	192	44.1 (39.2 - 48.9)	41.1 (39.2 - 42.9)	6.5
5AR1	1,489	12.8 (12.2 - 13.4)	8.2 (7.9 - 8.6)	4.5	3,466	11.5 (11.3 - 11.7)	12.8 (12.6 - 13.0)	7.8	4,955	11.9 (11.7 - 12.1)	11.4 (11.2 - 11.6)	6.7
5AR2	591	15.4 (14.3 - 16.4)	10.0 (9.3 - 10.7)	4.6	794	13.6 (13.0 - 14.1)	14.9 (14.4 - 15.4)	7.7	1,385	14.3 (13.8 - 14.9)	12.8 (12.4 - 13.3)	6.3
5AR3	2,974	17.0 (16.6 - 17.4)	18.3 (17.9 - 18.6)	7.5	6,275	15.8 (15.6 - 16.0)	20.6 (20.4 - 20.9)	9.2	9,249	16.2 (16.0 - 16.4)	19.9 (19.7 - 20.1)	8.6
5AR4	287	19.7 (17.9 - 21.5)	16.4 (14.8 - 18.0)	5.8	271	19.3 (18.1 - 20.5)	18.0 (16.6 - 19.3)	6.5	558	19.5 (18.4 - 20.6)	17.2 (16.1 - 18.2)	6.2
5AR5	3,841	24.9 (24.3 - 25.6)	24.9 (24.3 - 25.4)	7.0	3,091	23.2 (22.7 - 23.7)	25.9 (25.4 - 26.4)	7.8	6,932	24.1 (23.7 - 24.6)	25.3 (24.9 - 25.7)	7.3
5A91	127	14.7 (12.9 - 16.4)	11.1 (9.3 - 12.9)	5.3	180	13.3 (12.3 - 14.2)	13.0 (12.0 - 14.0)	6.8	307	13.9 (13.0 - 14.8)	12.2 (11.3 - 13.2)	6.2
5A92	155	18.0 (15.9 - 20.1)	22.4 (20.4 - 24.5)	8.7	166	19.8 (17.3 - 22.3)	21.2 (19.7 - 22.7)	7.5	321	19.0 (17.3 - 20.6)	21.8 (20.5 - 23.0)	8.0
5A93	118	32.7 (28.2 - 37.2)	28.9 (25.4 - 32.4)	6.2	55	24.5 (21.0 - 27.9)	28.1 (23.9 - 32.2)	8.0	173	30.1 (26.8 - 33.4)	28.6 (25.9 - 31.4)	6.7
Missing or excluded*	10,669				6,688				17,357			
All episodes	38,683	24.6 (24.3 - 24.9)	21.9 (21.7 - 22.1)	6.2	66,775	15.2 (15.1 - 15.3)	20.2 (20.1 - 20.3)	9.3	105,458	18.3 (18.2 - 18.4)	20.8 (20.7 - 20.8)	7.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis.

NOTE 3: Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website.

Class	Description of V5 AN-SNAP class	Class	Description of V5 AN-SNAP class
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59	5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58	5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79	5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78	5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35	5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29	5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20	5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35	5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17	5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80	5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79	5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66	5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91	5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58	5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91	5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49	5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91	5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38	5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91	5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69	5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49	5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91	5A91	All other impairments, Weighted FIM Motor 61 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54	5A92	All other impairments, Weighted FIM Motor 42 - 60
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36	5A93	All other impairments, Weighted FIM Motor 19 - 41

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2022 (1/2)



AN-SNAP class	Public Sector Benchmarks						Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay		FIM gain per week	No.	Length of stay		FIM gain per week	No.	Length of stay		FIM gain per week		
		Mean (95%CI)	FIM change Mean (95%CI)			Mean (95%CI)	FIM change Mean (95%CI)			Mean (95%CI)	FIM change Mean (95%CI)			
4AZ1*	4	n.a	n.a	n.a	7	79.1 (48.9 - 109.3)	55.3 (36.5 - 74.0)	4.9	11	66.1 (42.7 - 89.5)	53.8 (41.1 - 66.5)	5.7		
4AZ2*	3	n.a	n.a	n.a	3	n.a	n.a	n.a	6	62.0 (22.9 - 101.1)	61.7 (50.4 - 72.9)	7.0		
4AZ3	1,137	39.6 (38.0 - 41.1)	24.4 (23.1 - 25.7)	4.3	409	33.1 (31.1 - 35.0)	24.9 (22.6 - 27.3)	5.3	1,546	37.9 (36.6 - 39.1)	24.5 (23.4 - 25.7)	4.5		
4AZ4	314	82.1 (73.3 - 90.9)	34.3 (31.3 - 37.2)	2.9	31	64.7 (37.3 - 92.1)	27.8 (19.2 - 36.5)	3.0	345	80.5 (72.1 - 88.9)	33.7 (30.9 - 36.5)	2.9		
4AA1	1,284	14.1 (13.5 - 14.7)	14.6 (14.1 - 15.2)	7.3	609	14.4 (13.8 - 15.0)	17.7 (17.0 - 18.3)	8.6	1,893	14.2 (13.8 - 14.6)	15.6 (15.2 - 16.1)	7.7		
4AA2	1,067	18.4 (17.6 - 19.2)	18.5 (17.8 - 19.2)	7.0	477	18.9 (17.5 - 20.2)	21.0 (20.1 - 21.9)	7.8	1,544	18.5 (17.8 - 19.2)	19.3 (18.7 - 19.8)	7.3		
4AA3	371	26.9 (24.2 - 29.6)	21.4 (20.1 - 22.8)	5.6	96	23.1 (20.6 - 25.5)	24.7 (22.4 - 27.0)	7.5	467	26.1 (23.9 - 28.3)	22.1 (20.9 - 23.3)	5.9		
4AA4	678	27.0 (25.8 - 28.1)	29.0 (27.9 - 30.1)	7.5	337	26.0 (24.6 - 27.5)	28.4 (26.9 - 29.8)	7.6	1,015	26.6 (25.7 - 27.6)	28.8 (27.9 - 29.7)	7.6		
4AA5	297	35.5 (31.7 - 39.3)	35.9 (34.2 - 37.5)	7.1	69	29.7 (24.0 - 35.5)	36.5 (33.5 - 39.6)	8.6	366	34.4 (31.1 - 37.7)	36.0 (34.5 - 37.4)	7.3		
4AA6	891	39.6 (37.9 - 41.2)	31.7 (30.4 - 32.9)	5.6	238	38.5 (35.9 - 41.1)	30.0 (27.6 - 32.4)	5.4	1,129	39.3 (37.9 - 40.7)	31.3 (30.2 - 32.4)	5.6		
4AA7	419	57.1 (53.2 - 61.1)	43.2 (41.2 - 45.1)	5.3	37	72.5 (43.0 - 101.9)	43.3 (37.1 - 49.5)	4.2	456	58.4 (54.0 - 62.7)	43.2 (41.3 - 45.0)	5.2		
4ABI-7*														
4AC1	424	15.8 (14.1 - 17.5)	12.1 (11.3 - 12.9)	5.4	590	13.0 (12.4 - 13.5)	14.6 (14.1 - 15.2)	7.9	1,014	14.2 (13.4 - 14.9)	13.6 (13.1 - 14.1)	6.7		
4AC2	417	22.8 (21.1 - 24.5)	23.0 (21.8 - 24.2)	7.1	622	18.5 (17.7 - 19.3)	21.3 (20.5 - 22.1)	8.1	1,039	20.2 (19.4 - 21.1)	22.0 (21.3 - 22.7)	7.6		
4AC3	407	36.4 (33.0 - 39.8)	30.7 (28.8 - 32.5)	5.9	270	26.7 (24.6 - 28.7)	23.0 (21.0 - 25.0)	6.0	677	32.5 (30.3 - 34.8)	27.6 (26.2 - 29.0)	5.9		
4ADI-4*														
4AE1	24	16.4 (11.5 - 21.2)	4.3 (2.4 - 6.1)	1.8	3	n.a	n.a	n.a	27	16.2 (11.9 - 20.5)	4.9 (3.1 - 6.6)	2.1		
4AE2	591	29.5 (27.9 - 31.1)	16.7 (15.8 - 17.6)	4.0	153	26.2 (22.9 - 29.5)	18.4 (16.8 - 19.9)	4.9	744	28.8 (27.4 - 30.3)	17.0 (16.2 - 17.8)	4.1		
4AE3	103	51.5 (43.6 - 59.4)	27.0 (23.4 - 30.6)	3.7	17	42.4 (32.3 - 52.5)	22.9 (17.1 - 28.8)	3.8	120	50.2 (43.3 - 57.1)	26.4 (23.2 - 29.6)	3.7		
4AE4	153	34.5 (27.5 - 41.4)	14.2 (12.2 - 16.2)	2.9	29	38.5 (24.0 - 52.9)	19.6 (14.8 - 24.4)	3.6	182	35.1 (28.8 - 41.4)	15.1 (13.2 - 16.9)	3.0		
4AH1	1,304	13.8 (13.3 - 14.3)	15.6 (15.1 - 16.2)	7.9	2,688	15.6 (15.3 - 16.0)	18.6 (18.3 - 18.9)	8.3	3,992	15.0 (14.8 - 15.3)	17.6 (17.3 - 17.9)	8.2		
4AH2	1,612	17.5 (16.9 - 18.1)	18.1 (17.6 - 18.6)	7.2	3,197	17.7 (17.2 - 18.1)	20.7 (20.4 - 21.0)	8.2	4,809	17.6 (17.3 - 17.9)	19.8 (19.6 - 20.1)	7.9		
4AH3	1,204	22.3 (21.5 - 23.0)	27.6 (26.9 - 28.3)	8.7	1,765	24.5 (23.9 - 25.2)	30.0 (29.4 - 30.5)	8.6	2,969	23.6 (23.1 - 24.1)	29.0 (28.6 - 29.4)	8.6		
4AH4	1,515	28.0 (27.1 - 29.0)	31.2 (30.4 - 32.0)	7.8	1,413	31.6 (30.6 - 32.5)	33.6 (32.8 - 34.5)	7.5	2,928	29.7 (29.1 - 30.4)	32.4 (31.8 - 33.0)	7.6		
4A21 Ortho Replacements	518	8.7 (8.2 - 9.2)	10.3 (9.7 - 10.8)	8.2	9,858	9.0 (8.9 - 9.1)	12.5 (12.4 - 12.6)	9.7	10,376	9.0 (8.9 - 9.1)	12.4 (12.3 - 12.5)	9.6		
4A22 Ortho Replacements	844	12.9 (11.8 - 13.9)	21.1 (20.5 - 21.6)	11.5	10,162	11.3 (11.2 - 11.4)	22.6 (22.5 - 22.8)	14.0	11,006	11.4 (11.3 - 11.6)	22.5 (22.4 - 22.6)	13.8		
4A23 Ortho Replacements	486	20.8 (19.5 - 22.1)	32.4 (31.1 - 33.7)	10.9	1,351	18.7 (18.1 - 19.4)	35.0 (34.3 - 35.7)	13.1	1,837	19.3 (18.7 - 19.9)	34.3 (33.7 - 34.9)	12.4		

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2022 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	38	13.3 (10.2 - 16.5)	9.8 (7.5 - 12.2)	5.2	108	10.9 (9.8 - 12.0)	12.6 (11.4 - 13.8)	8.1	146	11.6 (10.4 - 12.7)	11.9 (10.8 - 12.9)	7.2
4A22 Ortho Soft Tissue Injury	101	16.8 (12.9 - 20.7)	19.2 (17.5 - 20.9)	8.0	348	16.0 (14.9 - 17.0)	20.7 (19.8 - 21.6)	9.1	449	16.2 (15.0 - 17.4)	20.4 (19.6 - 21.2)	8.8
4A23 Ortho Soft Tissue Injury	92	22.8 (19.6 - 26.0)	24.5 (21.2 - 27.8)	7.5	137	23.7 (21.3 - 26.2)	29.8 (28.0 - 31.7)	8.8	229	23.4 (21.4 - 25.3)	27.7 (25.9 - 29.4)	8.3
4A21 Ortho Other	136	13.1 (11.4 - 14.9)	8.7 (7.6 - 9.7)	4.6	2,250	9.9 (9.7 - 10.1)	12.6 (12.4 - 12.8)	8.9	2,386	10.1 (9.8 - 10.3)	12.4 (12.2 - 12.6)	8.6
4A22 Ortho Other	235	15.9 (14.8 - 17.1)	20.8 (19.7 - 22.0)	9.1	2,785	13.6 (13.3 - 13.9)	22.2 (22.0 - 22.5)	11.4	3,020	13.8 (13.5 - 14.1)	22.1 (21.9 - 22.4)	11.2
4A23 Ortho Other	221	32.4 (27.8 - 37.0)	31.0 (29.1 - 32.9)	6.7	704	25.2 (23.8 - 26.6)	33.4 (32.4 - 34.4)	9.3	925	26.9 (25.4 - 28.5)	32.8 (31.9 - 33.7)	8.5
4A31 Pain	50	12.2 (9.9 - 14.4)	6.6 (4.9 - 8.3)	3.8	524	11.4 (11.0 - 11.9)	9.4 (9.0 - 9.8)	5.8	574	11.5 (11.0 - 11.9)	9.2 (8.7 - 9.6)	5.6
4A32 Pain	193	14.2 (13.0 - 15.5)	16.5 (15.2 - 17.8)	8.1	838	13.8 (13.3 - 14.2)	19.0 (18.4 - 19.5)	9.6	1,031	13.9 (13.4 - 14.3)	18.5 (18.0 - 19.0)	9.3
4A33 Pain	143	21.8 (19.4 - 24.1)	26.3 (24.3 - 28.3)	8.4	318	19.1 (17.8 - 20.3)	26.0 (24.8 - 27.3)	9.6	461	19.9 (18.8 - 21.0)	26.1 (25.0 - 27.2)	9.2
4A34 Pain	49	32.8 (24.9 - 40.8)	28.7 (23.2 - 34.1)	6.1	48	24.1 (20.3 - 27.9)	29.4 (24.1 - 34.7)	8.5	97	28.5 (24.0 - 33.0)	29.0 (25.3 - 32.8)	7.1
4A31 Cardiac	71	9.5 (8.0 - 10.9)	7.1 (5.8 - 8.3)	5.2	470	9.8 (9.3 - 10.2)	11.4 (10.9 - 12.0)	8.2	541	9.7 (9.3 - 10.1)	10.9 (10.3 - 11.4)	7.8
4A32 Cardiac	190	15.4 (14.1 - 16.8)	17.7 (16.3 - 19.1)	8.0	1,137	12.5 (12.1 - 12.9)	20.8 (20.4 - 21.2)	11.6	1,327	12.9 (12.6 - 13.3)	20.3 (19.9 - 20.8)	11.0
4A33 Cardiac	170	19.8 (17.9 - 21.6)	25.0 (23.2 - 26.9)	8.9	462	19.4 (18.4 - 20.4)	26.9 (25.8 - 28.0)	9.7	632	19.5 (18.6 - 20.4)	26.4 (25.4 - 27.3)	9.5
4A34 Cardiac	62	26.7 (22.8 - 30.7)	31.1 (25.5 - 36.7)	8.1	72	25.5 (22.4 - 28.6)	29.3 (25.2 - 33.4)	8.0	134	26.1 (23.6 - 28.5)	30.1 (26.7 - 33.5)	8.1
4A31 Pulmonary	66	12.4 (10.1 - 14.8)	6.3 (4.8 - 7.9)	3.6	154	11.0 (10.2 - 11.7)	10.8 (10.1 - 11.6)	6.9	220	11.4 (10.5 - 12.3)	9.5 (8.7 - 10.2)	5.8
4A32 Pulmonary	138	14.1 (12.7 - 15.5)	16.6 (15.0 - 18.2)	8.2	505	13.5 (12.9 - 14.0)	19.9 (19.2 - 20.5)	10.3	643	13.6 (13.1 - 14.1)	19.2 (18.5 - 19.8)	9.9
4A33 Pulmonary	122	20.4 (17.8 - 22.9)	24.0 (21.6 - 26.4)	8.3	229	19.3 (17.9 - 20.7)	25.1 (23.5 - 26.8)	9.1	351	19.7 (18.4 - 20.9)	24.7 (23.4 - 26.1)	8.8
4A34 Pulmonary	54	29.0 (24.1 - 33.8)	30.0 (24.6 - 35.3)	7.2	43	30.2 (24.6 - 35.8)	22.7 (18.0 - 27.4)	5.3	97	29.5 (25.9 - 33.1)	26.8 (23.0 - 30.5)	6.3
4API*	164	31.0 (26.9 - 35.1)	28.4 (25.9 - 30.8)	6.4	199	33.7 (29.2 - 38.2)	32.9 (30.8 - 35.0)	6.8	363	32.5 (29.4 - 35.5)	30.8 (29.2 - 32.5)	6.6
4AR1	1,890	13.5 (13.0 - 14.1)	8.2 (7.8 - 8.5)	4.2	3,717	11.7 (11.5 - 11.9)	12.6 (12.4 - 12.8)	7.5	5,607	12.3 (12.1 - 12.6)	11.1 (10.9 - 11.3)	6.3
4AR2	2,199	16.5 (16.1 - 17.0)	18.0 (17.5 - 18.4)	7.6	5,325	15.0 (14.8 - 15.2)	20.3 (20.1 - 20.5)	9.4	7,524	15.5 (15.3 - 15.7)	19.6 (19.4 - 19.8)	8.9
4AR3	1,168	17.9 (17.2 - 18.6)	17.5 (16.8 - 18.1)	6.8	1,647	17.8 (17.2 - 18.3)	20.1 (19.5 - 20.6)	7.9	2,815	17.8 (17.4 - 18.2)	19.0 (18.6 - 19.4)	7.5
4AR4	593	23.4 (21.4 - 25.4)	26.2 (25.2 - 27.2)	7.8	565	19.7 (18.7 - 20.7)	26.3 (25.4 - 27.3)	9.4	1,158	21.6 (20.4 - 22.7)	26.3 (25.6 - 27.0)	8.5
4AR5	1,936	22.1 (21.4 - 22.7)	22.8 (22.1 - 23.4)	7.2	1,811	21.5 (20.9 - 22.0)	25.3 (24.7 - 25.9)	8.3	3,747	21.8 (21.3 - 22.2)	24.0 (23.5 - 24.4)	7.7
4AR6	1,482	29.5 (28.3 - 30.7)	26.9 (25.9 - 27.9)	6.4	862	28.9 (27.6 - 30.1)	26.4 (25.2 - 27.5)	6.4	2,344	29.3 (28.4 - 30.2)	26.7 (25.9 - 27.4)	6.4
4A91	157	13.8 (12.4 - 15.2)	12.9 (11.1 - 14.7)	6.5	249	14.2 (13.3 - 15.1)	14.5 (13.5 - 15.4)	7.1	406	14.1 (13.3 - 14.8)	13.9 (12.9 - 14.8)	6.9
4A92	164	21.7 (19.4 - 23.9)	24.9 (22.8 - 27.0)	8.1	117	22.1 (18.7 - 25.5)	24.0 (21.9 - 26.0)	7.6	281	21.9 (19.9 - 23.8)	24.5 (23.0 - 26.0)	7.9
4A93	55	34.0 (26.8 - 41.2)	28.4 (22.7 - 34.0)	5.8	31	26.1 (21.3 - 31.0)	28.6 (22.8 - 34.3)	7.7	86	31.1 (26.2 - 36.1)	28.4 (24.3 - 32.6)	6.4
Missing or excluded*	10,677				6,689				17,366			
All episodes	38,683	24.6 (24.3 - 24.9)	21.9 (21.7 - 22.1)	6.2	66,775	15.2 (15.1 - 15.3)	20.2 (20.1 - 20.3)	9.3	105,458	18.3 (18.2 - 18.4)	20.8 (20.7 - 20.8)	7.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2022 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain	Length of stay		FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-202	175	105.7 (91.5 - 119.9)	31.6 (27.3 - 36.0)	2.1	32	61.5 (38.9 - 84.2)	55.8 (41.9 - 69.6)	6.3	207	98.9 (86.2 - 111.5)	35.4 (30.9 - 39.8)	2.5
3-203	431	53.9 (48.2 - 59.7)	22.7 (20.5 - 24.9)	3.0	84	38.0 (28.0 - 48.0)	25.4 (18.7 - 32.0)	4.7	515	51.3 (46.2 - 56.4)	23.2 (21.0 - 25.3)	3.2
3-204	1,461	14.1 (13.5 - 14.6)	11.7 (11.2 - 12.1)	5.8	569	13.7 (12.9 - 14.4)	14.9 (14.3 - 15.5)	7.6	2,030	13.9 (13.5 - 14.4)	12.6 (12.2 - 12.9)	6.3
3-205	222	25.3 (21.3 - 29.4)	15.7 (14.2 - 17.1)	4.3	42	26.8 (16.8 - 36.7)	21.0 (17.8 - 24.1)	5.5	264	25.6 (21.8 - 29.3)	16.5 (15.2 - 17.8)	4.5
3-206	1,171	21.3 (20.5 - 22.2)	25.3 (24.7 - 25.9)	8.3	654	20.2 (19.3 - 21.1)	24.7 (23.9 - 25.4)	8.6	1,825	20.9 (20.3 - 21.6)	25.1 (24.6 - 25.6)	8.4
3-207	135	29.9 (26.4 - 33.4)	27.6 (25.1 - 30.2)	6.5	36	22.5 (18.3 - 26.7)	25.3 (21.1 - 29.5)	7.9	171	28.3 (25.4 - 31.2)	27.2 (24.9 - 29.4)	6.7
3-208	1,227	35.4 (34.2 - 36.5)	28.5 (27.5 - 29.6)	5.6	426	32.0 (30.4 - 33.7)	28.0 (26.3 - 29.6)	6.1	1,653	34.5 (33.5 - 35.5)	28.4 (27.5 - 29.3)	5.8
3-209	1,179	50.0 (47.7 - 52.3)	39.3 (38.2 - 40.4)	5.5	201	45.7 (39.0 - 52.4)	37.2 (34.8 - 39.6)	5.7	1,380	49.4 (47.2 - 51.6)	39.0 (38.0 - 40.0)	5.5
3-210	108	12.9 (11.0 - 14.7)	10.6 (8.8 - 12.3)	5.7	124	13.1 (11.9 - 14.3)	17.3 (16.0 - 18.6)	9.2	232	13.0 (11.9 - 14.0)	14.2 (13.0 - 15.3)	7.6
3-211	308	17.9 (16.0 - 19.8)	13.3 (12.2 - 14.5)	5.2	173	14.5 (13.2 - 15.9)	19.0 (17.8 - 20.3)	9.1	481	16.7 (15.4 - 18.0)	15.4 (14.5 - 16.3)	6.4
3-212	138	26.1 (21.6 - 30.5)	16.5 (14.8 - 18.2)	4.4	37	18.0 (14.8 - 21.1)	19.2 (16.1 - 22.3)	7.5	175	24.3 (20.7 - 28.0)	17.1 (15.6 - 18.6)	4.9
3-213	255	38.9 (32.3 - 45.6)	20.0 (18.2 - 21.8)	3.6	24	20.2 (16.6 - 23.8)	17.4 (13.2 - 21.6)	6.0	279	37.3 (31.2 - 43.4)	19.8 (18.1 - 21.4)	3.7
3-214	502	38.2 (34.4 - 41.9)	34.7 (32.9 - 36.5)	6.4	220	24.2 (22.3 - 26.1)	26.8 (24.9 - 28.6)	7.8	722	33.9 (31.2 - 36.6)	32.3 (30.9 - 33.7)	6.7
3-215	132	66.9 (57.6 - 76.1)	43.4 (38.7 - 48.1)	4.5	20	47.5 (30.7 - 64.2)	29.4 (19.7 - 39.0)	4.3	152	64.3 (56.0 - 72.7)	41.5 (37.2 - 45.9)	4.5
3-216	373	15.2 (13.5 - 16.9)	11.0 (10.2 - 11.8)	5.1	478	12.4 (11.8 - 13.0)	13.7 (13.1 - 14.3)	7.7	851	13.6 (12.8 - 14.5)	12.5 (12.0 - 13.0)	6.4
3-217	325	21.2 (19.3 - 23.0)	20.9 (19.7 - 22.0)	6.9	566	17.2 (16.4 - 18.0)	19.9 (19.2 - 20.6)	8.1	891	18.6 (17.8 - 19.5)	20.3 (19.6 - 20.9)	7.6
3-218	560	33.7 (31.1 - 36.4)	29.7 (28.2 - 31.2)	6.2	444	24.6 (23.2 - 26.0)	23.4 (22.0 - 24.8)	6.7	1,004	29.7 (28.1 - 31.4)	26.9 (25.8 - 28.0)	6.3
3-219	58	49.7 (38.0 - 61.4)	30.3 (23.8 - 36.8)	4.3	12	32.8 (21.4 - 44.3)	20.0 (9.1 - 30.9)	4.3	70	46.8 (36.8 - 56.8)	28.6 (22.8 - 34.3)	4.3
3-220	6	7.0 (4.5 - 9.5)	4.7 (2.4 - 7.0)	4.7	2	na	na	na	8	7.4 (5.2 - 9.5)	4.3 (2.3 - 6.2)	4.0
3-221	211	31.1 (27.6 - 34.5)	17.8 (16.4 - 19.2)	4.0	61	26.2 (17.0 - 35.4)	19.0 (16.8 - 21.3)	5.1	272	30.0 (26.6 - 33.4)	18.1 (16.9 - 19.3)	4.2
3-222	303	68.5 (63.1 - 74.0)	29.3 (27.1 - 31.5)	3.0	35	65.2 (43.4 - 87.1)	27.3 (21.4 - 33.2)	2.9	338	68.2 (62.8 - 73.5)	29.1 (27.0 - 31.2)	3.0
3-223	36	74.1 (59.6 - 88.5)	43.6 (39.1 - 48.1)	4.1	0	na	na	na	36	74.1 (59.6 - 88.5)	43.6 (39.1 - 48.1)	4.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2022 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	140	19.0 (16.5 - 21.5)	5.6 (4.8 - 6.3)	2.0	21	21.2 (13.3 - 29.1)	8.4 (6.8 - 10.0)	2.8	161	19.3 (16.9 - 21.7)	5.9 (5.2 - 6.6)	2.1
3-225	739	35.5 (33.3 - 37.8)	19.4 (18.4 - 20.3)	3.8	181	30.1 (26.4 - 33.8)	20.0 (18.5 - 21.5)	4.7	920	34.5 (32.5 - 36.4)	19.5 (18.7 - 20.3)	4.0
3-226	439	19.0 (17.5 - 20.5)	19.9 (18.6 - 21.1)	7.3	1,731	14.3 (14.0 - 14.7)	17.7 (17.2 - 18.2)	8.6	2,170	15.3 (14.8 - 15.7)	18.1 (17.7 - 18.6)	8.3
3-227	1,582	13.9 (13.4 - 14.4)	12.7 (12.3 - 13.1)	6.4	3,212	14.6 (14.2 - 14.9)	16.3 (16.0 - 16.5)	7.8	4,794	14.4 (14.1 - 14.6)	15.1 (14.9 - 15.3)	7.4
3-228	1,329	18.2 (17.6 - 18.8)	22.1 (21.5 - 22.6)	8.5	2,634	19.3 (18.9 - 19.7)	23.9 (23.5 - 24.2)	8.6	3,963	19.0 (18.6 - 19.3)	23.3 (23.0 - 23.5)	8.6
3-229	2,397	25.4 (24.8 - 26.1)	30.1 (29.5 - 30.7)	8.3	2,796	27.6 (27.0 - 28.2)	32.0 (31.5 - 32.5)	8.1	5,193	26.6 (26.2 - 27.1)	31.1 (30.7 - 31.5)	8.2
3-230	497	28.6 (26.6 - 30.7)	25.2 (23.5 - 26.8)	6.2	505	28.5 (27.0 - 30.1)	28.2 (26.6 - 29.8)	6.9	1,002	28.6 (27.3 - 29.8)	26.7 (25.6 - 27.8)	6.5
3-231	207	8.9 (8.2 - 9.6)	6.1 (5.5 - 6.8)	4.8	4,856	8.3 (8.2 - 8.4)	9.7 (9.6 - 9.8)	8.2	5,063	8.4 (8.3 - 8.5)	9.6 (9.5 - 9.7)	8.0
3-232	1,132	11.7 (10.9 - 12.5)	18.7 (18.3 - 19.2)	11.2	15,077	10.8 (10.7 - 10.9)	20.1 (20.0 - 20.2)	13.1	16,209	10.8 (10.7 - 10.9)	20.0 (19.9 - 20.1)	12.9
3-233	521	20.7 (19.5 - 21.9)	32.2 (30.9 - 33.5)	10.9	1,448	18.4 (17.8 - 19.0)	34.5 (33.8 - 35.2)	13.1	1,969	19.0 (18.5 - 19.6)	33.9 (33.3 - 34.5)	12.5
3-234	144	12.8 (11.1 - 14.5)	8.0 (7.0 - 9.0)	4.4	1,880	9.6 (9.4 - 9.9)	11.5 (11.3 - 11.7)	8.4	2,024	9.9 (9.6 - 10.1)	11.3 (11.0 - 11.5)	8.0
3-235	283	15.1 (14.0 - 16.1)	18.1 (17.2 - 19.1)	8.4	3,126	12.9 (12.6 - 13.2)	20.5 (20.3 - 20.7)	11.1	3,409	13.1 (12.8 - 13.3)	20.3 (20.1 - 20.5)	10.9
3-236	413	28.3 (25.3 - 31.2)	28.7 (27.3 - 30.2)	7.1	1,346	22.3 (21.5 - 23.2)	30.8 (30.1 - 31.4)	9.6	1,759	23.7 (22.8 - 24.7)	30.3 (29.7 - 30.9)	8.9
3-237	498	17.8 (16.7 - 18.9)	20.4 (19.1 - 21.6)	8.0	2,148	13.9 (13.5 - 14.2)	20.3 (19.9 - 20.8)	10.3	2,646	14.6 (14.2 - 15.0)	20.3 (19.9 - 20.8)	9.7
3-238	45	23.6 (13.9 - 33.3)	9.1 (7.5 - 10.8)	2.7	27	13.3 (11.0 - 15.6)	11.9 (9.9 - 13.9)	6.3	72	19.7 (13.5 - 26.0)	10.2 (8.9 - 11.5)	3.6
3-239	199	24.2 (21.4 - 26.9)	23.6 (21.9 - 25.4)	6.8	169	24.9 (22.5 - 27.4)	27.9 (26.5 - 29.2)	7.8	368	24.5 (22.6 - 26.4)	25.6 (24.4 - 26.7)	7.3
3-240	114	51.7 (43.8 - 59.5)	39.2 (36.5 - 42.0)	5.3	115	49.4 (42.4 - 56.4)	49.2 (46.9 - 51.4)	7.0	229	50.5 (45.3 - 55.8)	44.2 (42.3 - 46.1)	6.1
3-241	19	88.7 (56.3 - 121.2)	56.7 (48.7 - 64.7)	4.5	29	57.7 (46.0 - 69.3)	61.8 (52.4 - 71.2)	7.5	48	70.0 (54.9 - 85.0)	59.8 (53.3 - 66.2)	6.0
3-242	1,784	13.4 (12.8 - 14.0)	7.5 (7.2 - 7.8)	3.9	3,348	11.6 (11.4 - 11.8)	11.8 (11.6 - 12.0)	7.1	5,132	12.2 (12.0 - 12.5)	10.3 (10.1 - 10.5)	5.9
3-243	2,857	16.0 (15.6 - 16.4)	16.3 (16.0 - 16.7)	7.1	6,816	14.7 (14.5 - 14.9)	19.3 (19.1 - 19.5)	9.2	9,673	15.1 (14.9 - 15.3)	18.4 (18.2 - 18.6)	8.5
3-244	4,760	22.7 (22.2 - 23.2)	23.7 (23.3 - 24.2)	7.3	4,824	21.0 (20.6 - 21.3)	24.8 (24.4 - 25.1)	8.3	9,584	21.8 (21.5 - 22.1)	24.3 (24.0 - 24.5)	7.8
3-245	889	34.0 (32.2 - 35.9)	26.8 (25.3 - 28.2)	5.5	405	31.8 (29.8 - 33.8)	24.5 (22.5 - 26.4)	5.4	1,294	33.3 (31.9 - 34.7)	26.1 (24.9 - 27.2)	5.5
Missing or excluded	8,379				5,841				14,220			
All episodes	38,683	24.6 (24.3 - 24.9)	21.9 (21.7 - 22.1)	6.2	66,775	15.2 (15.1 - 15.3)	20.2 (20.1 - 20.3)	9.3	105,458	18.3 (18.2 - 18.4)	20.8 (20.7 - 20.8)	7.9

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke, FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke, FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24