

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Financial Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5AZ1*	2	n.a	n.a	n.a	4	n.a	n.a	n.a	6	61.3 (26.5 - 96.1)	57.0 (44.7 - 69.3)	6.5
5AZ2*	3	n.a	n.a	n.a	5	69.8 (22.0 - 117.6)	69.4 (62.9 - 75.9)	7.0	8	65.8 (35.9 - 95.6)	62.5 (45.7 - 79.3)	6.7
5AZ3 Stroke	296	38.8 (36.3 - 41.2)	19.7 (17.2 - 22.1)	3.6	36	37.6 (31.1 - 44.0)	22.4 (15.2 - 29.6)	4.2	332	38.6 (36.3 - 40.9)	20.0 (17.7 - 22.2)	3.6
5AZ4 Stroke	455	68.3 (63.9 - 72.7)	33.0 (30.6 - 35.3)	3.4	33	54.8 (42.4 - 67.1)	24.4 (17.2 - 31.5)	3.1	488	67.4 (63.2 - 71.6)	32.4 (30.1 - 34.7)	3.4
5AZ3 All other impairments	461	30.2 (28.2 - 32.2)	24.2 (22.2 - 26.2)	5.6	255	31.4 (29.5 - 33.4)	27.5 (24.5 - 30.5)	6.1	716	30.6 (29.1 - 32.1)	25.4 (23.7 - 27.1)	5.8
5AZ4 All other impairments	423	46.6 (42.6 - 50.6)	28.2 (25.9 - 30.5)	4.2	147	34.9 (31.3 - 38.5)	25.3 (21.4 - 29.1)	5.1	570	43.6 (40.4 - 46.7)	27.5 (25.5 - 29.4)	4.4
5AA1	896	12.1 (11.6 - 12.7)	9.8 (9.4 - 10.3)	5.7	350	12.8 (12.0 - 13.6)	13.9 (13.2 - 14.6)	7.6	1,246	12.3 (11.9 - 12.8)	11.0 (10.6 - 11.4)	6.2
5AA2	661	15.8 (14.4 - 17.1)	13.6 (12.9 - 14.3)	6.0	218	14.9 (13.7 - 16.0)	15.7 (14.8 - 16.7)	7.4	879	15.6 (14.5 - 16.6)	14.1 (13.5 - 14.7)	6.3
5AA3	274	24.4 (21.9 - 27.0)	15.9 (14.6 - 17.2)	4.6	58	25.1 (17.7 - 32.5)	19.9 (17.4 - 22.4)	5.6	332	24.6 (22.1 - 27.0)	16.6 (15.4 - 17.8)	4.7
5AA4	1,362	22.4 (21.7 - 23.2)	25.7 (25.1 - 26.3)	8.0	733	20.9 (20.0 - 21.8)	25.5 (24.8 - 26.3)	8.5	2,095	21.9 (21.3 - 22.5)	25.6 (25.2 - 26.1)	8.2
5AA5	260	30.8 (27.8 - 33.8)	27.1 (25.2 - 29.0)	6.2	69	26.5 (23.2 - 29.8)	26.7 (23.8 - 29.7)	7.1	329	29.9 (27.4 - 32.4)	27.0 (25.4 - 28.6)	6.3
5AA6	660	33.9 (32.4 - 35.4)	29.2 (27.8 - 30.5)	6.0	234	34.1 (31.8 - 36.4)	28.9 (26.6 - 31.2)	5.9	894	34.0 (32.7 - 35.2)	29.1 (27.9 - 30.3)	6.0
5AA7	701	41.2 (39.4 - 43.0)	35.5 (34.1 - 36.9)	6.0	167	34.5 (31.4 - 37.6)	32.0 (29.4 - 34.6)	6.5	868	39.9 (38.3 - 41.5)	34.8 (33.6 - 36.1)	6.1
5AA8	560	54.0 (50.4 - 57.6)	42.0 (40.5 - 43.6)	5.5	67	45.0 (33.0 - 56.9)	41.5 (36.8 - 46.2)	6.5	627	53.0 (49.5 - 56.5)	42.0 (40.5 - 43.5)	5.5
5ABI-6*												
5AC1	221	13.1 (11.7 - 14.6)	8.1 (7.3 - 9.0)	4.3	273	11.5 (10.8 - 12.3)	10.4 (9.7 - 11.0)	6.3	494	12.2 (11.5 - 13.0)	9.4 (8.8 - 9.9)	5.4
5AC2	477	20.0 (18.5 - 21.5)	18.7 (17.8 - 19.6)	6.6	805	15.7 (15.1 - 16.4)	19.2 (18.7 - 19.8)	8.6	1,282	17.3 (16.6 - 18.0)	19.0 (18.5 - 19.5)	7.7
5AC3	601	33.9 (31.2 - 36.5)	28.3 (26.8 - 29.7)	5.8	455	23.4 (21.9 - 24.8)	24.1 (22.7 - 25.5)	7.2	1,056	29.3 (27.7 - 31.0)	26.5 (25.5 - 27.5)	6.3
5ADI-3*												
5AE1	889	31.6 (29.9 - 33.3)	17.3 (16.5 - 18.1)	3.8	195	28.5 (25.3 - 31.8)	18.6 (17.0 - 20.2)	4.6	1,084	31.1 (29.5 - 32.6)	17.5 (16.8 - 18.2)	3.9
5AH1	1,441	14.4 (13.9 - 14.9)	15.6 (15.1 - 16.1)	7.6	2,652	15.8 (15.4 - 16.1)	18.5 (18.2 - 18.8)	8.2	4,093	15.3 (15.0 - 15.6)	17.5 (17.2 - 17.7)	8.0
5AH2	1,466	17.5 (16.9 - 18.2)	17.9 (17.4 - 18.4)	7.1	2,890	17.7 (17.3 - 18.1)	20.7 (20.4 - 21.0)	8.2	4,356	17.7 (17.3 - 18.0)	19.7 (19.5 - 20.0)	7.8
5AH3	179	20.9 (18.9 - 22.9)	19.1 (17.2 - 21.0)	6.4	180	20.8 (19.0 - 22.5)	20.4 (18.9 - 22.0)	6.9	359	20.8 (19.5 - 22.2)	19.8 (18.6 - 21.0)	6.6
5AH4	2,836	25.7 (25.1 - 26.4)	29.8 (29.2 - 30.3)	8.1	3,134	27.4 (26.8 - 28.0)	31.5 (31.1 - 32.0)	8.0	5,970	26.6 (26.2 - 27.1)	30.7 (30.3 - 31.0)	8.1
5A41	1,044	9.3 (8.9 - 9.7)	12.8 (12.4 - 13.3)	9.7	16,564	9.4 (9.4 - 9.5)	14.9 (14.9 - 15.0)	11.1	17,608	9.4 (9.3 - 9.5)	14.8 (14.7 - 14.9)	11.0
5A42	786	14.1 (13.4 - 14.7)	24.2 (23.5 - 24.8)	12.0	5,945	12.5 (12.4 - 12.7)	26.3 (26.1 - 26.5)	14.7	6,731	12.7 (12.6 - 12.9)	26.0 (25.8 - 26.2)	14.3
5A43	392	23.6 (21.8 - 25.3)	34.3 (32.9 - 35.7)	10.2	899	19.8 (19.0 - 20.6)	37.1 (36.1 - 38.0)	13.1	1,291	20.9 (20.2 - 21.7)	36.2 (35.4 - 37.0)	12.1

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Financial Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5A21 Ortho Soft Tissue Injury	83	13.8 (11.5 - 16.2)	12.8 (10.7 - 14.8)	6.5	342	14.5 (13.5 - 15.5)	16.6 (15.8 - 17.4)	8.0	425	14.4 (13.4 - 15.3)	15.8 (15.1 - 16.6)	7.7
5A22 Ortho Soft Tissue Injury	78	19.1 (14.2 - 24.0)	22.1 (19.3 - 24.9)	8.1	185	18.6 (17.2 - 20.0)	25.3 (23.8 - 26.8)	9.5	263	18.7 (17.0 - 20.5)	24.4 (23.0 - 25.7)	9.1
5A23 Ortho Soft Tissue Injury	54	25.9 (20.9 - 30.9)	30.3 (25.2 - 35.5)	8.2	77	27.1 (23.2 - 30.9)	32.7 (29.5 - 35.8)	8.5	131	26.6 (23.5 - 29.6)	31.7 (28.9 - 34.5)	8.4
5A21 Ortho Other	352	15.3 (13.8 - 16.8)	13.5 (12.7 - 14.4)	6.2	4,406	11.1 (10.9 - 11.3)	16.3 (16.1 - 16.5)	10.3	4,758	11.4 (11.2 - 11.6)	16.1 (15.9 - 16.3)	9.9
5A22 Ortho Other	217	21.4 (19.6 - 23.2)	25.9 (24.4 - 27.4)	8.5	1,168	18.2 (17.4 - 19.0)	28.1 (27.6 - 28.6)	10.8	1,385	18.7 (17.9 - 19.4)	27.7 (27.2 - 28.3)	10.4
5A23 Ortho Other	155	34.0 (27.8 - 40.2)	32.0 (29.4 - 34.6)	6.6	292	29.5 (27.3 - 31.8)	36.1 (34.2 - 37.9)	8.6	447	31.1 (28.5 - 33.7)	34.7 (33.2 - 36.2)	7.8
5A31 Pain	115	11.6 (10.1 - 13.1)	8.9 (7.6 - 10.1)	5.3	726	11.7 (11.3 - 12.1)	11.0 (10.5 - 11.4)	6.6	841	11.7 (11.3 - 12.1)	10.7 (10.2 - 11.1)	6.4
5A32 Pain	280	16.8 (15.7 - 18.0)	20.8 (19.5 - 22.1)	8.7	949	15.4 (14.9 - 16.0)	22.5 (21.9 - 23.1)	10.2	1,229	15.8 (15.2 - 16.3)	22.1 (21.6 - 22.7)	9.8
5A33 Pain	86	29.7 (24.6 - 34.7)	29.5 (25.8 - 33.2)	7.0	71	21.7 (19.2 - 24.2)	32.8 (28.8 - 36.9)	10.6	157	26.1 (23.0 - 29.1)	31.0 (28.3 - 33.8)	8.3
5A31 Cardiac	150	12.1 (10.8 - 13.4)	9.5 (8.3 - 10.8)	5.5	816	10.2 (9.9 - 10.6)	13.4 (13.0 - 13.9)	9.2	966	10.5 (10.2 - 10.9)	12.8 (12.4 - 13.3)	8.5
5A32 Cardiac	301	17.6 (16.4 - 18.7)	22.3 (21.1 - 23.5)	8.9	1,354	14.8 (14.4 - 15.3)	23.8 (23.3 - 24.3)	11.2	1,655	15.3 (14.9 - 15.8)	23.5 (23.0 - 24.0)	10.7
5A33 Cardiac	85	31.4 (25.3 - 37.4)	30.5 (26.1 - 34.9)	6.8	101	27.2 (22.9 - 31.6)	34.7 (31.4 - 38.0)	8.9	186	29.1 (25.5 - 32.8)	32.8 (30.1 - 35.5)	7.9
5A31 Pulmonary	86	12.2 (10.4 - 13.9)	9.5 (7.8 - 11.3)	5.5	235	11.9 (11.2 - 12.6)	13.6 (12.9 - 14.4)	8.0	321	12.0 (11.3 - 12.7)	12.5 (11.8 - 13.3)	7.3
5A32 Pulmonary	211	16.2 (14.6 - 17.8)	19.1 (17.6 - 20.6)	8.3	608	14.8 (14.2 - 15.3)	22.3 (21.6 - 23.0)	10.6	819	15.1 (14.6 - 15.7)	21.5 (20.8 - 22.2)	9.9
5A33 Pulmonary	56	27.0 (22.3 - 31.7)	26.8 (22.0 - 31.6)	6.9	70	24.9 (21.6 - 28.3)	26.2 (22.7 - 29.7)	7.4	126	25.8 (23.1 - 28.6)	26.5 (23.6 - 29.3)	7.2
5AP1*	94	20.9 (16.6 - 25.3)	18.7 (16.6 - 20.7)	6.2	98	21.5 (18.5 - 24.5)	21.3 (19.4 - 23.2)	6.9	192	21.2 (18.6 - 23.8)	20.0 (18.6 - 21.4)	6.6
5AP2*	88	43.4 (37.2 - 49.6)	38.2 (35.4 - 41.0)	6.2	117	42.3 (37.3 - 47.4)	43.6 (41.5 - 45.6)	7.2	205	42.8 (38.9 - 46.7)	41.3 (39.5 - 43.0)	6.7
5AR1	1,557	13.0 (12.3 - 13.7)	8.1 (7.8 - 8.5)	4.4	3,813	11.8 (11.6 - 12.0)	12.9 (12.7 - 13.1)	7.6	5,370	12.2 (11.9 - 12.4)	11.5 (11.3 - 11.7)	6.6
5AR2	655	16.2 (15.1 - 17.3)	9.8 (9.1 - 10.5)	4.2	810	13.7 (13.1 - 14.2)	14.8 (14.2 - 15.3)	7.6	1,465	14.8 (14.2 - 15.3)	12.5 (12.1 - 13.0)	5.9
5AR3	3,002	17.1 (16.6 - 17.6)	18.5 (18.2 - 18.9)	7.6	6,602	15.7 (15.5 - 15.9)	20.8 (20.6 - 21.0)	9.3	9,604	16.1 (15.9 - 16.3)	20.1 (19.9 - 20.3)	8.7
5AR4	290	21.4 (19.0 - 23.8)	16.9 (15.3 - 18.4)	5.5	246	18.9 (17.6 - 20.1)	18.0 (16.6 - 19.4)	6.7	536	20.2 (18.8 - 21.6)	17.4 (16.4 - 18.4)	6.0
5AR5	3,594	25.3 (24.7 - 25.9)	25.2 (24.6 - 25.7)	7.0	3,205	23.2 (22.7 - 23.7)	26.2 (25.7 - 26.8)	7.9	6,799	24.3 (23.9 - 24.7)	25.7 (25.3 - 26.1)	7.4
5A91	161	17.5 (13.4 - 21.7)	11.1 (9.9 - 12.4)	4.4	245	13.7 (12.8 - 14.5)	13.5 (12.6 - 14.4)	6.9	406	15.2 (13.5 - 16.9)	12.6 (11.8 - 13.3)	5.8
5A92	174	19.3 (16.1 - 22.5)	21.7 (19.9 - 23.6)	7.9	222	18.9 (17.0 - 20.8)	23.0 (21.6 - 24.4)	8.5	396	19.1 (17.3 - 20.8)	22.4 (21.3 - 23.6)	8.2
5A93	123	30.6 (26.6 - 34.7)	27.2 (24.0 - 30.4)	6.2	80	25.9 (22.5 - 29.2)	26.0 (22.6 - 29.4)	7.0	203	28.7 (25.9 - 31.5)	26.7 (24.3 - 29.1)	6.5
Missing or excluded*	11,116				6,974				18,090			
All episodes	40,509	24.7 (24.4 - 25.0)	21.8 (21.7 - 22.0)	6.2	70,180	14.9 (14.9 - 15.0)	20.1 (20.1 - 20.2)	9.4	110,689	18.2 (18.1 - 18.3)	20.7 (20.6 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V5 AN-SNAP class	Class	Description of V5 AN-SNAP class
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59	5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58	5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79	5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78	5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35	5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29	5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20	5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35	5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17	5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80	5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79	5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66	5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91	5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58	5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91	5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49	5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91	5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38	5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91	5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69	5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49	5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91	5A91	All other impairments, Weighted FIM Motor 61 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54	5A92	All other impairments, Weighted FIM Motor 42 - 60
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36	5A93	All other impairments, Weighted FIM Motor 19 - 41

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay		FIM gain per week	No.	Length of stay		FIM gain per week	No.	Length of stay		FIM gain per week
		Mean (95%CI)	FIM change Mean (95%CI)			Mean (95%CI)	FIM change Mean (95%CI)			Mean (95%CI)	FIM change Mean (95%CI)	
4AZ1*	5	32.8 (15.5 - 50.1)	35.8 (8.4 - 63.2)	7.6	7	89.0 (59.0 - 119.0)	61.9 (55.5 - 68.2)	4.9	12	65.6 (41.1 - 90.1)	51.0 (37.4 - 64.6)	5.4
4AZ2*	1	n.a	n.a	n.a	3	n.a	n.a	n.a	4	n.a	n.a	n.a
4AZ3	1,176	39.2 (37.7 - 40.7)	23.9 (22.6 - 25.2)	4.3	385	33.8 (32.0 - 35.7)	25.8 (23.3 - 28.2)	5.3	1,561	37.9 (36.6 - 39.1)	24.4 (23.2 - 25.5)	4.5
4AZ4	333	76.5 (70.1 - 83.0)	36.5 (33.7 - 39.4)	3.3	25	51.7 (35.6 - 67.8)	25.1 (16.8 - 33.4)	3.4	358	74.8 (68.7 - 80.9)	35.7 (33.0 - 38.5)	3.3
4AA1	1,476	14.4 (13.9 - 14.9)	14.6 (14.1 - 15.1)	7.1	629	15.0 (14.4 - 15.6)	17.7 (17.1 - 18.4)	8.3	2,105	14.6 (14.2 - 15.0)	15.5 (15.1 - 15.9)	7.4
4AA2	1,119	19.3 (18.2 - 20.3)	18.4 (17.7 - 19.1)	6.7	479	18.5 (17.2 - 19.7)	20.9 (20.0 - 21.8)	7.9	1,598	19.0 (18.2 - 19.9)	19.1 (18.6 - 19.7)	7.0
4AA3	380	26.3 (24.4 - 28.3)	21.0 (19.7 - 22.4)	5.6	105	22.7 (20.7 - 24.7)	23.7 (21.4 - 26.0)	7.3	485	25.5 (23.9 - 27.1)	21.6 (20.4 - 22.8)	5.9
4AA4	725	27.5 (26.4 - 28.7)	29.6 (28.5 - 30.7)	7.5	337	26.6 (25.0 - 28.2)	29.6 (28.3 - 31.0)	7.8	1,062	27.2 (26.3 - 28.2)	29.6 (28.7 - 30.5)	7.6
4AA5	308	36.4 (32.5 - 40.3)	36.1 (34.5 - 37.7)	6.9	57	34.6 (28.3 - 41.0)	38.9 (35.7 - 42.0)	7.9	365	36.1 (32.7 - 39.6)	36.6 (35.1 - 38.0)	7.1
4AA6	921	40.9 (39.4 - 42.4)	32.8 (31.6 - 34.1)	5.6	245	38.0 (35.5 - 40.4)	29.8 (27.4 - 32.2)	5.5	1,166	40.3 (39.0 - 41.6)	32.2 (31.1 - 33.3)	5.6
4AA7	443	59.3 (55.3 - 63.2)	42.7 (40.8 - 44.6)	5.0	44	49.2 (31.9 - 66.5)	39.3 (32.5 - 46.2)	5.6	487	58.4 (54.4 - 62.3)	42.4 (40.6 - 44.2)	5.1
4ABI-7*												
4AC1	434	15.5 (14.1 - 17.0)	11.9 (11.1 - 12.7)	5.4	666	13.0 (12.5 - 13.6)	14.5 (14.0 - 15.1)	7.8	1,100	14.0 (13.3 - 14.7)	13.5 (13.0 - 13.9)	6.7
4AC2	448	23.8 (21.9 - 25.7)	22.6 (21.5 - 23.8)	6.7	603	17.8 (17.0 - 18.6)	22.0 (21.2 - 22.8)	8.6	1,051	20.4 (19.4 - 21.3)	22.3 (21.6 - 23.0)	7.7
4AC3	421	37.3 (33.9 - 40.7)	30.1 (28.2 - 31.9)	5.6	264	26.3 (24.1 - 28.6)	23.7 (21.7 - 25.8)	6.3	685	33.1 (30.8 - 35.4)	27.6 (26.2 - 29.1)	5.8
4ADI-4*												
4AE1	42	14.8 (12.4 - 17.2)	5.4 (4.1 - 6.8)	2.6	6	19.3 (4.1 - 34.6)	6.0 (2.7 - 9.3)	2.2	48	15.4 (12.6 - 18.1)	5.5 (4.3 - 6.7)	2.5
4AE2	610	30.3 (28.6 - 32.0)	17.7 (16.8 - 18.6)	4.1	148	25.5 (22.7 - 28.3)	19.0 (17.3 - 20.7)	5.2	758	29.4 (27.9 - 30.8)	18.0 (17.2 - 18.8)	4.3
4AE3	103	46.7 (39.5 - 53.8)	23.3 (19.9 - 26.7)	3.5	18	40.6 (30.2 - 50.9)	21.9 (15.8 - 28.1)	3.8	121	45.8 (39.5 - 52.0)	23.1 (20.1 - 26.1)	3.5
4AE4	155	34.2 (28.6 - 39.9)	14.8 (13.1 - 16.6)	3.0	25	39.4 (23.2 - 55.6)	17.1 (11.2 - 23.0)	3.0	180	34.9 (29.6 - 40.3)	15.1 (13.4 - 16.9)	3.0
4AHI	1,457	14.5 (14.0 - 15.0)	15.7 (15.2 - 16.2)	7.6	2,681	15.8 (15.5 - 16.2)	18.6 (18.3 - 18.9)	8.2	4,138	15.4 (15.1 - 15.7)	17.6 (17.3 - 17.8)	8.0
4AH2	1,664	17.9 (17.3 - 18.5)	18.1 (17.6 - 18.6)	7.1	3,134	18.0 (17.6 - 18.4)	20.8 (20.5 - 21.1)	8.1	4,798	18.0 (17.6 - 18.3)	19.8 (19.6 - 20.1)	7.7
4AH3	1,281	22.4 (21.6 - 23.2)	27.6 (26.9 - 28.2)	8.6	1,740	24.6 (24.0 - 25.3)	30.1 (29.6 - 30.7)	8.6	3,021	23.7 (23.2 - 24.2)	29.0 (28.6 - 29.5)	8.6
4AH4	1,552	28.7 (27.8 - 29.7)	31.7 (30.9 - 32.6)	7.7	1,322	31.5 (30.5 - 32.5)	33.8 (32.9 - 34.6)	7.5	2,874	30.0 (29.3 - 30.7)	32.7 (32.1 - 33.3)	7.6
4A21 Ortho Replacements	619	8.8 (8.3 - 9.2)	10.1 (9.6 - 10.5)	8.0	11,111	9.0 (8.9 - 9.1)	12.5 (12.4 - 12.6)	9.7	11,730	9.0 (8.9 - 9.1)	12.4 (12.3 - 12.4)	9.6
4A22 Ortho Replacements	1,053	12.0 (11.5 - 12.5)	20.5 (20.0 - 21.0)	11.9	10,813	11.2 (11.1 - 11.4)	22.8 (22.6 - 22.9)	14.2	11,866	11.3 (11.2 - 11.4)	22.6 (22.4 - 22.7)	14.0
4A23 Ortho Replacements	553	21.5 (20.2 - 22.9)	32.7 (31.6 - 33.9)	10.6	1,488	18.2 (17.6 - 18.7)	35.1 (34.5 - 35.8)	13.5	2,041	19.1 (18.5 - 19.6)	34.5 (33.9 - 35.1)	12.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
4A21 Ortho Soft Tissue Injury	37	12.0 (9.8 - 14.2)	7.0 (4.4 - 9.5)	4.1	134	11.8 (10.9 - 12.7)	12.4 (11.4 - 13.5)	7.4	171	11.8 (11.0 - 12.7)	11.3 (10.2 - 12.3)	6.7
4A22 Ortho Soft Tissue Injury	87	17.7 (13.0 - 22.4)	18.7 (16.8 - 20.7)	7.4	330	16.7 (15.5 - 17.8)	20.4 (19.5 - 21.3)	8.6	417	16.9 (15.5 - 18.2)	20.1 (19.3 - 20.9)	8.3
4A23 Ortho Soft Tissue Injury	92	23.0 (19.7 - 26.2)	28.1 (24.5 - 31.8)	8.6	140	24.3 (21.8 - 26.7)	31.8 (29.8 - 33.9)	9.2	232	23.8 (21.8 - 25.7)	30.4 (28.5 - 32.3)	8.9
4A21 Ortho Other	175	13.5 (11.2 - 15.8)	8.6 (7.7 - 9.5)	4.5	2,401	9.9 (9.7 - 10.1)	12.4 (12.2 - 12.6)	8.7	2,576	10.2 (9.9 - 10.4)	12.1 (11.9 - 12.3)	8.3
4A22 Ortho Other	288	17.5 (16.1 - 18.9)	20.3 (19.3 - 21.3)	8.1	2,776	13.6 (13.3 - 13.9)	22.5 (22.3 - 22.8)	11.6	3,064	14.0 (13.7 - 14.3)	22.3 (22.1 - 22.6)	11.2
4A23 Ortho Other	265	30.3 (26.5 - 34.1)	30.7 (28.9 - 32.5)	7.1	692	24.9 (23.4 - 26.3)	33.3 (32.3 - 34.3)	9.4	957	26.4 (24.9 - 27.9)	32.6 (31.7 - 33.5)	8.6
4A31 Pain	73	12.1 (10.1 - 14.2)	7.3 (5.8 - 8.8)	4.2	528	11.6 (11.1 - 12.0)	9.5 (9.0 - 9.9)	5.7	601	11.6 (11.2 - 12.1)	9.2 (8.8 - 9.7)	5.6
4A32 Pain	200	14.0 (12.8 - 15.2)	16.8 (15.5 - 18.1)	8.4	851	13.6 (13.1 - 14.1)	19.1 (18.6 - 19.7)	9.9	1,051	13.7 (13.2 - 14.1)	18.7 (18.2 - 19.2)	9.6
4A33 Pain	145	20.1 (18.2 - 22.0)	25.3 (23.2 - 27.4)	8.8	322	18.8 (17.6 - 20.0)	27.4 (26.3 - 28.5)	10.2	467	19.2 (18.2 - 20.2)	26.8 (25.8 - 27.8)	9.8
4A34 Pain	62	31.8 (25.2 - 38.3)	29.5 (25.1 - 34.0)	6.5	45	21.8 (18.9 - 24.8)	34.2 (28.5 - 39.9)	11.0	107	27.6 (23.5 - 31.7)	31.5 (28.0 - 35.0)	8.0
4A31 Cardiac	104	11.7 (10.1 - 13.3)	7.3 (6.1 - 8.4)	4.4	545	9.5 (9.1 - 9.9)	11.4 (10.9 - 12.0)	8.4	649	9.9 (9.5 - 10.3)	10.8 (10.3 - 11.3)	7.6
4A32 Cardiac	200	15.3 (14.1 - 16.5)	17.8 (16.5 - 19.1)	8.2	1,193	12.8 (12.4 - 13.2)	20.8 (20.4 - 21.2)	11.4	1,393	13.2 (12.8 - 13.5)	20.4 (20.0 - 20.8)	10.9
4A33 Cardiac	167	20.5 (18.4 - 22.6)	26.3 (24.5 - 28.1)	9.0	467	18.9 (17.8 - 19.9)	28.4 (27.2 - 29.5)	10.5	634	19.3 (18.4 - 20.2)	27.8 (26.9 - 28.8)	10.1
4A34 Cardiac	65	31.8 (24.5 - 39.1)	31.1 (25.7 - 36.5)	6.8	66	29.3 (23.3 - 35.4)	35.2 (30.9 - 39.4)	8.4	131	30.6 (25.9 - 35.3)	33.1 (29.7 - 36.6)	7.6
4A31 Pulmonary	55	12.4 (10.0 - 14.7)	6.3 (4.4 - 8.2)	3.6	155	11.1 (10.3 - 11.8)	11.9 (11.1 - 12.8)	7.6	210	11.4 (10.6 - 12.2)	10.5 (9.6 - 11.3)	6.4
4A32 Pulmonary	148	14.1 (12.6 - 15.6)	16.1 (14.6 - 17.6)	8.0	483	13.9 (13.3 - 14.5)	20.0 (19.3 - 20.6)	10.0	631	14.0 (13.4 - 14.5)	19.0 (18.4 - 19.7)	9.5
4A33 Pulmonary	107	18.4 (15.9 - 20.9)	22.8 (20.4 - 25.2)	8.7	236	17.0 (15.9 - 18.2)	25.9 (24.5 - 27.4)	10.7	343	17.5 (16.3 - 18.6)	25.0 (23.7 - 26.2)	10.0
4A34 Pulmonary	43	28.8 (23.1 - 34.4)	27.6 (21.9 - 33.2)	6.7	39	27.4 (23.0 - 31.8)	25.6 (20.6 - 30.5)	6.5	82	28.1 (24.5 - 31.7)	26.6 (22.9 - 30.4)	6.6
4API*	181	31.8 (27.7 - 35.9)	28.2 (26.0 - 30.5)	6.2	214	32.9 (29.5 - 36.3)	33.3 (31.2 - 35.3)	7.1	395	32.4 (29.8 - 35.0)	31.0 (29.5 - 32.5)	6.7
4AR1	1,991	13.9 (13.3 - 14.5)	8.0 (7.7 - 8.4)	4.0	4,061	12.0 (11.8 - 12.2)	12.6 (12.4 - 12.8)	7.4	6,052	12.6 (12.4 - 12.9)	11.1 (10.9 - 11.3)	6.2
4AR2	2,206	16.4 (15.9 - 17.0)	18.2 (17.8 - 18.6)	7.8	5,634	15.1 (14.9 - 15.3)	20.5 (20.3 - 20.7)	9.5	7,840	15.5 (15.3 - 15.7)	19.9 (19.7 - 20.1)	9.0
4AR3	1,215	18.5 (17.7 - 19.3)	17.6 (16.9 - 18.3)	6.7	1,672	17.2 (16.7 - 17.7)	20.0 (19.5 - 20.5)	8.1	2,887	17.8 (17.3 - 18.2)	19.0 (18.6 - 19.4)	7.5
4AR4	602	22.7 (21.4 - 24.0)	27.1 (26.1 - 28.2)	8.4	579	20.1 (19.1 - 21.1)	27.1 (26.2 - 28.0)	9.5	1,181	21.4 (20.6 - 22.2)	27.1 (26.4 - 27.8)	8.9
4AR5	1,787	22.5 (21.8 - 23.3)	23.0 (22.3 - 23.7)	7.2	1,890	21.6 (21.1 - 22.2)	25.6 (25.0 - 26.3)	8.3	3,677	22.1 (21.6 - 22.5)	24.4 (23.9 - 24.8)	7.7
4AR6	1,366	30.1 (28.9 - 31.3)	27.1 (26.0 - 28.1)	6.3	872	28.3 (27.1 - 29.5)	26.7 (25.5 - 27.9)	6.6	2,238	29.4 (28.5 - 30.2)	26.9 (26.1 - 27.7)	6.4
4A91	209	18.3 (14.3 - 22.2)	12.6 (11.4 - 13.9)	4.8	305	14.0 (13.2 - 14.8)	14.5 (13.6 - 15.4)	7.2	514	15.7 (14.1 - 17.4)	13.7 (13.0 - 14.5)	6.1
4A92	177	21.7 (19.3 - 24.1)	24.3 (22.1 - 26.5)	7.8	193	21.2 (19.0 - 23.4)	24.9 (23.3 - 26.5)	8.2	370	21.4 (19.8 - 23.1)	24.6 (23.3 - 26.0)	8.0
4A93	68	30.6 (25.6 - 35.7)	27.2 (22.9 - 31.5)	6.2	48	25.5 (20.9 - 30.2)	25.4 (21.1 - 29.8)	7.0	116	28.5 (25.0 - 32.1)	26.5 (23.4 - 29.6)	6.5
Missing or excluded*	11,115				6,974				18,089			
All episodes	40,509	24.7 (24.4 - 25.0)	21.8 (21.7 - 22.0)	6.2	70,180	14.9 (14.9 - 15.0)	20.1 (20.1 - 20.2)	9.4	110,689	18.2 (18.1 - 18.3)	20.7 (20.6 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week	Length of stay		FIM change	FIM gain per week
	No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)		No.	Mean (95%CI)	Mean (95%CI)	
3-202	168	99.8 (86.4 - 113.2)	32.4 (27.7 - 37.1)	2.3	29	48.0 (35.4 - 60.6)	47.5 (32.4 - 62.6)	6.9	197	92.2 (80.3 - 104.1)	34.6 (30.0 - 39.2)	2.6
3-203	452	51.4 (47.3 - 55.4)	23.8 (21.6 - 25.9)	3.2	74	32.6 (27.9 - 37.3)	28.9 (21.6 - 36.1)	6.2	526	48.7 (45.1 - 52.3)	24.5 (22.3 - 26.6)	3.5
3-204	1,622	14.0 (13.4 - 14.7)	11.7 (11.2 - 12.1)	5.8	582	13.8 (13.1 - 14.4)	14.8 (14.2 - 15.3)	7.5	2,204	14.0 (13.4 - 14.5)	12.5 (12.1 - 12.8)	6.2
3-205	224	24.8 (22.2 - 27.5)	16.0 (14.5 - 17.4)	4.5	49	26.2 (17.5 - 34.9)	20.6 (17.7 - 23.5)	5.5	273	25.1 (22.4 - 27.8)	16.8 (15.5 - 18.1)	4.7
3-206	1,251	22.2 (21.4 - 23.0)	25.1 (24.4 - 25.7)	7.9	665	20.3 (19.4 - 21.2)	24.7 (24.0 - 25.4)	8.5	1,916	21.5 (20.9 - 22.1)	24.9 (24.5 - 25.4)	8.1
3-207	154	31.2 (27.2 - 35.2)	27.3 (24.9 - 29.7)	6.1	37	26.0 (20.8 - 31.2)	25.5 (21.6 - 29.4)	6.9	191	30.2 (26.8 - 33.6)	26.9 (24.9 - 29.0)	6.2
3-208	1,307	35.6 (34.4 - 36.7)	29.2 (28.2 - 30.2)	5.8	407	32.6 (30.9 - 34.3)	29.0 (27.4 - 30.7)	6.2	1,714	34.9 (33.9 - 35.8)	29.2 (28.3 - 30.1)	5.9
3-209	1,236	52.1 (49.9 - 54.3)	39.1 (38.0 - 40.2)	5.3	207	40.3 (35.4 - 45.1)	35.3 (32.8 - 37.8)	6.1	1,443	50.4 (48.4 - 52.4)	38.6 (37.5 - 39.6)	5.4
3-210	127	13.4 (11.7 - 15.1)	11.0 (9.2 - 12.9)	5.8	130	12.4 (11.5 - 13.4)	16.1 (14.8 - 17.3)	9.1	257	12.9 (11.9 - 13.9)	13.6 (12.4 - 14.8)	7.4
3-211	306	17.5 (15.7 - 19.2)	13.4 (12.2 - 14.6)	5.4	186	13.7 (12.8 - 14.6)	18.6 (17.4 - 19.7)	9.5	492	16.0 (14.9 - 17.2)	15.3 (14.5 - 16.2)	6.7
3-212	147	27.0 (22.2 - 31.8)	18.3 (16.6 - 20.0)	4.7	32	15.7 (12.2 - 19.3)	18.7 (14.9 - 22.5)	8.3	179	25.0 (20.9 - 29.0)	18.4 (16.8 - 19.9)	5.1
3-213	238	37.2 (31.3 - 43.1)	21.1 (19.3 - 22.9)	4.0	18	18.4 (14.6 - 22.2)	19.7 (15.1 - 24.4)	7.5	256	35.9 (30.4 - 41.4)	21.0 (19.3 - 22.7)	4.1
3-214	523	38.9 (35.4 - 42.3)	34.6 (32.9 - 36.2)	6.2	231	23.2 (21.6 - 24.8)	27.6 (25.8 - 29.5)	8.3	754	34.1 (31.6 - 36.6)	32.4 (31.1 - 33.7)	6.7
3-215	144	62.5 (53.8 - 71.2)	44.9 (40.4 - 49.4)	5.0	7	49.3 (35.1 - 63.5)	33.6 (16.1 - 51.0)	4.8	151	61.9 (53.6 - 70.2)	44.4 (40.0 - 48.8)	5.0
3-216	380	15.1 (13.7 - 16.6)	10.9 (10.1 - 11.7)	5.0	550	12.7 (12.0 - 13.3)	13.8 (13.2 - 14.4)	7.6	930	13.7 (13.0 - 14.4)	12.6 (12.2 - 13.1)	6.5
3-217	342	21.3 (19.5 - 23.1)	20.6 (19.6 - 21.7)	6.8	551	16.9 (16.0 - 17.7)	20.3 (19.6 - 21.1)	8.4	893	18.6 (17.7 - 19.4)	20.4 (19.8 - 21.1)	7.7
3-218	595	34.6 (32.0 - 37.3)	28.9 (27.4 - 30.4)	5.9	436	23.6 (22.1 - 25.1)	24.1 (22.7 - 25.5)	7.2	1,031	30.0 (28.3 - 31.6)	26.9 (25.8 - 28.0)	6.3
3-219	64	49.4 (38.2 - 60.5)	32.0 (25.6 - 38.4)	4.5	20	39.7 (30.5 - 48.8)	21.8 (13.6 - 29.9)	3.8	84	47.0 (38.3 - 55.8)	29.6 (24.3 - 34.9)	4.4
3-220	8	19.4 (-3.0 - 41.8)	2.4 (0.2 - 4.6)	0.9	1	na	na	na	9	17.9 (-2.1 - 37.9)	2.7 (0.7 - 4.7)	1.0
3-221	234	33.7 (29.8 - 37.5)	18.5 (17.2 - 19.9)	3.9	69	22.6 (15.3 - 29.9)	19.3 (17.4 - 21.2)	6.0	303	31.1 (27.7 - 34.6)	18.7 (17.6 - 19.8)	4.2
3-222	352	71.8 (66.0 - 77.6)	30.3 (28.2 - 32.4)	3.0	38	54.7 (35.6 - 73.7)	28.7 (23.0 - 34.4)	3.7	390	70.1 (64.5 - 75.7)	30.1 (28.2 - 32.1)	3.0
3-223	40	89.3 (72.0 - 106.5)	38.2 (31.7 - 44.6)	3.0	0	na	na	na	40	89.3 (72.0 - 106.5)	38.2 (31.7 - 44.6)	3.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
3-224	156	18.8 (16.7 - 20.8)	6.3 (5.6 - 7.0)	2.3	24	23.5 (15.8 - 31.3)	5.6 (3.9 - 7.3)	1.7	180	19.4 (17.4 - 21.5)	6.2 (5.6 - 6.9)	2.2
3-225	764	35.0 (33.0 - 37.0)	19.6 (18.8 - 20.5)	3.9	173	29.1 (25.7 - 32.6)	20.5 (18.8 - 22.1)	4.9	937	33.9 (32.1 - 35.7)	19.8 (19.0 - 20.5)	4.1
3-226	485	18.0 (16.7 - 19.3)	19.6 (18.3 - 20.8)	7.6	1,746	14.1 (13.8 - 14.5)	18.1 (17.6 - 18.6)	9.0	2,231	15.0 (14.6 - 15.4)	18.4 (18.0 - 18.9)	8.6
3-227	1,712	14.0 (13.6 - 14.4)	12.7 (12.3 - 13.0)	6.3	3,196	14.9 (14.5 - 15.3)	16.4 (16.2 - 16.6)	7.7	4,908	14.6 (14.3 - 14.9)	15.1 (14.9 - 15.3)	7.2
3-228	1,424	19.1 (18.4 - 19.7)	22.3 (21.8 - 22.7)	8.2	2,540	19.6 (19.2 - 20.0)	23.9 (23.5 - 24.2)	8.5	3,964	19.4 (19.1 - 19.8)	23.3 (23.0 - 23.6)	8.4
3-229	2,496	26.1 (25.4 - 26.8)	30.2 (29.6 - 30.8)	8.1	2,765	27.5 (26.9 - 28.1)	32.2 (31.7 - 32.7)	8.2	5,261	26.9 (26.4 - 27.3)	31.2 (30.9 - 31.6)	8.1
3-230	512	27.3 (25.6 - 28.9)	26.6 (25.0 - 28.2)	6.8	467	28.3 (26.8 - 29.9)	27.7 (26.1 - 29.2)	6.8	979	27.8 (26.7 - 28.9)	27.1 (26.0 - 28.2)	6.8
3-231	259	8.6 (8.1 - 9.2)	6.3 (5.7 - 6.9)	5.1	5,622	8.4 (8.3 - 8.5)	9.7 (9.6 - 9.8)	8.1	5,881	8.4 (8.3 - 8.5)	9.5 (9.4 - 9.7)	7.9
3-232	1,393	11.2 (10.8 - 11.7)	18.4 (17.9 - 18.8)	11.5	16,192	10.7 (10.6 - 10.8)	20.2 (20.1 - 20.3)	13.2	17,585	10.7 (10.6 - 10.8)	20.1 (20.0 - 20.2)	13.1
3-233	584	21.5 (20.2 - 22.8)	32.4 (31.2 - 33.5)	10.5	1,607	17.8 (17.2 - 18.3)	34.7 (34.1 - 35.4)	13.7	2,191	18.8 (18.2 - 19.3)	34.1 (33.6 - 34.7)	12.7
3-234	178	13.2 (10.9 - 15.4)	7.6 (6.7 - 8.5)	4.0	2,047	9.7 (9.5 - 10.0)	11.4 (11.1 - 11.6)	8.2	2,225	10.0 (9.7 - 10.3)	11.1 (10.8 - 11.3)	7.7
3-235	330	16.6 (15.2 - 17.9)	18.5 (17.6 - 19.4)	7.8	3,104	13.0 (12.7 - 13.2)	20.6 (20.4 - 20.8)	11.1	3,434	13.3 (13.0 - 13.6)	20.4 (20.2 - 20.6)	10.7
3-236	454	27.6 (25.0 - 30.3)	28.9 (27.4 - 30.3)	7.3	1,343	22.2 (21.3 - 23.1)	30.9 (30.2 - 31.6)	9.7	1,797	23.6 (22.6 - 24.5)	30.4 (29.8 - 31.0)	9.0
3-237	540	18.5 (17.2 - 19.9)	20.0 (18.8 - 21.2)	7.6	2,276	13.8 (13.4 - 14.1)	20.5 (20.1 - 21.0)	10.4	2,816	14.7 (14.3 - 15.1)	20.4 (20.0 - 20.8)	9.7
3-238	56	22.7 (13.4 - 31.9)	10.0 (8.3 - 11.7)	3.1	25	13.8 (11.7 - 15.8)	12.2 (10.0 - 14.4)	6.2	81	19.9 (13.4 - 26.4)	10.7 (9.3 - 12.0)	3.7
3-239	207	28.8 (24.9 - 32.8)	24.7 (23.0 - 26.3)	6.0	170	24.5 (22.1 - 26.9)	26.9 (25.4 - 28.4)	7.7	377	26.9 (24.4 - 29.3)	25.7 (24.6 - 26.8)	6.7
3-240	128	56.2 (47.0 - 65.4)	39.2 (36.6 - 41.8)	4.9	112	51.7 (46.2 - 57.3)	49.6 (47.4 - 51.8)	6.7	240	54.1 (48.6 - 59.6)	44.1 (42.2 - 45.9)	5.7
3-241	19	103.3 (67.5 - 139.1)	50.9 (40.7 - 61.1)	3.4	20	71.9 (50.5 - 93.2)	70.0 (64.2 - 75.8)	6.8	39	87.2 (66.2 - 108.1)	60.7 (54.2 - 67.2)	4.9
3-242	1,925	13.9 (13.2 - 14.6)	7.4 (7.1 - 7.8)	3.7	3,699	11.9 (11.7 - 12.1)	11.8 (11.6 - 12.0)	7.0	5,624	12.6 (12.3 - 12.9)	10.3 (10.1 - 10.5)	5.7
3-243	2,971	16.3 (15.8 - 16.8)	16.7 (16.3 - 17.0)	7.2	7,081	14.6 (14.4 - 14.8)	19.4 (19.2 - 19.6)	9.3	10,052	15.1 (14.9 - 15.3)	18.6 (18.4 - 18.8)	8.6
3-244	4,513	22.9 (22.4 - 23.4)	23.9 (23.5 - 24.3)	7.3	5,094	20.9 (20.6 - 21.3)	25.2 (24.8 - 25.5)	8.4	9,607	21.8 (21.5 - 22.1)	24.6 (24.3 - 24.9)	7.9
3-245	804	33.8 (32.0 - 35.6)	26.7 (25.2 - 28.1)	5.5	418	31.1 (29.2 - 33.1)	24.4 (22.4 - 26.4)	5.5	1,222	32.9 (31.5 - 34.3)	25.9 (24.7 - 27.1)	5.5
Missing or excluded	8,685				6,140				14,825			
All episodes	40,509	24.7 (24.4 - 25.0)	21.8 (21.7 - 22.0)	6.2	70,180	14.9 (14.9 - 15.0)	20.1 (20.1 - 20.2)	9.4	110,689	18.2 (18.1 - 18.3)	20.7 (20.6 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24