

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Calendar Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
		Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain		
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
5AZ1*	3	n.a	n.a	n.a	4	n.a	n.a	n.a	7	58.3 (30.5 - 86.0)	70.7 (61.8 - 79.7)	8.5
5AZ2*	4	n.a	n.a	n.a	5	45.4 (28.3 - 62.5)	69.0 (62.1 - 75.9)	10.6	9	47.2 (35.3 - 59.2)	61.9 (47.6 - 76.2)	9.2
5AZ3 Stroke	276	40.5 (37.7 - 43.4)	18.1 (15.8 - 20.4)	3.1	36	46.9 (29.0 - 64.8)	20.1 (13.8 - 26.5)	3.0	312	41.3 (38.0 - 44.5)	18.3 (16.2 - 20.5)	3.1
5AZ4 Stroke	465	69.1 (65.3 - 72.8)	34.2 (31.9 - 36.6)	3.5	34	46.2 (37.5 - 54.8)	22.9 (14.9 - 31.0)	3.5	499	67.5 (63.9 - 71.1)	33.5 (31.2 - 35.7)	3.5
5AZ3 All other impairments	496	29.2 (27.4 - 31.0)	24.8 (22.8 - 26.8)	5.9	263	29.8 (27.8 - 31.8)	27.0 (24.3 - 29.6)	6.3	759	29.4 (28.0 - 30.8)	25.5 (24.0 - 27.1)	6.1
5AZ4 All other impairments	404	45.2 (41.1 - 49.2)	28.7 (26.4 - 31.0)	4.4	129	35.4 (31.1 - 39.6)	25.6 (21.6 - 29.5)	5.1	533	42.8 (39.5 - 46.1)	27.9 (25.9 - 29.9)	4.6
5AA1	896	12.2 (11.7 - 12.7)	9.7 (9.1 - 10.2)	5.5	306	12.9 (12.0 - 13.7)	14.1 (13.4 - 14.9)	7.7	1,202	12.4 (11.9 - 12.8)	10.8 (10.4 - 11.2)	6.1
5AA2	688	15.8 (15.0 - 16.6)	13.5 (12.8 - 14.1)	5.9	196	14.4 (13.4 - 15.5)	16.1 (15.0 - 17.1)	7.8	884	15.5 (14.9 - 16.2)	14.0 (13.5 - 14.6)	6.3
5AA3	296	25.3 (22.9 - 27.8)	16.3 (15.1 - 17.5)	4.5	59	23.0 (19.1 - 27.0)	19.8 (17.6 - 21.9)	6.0	355	25.0 (22.8 - 27.1)	16.9 (15.8 - 18.0)	4.7
5AA4	1,377	22.6 (21.7 - 23.4)	25.7 (25.1 - 26.3)	8.0	662	20.3 (19.5 - 21.1)	25.6 (24.8 - 26.4)	8.8	2,039	21.8 (21.2 - 22.4)	25.7 (25.2 - 26.1)	8.2
5AA5	242	28.8 (26.1 - 31.5)	27.7 (25.8 - 29.6)	6.7	69	25.4 (22.5 - 28.3)	25.3 (22.4 - 28.2)	7.0	311	28.1 (25.8 - 30.3)	27.2 (25.6 - 28.8)	6.8
5AA6	668	33.2 (31.8 - 34.6)	29.5 (28.1 - 30.9)	6.2	231	33.5 (31.2 - 35.8)	27.4 (25.1 - 29.7)	5.7	899	33.3 (32.1 - 34.5)	29.0 (27.8 - 30.2)	6.1
5AA7	711	42.0 (40.1 - 44.0)	35.5 (34.1 - 36.9)	5.9	177	35.1 (32.3 - 37.9)	32.5 (30.0 - 35.0)	6.5	888	40.7 (39.0 - 42.3)	34.9 (33.7 - 36.1)	6.0
5AA8	530	55.0 (51.7 - 58.4)	42.3 (40.7 - 43.8)	5.4	60	38.7 (31.7 - 45.6)	39.5 (34.3 - 44.7)	7.2	590	53.4 (50.3 - 56.5)	42.0 (40.5 - 43.5)	5.5
5ABI-6*												
5AC1	219	13.5 (11.7 - 15.3)	8.4 (7.5 - 9.3)	4.4	325	11.5 (10.9 - 12.2)	10.6 (10.0 - 11.1)	6.4	544	12.3 (11.5 - 13.1)	9.7 (9.2 - 10.2)	5.5
5AC2	487	19.9 (18.4 - 21.3)	19.4 (18.5 - 20.3)	6.8	816	16.5 (15.2 - 17.8)	19.5 (18.9 - 20.1)	8.3	1,303	17.8 (16.8 - 18.7)	19.4 (18.9 - 19.9)	7.7
5AC3	607	33.7 (31.4 - 36.0)	28.8 (27.3 - 30.2)	6.0	472	23.4 (21.9 - 24.9)	23.5 (22.1 - 24.9)	7.0	1,079	29.2 (27.7 - 30.6)	26.5 (25.4 - 27.5)	6.4
5ADI-3*												
5AE1	910	31.9 (30.2 - 33.5)	17.6 (16.8 - 18.4)	3.9	152	28.0 (24.6 - 31.3)	18.6 (16.6 - 20.6)	4.7	1,062	31.3 (29.8 - 32.8)	17.7 (17.0 - 18.5)	4.0
5AH1	1,518	15.0 (14.3 - 15.7)	15.9 (15.4 - 16.4)	7.4	2,686	15.9 (15.4 - 16.3)	18.3 (18.0 - 18.6)	8.1	4,204	15.6 (15.2 - 15.9)	17.4 (17.2 - 17.7)	7.8
5AH2	1,522	16.5 (16.0 - 17.0)	18.0 (17.5 - 18.6)	7.6	2,855	17.2 (16.9 - 17.5)	21.0 (20.7 - 21.3)	8.6	4,377	17.0 (16.7 - 17.3)	20.0 (19.7 - 20.3)	8.2
5AH3	171	20.8 (18.6 - 23.0)	17.2 (15.3 - 19.1)	5.8	195	19.3 (18.0 - 20.6)	20.9 (19.4 - 22.5)	7.6	366	20.0 (18.8 - 21.2)	19.2 (17.9 - 20.4)	6.7
5AH4	3,005	25.1 (24.4 - 25.7)	30.3 (29.8 - 30.8)	8.4	3,108	26.7 (26.1 - 27.3)	31.9 (31.4 - 32.4)	8.4	6,113	25.9 (25.5 - 26.4)	31.1 (30.7 - 31.5)	8.4
5A41	1,055	9.2 (8.8 - 9.6)	12.8 (12.4 - 13.3)	9.8	17,491	9.4 (9.3 - 9.5)	14.8 (14.8 - 14.9)	11.0	18,546	9.4 (9.3 - 9.5)	14.7 (14.6 - 14.8)	11.0
5A42	903	13.6 (13.0 - 14.1)	24.3 (23.7 - 24.9)	12.6	6,011	12.5 (12.3 - 12.6)	26.7 (26.5 - 26.9)	15.0	6,914	12.6 (12.5 - 12.8)	26.4 (26.2 - 26.5)	14.6
5A43	393	21.7 (20.1 - 23.4)	35.2 (33.9 - 36.6)	11.3	867	19.7 (19.0 - 20.4)	37.7 (36.8 - 38.6)	13.4	1,260	20.3 (19.6 - 21.1)	37.0 (36.2 - 37.7)	12.7

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Calendar Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week	No.	Length of stay	FIM change	FIM gain per week
		Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)			Mean (95%CI)	Mean (95%CI)	
5A21 Ortho Soft Tissue Injury	88	12.7 (10.4 - 15.0)	12.4 (10.2 - 14.5)	6.8	368	14.3 (13.4 - 15.2)	16.4 (15.7 - 17.2)	8.1	456	14.0 (13.1 - 14.8)	15.6 (14.9 - 16.4)	7.8
5A22 Ortho Soft Tissue Injury	82	18.2 (16.1 - 20.2)	20.8 (18.2 - 23.4)	8.0	188	17.8 (16.6 - 19.0)	26.4 (24.8 - 28.0)	10.4	270	17.9 (16.9 - 19.0)	24.7 (23.3 - 26.1)	9.6
5A23 Ortho Soft Tissue Injury	56	28.1 (22.8 - 33.3)	31.3 (26.4 - 36.1)	7.8	69	26.4 (23.0 - 29.8)	32.0 (28.6 - 35.5)	8.5	125	27.1 (24.2 - 30.1)	31.7 (28.8 - 34.6)	8.2
5A21 Ortho Other	385	15.6 (13.8 - 17.5)	13.7 (12.9 - 14.6)	6.1	4,549	11.2 (11.0 - 11.4)	16.3 (16.1 - 16.5)	10.2	4,934	11.5 (11.3 - 11.7)	16.1 (15.9 - 16.3)	9.8
5A22 Ortho Other	239	21.1 (19.1 - 23.0)	24.9 (23.4 - 26.3)	8.3	1,187	17.5 (16.9 - 18.2)	28.2 (27.7 - 28.7)	11.2	1,426	18.1 (17.5 - 18.7)	27.6 (27.1 - 28.1)	10.7
5A23 Ortho Other	171	31.2 (28.1 - 34.3)	30.8 (28.2 - 33.3)	6.9	271	28.5 (26.4 - 30.7)	36.3 (34.4 - 38.1)	8.9	442	29.6 (27.8 - 31.3)	34.1 (32.6 - 35.7)	8.1
5A31 Pain	108	11.9 (10.2 - 13.6)	9.5 (8.2 - 10.7)	5.6	758	11.5 (11.1 - 11.8)	11.0 (10.6 - 11.5)	6.7	866	11.5 (11.2 - 11.9)	10.8 (10.4 - 11.3)	6.6
5A32 Pain	296	16.8 (15.5 - 18.0)	22.0 (20.7 - 23.4)	9.2	920	15.1 (14.6 - 15.6)	22.7 (22.1 - 23.3)	10.5	1,216	15.5 (15.0 - 16.0)	22.5 (22.0 - 23.1)	10.2
5A33 Pain	90	25.5 (22.1 - 28.8)	29.8 (26.6 - 33.0)	8.2	63	24.7 (21.7 - 27.8)	33.9 (30.1 - 37.8)	9.6	153	25.2 (22.9 - 27.5)	31.5 (29.0 - 34.0)	8.8
5A31 Cardiac	181	13.1 (11.9 - 14.3)	9.6 (8.5 - 10.7)	5.1	884	10.1 (9.7 - 10.4)	13.4 (13.0 - 13.9)	9.3	1,065	10.6 (10.2 - 10.9)	12.8 (12.4 - 13.2)	8.5
5A32 Cardiac	305	17.1 (15.9 - 18.3)	21.8 (20.5 - 23.2)	8.9	1,323	14.7 (14.3 - 15.2)	23.7 (23.2 - 24.3)	11.3	1,628	15.2 (14.7 - 15.6)	23.4 (22.9 - 23.9)	10.8
5A33 Cardiac	63	33.7 (25.7 - 41.8)	35.4 (31.2 - 39.7)	7.4	95	27.5 (24.0 - 31.1)	31.3 (27.6 - 34.9)	7.9	158	30.0 (26.2 - 33.9)	32.9 (30.2 - 35.7)	7.7
5A31 Pulmonary	92	12.0 (10.9 - 13.2)	8.2 (6.2 - 10.2)	4.8	249	11.9 (11.2 - 12.5)	13.6 (12.9 - 14.4)	8.1	341	11.9 (11.3 - 12.5)	12.2 (11.4 - 13.0)	7.2
5A32 Pulmonary	197	17.0 (15.5 - 18.5)	20.4 (18.7 - 22.0)	8.4	619	15.5 (14.8 - 16.1)	23.2 (22.4 - 24.0)	10.5	816	15.9 (15.2 - 16.5)	22.5 (21.8 - 23.2)	9.9
5A33 Pulmonary	63	28.4 (22.3 - 34.6)	27.1 (22.5 - 31.7)	6.7	61	26.8 (22.7 - 30.9)	27.0 (23.3 - 30.6)	7.1	124	27.6 (23.9 - 31.3)	27.0 (24.1 - 30.0)	6.9
5API*	93	20.4 (16.3 - 24.5)	19.6 (17.4 - 21.7)	6.7	100	24.2 (20.3 - 28.2)	20.9 (19.2 - 22.7)	6.0	193	22.4 (19.5 - 25.3)	20.3 (18.9 - 21.6)	6.3
5AP2*	94	44.4 (38.7 - 50.1)	41.3 (38.3 - 44.2)	6.5	131	42.6 (37.6 - 47.7)	44.3 (42.2 - 46.4)	7.3	225	43.4 (39.6 - 47.1)	43.0 (41.3 - 44.8)	6.9
5ARI	1,621	12.8 (12.3 - 13.2)	8.2 (7.9 - 8.6)	4.5	3,951	11.9 (11.6 - 12.1)	12.8 (12.6 - 13.0)	7.5	5,572	12.1 (11.9 - 12.3)	11.5 (11.3 - 11.6)	6.6
5AR2	664	15.7 (14.7 - 16.6)	10.4 (9.7 - 11.1)	4.6	829	13.6 (13.0 - 14.2)	14.3 (13.8 - 14.8)	7.4	1,493	14.5 (13.9 - 15.0)	12.5 (12.1 - 13.0)	6.1
5AR3	2,980	17.3 (16.8 - 17.8)	18.7 (18.3 - 19.1)	7.5	6,637	15.8 (15.6 - 16.0)	20.8 (20.6 - 21.0)	9.2	9,617	16.3 (16.0 - 16.5)	20.1 (19.9 - 20.3)	8.7
5AR4	294	22.4 (19.8 - 25.1)	17.3 (15.7 - 18.8)	5.4	259	18.8 (17.6 - 20.1)	18.9 (17.5 - 20.4)	7.0	553	20.8 (19.2 - 22.3)	18.0 (17.0 - 19.1)	6.1
5AR5	3,408	25.4 (24.8 - 26.1)	26.2 (25.7 - 26.8)	7.2	3,319	23.2 (22.7 - 23.8)	26.2 (25.7 - 26.7)	7.9	6,727	24.3 (23.9 - 24.8)	26.2 (25.8 - 26.6)	7.5
5A91	164	18.9 (14.6 - 23.2)	10.3 (9.0 - 11.6)	3.8	229	13.8 (12.9 - 14.7)	14.1 (13.1 - 15.2)	7.2	393	15.9 (14.0 - 17.8)	12.5 (11.7 - 13.4)	5.5
5A92	143	21.7 (17.8 - 25.5)	22.0 (19.9 - 24.0)	7.1	191	19.9 (18.2 - 21.5)	23.8 (22.4 - 25.3)	8.4	334	20.7 (18.8 - 22.5)	23.0 (21.8 - 24.3)	7.8
5A93	104	29.9 (25.3 - 34.6)	29.0 (25.5 - 32.6)	6.8	71	26.5 (23.2 - 29.8)	26.3 (22.5 - 30.1)	7.0	175	28.5 (25.5 - 31.6)	27.9 (25.3 - 30.5)	6.9
Missing or excluded*	11,211				6,809				18,020			
All episodes	41,038	24.7 (24.4 - 25.0)	22.1 (22.0 - 22.3)	6.3	71,339	14.7 (14.7 - 14.8)	20.0 (20.0 - 20.1)	9.5	112,377	18.0 (17.9 - 18.2)	20.7 (20.7 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V5 AN-SNAP class	Class	Description of V5 AN-SNAP class
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59	5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58	5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79	5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78	5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35	5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29	5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20	5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35	5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17	5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80	5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79	5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66	5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91	5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58	5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91	5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49	5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91	5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38	5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91	5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69	5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49	5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91	5A91	All other impairments, Weighted FIM Motor 61 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54	5A92	All other impairments, Weighted FIM Motor 42 - 60
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36	5A93	All other impairments, Weighted FIM Motor 19 - 41

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks					Private Sector Benchmarks					National data benchmarks				
	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week	Mean (95%CI)		Mean (95%CI)	per week	Mean (95%CI)	Mean (95%CI)		per week	Mean (95%CI)	Mean (95%CI)	per week
4AZ1*	6	45.3 (27.7 - 62.9)	51.0 (21.7 - 80.3)	7.9	5	64.6 (30.1 - 99.1)	65.6 (58.0 - 73.2)	7.1	11	54.1 (35.8 - 72.4)	57.6 (41.4 - 73.9)	7.5			
4AZ2*	3	n.a	n.a	n.a	5	39.6 (22.8 - 56.4)	68.4 (61.1 - 75.7)	12.1	8	57.9 (24.8 - 90.9)	69.1 (64.3 - 73.9)	8.4			
4AZ3	1,191	39.4 (37.7 - 41.0)	24.3 (23.1 - 25.6)	4.3	382	34.2 (31.6 - 36.7)	25.4 (23.1 - 27.7)	5.2	1,573	38.1 (36.7 - 39.5)	24.6 (23.5 - 25.7)	4.5			
4AZ4	312	76.9 (71.3 - 82.5)	37.0 (34.1 - 40.0)	3.4	24	43.8 (32.1 - 55.5)	29.2 (19.3 - 39.1)	4.7	336	74.6 (69.2 - 79.9)	36.5 (33.6 - 39.3)	3.4			
4AA1	1,494	14.7 (14.2 - 15.3)	14.2 (13.7 - 14.7)	6.7	574	15.0 (14.3 - 15.7)	18.1 (17.4 - 18.9)	8.5	2,068	14.8 (14.4 - 15.2)	15.3 (14.9 - 15.7)	7.2			
4AA2	1,151	19.4 (18.6 - 20.2)	18.3 (17.6 - 18.9)	6.6	423	18.0 (17.0 - 18.9)	21.2 (20.3 - 22.2)	8.3	1,574	19.0 (18.4 - 19.7)	19.1 (18.5 - 19.6)	7.0			
4AA3	394	26.8 (24.8 - 28.8)	21.7 (20.4 - 23.0)	5.7	106	23.6 (21.3 - 26.0)	23.0 (20.9 - 25.1)	6.8	500	26.1 (24.5 - 27.8)	22.0 (20.9 - 23.1)	5.9			
4AA4	697	27.4 (26.1 - 28.6)	30.9 (29.8 - 32.0)	7.9	329	25.8 (24.2 - 27.4)	29.7 (28.3 - 31.2)	8.1	1,026	26.9 (25.9 - 27.9)	30.6 (29.7 - 31.4)	8.0			
4AA5	320	36.0 (33.2 - 38.9)	36.5 (35.0 - 38.0)	7.1	51	30.6 (25.7 - 35.5)	40.1 (36.8 - 43.5)	9.2	371	35.3 (32.7 - 37.9)	37.0 (35.6 - 38.4)	7.3			
4AA6	949	40.7 (39.2 - 42.3)	32.4 (31.2 - 33.7)	5.6	237	38.2 (35.7 - 40.6)	28.3 (25.8 - 30.8)	5.2	1,186	40.2 (38.9 - 41.5)	31.6 (30.5 - 32.7)	5.5			
4AA7	403	60.5 (56.4 - 64.5)	43.0 (41.1 - 45.0)	5.0	40	43.4 (34.3 - 52.5)	35.5 (28.2 - 42.8)	5.7	443	58.9 (55.1 - 62.7)	42.4 (40.5 - 44.2)	5.0			
4ABI-7*															
4AC1	417	15.5 (14.1 - 16.8)	11.8 (11.0 - 12.5)	5.3	720	13.2 (12.7 - 13.8)	14.5 (14.0 - 15.0)	7.7	1,137	14.1 (13.5 - 14.7)	13.5 (13.1 - 13.9)	6.7			
4AC2	481	23.5 (21.6 - 25.3)	23.3 (22.1 - 24.4)	6.9	597	18.4 (16.7 - 20.1)	22.3 (21.4 - 23.1)	8.5	1,078	20.7 (19.4 - 21.9)	22.7 (22.0 - 23.4)	7.7			
4AC3	420	36.9 (34.1 - 39.8)	30.6 (28.8 - 32.5)	5.8	297	26.0 (23.9 - 28.2)	22.4 (20.4 - 24.4)	6.0	717	32.4 (30.5 - 34.4)	27.2 (25.8 - 28.6)	5.9			
4ADI-4*															
4AE1	40	14.7 (12.4 - 17.0)	5.6 (4.1 - 7.1)	2.7	4	n.a	n.a	n.a	44	15.1 (12.2 - 18.0)	5.3 (3.9 - 6.7)	2.5			
4AE2	618	30.8 (29.1 - 32.6)	17.5 (16.6 - 18.4)	4.0	114	27.1 (23.1 - 31.1)	19.8 (17.6 - 21.9)	5.1	732	30.2 (28.6 - 31.9)	17.8 (17.0 - 18.7)	4.1			
4AE3	107	47.6 (41.3 - 53.8)	27.6 (24.2 - 30.9)	4.1	16	35.3 (27.1 - 43.5)	24.4 (16.2 - 32.6)	4.8	123	46.0 (40.4 - 51.6)	27.2 (24.0 - 30.3)	4.1			
4AE4	170	34.5 (29.5 - 39.6)	15.6 (13.9 - 17.4)	3.2	19	27.9 (18.3 - 37.5)	11.2 (6.8 - 15.6)	2.8	189	33.9 (29.2 - 38.5)	15.2 (13.5 - 16.9)	3.1			
4AH1	1,537	15.1 (14.4 - 15.8)	16.0 (15.5 - 16.5)	7.4	2,723	16.0 (15.5 - 16.4)	18.4 (18.1 - 18.7)	8.1	4,260	15.6 (15.3 - 16.0)	17.6 (17.3 - 17.8)	7.9			
4AH2	1,726	17.0 (16.5 - 17.5)	18.1 (17.6 - 18.6)	7.4	3,115	17.4 (17.1 - 17.8)	21.2 (20.8 - 21.5)	8.5	4,841	17.3 (17.0 - 17.6)	20.1 (19.8 - 20.3)	8.1			
4AH3	1,344	22.0 (21.2 - 22.8)	27.6 (27.0 - 28.3)	8.8	1,712	23.8 (23.1 - 24.6)	30.3 (29.7 - 30.8)	8.9	3,056	23.0 (22.5 - 23.6)	29.1 (28.7 - 29.5)	8.8			
4AH4	1,647	27.9 (26.9 - 28.8)	32.7 (31.9 - 33.5)	8.2	1,319	30.9 (29.9 - 31.8)	34.2 (33.4 - 35.1)	7.8	2,966	29.2 (28.5 - 29.9)	33.4 (32.8 - 33.9)	8.0			
4A21 Ortho Replacements	578	9.2 (8.7 - 9.6)	9.7 (9.2 - 10.2)	7.4	12,085	9.1 (9.0 - 9.2)	12.5 (12.4 - 12.6)	9.7	12,663	9.1 (9.0 - 9.2)	12.4 (12.3 - 12.5)	9.6			
4A22 Ortho Replacements	1,203	11.4 (10.9 - 11.9)	20.7 (20.2 - 21.2)	12.7	10,755	11.2 (11.1 - 11.3)	22.9 (22.8 - 23.1)	14.3	11,958	11.2 (11.1 - 11.3)	22.7 (22.6 - 22.8)	14.2			
4A23 Ortho Replacements	572	20.1 (18.9 - 21.4)	33.3 (32.2 - 34.3)	11.6	1,531	17.6 (17.1 - 18.2)	35.6 (35.0 - 36.2)	14.1	2,103	18.3 (17.8 - 18.8)	35.0 (34.4 - 35.5)	13.4			

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Calendar Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week
4A21 Ortho Soft Tissue Injury	39	10.9 (8.3 - 13.6)	6.9 (4.6 - 9.3)	4.5	149	12.4 (11.3 - 13.6)	12.7 (11.8 - 13.6)	7.2	188	12.1 (11.0 - 13.2)	11.5 (10.6 - 12.5)	6.7
4A22 Ortho Soft Tissue Injury	92	15.3 (13.1 - 17.5)	17.4 (15.2 - 19.6)	8.0	328	16.2 (15.2 - 17.2)	20.4 (19.5 - 21.4)	8.8	420	16.0 (15.1 - 16.9)	19.8 (18.9 - 20.7)	8.7
4A23 Ortho Soft Tissue Injury	96	25.0 (21.6 - 28.5)	28.3 (25.0 - 31.7)	7.9	149	22.3 (20.3 - 24.4)	31.2 (29.1 - 33.3)	9.8	245	23.4 (21.6 - 25.2)	30.1 (28.3 - 31.9)	9.0
4A21 Ortho Other	191	13.9 (11.6 - 16.1)	9.3 (8.4 - 10.2)	4.7	2,581	10.2 (9.9 - 10.4)	12.6 (12.4 - 12.9)	8.7	2,772	10.4 (10.2 - 10.7)	12.4 (12.2 - 12.6)	8.3
4A22 Ortho Other	326	18.3 (16.3 - 20.4)	19.4 (18.4 - 20.4)	7.4	2,751	13.6 (13.2 - 13.9)	22.7 (22.4 - 23.0)	11.7	3,077	14.1 (13.7 - 14.4)	22.4 (22.1 - 22.6)	11.1
4A23 Ortho Other	279	27.9 (25.6 - 30.1)	30.2 (28.4 - 32.0)	7.6	678	23.3 (22.1 - 24.5)	33.1 (32.1 - 34.1)	10.0	957	24.6 (23.5 - 25.7)	32.3 (31.4 - 33.1)	9.2
4A31 Pain	67	11.9 (9.6 - 14.1)	7.3 (5.8 - 8.8)	4.3	545	11.4 (11.0 - 11.8)	9.6 (9.1 - 10.1)	5.9	612	11.5 (11.0 - 11.9)	9.3 (8.9 - 9.8)	5.7
4A32 Pain	200	14.8 (13.5 - 16.1)	17.1 (15.9 - 18.4)	8.1	827	13.3 (12.8 - 13.7)	19.0 (18.5 - 19.6)	10.0	1,027	13.6 (13.1 - 14.0)	18.7 (18.1 - 19.2)	9.6
4A33 Pain	165	19.0 (17.0 - 21.0)	26.6 (24.5 - 28.6)	9.8	327	18.4 (17.3 - 19.5)	27.7 (26.5 - 28.9)	10.5	492	18.6 (17.6 - 19.6)	27.3 (26.3 - 28.4)	10.3
4A34 Pain	60	26.7 (22.4 - 31.0)	31.0 (27.2 - 34.8)	8.1	42	23.1 (20.0 - 26.1)	32.9 (27.8 - 38.0)	10.0	102	25.2 (22.4 - 28.1)	31.8 (28.7 - 34.8)	8.8
4A31 Cardiac	124	12.4 (10.9 - 13.8)	7.3 (6.1 - 8.4)	4.1	624	9.6 (9.2 - 10.0)	11.7 (11.2 - 12.1)	8.5	748	10.0 (9.6 - 10.5)	10.9 (10.5 - 11.4)	7.6
4A32 Cardiac	218	15.5 (14.3 - 16.7)	17.7 (16.5 - 18.9)	8.0	1,155	12.7 (12.3 - 13.1)	20.8 (20.4 - 21.2)	11.5	1,373	13.1 (12.8 - 13.5)	20.3 (19.9 - 20.7)	10.8
4A33 Cardiac	158	19.4 (17.6 - 21.3)	25.4 (23.3 - 27.6)	9.2	463	18.5 (17.6 - 19.4)	28.0 (26.8 - 29.2)	10.6	621	18.7 (17.9 - 19.6)	27.4 (26.3 - 28.4)	10.2
4A34 Cardiac	49	35.4 (25.4 - 45.4)	37.5 (32.4 - 42.5)	7.4	60	29.9 (24.9 - 34.9)	33.3 (28.5 - 38.0)	7.8	109	32.3 (27.1 - 37.6)	35.2 (31.7 - 38.6)	7.6
4A31 Pulmonary	56	12.2 (10.8 - 13.6)	4.9 (2.4 - 7.4)	2.8	159	11.8 (10.9 - 12.7)	11.9 (11.1 - 12.8)	7.1	215	11.9 (11.1 - 12.7)	10.1 (9.1 - 11.1)	5.9
4A32 Pulmonary	137	15.3 (13.7 - 17.0)	16.2 (14.5 - 18.0)	7.4	460	14.0 (13.4 - 14.7)	20.1 (19.4 - 20.7)	10.0	597	14.3 (13.7 - 15.0)	19.2 (18.5 - 19.9)	9.4
4A33 Pulmonary	114	18.4 (16.0 - 20.8)	23.2 (20.9 - 25.5)	8.8	269	17.4 (16.2 - 18.5)	26.5 (25.1 - 27.9)	10.7	383	17.7 (16.6 - 18.8)	25.5 (24.3 - 26.7)	10.1
4A34 Pulmonary	45	30.4 (22.6 - 38.1)	29.4 (23.7 - 35.0)	6.8	41	28.5 (23.1 - 33.9)	28.0 (23.3 - 32.6)	6.9	86	29.5 (24.7 - 34.2)	28.7 (25.0 - 32.4)	6.8
4API*	185	31.7 (28.1 - 35.4)	30.4 (28.0 - 32.8)	6.7	230	34.7 (31.2 - 38.2)	34.1 (32.0 - 36.1)	6.9	415	33.4 (30.8 - 35.9)	32.4 (30.9 - 34.0)	6.8
4ARI	2,074	13.6 (13.1 - 14.0)	8.3 (8.0 - 8.7)	4.3	4,272	12.1 (11.8 - 12.3)	12.6 (12.4 - 12.7)	7.3	6,346	12.6 (12.3 - 12.8)	11.2 (11.0 - 11.4)	6.2
4AR2	2,158	16.8 (16.2 - 17.4)	18.1 (17.6 - 18.5)	7.5	5,576	15.3 (15.1 - 15.5)	20.5 (20.3 - 20.8)	9.4	7,734	15.7 (15.5 - 15.9)	19.8 (19.6 - 20.0)	8.8
4AR3	1,226	18.4 (17.6 - 19.3)	18.2 (17.5 - 18.8)	6.9	1,708	16.9 (16.4 - 17.3)	19.9 (19.5 - 20.4)	8.3	2,934	17.5 (17.1 - 18.0)	19.2 (18.8 - 19.6)	7.7
4AR4	568	22.7 (21.4 - 24.0)	27.3 (26.2 - 28.4)	8.4	604	21.8 (20.5 - 23.0)	27.8 (26.8 - 28.7)	8.9	1,172	22.2 (21.3 - 23.1)	27.6 (26.8 - 28.3)	8.7
4AR5	1,618	22.4 (21.6 - 23.1)	24.7 (23.9 - 25.4)	7.7	1,980	21.4 (20.9 - 21.9)	25.3 (24.7 - 25.9)	8.3	3,598	21.8 (21.4 - 22.3)	25.0 (24.6 - 25.5)	8.0
4AR6	1,392	30.1 (28.8 - 31.3)	27.7 (26.7 - 28.7)	6.4	878	27.9 (26.6 - 29.2)	26.8 (25.6 - 27.9)	6.7	2,270	29.2 (28.3 - 30.2)	27.3 (26.6 - 28.1)	6.5
4A91	214	20.0 (16.0 - 24.0)	12.3 (11.0 - 13.6)	4.3	276	14.7 (13.7 - 15.7)	15.3 (14.3 - 16.3)	7.3	490	17.0 (15.1 - 18.9)	14.0 (13.2 - 14.8)	5.8
4A92	130	23.1 (20.1 - 26.1)	24.4 (21.8 - 26.9)	7.4	177	21.3 (19.6 - 22.9)	25.5 (23.8 - 27.2)	8.4	307	22.0 (20.5 - 23.6)	25.0 (23.6 - 26.5)	8.0
4A93	65	31.4 (25.5 - 37.2)	30.2 (25.8 - 34.6)	6.7	38	26.8 (21.7 - 31.8)	24.1 (18.5 - 29.7)	6.3	103	29.7 (25.5 - 33.8)	28.0 (24.5 - 31.4)	6.6
Missing or excluded*	11,212				6,809				18,021			
All episodes	41,038	24.7 (24.4 - 25.0)	22.1 (22.0 - 22.3)	6.3	71,339	14.7 (14.7 - 14.8)	20.0 (20.0 - 20.1)	9.5	112,377	18.0 (17.9 - 18.2)	20.7 (20.7 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: *Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2023 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
		Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain	Length of stay	FIM change	FIM gain		
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-202	178	114.6 (99.9 - 129.4)	31.2 (26.7 - 35.6)	1.9	23	64.8 (33.5 - 96.1)	48.0 (32.0 - 64.0)	5.2	201	108.9 (95.2 - 122.6)	33.1 (28.7 - 37.5)	2.1
3-203	452	52.4 (48.8 - 56.1)	24.3 (22.1 - 26.5)	3.2	67	36.6 (31.1 - 42.1)	26.4 (20.3 - 32.5)	5.0	519	50.4 (47.1 - 53.7)	24.6 (22.5 - 26.6)	3.4
3-204	1,654	14.1 (13.6 - 14.6)	11.5 (11.1 - 11.9)	5.7	519	13.7 (13.1 - 14.4)	15.1 (14.5 - 15.7)	7.7	2,173	14.0 (13.6 - 14.4)	12.3 (12.0 - 12.7)	6.2
3-205	245	26.0 (23.4 - 28.5)	16.9 (15.5 - 18.2)	4.6	49	23.9 (19.2 - 28.5)	20.0 (17.5 - 22.5)	5.9	294	25.6 (23.4 - 27.9)	17.4 (16.2 - 18.6)	4.8
3-206	1,260	22.0 (21.2 - 22.8)	25.0 (24.4 - 25.6)	7.9	596	19.8 (18.9 - 20.6)	24.9 (24.1 - 25.6)	8.8	1,856	21.3 (20.7 - 21.9)	25.0 (24.5 - 25.4)	8.2
3-207	149	31.1 (27.1 - 35.1)	28.1 (25.7 - 30.5)	6.3	41	25.7 (21.7 - 29.7)	23.5 (20.1 - 27.0)	6.4	190	29.9 (26.7 - 33.2)	27.1 (25.1 - 29.1)	6.3
3-208	1,278	36.5 (35.2 - 37.8)	29.4 (28.3 - 30.4)	5.6	404	33.3 (31.0 - 35.6)	27.5 (25.8 - 29.1)	5.8	1,682	35.7 (34.6 - 36.9)	28.9 (28.0 - 29.8)	5.7
3-209	1,249	51.7 (49.6 - 53.7)	38.9 (37.8 - 40.0)	5.3	207	36.5 (33.5 - 39.5)	34.6 (32.0 - 37.2)	6.6	1,456	49.5 (47.7 - 51.3)	38.3 (37.2 - 39.3)	5.4
3-210	121	13.0 (11.7 - 14.3)	11.4 (9.5 - 13.3)	6.1	131	13.0 (11.9 - 14.2)	14.6 (13.2 - 16.1)	7.9	252	13.0 (12.1 - 13.9)	13.1 (11.9 - 14.3)	7.0
3-211	323	16.9 (15.4 - 18.5)	13.7 (12.6 - 14.8)	5.7	206	14.3 (13.4 - 15.2)	18.1 (17.1 - 19.1)	8.9	529	15.9 (14.9 - 16.9)	15.4 (14.6 - 16.2)	6.8
3-212	134	25.9 (21.7 - 30.2)	19.2 (17.1 - 21.2)	5.2	28	16.7 (11.3 - 22.1)	18.9 (15.0 - 22.7)	7.9	162	24.3 (20.7 - 28.0)	19.1 (17.3 - 20.9)	5.5
3-213	231	36.7 (32.6 - 40.9)	22.8 (21.0 - 24.5)	4.3	13	20.8 (16.2 - 25.5)	22.7 (18.3 - 27.0)	7.6	244	35.9 (31.9 - 39.9)	22.8 (21.1 - 24.4)	4.4
3-214	510	38.3 (35.1 - 41.4)	34.9 (33.2 - 36.6)	6.4	252	22.7 (21.1 - 24.3)	28.9 (27.0 - 30.7)	8.9	762	33.1 (30.9 - 35.4)	32.9 (31.6 - 34.2)	6.9
3-215	150	61.9 (54.1 - 69.7)	45.6 (41.0 - 50.3)	5.2	13	40.8 (22.5 - 59.2)	25.1 (10.3 - 39.8)	4.3	163	60.2 (52.9 - 67.6)	44.0 (39.5 - 48.5)	5.1
3-216	356	14.7 (13.3 - 16.0)	10.6 (9.9 - 11.4)	5.1	606	12.9 (12.3 - 13.5)	13.7 (13.2 - 14.2)	7.4	962	13.6 (12.9 - 14.2)	12.6 (12.1 - 13.0)	6.5
3-217	383	21.6 (19.8 - 23.4)	21.6 (20.6 - 22.7)	7.0	556	17.5 (15.7 - 19.4)	20.6 (19.9 - 21.4)	8.2	939	19.2 (17.9 - 20.5)	21.0 (20.4 - 21.7)	7.7
3-218	592	34.4 (32.0 - 36.7)	29.3 (27.8 - 30.8)	6.0	454	23.6 (22.1 - 25.2)	23.5 (22.0 - 24.9)	6.9	1,046	29.7 (28.2 - 31.2)	26.8 (25.7 - 27.8)	6.3
3-219	44	52.3 (38.3 - 66.2)	34.3 (26.7 - 41.9)	4.6	19	37.3 (27.5 - 47.2)	27.6 (18.8 - 36.5)	5.2	63	47.8 (37.5 - 58.0)	32.3 (26.4 - 38.3)	4.7
3-220	18	13.3 (6.6 - 20.1)	2.9 (1.7 - 4.2)	1.5	2	na	na	na	20	12.8 (6.7 - 18.9)	3.5 (2.1 - 4.9)	1.9
3-221	256	33.6 (29.6 - 37.5)	18.8 (17.5 - 20.1)	3.9	66	22.9 (15.0 - 30.8)	18.5 (16.6 - 20.5)	5.7	322	31.4 (27.8 - 34.9)	18.7 (17.6 - 19.8)	4.2
3-222	385	78.7 (72.1 - 85.3)	30.6 (28.6 - 32.6)	2.7	38	39.4 (31.5 - 47.2)	27.1 (22.1 - 32.1)	4.8	423	75.2 (69.0 - 81.3)	30.3 (28.4 - 32.2)	2.8
3-223	40	99.4 (78.6 - 120.3)	36.7 (29.7 - 43.7)	2.6	1	na	na	na	41	97.4 (76.7 - 118.1)	36.5 (29.6 - 43.3)	2.6

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Calendar Year 2023 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week
3-224	173	20.1 (18.1 - 22.0)	6.0 (5.3 - 6.7)	2.1	21	17.0 (10.9 - 23.0)	4.3 (2.5 - 6.1)	1.8	194	19.7 (17.9 - 21.6)	5.8 (5.2 - 6.5)	2.1
3-225	774	35.5 (33.5 - 37.4)	20.4 (19.5 - 21.3)	4.0	133	29.9 (26.1 - 33.6)	20.9 (18.9 - 23.0)	4.9	907	34.6 (32.9 - 36.4)	20.5 (19.7 - 21.3)	4.1
3-226	502	17.4 (16.3 - 18.4)	20.7 (19.5 - 21.9)	8.4	1,745	13.9 (13.5 - 14.3)	18.0 (17.5 - 18.5)	9.1	2,247	14.7 (14.3 - 15.0)	18.6 (18.2 - 19.1)	8.9
3-227	1,753	14.1 (13.5 - 14.7)	12.7 (12.3 - 13.1)	6.3	3,238	14.7 (14.3 - 15.0)	16.4 (16.1 - 16.6)	7.8	4,991	14.5 (14.2 - 14.8)	15.1 (14.9 - 15.3)	7.3
3-228	1,510	18.5 (17.9 - 19.1)	22.2 (21.8 - 22.7)	8.4	2,518	19.4 (18.9 - 19.8)	24.2 (23.8 - 24.5)	8.7	4,028	19.0 (18.7 - 19.4)	23.4 (23.2 - 23.7)	8.6
3-229	2,624	25.5 (24.8 - 26.3)	31.1 (30.5 - 31.6)	8.5	2,762	26.8 (26.1 - 27.4)	32.4 (31.9 - 32.9)	8.5	5,386	26.2 (25.7 - 26.7)	31.8 (31.4 - 32.1)	8.5
3-230	568	25.8 (24.6 - 27.0)	27.0 (25.5 - 28.5)	7.3	453	28.1 (26.6 - 29.6)	27.9 (26.3 - 29.6)	7.0	1,021	26.8 (25.9 - 27.8)	27.4 (26.3 - 28.5)	7.1
3-231	286	9.0 (8.4 - 9.6)	7.0 (6.4 - 7.6)	5.4	6,219	8.6 (8.5 - 8.8)	9.7 (9.6 - 9.8)	7.8	6,505	8.6 (8.5 - 8.8)	9.5 (9.4 - 9.6)	7.7
3-232	1,456	11.0 (10.5 - 11.4)	18.8 (18.3 - 19.2)	12.0	16,429	10.6 (10.5 - 10.7)	20.2 (20.1 - 20.3)	13.4	17,885	10.6 (10.5 - 10.7)	20.1 (20.0 - 20.2)	13.3
3-233	619	20.0 (18.8 - 21.3)	32.8 (31.7 - 33.8)	11.4	1,732	17.1 (16.6 - 17.6)	35.1 (34.6 - 35.7)	14.4	2,351	17.9 (17.4 - 18.4)	34.5 (34.0 - 35.0)	13.5
3-234	191	13.5 (11.3 - 15.8)	7.9 (7.0 - 8.8)	4.1	2,221	10.0 (9.8 - 10.2)	11.6 (11.4 - 11.8)	8.1	2,412	10.3 (10.0 - 10.6)	11.3 (11.1 - 11.5)	7.7
3-235	361	16.6 (14.8 - 18.4)	17.9 (17.0 - 18.8)	7.5	3,083	13.0 (12.7 - 13.3)	20.8 (20.5 - 21.0)	11.2	3,444	13.4 (13.0 - 13.7)	20.5 (20.2 - 20.7)	10.7
3-236	482	25.9 (24.2 - 27.6)	27.9 (26.6 - 29.3)	7.6	1,349	20.9 (20.2 - 21.7)	30.7 (30.0 - 31.3)	10.3	1,831	22.2 (21.5 - 22.9)	29.9 (29.3 - 30.5)	9.4
3-237	553	17.9 (16.6 - 19.3)	19.5 (18.3 - 20.6)	7.6	2,306	13.5 (13.1 - 13.8)	20.1 (19.7 - 20.5)	10.4	2,859	14.3 (14.0 - 14.7)	20.0 (19.6 - 20.4)	9.7
3-238	61	18.8 (11.0 - 26.5)	10.6 (9.0 - 12.2)	4.0	29	19.5 (13.2 - 25.8)	13.3 (11.4 - 15.2)	4.8	90	19.0 (13.4 - 24.6)	11.5 (10.2 - 12.8)	4.2
3-239	214	32.0 (28.0 - 35.9)	25.9 (24.3 - 27.4)	5.7	161	25.1 (22.4 - 27.9)	27.6 (26.0 - 29.1)	7.7	375	29.0 (26.5 - 31.6)	26.6 (25.5 - 27.7)	6.4
3-240	128	57.1 (47.9 - 66.4)	40.4 (37.6 - 43.2)	4.9	129	50.8 (45.6 - 56.0)	49.9 (47.8 - 52.0)	6.9	257	54.0 (48.7 - 59.3)	45.2 (43.3 - 47.0)	5.9
3-241	24	87.4 (62.4 - 112.5)	52.3 (41.0 - 63.7)	4.2	16	80.8 (37.2 - 124.3)	70.5 (64.5 - 76.5)	6.1	40	84.8 (62.0 - 107.5)	59.6 (51.9 - 67.3)	4.9
3-242	1,998	13.6 (13.0 - 14.1)	7.7 (7.4 - 8.0)	4.0	3,907	11.8 (11.6 - 12.1)	11.8 (11.6 - 12.0)	7.0	5,905	12.4 (12.2 - 12.7)	10.4 (10.3 - 10.6)	5.9
3-243	2,940	16.8 (16.3 - 17.3)	16.7 (16.3 - 17.1)	7.0	7,002	14.8 (14.6 - 15.0)	19.3 (19.2 - 19.5)	9.1	9,942	15.4 (15.2 - 15.6)	18.6 (18.4 - 18.7)	8.4
3-244	4,265	22.9 (22.3 - 23.4)	24.8 (24.4 - 25.3)	7.6	5,236	21.1 (20.7 - 21.4)	25.4 (25.0 - 25.7)	8.4	9,501	21.9 (21.6 - 22.2)	25.1 (24.8 - 25.4)	8.0
3-245	834	32.8 (31.0 - 34.6)	26.5 (25.0 - 27.9)	5.7	410	28.5 (26.7 - 30.2)	24.3 (22.4 - 26.2)	6.0	1,244	31.3 (30.0 - 32.7)	25.8 (24.6 - 26.9)	5.8
Missing or excluded	8,714				5,949				14,663			
All episodes	41,038	24.7 (24.4 - 25.0)	22.1 (22.0 - 22.3)	6.3	71,339	14.7 (14.7 - 14.8)	20.0 (20.0 - 20.1)	9.5	112,377	18.0 (17.9 - 18.2)	20.7 (20.7 - 20.8)	8.0

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24