

## LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Financial Year 2024 (1/2)



AN-SNAP class	Public Sector Benchmarks					Private Sector Benchmarks				National data benchmarks					
	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week	Mean (95%CI)		Mean (95%CI)	Mean (95%CI)	per week	Mean (95%CI)		Mean (95%CI)	per week		
5AZ1*	5	33.8 (9.2 - 58.4)	46.4 (8.4 - 84.4)	9.6	7	82.3 (38.5 - 126.0)	70.9 (66.9 - 74.8)	6.0	12	62.1 (32.1 - 92.1)	60.7 (44.1 - 77.2)	6.8			
5AZ2*	3	n.a	n.a	n.a	2	n.a	n.a	n.a	5	70.8 (31.7 - 109.9)	66.4 (60.8 - 72.0)	6.6			
5AZ3 Stroke	299	43.1 (40.3 - 45.9)	20.5 (18.2 - 22.8)	3.3	40	48.4 (32.3 - 64.4)	19.6 (13.4 - 25.7)	2.8	339	43.8 (40.7 - 46.9)	20.4 (18.2 - 22.6)	3.3			
5AZ4 Stroke	456	73.7 (69.2 - 78.1)	35.5 (33.0 - 37.9)	3.4	36	51.6 (44.1 - 59.1)	27.9 (20.1 - 35.7)	3.8	492	72.1 (67.9 - 76.3)	34.9 (32.6 - 37.2)	3.4			
5AZ3 All other impairments	436	28.6 (26.7 - 30.4)	23.6 (21.6 - 25.7)	5.8	263	30.0 (27.8 - 32.3)	25.1 (22.8 - 27.4)	5.8	699	29.1 (27.7 - 30.6)	24.2 (22.6 - 25.7)	5.8			
5AZ4 All other impairments	409	44.0 (39.8 - 48.2)	29.9 (27.6 - 32.2)	4.8	123	35.4 (30.5 - 40.4)	26.6 (22.3 - 30.9)	5.3	532	42.0 (38.6 - 45.5)	29.2 (27.1 - 31.2)	4.9			
5AA1	854	12.4 (11.8 - 12.9)	9.6 (9.1 - 10.2)	5.5	278	12.3 (11.6 - 13.1)	14.2 (13.4 - 15.0)	8.1	1,132	12.3 (11.9 - 12.8)	10.8 (10.3 - 11.2)	6.1			
5AA2	713	17.2 (16.3 - 18.1)	13.1 (12.4 - 13.8)	5.3	179	14.3 (13.4 - 15.3)	16.7 (15.6 - 17.9)	8.2	892	16.6 (15.9 - 17.4)	13.8 (13.2 - 14.4)	5.8			
5AA3	342	26.8 (23.9 - 29.7)	16.9 (15.8 - 18.0)	4.4	60	20.8 (17.7 - 23.9)	18.5 (16.5 - 20.6)	6.2	402	25.9 (23.4 - 28.4)	17.1 (16.2 - 18.1)	4.6			
5AA4	1,364	22.2 (21.4 - 23.1)	25.7 (25.1 - 26.3)	8.1	661	19.5 (18.8 - 20.3)	25.2 (24.4 - 26.0)	9.0	2,025	21.4 (20.8 - 22.0)	25.5 (25.1 - 26.0)	8.4			
5AA5	265	29.6 (27.0 - 32.2)	26.9 (25.1 - 28.7)	6.4	76	23.0 (20.6 - 25.5)	26.1 (23.1 - 29.2)	7.9	341	28.1 (26.0 - 30.3)	26.7 (25.2 - 28.3)	6.7			
5AA6	716	33.3 (32.0 - 34.7)	29.5 (28.2 - 30.9)	6.2	234	32.7 (30.4 - 35.1)	25.6 (23.4 - 27.8)	5.5	950	33.2 (32.0 - 34.3)	28.6 (27.4 - 29.7)	6.0			
5AA7	696	41.1 (39.2 - 42.9)	36.4 (35.0 - 37.7)	6.2	197	34.9 (32.0 - 37.8)	33.0 (30.5 - 35.4)	6.6	893	39.7 (38.1 - 41.3)	35.6 (34.4 - 36.8)	6.3			
5AA8	524	57.0 (53.4 - 60.5)	42.6 (41.0 - 44.2)	5.2	50	41.0 (33.2 - 48.7)	42.6 (37.7 - 47.6)	7.3	574	55.6 (52.2 - 58.9)	42.6 (41.0 - 44.1)	5.4			
5ABI-6*															
5AC1	227	13.0 (11.4 - 14.6)	8.2 (7.2 - 9.3)	4.4	333	11.8 (11.1 - 12.4)	11.0 (10.4 - 11.6)	6.6	560	12.2 (11.5 - 13.0)	9.9 (9.3 - 10.4)	5.6			
5AC2	467	18.6 (17.4 - 19.8)	19.4 (18.5 - 20.3)	7.3	860	16.2 (15.0 - 17.5)	19.3 (18.8 - 19.9)	8.3	1,327	17.0 (16.1 - 18.0)	19.4 (18.9 - 19.9)	8.0			
5AC3	590	34.1 (31.5 - 36.6)	30.0 (28.6 - 31.4)	6.2	484	23.0 (21.8 - 24.2)	24.4 (23.0 - 25.8)	7.4	1,074	29.1 (27.5 - 30.6)	27.5 (26.4 - 28.5)	6.6			
5ADI-3*															
5AE1	916	32.7 (31.1 - 34.4)	17.6 (16.8 - 18.5)	3.8	156	29.2 (25.0 - 33.4)	19.4 (17.4 - 21.4)	4.6	1,072	32.2 (30.7 - 33.8)	17.9 (17.1 - 18.7)	3.9			
5AH1	1,575	14.5 (13.8 - 15.2)	15.8 (15.3 - 16.2)	7.6	2,701	15.8 (15.4 - 16.3)	18.2 (17.9 - 18.5)	8.0	4,276	15.3 (15.0 - 15.7)	17.3 (17.0 - 17.5)	7.9			
5AH2	1,497	16.4 (15.9 - 16.9)	18.5 (18.0 - 19.0)	7.9	2,879	17.3 (16.9 - 17.6)	20.8 (20.5 - 21.1)	8.4	4,376	17.0 (16.7 - 17.3)	20.0 (19.8 - 20.3)	8.3			
5AH3	146	19.1 (16.9 - 21.3)	18.8 (16.5 - 21.0)	6.9	199	19.9 (18.4 - 21.3)	22.3 (20.6 - 23.9)	7.8	345	19.5 (18.3 - 20.8)	20.8 (19.4 - 22.1)	7.4			
5AH4	3,083	24.6 (23.9 - 25.2)	30.9 (30.4 - 31.4)	8.8	3,176	27.4 (26.8 - 28.0)	31.8 (31.3 - 32.3)	8.1	6,259	26.0 (25.6 - 26.4)	31.4 (31.0 - 31.7)	8.4			
5A41	946	9.3 (8.9 - 9.8)	13.1 (12.6 - 13.5)	9.8	18,133	9.5 (9.4 - 9.6)	14.9 (14.8 - 15.0)	11.0	19,079	9.5 (9.4 - 9.6)	14.8 (14.7 - 14.9)	10.9			
5A42	861	13.6 (13.0 - 14.3)	24.2 (23.6 - 24.9)	12.5	6,335	12.3 (12.1 - 12.4)	26.6 (26.4 - 26.8)	15.2	7,196	12.4 (12.3 - 12.6)	26.3 (26.1 - 26.5)	14.8			
5A43	409	20.8 (19.5 - 22.1)	33.7 (32.4 - 35.1)	11.4	935	20.1 (19.4 - 20.9)	37.0 (36.2 - 37.8)	12.9	1,344	20.3 (19.7 - 21.0)	36.0 (35.3 - 36.7)	12.4			

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

LOS and FIM Change Benchmarks of completed episodes in Australia, by V5 AN-SNAP class and sector, Financial Year 2024 (2/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
5A21 Ortho Soft Tissue Injury	90	14.1 (11.8 - 16.4)	14.0 (12.0 - 15.9)	6.9	353	12.9 (12.1 - 13.6)	16.9 (16.1 - 17.7)	9.2	443	13.1 (12.4 - 13.9)	16.3 (15.6 - 17.1)	8.7
5A22 Ortho Soft Tissue Injury	93	17.1 (15.1 - 19.2)	21.8 (19.6 - 24.1)	8.9	210	18.0 (16.6 - 19.3)	25.3 (23.7 - 26.9)	9.9	303	17.7 (16.6 - 18.8)	24.2 (22.9 - 25.6)	9.6
5A23 Ortho Soft Tissue Injury	46	25.6 (20.7 - 30.5)	30.4 (26.4 - 34.5)	8.3	59	23.7 (20.9 - 26.6)	31.7 (27.9 - 35.5)	9.4	105	24.6 (21.9 - 27.2)	31.2 (28.4 - 33.9)	8.9
5A21 Ortho Other	376	14.3 (12.7 - 15.9)	13.6 (12.8 - 14.5)	6.7	4,595	11.3 (11.1 - 11.6)	16.2 (16.0 - 16.4)	10.0	4,971	11.5 (11.3 - 11.8)	16.0 (15.8 - 16.2)	9.7
5A22 Ortho Other	244	20.3 (18.5 - 22.1)	25.3 (23.9 - 26.7)	8.7	1,277	17.6 (17.0 - 18.2)	28.5 (28.0 - 29.0)	11.3	1,521	18.1 (17.5 - 18.7)	28.0 (27.5 - 28.5)	10.9
5A23 Ortho Other	190	29.8 (26.9 - 32.7)	32.0 (29.7 - 34.4)	7.5	299	26.5 (24.7 - 28.4)	36.1 (34.3 - 37.9)	9.5	489	27.8 (26.2 - 29.4)	34.5 (33.1 - 36.0)	8.7
5A31 Pain	87	11.4 (10.0 - 12.9)	9.6 (8.1 - 11.1)	5.9	703	11.5 (11.1 - 11.8)	12.2 (11.8 - 12.7)	7.5	790	11.5 (11.1 - 11.8)	12.0 (11.5 - 12.4)	7.3
5A32 Pain	245	17.3 (15.8 - 18.8)	23.1 (21.7 - 24.5)	9.3	832	15.2 (14.7 - 15.7)	22.5 (21.8 - 23.2)	10.4	1,077	15.7 (15.2 - 16.2)	22.6 (22.0 - 23.3)	10.1
5A33 Pain	66	23.0 (19.9 - 26.1)	29.8 (25.6 - 33.9)	9.1	63	25.8 (22.5 - 29.2)	33.0 (29.2 - 36.8)	8.9	129	24.4 (22.1 - 26.7)	31.3 (28.5 - 34.1)	9.0
5A31 Cardiac	170	12.1 (11.1 - 13.1)	9.3 (8.2 - 10.3)	5.4	821	10.1 (9.8 - 10.5)	13.6 (13.2 - 14.1)	9.4	991	10.5 (10.1 - 10.8)	12.9 (12.5 - 13.3)	8.6
5A32 Cardiac	291	17.2 (16.0 - 18.4)	21.9 (20.4 - 23.3)	8.9	1,243	14.6 (14.2 - 15.1)	23.7 (23.1 - 24.2)	11.3	1,534	15.1 (14.7 - 15.6)	23.3 (22.8 - 23.8)	10.8
5A33 Cardiac	78	27.4 (22.1 - 32.7)	35.9 (32.0 - 39.9)	9.2	90	25.2 (22.0 - 28.4)	31.7 (28.3 - 35.1)	8.8	168	26.2 (23.2 - 29.2)	33.7 (31.1 - 36.3)	9.0
5A31 Pulmonary	93	11.7 (10.5 - 13.0)	7.5 (5.8 - 9.2)	4.5	267	11.8 (11.1 - 12.4)	13.1 (12.4 - 13.8)	7.8	360	11.8 (11.2 - 12.3)	11.6 (10.9 - 12.4)	6.9
5A32 Pulmonary	164	18.1 (15.5 - 20.6)	21.3 (19.5 - 23.1)	8.3	574	15.5 (14.8 - 16.2)	23.6 (22.7 - 24.4)	10.7	738	16.1 (15.3 - 16.9)	23.1 (22.3 - 23.8)	10.1
5A33 Pulmonary	59	30.3 (21.7 - 38.8)	28.4 (23.6 - 33.2)	6.6	73	28.1 (24.1 - 32.2)	28.2 (24.5 - 32.0)	7.0	132	29.1 (24.7 - 33.5)	28.3 (25.4 - 31.3)	6.8
5API*	96	17.9 (14.2 - 21.6)	17.5 (15.5 - 19.5)	6.8	112	25.1 (21.1 - 29.1)	21.3 (19.6 - 23.0)	5.9	208	21.8 (19.0 - 24.6)	19.5 (18.2 - 20.9)	6.3
5AP2*	105	39.5 (33.9 - 45.1)	40.9 (38.2 - 43.7)	7.2	153	48.0 (39.5 - 56.5)	46.0 (44.1 - 47.9)	6.7	258	44.6 (39.0 - 50.1)	43.9 (42.3 - 45.6)	6.9
5ARI	1,541	12.8 (12.4 - 13.3)	8.2 (7.8 - 8.5)	4.5	4,129	11.8 (11.5 - 12.0)	12.8 (12.6 - 13.0)	7.6	5,670	12.1 (11.8 - 12.3)	11.6 (11.4 - 11.7)	6.7
5AR2	618	15.8 (14.7 - 16.9)	10.4 (9.7 - 11.1)	4.6	877	13.8 (13.2 - 14.4)	13.8 (13.3 - 14.2)	7.0	1,495	14.6 (14.0 - 15.2)	12.4 (12.0 - 12.8)	5.9
5AR3	2,771	17.1 (16.7 - 17.6)	18.6 (18.2 - 19.0)	7.6	6,809	15.7 (15.5 - 15.9)	20.6 (20.4 - 20.9)	9.2	9,580	16.1 (15.9 - 16.3)	20.1 (19.9 - 20.3)	8.7
5AR4	262	20.8 (18.7 - 23.0)	18.0 (16.3 - 19.7)	6.0	261	19.2 (17.9 - 20.4)	19.3 (18.0 - 20.7)	7.1	523	20.0 (18.7 - 21.2)	18.7 (17.6 - 19.7)	6.5
5AR5	3,402	25.5 (24.8 - 26.2)	26.3 (25.8 - 26.9)	7.2	3,487	23.2 (22.7 - 23.7)	26.1 (25.6 - 26.5)	7.9	6,889	24.3 (23.9 - 24.8)	26.2 (25.8 - 26.6)	7.5
5A91	162	18.2 (15.3 - 21.1)	10.9 (9.6 - 12.2)	4.2	201	13.5 (12.6 - 14.4)	14.4 (13.4 - 15.5)	7.5	363	15.6 (14.2 - 17.0)	12.9 (12.0 - 13.7)	5.8
5A92	141	21.4 (19.2 - 23.6)	21.4 (19.4 - 23.3)	7.0	167	19.6 (17.9 - 21.3)	21.8 (20.3 - 23.3)	7.8	308	20.4 (19.0 - 21.8)	21.6 (20.4 - 22.8)	7.4
5A93	108	28.8 (23.5 - 34.2)	28.8 (25.2 - 32.3)	7.0	61	25.4 (22.6 - 28.3)	27.2 (23.2 - 31.2)	7.5	169	27.6 (24.0 - 31.2)	28.2 (25.5 - 30.9)	7.1
Missing or excluded*	11,338				6,806				18,144			
<b>All episodes</b>	<b>40,635</b>	<b>24.8 (24.5 - 25.1)</b>	<b>22.5 (22.3 - 22.7)</b>	<b>6.3</b>	<b>72,919</b>	<b>14.8 (14.7 - 14.9)</b>	<b>20.1 (20.0 - 20.1)</b>	<b>9.5</b>	<b>113,554</b>	<b>18.0 (17.9 - 18.1)</b>	<b>20.8 (20.8 - 20.9)</b>	<b>8.1</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V5 AN-SNAP class	Class	Description of V5 AN-SNAP class
5AZ1	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age >= 59	5AE1	Amputation of limb, Weighted FIM Motor 19-91
5AZ2	Weighted FIM Motor score 13-18, Brain, Spine, MMT, Burns, Age 18 - 58	5AH1	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 33 - 35
5AZ3	Weighted FIM Motor score 13-18, All other impairments, Age >= 79	5AH2	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 21 - 32
5AZ4	Weighted FIM Motor score 13-18, All other impairments, Age 18 - 78	5AH3	Orthopaedic conditions, fractures, Weighted FIM Motor 48 - 91, FIM Cognition 5 - 20
5AA1	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 30 - 35	5AH4	Orthopaedic conditions, fractures, Weighted FIM Motor 19 - 47
5AA2	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 21 - 29	5A41	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 61 - 91
5AA3	Stroke, Weighted FIM Motor 63 - 91, FIM Cognition 5 - 20	5A42	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 45 - 60
5AA4	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 18 - 35	5A43	Orthopaedic conditions, replacement (knee, hip, shoulder), Weighted FIM Motor 19 - 44
5AA5	Stroke, Weighted FIM Motor 44 - 62, FIM Cognition 5 - 17	5A21	Orthopaedic conditions, all other, Weighted FIM Motor 57 - 91
5AA6	Stroke, Weighted FIM Motor 19 - 43, Age >= 80	5A22	Orthopaedic conditions, all other, Weighted FIM Motor 41 - 56
5AA7	Stroke, Weighted FIM Motor 19 - 43, Age 67 - 79	5A23	Orthopaedic conditions, all other, Weighted FIM Motor 19 - 40
5AA8	Stroke, Weighted FIM Motor 19 - 43 Age 18 - 66	5A31	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 66 - 91
5AB1	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 59 - 91	5A32	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 38 - 65
5AB2	Brain dysfunction, FIM Cognition 27 - 35 Weighted FIM Motor 19 - 58	5A33	Cardiac, Pain syndromes, and Pulmonary, Weighted FIM Motor 19 - 37
5AB3	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 50 - 91	5AP1	Major Multiple Trauma, Weighted FIM Motor 51 - 91
5AB4	Brain dysfunction, FIM Cognition 19 - 26 Weighted FIM Motor 19 - 49	5AP2	Major Multiple Trauma, Weighted FIM Motor 19 - 50
5AB5	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 39 - 91	5AR1	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 29 - 35
5AB6	Brain dysfunction, FIM Cognition 5 - 18 Weighted FIM Motor 19 - 38	5AR2	Reconditioning, Weighted FIM Motor 64 - 91, FIM Cognition 5 - 28
5AC1	Neurological conditions, Weighted FIM Motor 70 - 91	5AR3	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 19 - 35
5AC2	Neurological conditions, Weighted FIM Motor 50 - 69	5AR4	Reconditioning, Weighted FIM Motor 48 - 63, FIM Cognition 5 - 18
5AC3	Neurological conditions, Weighted FIM Motor 19 - 49	5AR5	Reconditioning, Weighted FIM Motor 19 - 47
5AD1	Spinal cord dysfunction, Weighted FIM Motor 55 - 91	5A91	All other impairments, Weighted FIM Motor 61 - 91
5AD2	Spinal cord dysfunction, Weighted FIM Motor 37 - 54	5A92	All other impairments, Weighted FIM Motor 42 - 60
5AD3	Spinal cord dysfunction, Weighted FIM Motor 19 - 36	5A93	All other impairments, Weighted FIM Motor 19 - 41

## LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2024 (1/2)



AN-SNAP class	Public Sector Benchmarks					Private Sector Benchmarks					National data benchmarks				
	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain	No.	Length of stay		FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week	Mean (95%CI)		Mean (95%CI)	Mean (95%CI)	per week	Mean (95%CI)		Mean (95%CI)	per week		
4AZ1*	5	33.8 (9.2 - 58.4)	46.4 (8.4 - 84.4)	9.6	9	127.8 (23.1 - 232.4)	66.6 (59.8 - 73.4)	3.6	14	94.2 (23.5 - 164.9)	59.4 (45.1 - 73.7)	4.4			
4AZ2*	4	n.a	n.a	n.a	2	n.a	n.a	n.a	6	86.8 (42.0 - 131.6)	66.7 (62.0 - 71.3)	5.4			
4AZ3	1,166	40.9 (39.2 - 42.6)	25.5 (24.2 - 26.9)	4.4	359	35.3 (32.4 - 38.1)	25.2 (23.0 - 27.4)	5.0	1,525	39.5 (38.1 - 41.0)	25.5 (24.3 - 26.6)	4.5			
4AZ4	281	83.9 (77.0 - 90.7)	36.8 (33.8 - 39.9)	3.1	28	39.4 (25.9 - 52.9)	27.0 (16.7 - 37.3)	4.8	309	79.8 (73.3 - 86.3)	36.0 (33.0 - 38.9)	3.2			
4AA1	1,424	14.8 (14.2 - 15.4)	14.0 (13.5 - 14.6)	6.6	539	14.4 (13.8 - 15.1)	18.4 (17.7 - 19.2)	8.9	1,963	14.7 (14.3 - 15.2)	15.2 (14.8 - 15.7)	7.3			
4AA2	1,220	19.9 (19.1 - 20.7)	18.2 (17.6 - 18.9)	6.4	418	17.9 (17.1 - 18.8)	21.5 (20.5 - 22.5)	8.4	1,638	19.4 (18.8 - 20.0)	19.1 (18.5 - 19.6)	6.9			
4AA3	436	29.5 (26.8 - 32.1)	21.4 (20.2 - 22.6)	5.1	108	21.5 (19.3 - 23.7)	22.9 (20.7 - 25.1)	7.4	544	27.9 (25.7 - 30.1)	21.7 (20.6 - 22.7)	5.4			
4AA4	712	26.9 (25.7 - 28.0)	30.4 (29.3 - 31.5)	7.9	338	25.0 (23.7 - 26.4)	29.1 (27.6 - 30.6)	8.1	1,050	26.3 (25.4 - 27.2)	30.0 (29.1 - 30.8)	8.0			
4AA5	320	35.8 (33.0 - 38.5)	37.6 (36.0 - 39.2)	7.4	50	29.7 (24.6 - 34.9)	37.8 (33.8 - 41.7)	8.9	370	35.0 (32.5 - 37.4)	37.6 (36.2 - 39.1)	7.5			
4AA6	970	40.4 (38.9 - 41.8)	33.1 (31.9 - 34.4)	5.7	251	37.7 (35.0 - 40.4)	27.8 (25.5 - 30.1)	5.2	1,221	39.8 (38.6 - 41.1)	32.0 (30.9 - 33.1)	5.6			
4AA7	391	62.5 (58.1 - 66.9)	43.1 (41.0 - 45.1)	4.8	31	46.7 (36.5 - 56.9)	40.3 (32.6 - 47.9)	6.0	422	61.3 (57.2 - 65.5)	42.8 (40.9 - 44.8)	4.9			
4ABI-7*															
4AC1	417	14.6 (13.5 - 15.7)	11.8 (10.9 - 12.6)	5.6	732	13.3 (12.7 - 13.8)	14.6 (14.1 - 15.1)	7.7	1,149	13.8 (13.2 - 14.3)	13.6 (13.1 - 14.0)	6.9			
4AC2	457	21.1 (19.7 - 22.5)	23.4 (22.2 - 24.5)	7.7	647	18.2 (16.6 - 19.8)	22.1 (21.3 - 23.0)	8.5	1,104	19.4 (18.3 - 20.5)	22.6 (22.0 - 23.3)	8.2			
4AC3	415	39.0 (35.5 - 42.4)	31.8 (30.0 - 33.6)	5.7	300	25.2 (23.4 - 26.9)	23.8 (21.8 - 25.9)	6.6	715	33.2 (31.0 - 35.4)	28.5 (27.1 - 29.9)	6.0			
4ADI-4*															
4AE1	30	17.4 (11.9 - 22.9)	6.4 (4.4 - 8.5)	2.6	2	n.a	n.a	n.a	32	16.7 (11.4 - 21.9)	6.2 (4.2 - 8.1)	2.6			
4AE2	599	31.5 (29.6 - 33.3)	16.9 (15.9 - 17.8)	3.8	110	25.9 (22.0 - 29.8)	19.8 (17.8 - 21.8)	5.3	709	30.6 (28.9 - 32.3)	17.3 (16.5 - 18.2)	4.0			
4AE3	123	46.1 (40.2 - 52.0)	30.2 (27.2 - 33.2)	4.6	22	47.9 (30.2 - 65.6)	24.9 (16.6 - 33.1)	3.6	145	46.4 (40.7 - 52.1)	29.4 (26.5 - 32.2)	4.4			
4AE4	189	34.1 (29.6 - 38.6)	15.7 (13.9 - 17.5)	3.2	23	30.4 (19.1 - 41.7)	14.8 (10.4 - 19.2)	3.4	212	33.7 (29.5 - 37.9)	15.6 (14.0 - 17.3)	3.2			
4AH1	1,596	14.6 (13.9 - 15.2)	15.9 (15.4 - 16.3)	7.6	2,733	15.9 (15.5 - 16.4)	18.3 (18.0 - 18.6)	8.1	4,329	15.4 (15.0 - 15.8)	17.4 (17.2 - 17.7)	7.9			
4AH2	1,689	16.8 (16.3 - 17.3)	18.7 (18.2 - 19.2)	7.8	3,139	17.6 (17.2 - 17.9)	21.1 (20.8 - 21.4)	8.4	4,828	17.3 (17.0 - 17.6)	20.3 (20.0 - 20.5)	8.2			
4AH3	1,378	21.5 (20.7 - 22.2)	28.5 (27.9 - 29.1)	9.3	1,749	24.4 (23.7 - 25.2)	29.7 (29.2 - 30.3)	8.5	3,127	23.1 (22.6 - 23.7)	29.2 (28.8 - 29.6)	8.8			
4AH4	1,684	27.3 (26.3 - 28.2)	33.1 (32.3 - 33.9)	8.5	1,361	31.6 (30.6 - 32.6)	34.5 (33.6 - 35.3)	7.6	3,045	29.2 (28.5 - 29.9)	33.7 (33.1 - 34.3)	8.1			
4A21 Ortho Replacements	506	9.7 (9.2 - 10.1)	9.8 (9.2 - 10.3)	7.1	12,467	9.1 (9.0 - 9.2)	12.6 (12.5 - 12.7)	9.7	12,973	9.2 (9.1 - 9.2)	12.5 (12.4 - 12.6)	9.6			
4A22 Ortho Replacements	1,128	11.6 (11.0 - 12.1)	20.6 (20.1 - 21.0)	12.4	11,298	11.1 (11.0 - 11.2)	22.9 (22.8 - 23.0)	14.4	12,426	11.2 (11.1 - 11.3)	22.7 (22.6 - 22.8)	14.2			
4A23 Ortho Replacements	585	19.3 (18.2 - 20.3)	32.5 (31.4 - 33.6)	11.8	1,639	17.8 (17.3 - 18.3)	35.1 (34.6 - 35.7)	13.8	2,224	18.2 (17.7 - 18.7)	34.5 (34.0 - 35.0)	13.3			

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

## LOS and FIM Change Benchmarks of completed episodes in Australia, by V4 AN-SNAP class and sector, Financial Year 2024 (2/2)



AN-SNAP class	Public Sector Benchmarks				Private Sector Benchmarks				National data benchmarks			
	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain	No.	Length of stay	FIM change	FIM gain
		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week		Mean (95%CI)	Mean (95%CI)	per week
4A21 Ortho Soft Tissue Injury	35	13.9 (9.2 - 18.7)	9.2 (6.7 - 11.6)	4.6	137	11.5 (10.3 - 12.7)	11.9 (11.0 - 12.8)	7.2	172	12.0 (10.7 - 13.4)	11.4 (10.5 - 12.3)	6.6
4A22 Ortho Soft Tissue Injury	96	15.2 (13.4 - 16.9)	18.3 (16.4 - 20.3)	8.5	345	15.1 (14.3 - 15.9)	20.9 (20.0 - 21.8)	9.7	441	15.1 (14.4 - 15.9)	20.3 (19.5 - 21.2)	9.4
4A23 Ortho Soft Tissue Injury	98	21.4 (18.5 - 24.3)	26.6 (24.0 - 29.3)	8.7	142	21.1 (19.1 - 23.2)	30.5 (28.3 - 32.7)	10.1	240	21.2 (19.6 - 22.9)	28.9 (27.2 - 30.6)	9.5
4A21 Ortho Other	184	12.3 (11.0 - 13.5)	9.4 (8.5 - 10.3)	5.3	2,630	10.5 (10.1 - 10.8)	12.7 (12.5 - 12.9)	8.5	2,814	10.6 (10.3 - 10.9)	12.5 (12.3 - 12.7)	8.3
4A22 Ortho Other	326	18.0 (15.9 - 20.0)	19.3 (18.3 - 20.4)	7.5	2,825	13.6 (13.3 - 14.0)	22.8 (22.5 - 23.1)	11.7	3,151	14.1 (13.7 - 14.4)	22.4 (22.2 - 22.7)	11.2
4A23 Ortho Other	301	26.3 (24.2 - 28.3)	31.1 (29.5 - 32.8)	8.3	718	22.8 (21.7 - 24.0)	33.3 (32.4 - 34.3)	10.2	1,019	23.9 (22.9 - 24.9)	32.7 (31.8 - 33.5)	9.6
4A31 Pain	57	11.7 (9.9 - 13.5)	7.3 (5.8 - 8.9)	4.4	509	11.4 (11.0 - 11.8)	10.9 (10.4 - 11.4)	6.7	566	11.4 (11.0 - 11.8)	10.5 (10.0 - 11.0)	6.4
4A32 Pain	140	14.7 (13.2 - 16.3)	18.3 (16.8 - 19.8)	8.7	750	13.4 (13.0 - 13.9)	19.2 (18.7 - 19.8)	10.0	890	13.6 (13.2 - 14.1)	19.1 (18.6 - 19.6)	9.8
4A33 Pain	160	19.5 (17.4 - 21.5)	26.4 (24.3 - 28.4)	9.5	300	18.3 (17.2 - 19.3)	27.4 (25.9 - 28.9)	10.5	460	18.7 (17.7 - 19.7)	27.1 (25.8 - 28.3)	10.1
4A34 Pain	40	22.2 (18.5 - 25.9)	30.4 (24.8 - 36.0)	9.6	39	25.2 (21.3 - 29.2)	31.3 (26.2 - 36.5)	8.7	79	23.7 (21.0 - 26.4)	30.8 (27.1 - 34.6)	9.1
4A31 Cardiac	118	11.5 (10.4 - 12.6)	7.3 (6.2 - 8.4)	4.4	572	9.8 (9.4 - 10.2)	11.8 (11.3 - 12.2)	8.4	690	10.1 (9.7 - 10.5)	11.0 (10.6 - 11.5)	7.6
4A32 Cardiac	210	14.7 (13.6 - 15.9)	17.6 (16.3 - 18.9)	8.4	1,093	12.6 (12.2 - 13.0)	20.7 (20.3 - 21.2)	11.5	1,303	12.9 (12.6 - 13.3)	20.2 (19.8 - 20.7)	10.9
4A33 Cardiac	158	20.7 (18.4 - 23.0)	26.6 (24.3 - 28.9)	9.0	438	18.3 (17.3 - 19.3)	28.1 (26.9 - 29.3)	10.7	596	18.9 (18.0 - 19.9)	27.7 (26.6 - 28.8)	10.2
4A34 Cardiac	53	27.6 (21.2 - 33.9)	37.3 (32.3 - 42.3)	9.5	51	27.4 (22.5 - 32.3)	34.5 (30.1 - 39.0)	8.8	104	27.5 (23.5 - 31.5)	35.9 (32.6 - 39.3)	9.2
4A31 Pulmonary	58	11.9 (10.2 - 13.6)	5.4 (3.3 - 7.6)	3.2	170	11.9 (11.0 - 12.9)	11.3 (10.5 - 12.1)	6.6	228	11.9 (11.1 - 12.7)	9.8 (9.0 - 10.7)	5.8
4A32 Pulmonary	121	16.9 (13.7 - 20.1)	16.2 (14.4 - 18.1)	6.7	443	13.6 (12.9 - 14.3)	20.3 (19.5 - 21.0)	10.4	564	14.3 (13.4 - 15.2)	19.4 (18.7 - 20.1)	9.5
4A33 Pulmonary	95	18.5 (15.7 - 21.4)	24.8 (22.3 - 27.3)	9.4	254	18.2 (17.0 - 19.5)	26.9 (25.4 - 28.4)	10.3	349	18.3 (17.1 - 19.5)	26.4 (25.1 - 27.6)	10.1
4A34 Pulmonary	42	32.1 (21.0 - 43.2)	29.4 (23.4 - 35.3)	6.4	47	29.8 (24.2 - 35.4)	28.6 (23.7 - 33.4)	6.7	89	30.9 (24.9 - 36.9)	28.9 (25.1 - 32.7)	6.6
4API*	200	28.5 (25.0 - 32.0)	29.5 (27.2 - 31.9)	7.3	263	36.4 (32.5 - 40.4)	35.5 (33.5 - 37.4)	6.8	463	33.0 (30.3 - 35.7)	32.9 (31.4 - 34.4)	7.0
4AR1	1,967	13.6 (13.1 - 14.1)	8.3 (8.0 - 8.6)	4.3	4,476	12.0 (11.8 - 12.3)	12.5 (12.3 - 12.7)	7.3	6,443	12.5 (12.3 - 12.7)	11.2 (11.1 - 11.4)	6.3
4AR2	2,033	16.7 (16.1 - 17.2)	18.1 (17.6 - 18.5)	7.6	5,630	15.3 (15.0 - 15.5)	20.3 (20.1 - 20.6)	9.3	7,663	15.6 (15.4 - 15.9)	19.7 (19.5 - 19.9)	8.8
4AR3	1,100	18.0 (17.2 - 18.9)	18.4 (17.7 - 19.1)	7.1	1,839	16.5 (16.1 - 16.9)	20.0 (19.5 - 20.5)	8.5	2,939	17.1 (16.7 - 17.5)	19.4 (19.0 - 19.8)	7.9
4AR4	563	23.4 (22.0 - 24.8)	26.8 (25.8 - 27.8)	8.0	602	21.7 (20.4 - 22.9)	28.1 (27.0 - 29.1)	9.1	1,165	22.5 (21.6 - 23.4)	27.4 (26.7 - 28.2)	8.5
4AR5	1,564	21.8 (21.0 - 22.5)	25.3 (24.6 - 26.0)	8.1	2,128	21.1 (20.6 - 21.6)	25.2 (24.7 - 25.8)	8.4	3,692	21.4 (21.0 - 21.8)	25.3 (24.8 - 25.7)	8.3
4AR6	1,439	30.5 (29.2 - 31.9)	27.2 (26.2 - 28.2)	6.2	928	28.6 (27.3 - 29.9)	26.4 (25.3 - 27.5)	6.5	2,367	29.8 (28.8 - 30.8)	26.9 (26.1 - 27.6)	6.3
4A91	208	18.3 (15.9 - 20.6)	12.8 (11.5 - 14.1)	4.9	262	14.6 (13.6 - 15.7)	15.9 (14.9 - 16.8)	7.6	470	16.2 (15.0 - 17.4)	14.5 (13.7 - 15.3)	6.3
4A92	131	21.8 (19.5 - 24.1)	23.4 (21.1 - 25.7)	7.5	138	21.5 (19.6 - 23.3)	24.0 (22.1 - 25.9)	7.8	269	21.7 (20.2 - 23.1)	23.7 (22.2 - 25.2)	7.7
4A93	71	34.3 (26.7 - 41.8)	30.1 (25.5 - 34.7)	6.2	29	25.6 (21.6 - 29.6)	25.3 (18.3 - 32.4)	6.9	100	31.8 (26.2 - 37.3)	28.7 (24.9 - 32.6)	6.3
Missing or excluded*	11,342				6,806				18,148			
<b>All episodes</b>	<b>40,635</b>	<b>24.8 (24.5 - 25.1)</b>	<b>22.5 (22.3 - 22.7)</b>	<b>6.3</b>	<b>72,919</b>	<b>14.8 (14.7 - 14.9)</b>	<b>20.1 (20.0 - 20.1)</b>	<b>9.5</b>	<b>113,554</b>	<b>18.0 (17.9 - 18.1)</b>	<b>20.8 (20.8 - 20.9)</b>	<b>8.1</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

NOTE 3: \*Brain and Spinal episodes are removed from this analysis as their benchmarks are available in our impairment specific benchmark reports found on our website

Class	Description of V4 AN-SNAP class	Class	Description of V4 AN-SNAP class
4AZ1	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≥ 49	4AE1	Amputation of limb, Age ≥ 54, weighted FIM motor 68-91
4AZ2	Weighted FIM motor score 13-18, Brain, Spine, MMT, Age ≤ 48	4AE2	Amputation of limb, Age ≥ 54, weighted FIM motor 31-67
4AZ3	Weighted FIM motor score 13-18, All other impairments, Age ≥ 65	4AE3	Amputation of limb, Age ≥ 54, weighted FIM motor 19-30
4AZ4	Weighted FIM motor score 13-18, All other impairments, Age ≤ 64	4AE4	Amputation of limb, Age ≤ 53, weighted FIM motor 19-91
4AA1	Stroke, weighted FIM motor 51-91, FIM cognition 29-35	4AH1	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 33-35
4AA2	Stroke, weighted FIM motor 51-91, FIM cognition 19-28	4AH2	Orthopaedic conditions, fractures, weighted FIM motor 49-91, FIM cognition 5-32
4AA3	Stroke, weighted FIM motor 51-91, FIM cognition 5-18	4AH3	Orthopaedic conditions, fractures, weighted FIM motor 38-48
4AA4	Stroke, weighted FIM motor 36-50, Age ≥ 68	4AH4	Orthopaedic conditions, fractures, weighted FIM motor 19-37
4AA5	Stroke, weighted FIM motor 36-50, Age ≤ 67	4A21	Orthopaedic conditions, all other, weighted FIM motor 68-91
4AA6	Stroke, weighted FIM motor 19-35, Age ≥ 68	4A22	Orthopaedic conditions, all other, weighted FIM motor 50-67
4AA7	Stroke, weighted FIM motor 19-35, Age ≤ 67	4A23	Orthopaedic conditions, all other, weighted FIM motor 19-49
4AB1	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 26-35	4A31	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 72-91
4AB2	Brain dysfunction, weighted FIM motor 71-91, FIM cognition 5-25	4A32	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 55-71
4AB3	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 26-35	4A33	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 34-54
4AB4	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 17-25	4A34	Cardiac, Pain syndromes, Pulmonary, weighted FIM motor 19-33
4AB5	Brain dysfunction, weighted FIM motor 41-70, FIM cognition 5-16	4AP1	Major Multiple Trauma, weighted FIM motor 19-91
4AB6	Brain dysfunction, weighted FIM motor 29-40	4AR1	Reconditioning, weighted FIM motor 67-91
4AB7	Brain dysfunction, weighted FIM motor 19-28	4AR2	Reconditioning, weighted FIM motor 50-66, FIM cognition 26-35
4AC1	Neurological conditions, weighted FIM motor 62-91	4AR3	Reconditioning, weighted FIM motor 50-66, FIM cognition 5-25
4AC2	Neurological conditions, weighted FIM motor 43-61	4AR4	Reconditioning, weighted FIM motor 34-49, FIM cognition 31-35
4AC3	Neurological conditions, weighted FIM motor 19-42	4AR5	Reconditioning, weighted FIM motor 34-49, FIM cognition 5-30
4AD1	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 42-91	4AR6	Reconditioning, weighted FIM motor 19-33
4AD2	Spinal cord dysfunction, Age ≥ 50, weighted FIM motor 19-41	4A91	All other impairments, weighted FIM motor 55-91
4AD3	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 34-91	4A92	All other impairments, weighted FIM motor 33-54
4AD4	Spinal cord dysfunction, Age ≤ 49, weighted FIM motor 19-33	4A93	All other impairments, weighted FIM motor 19-32



## LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2024 (1/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-202	168	128.2 (112.3 - 144.1)	35.3 (30.8 - 39.9)	1.9	15	72.5 (27.5 - 117.6)	53.7 (35.1 - 72.2)	5.2	183	123.6 (108.4 - 138.8)	36.8 (32.3 - 41.3)	2.1
3-203	448	55.9 (51.8 - 60.1)	25.5 (23.2 - 27.8)	3.2	62	37.2 (30.7 - 43.8)	25.7 (19.7 - 31.6)	4.8	510	53.7 (49.9 - 57.4)	25.5 (23.3 - 27.7)	3.3
3-204	1,634	14.8 (14.3 - 15.3)	11.4 (11.0 - 11.9)	5.4	476	13.4 (12.8 - 14.0)	15.3 (14.7 - 16.0)	8.0	2,110	14.5 (14.1 - 14.9)	12.3 (12.0 - 12.7)	6.0
3-205	285	27.9 (24.5 - 31.3)	17.0 (15.9 - 18.2)	4.3	47	21.1 (17.2 - 25.0)	18.5 (16.1 - 20.9)	6.1	332	26.9 (23.9 - 29.9)	17.2 (16.2 - 18.3)	4.5
3-206	1,282	22.0 (21.2 - 22.9)	25.0 (24.4 - 25.6)	8.0	603	19.2 (18.4 - 20.0)	24.9 (24.1 - 25.7)	9.1	1,885	21.1 (20.5 - 21.8)	25.0 (24.5 - 25.5)	8.3
3-207	161	31.8 (28.0 - 35.5)	27.4 (25.1 - 29.7)	6.0	45	22.3 (19.4 - 25.2)	24.0 (19.6 - 28.4)	7.5	206	29.7 (26.7 - 32.7)	26.6 (24.6 - 28.7)	6.3
3-208	1,319	36.7 (35.5 - 37.9)	29.4 (28.3 - 30.4)	5.6	436	34.0 (31.7 - 36.3)	26.6 (25.1 - 28.2)	5.5	1,755	36.0 (35.0 - 37.1)	28.7 (27.8 - 29.6)	5.6
3-209	1,226	52.1 (50.0 - 54.3)	39.6 (38.5 - 40.7)	5.3	188	35.6 (32.4 - 38.8)	35.7 (33.0 - 38.4)	7.0	1,414	50.0 (48.0 - 51.9)	39.1 (38.1 - 40.1)	5.5
3-210	128	12.4 (11.1 - 13.7)	11.0 (9.5 - 12.5)	6.2	154	13.5 (12.4 - 14.6)	15.0 (13.6 - 16.3)	7.8	282	13.0 (12.2 - 13.9)	13.2 (12.1 - 14.2)	7.1
3-211	324	18.4 (16.7 - 20.2)	14.3 (13.2 - 15.3)	5.4	197	14.8 (13.6 - 16.1)	18.3 (17.2 - 19.5)	8.7	521	17.1 (15.9 - 18.3)	15.8 (15.0 - 16.6)	6.5
3-212	139	26.0 (22.0 - 30.1)	18.7 (16.7 - 20.8)	5.0	31	19.4 (14.6 - 24.3)	20.5 (17.3 - 23.7)	7.4	170	24.8 (21.4 - 28.3)	19.0 (17.3 - 20.8)	5.4
3-213	229	40.9 (36.0 - 45.8)	23.9 (22.2 - 25.6)	4.1	20	18.1 (14.9 - 21.2)	20.6 (17.1 - 24.1)	8.0	249	39.1 (34.5 - 43.7)	23.6 (22.0 - 25.2)	4.2
3-214	535	36.0 (33.2 - 38.7)	36.7 (35.1 - 38.2)	7.1	273	24.0 (22.3 - 25.7)	28.9 (27.1 - 30.6)	8.4	808	31.9 (30.0 - 33.8)	34.0 (32.8 - 35.2)	7.5
3-215	129	66.3 (57.3 - 75.4)	42.7 (37.6 - 47.8)	4.5	23	33.3 (21.2 - 45.3)	24.0 (14.4 - 33.7)	5.1	152	61.3 (53.2 - 69.4)	39.9 (35.2 - 44.5)	4.5
3-216	360	14.0 (12.9 - 15.2)	10.8 (9.9 - 11.7)	5.4	620	12.8 (12.3 - 13.4)	13.6 (13.1 - 14.2)	7.5	980	13.3 (12.7 - 13.8)	12.6 (12.1 - 13.1)	6.7
3-217	368	19.8 (18.3 - 21.3)	21.4 (20.3 - 22.5)	7.6	596	17.3 (15.6 - 19.1)	20.8 (20.0 - 21.6)	8.4	964	18.3 (17.0 - 19.5)	21.0 (20.4 - 21.7)	8.1
3-218	571	34.9 (32.2 - 37.6)	30.2 (28.7 - 31.7)	6.1	464	23.3 (22.0 - 24.6)	24.4 (23.0 - 25.9)	7.3	1,035	29.7 (28.1 - 31.3)	27.6 (26.6 - 28.7)	6.5
3-219	39	60.1 (44.3 - 75.8)	39.5 (31.9 - 47.1)	4.6	15	28.5 (19.3 - 37.7)	22.4 (12.5 - 32.3)	5.5	54	51.3 (39.1 - 63.5)	34.7 (28.3 - 41.2)	4.7
3-220	17	15.1 (7.0 - 23.1)	3.9 (2.4 - 5.3)	1.8	4	na	na	na	21	13.9 (7.3 - 20.4)	3.9 (2.3 - 5.4)	1.9
3-221	237	31.4 (27.7 - 35.2)	18.9 (17.5 - 20.3)	4.2	65	18.8 (14.7 - 22.8)	16.6 (14.4 - 18.7)	6.2	302	28.7 (25.6 - 31.8)	18.4 (17.2 - 19.6)	4.5
3-222	359	79.1 (72.2 - 86.0)	28.6 (26.6 - 30.6)	2.5	26	37.8 (30.3 - 45.3)	26.6 (19.5 - 33.8)	4.9	385	76.3 (69.8 - 82.8)	28.5 (26.6 - 30.4)	2.6
3-223	45	105.1 (83.4 - 126.7)	36.1 (29.9 - 42.3)	2.4	1	na	na	na	46	103.2 (81.7 - 124.7)	35.9 (29.9 - 42.0)	2.4

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis

## LOS and FIM Change Benchmarks of completed episodes in Australia, by V3 AN-SNAP class and sector, Financial Year 2024 (2/2)



AN-SNAP class	Public Sector Benchmarks			Private Sector Benchmarks			National data benchmarks					
		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain		Length of stay	FIM change	FIM gain
	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week	No.	Mean (95%CI)	Mean (95%CI)	per week
3-224	173	22.1 (19.6 - 24.5)	6.2 (5.5 - 6.8)	2.0	14	12.8 (7.9 - 17.7)	5.8 (3.7 - 7.9)	3.2	187	21.4 (19.1 - 23.7)	6.1 (5.5 - 6.8)	2.0
3-225	784	36.1 (34.1 - 38.0)	20.8 (19.8 - 21.7)	4.0	144	31.3 (26.8 - 35.7)	20.8 (18.8 - 22.8)	4.7	928	35.3 (33.5 - 37.1)	20.8 (19.9 - 21.6)	4.1
3-226	404	17.1 (15.9 - 18.2)	21.3 (20.0 - 22.7)	8.7	1,602	14.0 (13.6 - 14.4)	18.4 (17.9 - 18.9)	9.2	2,006	14.6 (14.2 - 15.0)	19.0 (18.5 - 19.5)	9.1
3-227	1,793	13.9 (13.3 - 14.5)	12.6 (12.2 - 13.0)	6.4	3,295	14.7 (14.4 - 15.1)	16.4 (16.2 - 16.6)	7.8	5,088	14.4 (14.1 - 14.8)	15.1 (14.8 - 15.3)	7.3
3-228	1,484	18.1 (17.5 - 18.7)	23.0 (22.5 - 23.4)	8.9	2,504	19.4 (19.0 - 19.9)	24.0 (23.6 - 24.3)	8.6	3,988	18.9 (18.6 - 19.3)	23.6 (23.3 - 23.9)	8.7
3-229	2,710	24.7 (24.0 - 25.3)	31.8 (31.3 - 32.4)	9.0	2,816	27.5 (26.9 - 28.2)	32.3 (31.8 - 32.8)	8.2	5,526	26.1 (25.7 - 26.6)	32.1 (31.7 - 32.5)	8.6
3-230	532	26.1 (24.5 - 27.6)	26.3 (24.7 - 27.9)	7.1	463	28.3 (26.8 - 29.9)	27.9 (26.2 - 29.5)	6.9	995	27.1 (26.0 - 28.2)	27.0 (25.9 - 28.2)	7.0
3-231	257	9.5 (8.8 - 10.1)	7.1 (6.4 - 7.8)	5.2	6,346	8.7 (8.6 - 8.9)	9.7 (9.6 - 9.8)	7.8	6,603	8.8 (8.6 - 8.9)	9.6 (9.5 - 9.7)	7.7
3-232	1,343	11.2 (10.7 - 11.7)	18.9 (18.4 - 19.3)	11.8	17,233	10.5 (10.5 - 10.6)	20.2 (20.1 - 20.3)	13.4	18,576	10.6 (10.5 - 10.7)	20.1 (20.0 - 20.2)	13.3
3-233	624	19.2 (18.2 - 20.2)	32.3 (31.2 - 33.3)	11.8	1,838	17.3 (16.9 - 17.8)	34.7 (34.1 - 35.2)	14.0	2,462	17.8 (17.4 - 18.2)	34.0 (33.6 - 34.5)	13.4
3-234	185	12.4 (10.9 - 13.9)	8.4 (7.5 - 9.2)	4.7	2,260	10.3 (9.9 - 10.6)	11.6 (11.4 - 11.8)	7.9	2,445	10.4 (10.1 - 10.8)	11.4 (11.1 - 11.6)	7.6
3-235	356	16.4 (14.7 - 18.2)	17.8 (16.8 - 18.8)	7.6	3,143	13.0 (12.7 - 13.3)	20.9 (20.7 - 21.1)	11.2	3,499	13.3 (13.0 - 13.7)	20.6 (20.3 - 20.8)	10.8
3-236	516	24.2 (22.7 - 25.7)	28.7 (27.4 - 29.9)	8.3	1,400	20.3 (19.5 - 21.0)	30.9 (30.2 - 31.5)	10.7	1,916	21.3 (20.6 - 22.0)	30.3 (29.7 - 30.9)	9.9
3-237	546	17.5 (16.3 - 18.6)	20.1 (18.8 - 21.4)	8.0	2,157	13.4 (13.0 - 13.7)	20.2 (19.7 - 20.6)	10.6	2,703	14.2 (13.8 - 14.6)	20.2 (19.7 - 20.6)	9.9
3-238	78	16.6 (13.4 - 19.9)	9.8 (8.6 - 11.1)	4.1	37	19.9 (14.6 - 25.3)	13.2 (11.5 - 14.9)	4.6	115	17.7 (14.9 - 20.5)	10.9 (9.9 - 12.0)	4.3
3-239	213	30.1 (26.7 - 33.5)	25.1 (23.6 - 26.5)	5.8	174	26.6 (23.9 - 29.4)	28.5 (27.2 - 29.9)	7.5	387	28.5 (26.3 - 30.8)	26.6 (25.6 - 27.7)	6.5
3-240	130	55.6 (45.8 - 65.4)	41.3 (38.5 - 44.1)	5.2	151	53.8 (44.9 - 62.6)	50.2 (48.4 - 52.1)	6.5	281	54.6 (48.1 - 61.2)	46.1 (44.4 - 47.8)	5.9
3-241	24	67.7 (46.0 - 89.3)	54.7 (41.9 - 67.5)	5.7	22	68.4 (39.9 - 96.9)	66.7 (58.9 - 74.5)	6.8	46	68.0 (50.5 - 85.5)	60.4 (52.7 - 68.2)	6.2
3-242	1,898	13.4 (12.9 - 13.9)	7.8 (7.4 - 8.1)	4.1	4,050	11.8 (11.6 - 12.0)	11.7 (11.6 - 11.9)	7.0	5,948	12.3 (12.1 - 12.5)	10.5 (10.3 - 10.6)	6.0
3-243	2,698	16.7 (16.2 - 17.2)	16.7 (16.3 - 17.0)	7.0	7,230	14.7 (14.5 - 14.9)	19.2 (19.0 - 19.4)	9.1	9,928	15.3 (15.1 - 15.5)	18.5 (18.3 - 18.7)	8.5
3-244	4,157	22.8 (22.2 - 23.3)	25.1 (24.6 - 25.6)	7.7	5,342	21.1 (20.7 - 21.5)	25.3 (25.0 - 25.7)	8.4	9,499	21.8 (21.5 - 22.1)	25.2 (25.0 - 25.5)	8.1
3-245	862	32.8 (30.8 - 34.8)	26.2 (24.7 - 27.6)	5.6	443	29.6 (27.7 - 31.4)	24.9 (23.2 - 26.7)	5.9	1,305	31.7 (30.2 - 33.1)	25.8 (24.6 - 26.9)	5.7
Missing or excluded	8,865				5,894				14,759			
<b>All episodes</b>	<b>40,635</b>	<b>24.8 (24.5 - 25.1)</b>	<b>22.5 (22.3 - 22.7)</b>	<b>6.3</b>	<b>72,919</b>	<b>14.8 (14.7 - 14.9)</b>	<b>20.1 (20.0 - 20.1)</b>	<b>9.5</b>	<b>113,554</b>	<b>18.0 (17.9 - 18.1)</b>	<b>20.8 (20.8 - 20.9)</b>	<b>8.1</b>

NOTE 1: Where the number of episodes < 5 details are not given for reasons of privacy and accuracy.

NOTE 2: Incomplete episodes are excluded from analysis



Class	Description of V3 AN-SNAP class	Class	Description of V3 AN-SNAP class
3-202	Brain, Neurological, Spinal & Major Multiple Trauma, FIM 13	3-224	Amputation of limb, FIM motor 72-91
3-203	All other impairments, FIM 13	3-225	Amputation of limb, FIM motor 14-71
3-204	Stroke , FIM motor 63-91, FIM cognition 20-35	3-226	Pain Syndromes
3-205	Stroke , FIM motor 63-91, FIM cognition 5-19	3-227	Orthopaedic conditions, fractures, FIM motor 58-91
3-206	Stroke, FIM motor 47-62, FIM cognition 16-35	3-228	Orthopaedic conditions, fractures, FIM motor 48-57
3-207	Stroke, FIM motor 47-62, FIM cognition 5-15	3-229	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 19-35
3-208	Stroke, FIM motor 14-46, age>=75	3-230	Orthopaedic conditions, fractures, FIM motor 14-47, FIM cognition 5-18
3-209	Stroke, FIM motor 14-46, age<=74	3-231	Orthopaedic conditions, replacement, FIM motor 72-91
3-210	Brain Dysfunction, FIM motor 56-91, FIM cognition 32-35	3-232	Orthopaedic conditions, replacement, FIM motor 49-71
3-211	Brain Dysfunction, FIM motor 56-91, FIM cognition 24-31	3-233	Orthopaedic conditions, replacement, FIM motor 14-48
3-212	Brain Dysfunction, FIM motor 56-91, FIM cognition 20-23	3-234	Orthopaedic conditions, all other, FIM motor 68-91
3-213	Brain Dysfunction, FIM motor 56-91, FIM cognition 5-19	3-235	Orthopaedic conditions, all other, FIM motor 53-67
3-214	Brain Dysfunction, FIM motor 24-55	3-236	Orthopaedic conditions, all other, FIM motor 14-52
3-215	Brain Dysfunction, FIM motor 14-23	3-237	Cardiac
3-216	Neurological, FIM motor 63-91	3-238	Major Multiple Trauma, FIM total 101-126
3-217	Neurological, FIM motor 49-62	3-239	Major Multiple Trauma, FIM total 74-100 or Burns
3-218	Neurological, FIM motor 18-48	3-240	Major Multiple Trauma, FIM total 44-73
3-219	Neurological, FIM motor 14-17	3-241	Major Multiple Trauma, FIM total 19-43
3-220	Spinal Cord Dysfunction, FIM motor 81-91	3-242	All other impairments, FIM motor 67-91
3-221	Spinal Cord Dysfunction, FIM motor 47-80	3-243	All other impairments, FIM motor 53-66
3-222	Spinal Cord Dysfunction, FIM motor 14-46, age>=33	3-244	All other impairments, FIM motor 25-52
3-223	Spinal Cord Dysfunction, FIM motor 14-46, age<=32	3-245	All other impairments, FIM motor 14-24