

ISEM Publications 2008

Books

1. **Yeoh, W., Horvat, J., Kim, J. and Dou, S. X.**, "Improvement of vortex pinning in MgB₂", US, UK, Canada, Germany, France: Nova Science Publishers, (2008).

Refereed Journal Articles

2. **Beaven D. J. D., Fulcher J. A., Yang C. H., Zeng Z., Xu W. and Zhang C.**, "Photo absorption in spintronic multilayer systems", *Physica E*, **40**, 6, 2138-2140, (2008).
3. **Cheng Z. X., Wang X. L., Dou S. X., Kimura H., and Ozawa K.**, "Enhancement of ferroelectricity and ferromagnetism in rare earth element doped BiFeO₃", *Journal of Applied Physics*, **104**, 116109, (2008).
4. ***Cheng Z. X., Wang, X. L., Kimura H., Ozawa K. and Dou S. X.**, "Nb and La co-doped multiferroic BiFeO₃ thin films on oxide bottom electrodes by pulsed laser ablation", *Applied Physics Letters*, **92**, 092902-092904, (2008).
5. ***Cheng Z. X. and Wang X. L.**, "Optical property and electronic band structure of a piezoelectric compound Ga₃PO₇ studies by the first-principles calculation", *Applied Physics Letters*, **92**, 261915, (2008).
6. **Cheng Z. X., Wang X. L., Kimura H., Ozawa K. and Dou S. X.**, "Significant improvement in the ferroelectric properties through La and Nb co-doping into BiFeO₃ thin films", *Physical Review B*, **77**, 092101, (2008)
7. **Chew S. Y, Sun J. Z., Wang J. Z., Liu H. K., Forsyth M. and MacFarlane D.**, "Lithium-polymer battery based on an ionic liquid-polymer electrolyte composite for room temperature applications", *Electrochimica Acta*, **53**, 6460-6463, (2008).
8. **Chou S. L., Wang J. Z., Liu H. K. and Dou S. X.**, "Electrochemical deposition of porous Co(OH)₂ nanoflake films on stainless steel mesh for flexible supercapacitors", *Journal of the Electrochemical Society*, **155**, 12, A926-A929, (2008).
9. **Chou S. L., Wang J. Z., Liu H. K. and Dou S. X.**, "Electrochemical deposition of porous Co₃O₄ nanostructured thin film for lithium-ion battery", *Journal of Power Sources*, **182**, 359-364, (2008).
10. **Chou S. L., Wang J. Z., Chew S., Liu H. K. and Dou S. X.**, "Electrodeposition of MnO₂ nanowires on carbon nanotube paper as free-standing, flexible electrode for supercapacitors", *Electrochemistry Communications*, **10**, 11, 1724-1727, (2008).
11. ***Chou S. L., Wang J. Z., Sun J., Wexler D., Forsyth M., Liu H. K., MacFarlane D. and Dou S. X.**, "High capacity, safety, and enhanced cyclability of lithium metal battery using a V₂O₅ nanomaterial cathode and room temperature ionic liquid electrolyte", *Chemistry of Materials*, **20**, 22, 7044-7051, (2008).

12. **Feng C. Q., Wang S. Y., Zeng R., Guo Z., Konstantinov K. K. and Liu H. K.,** “Synthesis of spherical porous vanadium pentoxide and its electrochemical properties”, *Journal of Power Sources*, **184**, 485-488, (2008).
13. **Gao F., Wang G. X. and Zhang C.,** “Strong photon-mixing of terahertz waves in semiconductor quantum wells induced by Rashba spin-orbit coupling”, *Nanotechnology*, **19**, 465401, (2008).
14. **Gao F., Chen J., Dou S. X. and Zhang X. C.,** “Terahertz spectroscopy in pulsed laser deposited LaCa_{0.7}Mn_{0.3}O₃/MgO thin films”, *Progress in Biomedical Optics and Imaging*, **6840**, 68401I, I8401-I8401 (2008).
15. **Gao F., and Mendis R.,** “THz time-domain spectroscopy of cesium iodide”, *Progress in Biomedical Optics and Imaging*, **6840**, 64801H-1, H8401-H8401, (2008).
16. **Ghorbani S. R., Wang X. L., Dou S. X., Lee Sung-IK, and Hossain M. S. A.,** “Flux-pinning mechanism in silicone-oil-doped MgB₂: Evidence for charge-carrier mean free path fluctuation pinning”, *Physical Review B (Condensed Matter and Materials Physics)*, **78**, 184502-184506, (2008).
17. ***Glushenkov A. M., Stukachev V. I., Hassan M. F., Kuvshinov G. G., Liu H. K. and Chen Y.,** “A novel approach for real mass transformation from V₂O₅ particles to nanorods”, *Crystal Growth and Design*, **8** 10, 3661-3665, (2008).
18. ***Gou X. L., Wang G. X., Kong X. Y., Wexler D., Horvat J., Yang J. and Park J. S.,** “Flutelike porous hematite nanorods and branched nanostructures: synthesis, characterisation and application for gas-sensing”, *Chemistry - A European Journal*, **14**, 5996-6002, (2008).
19. **Gou X. L., Wang G. X., Yang J., Park J. S., and Wexler D.,** “Chemical synthesis, characterisation and gas sensing performance of copper oxide nanoribbons”, *Journal of Materials Chemistry*, **18**, 9, 965-969, (2008).
20. **Gou X. L., Wang G. X., Park J. S., Liu H., and Yang J.,** “Monodisperse hematite porous nanospheres: synthesis, characterization, and applications for gas sensors”, *Nanotechnology*, **19**, 125606, (2008).
21. **Guo Z. P., Han D. M., Wexler D., Zeng R. and Liu H. K.,** “Polyoxometallate-stabilized platinum catalysts on multi-walled carbon nanotubes for fuel cell applications”, *Electrochimica Acta*, **53**, 22, 6410-6416, (2008).
22. **Hao L., Wang G. X., Wang J. Z., and Wexler D.,** “Magnetite/carbon core-shell nanorods as anode materials for lithium-ion batteries”, *Electrochemistry Communications*, **10**, 12, 1879-1882, (2008).
23. ***Hargreaves S. and Lewis R. A.,** “Single-cycle azimuthal angle dependence of terahertz radiation from (100) n-type InP”, *Applied Physics Letters*, **93**, 242101-1-242101-3, (2008).
24. **Hargreaves S., Bignell L., Lewis R. A., Schoenherr D., Saglam M. and Hartnagel H. L.,** “Investigation of p-GaAsSb as a THz Emitter”, *Journal of The Electrochemical Society*, **155**, 10, H734-H737, (2008).

25. **Horvat J., Yeoh W. K., Kim J. H. and Dou S. X.**, “Transport and magnetic critical current in superconducting MgB₂ wires”, *Superconductor Science and Technology*, **21**, 065003-065003-6, (2008).
26. **Ionescu M., Zhao Y., Siegele R., Cohen D. D., Stelcer E. and Prior M.**, “Heavy ion ToF analysis of oxygen incorporation in MgB₂ thin films”, *Nuclear Instruments & Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, **266**, 8, 1701-1704, (2008).
27. **Jiang C. H., Xu X. and Dou S. X.**, “Properties of pure and carbon sphere doped MgB₂ prepared from low grade boron powders”, *Superconductor Science and Technology*, **21**, 6, (2008).
28. **Jiang C. H., Dou S. X., Cheng Z. X. and Wang X. L.**, “Light carbon doping by oxygen-free paraffin wax to enhance the current density of MgB₂ in the entire field regime”, *Superconductor Science and Technology*, **21**, 065017, (2008).
29. **Kim J. H., Dou S. X., Oh S., Jercinovic M., Babic E., Nakane T. and Kumakura H.**, “Correlation between doping induced disorder and superconducting properties in carbohydrate doped MgB₂”, *Journal of Applied Physics*, **104**, 6, 063911-1-063911-5, (2008).
30. ***Kim J. H., Xu X., Hossain M. S. A., Shi D. Q., Zhao Y., Wang X. L., Dou S. X., Choi S. and Kiyoshi T.**, “Influence of disorder on the in-field J_c of MgB₂ wires using highly active pyrene”, *Applied Physics Letters*, **92**, 4, 042506, (2008).
31. **Knott J. C., Pond D. C. and Lewis R. A.**, “Metal-insulator transition and electroresistance in lanthanum/calcium manganites La_{1-x}Ca_xMnO₃ (x=0-0.5) from voltage-current-temperature surfaces”, *PMC Physics B*, **1**, 2, (2008).
32. ***Lewis R. A.**, “Electroresistance of La_{0.8}Li_{0.2}MnO₃”, *Applied Physics Letters*, **92**, 184102-1-184102-3, (2008).
33. **Lewis R. A.**, “Never a dull moment”, *American Journal of Physics*, **76**, 7, 607, (2008).
34. **Li W. X., Li Y., Chen R. H., Zeng R., Dou S. X., Zhu M. and Jin H.**, “Raman study of element doping effects on the superconductivity of MgB₂”, *Physical Review B*, **77**, 9, 094517, (2008).
35. **Li W. X., Chen R., Li Y., Zhu M., Jin H., Zeng R., Dou S. X. and Lu B.**, “Raman study on the effects of sintering temperature on the J_c(H) performance of MgB₂ superconductor”, *Journal of Applied Physics*, **103**, 1, 013511, (2008).
36. **Li W. X., Li Y., Chen R., Zeng R., Zhu M., Jin H. and Dou S. X.**, “Electron-phonon coupling properties in MgB₂ observed by Raman scattering”, *Journal of Physics: Condensed Matter*, **20**, 25, 255235, (2008).
37. **Li Z. L., Ma Z. and Zhang C.**, “Temperature dependence of the intrinsic spin Hall effect in Rashba spin-orbit coupled systems”, *Europhysics Letters*, **82**, 6, 67003, (2008).
38. **Liu H., Wang G. X., Wexler D., Wang J. Z. and Liu H. K.**, “Electrochemical performance of LiFePO₄ cathode material coated with ZrO₂ nanolayer”, *Electrochemistry Communications*, **10**, 1, 165-169, (2008).

39. **Liu J., Ma Z., Wright A. R. and Zhang C.**, “Orbital magnetization of graphene and graphene nanoribbons”, *Journal of Applied Physics*, **103**, 10, 103711, (2008).
40. ***Liu J., Wright A. R., Zhang C. and Ma Z.**, “Strong terahertz conductance of graphene nanoribbons under a magnetic field”, *Applied Physics Letters*, **93**, 4, 041106, (2008).
41. **Liu M., Suo H. L., Ye S., Shi D. Q., Zhao Y., Tang X., Ma L., Li Q., Wang L., Zhou M. L and Dou S. X.**, “Preparation and properties of YSZ-doped YBCO films grown by the TFA-MOD method”, *Superconductor Science & Technology*, **21**, 11, 115012, (2008).
42. **Maeda M., Zhao Y., Dou S. X., Nakayama Y., Kawakami T., Kobayashi H. and Kubota Y.**, “Fabrication of highly dense MgB₂ bulk at ambient pressure”, *Superconductor Science & Technology*, **21**, 3, 032004, (2008).
43. **Ng S. H., Chew S. Y., Santos D. I., Chen J., Wang J. Z., Dou S. X. and Liu H. K.**, “Hexagonal-shaped tin glycolate particles: A preliminary study of their suitability as li-ion insertion electrodes”, *Chemistry - An Asian Journal*, **3**, 5, 854-861, (2008).
44. **Nigam R., Pan A. V. and Dou S. X.**, “Explanation of magnetic behavior in Ru-based superconducting ferromagnets”, *Phys. Rev. B*, **77**, 134509, (2008).
45. **O'Dwyer M. F., Humphrey T. E., Lewis R. A. and Zhang C.**, “Electronic and thermal transport in hot carrier solar cells with low-dimensional contacts”, *Microelectronics Journal*, **39**, 3/4, 656-659, (2008).
46. **O'Dwyer M., Lewis R. A. and Zhang C.**, “Thermionic refrigeration in low-dimensional structures”, *Microelectronics Journal*, **39**, 597-600, (2008).
47. **Park M. S., Kang Y. M., Dou S. X. and Liu H. K.**, “Reduction-free synthesis of carbon-encapsulated SnO₂ nanowires and their superiority in electrochemical performance”, *The Journal of Physical Chemistry Part C: Nanomaterials and Interfaces*, **112**, 11286-11289, (2008).
48. ***Park M. S., Kang Y. M., Kim J. H., Wang G. X., Dou S. X. and Liu H. K.**, “Effects of low-temperature carbon encapsulation on the electrochemical performance of SnO₂ nanopowders”, *Carbon*, **46**, 1, 35-40, (2008).
49. ***Park M. S., Kang Y., Wang G. X., Dou S. X. and Liu, H. K.**, “The effect of morphological modification on the electrochemical properties of SnO₂ nanomaterials”, *Advanced Functional Materials*, **18**, 3, 455-461, (2008).
50. **Patey T. J., Ng S., Buchel R., Tran N., Krumeich F., Wang J.Z, Liu H. K. and Novak P.**, “Electrochemistry of LiV₃O₈ nanoparticles Made by Flame Spray Pyrolysis”, *Electrochemical and Solid-State Letters*, **11**, 4, A46-A50, (2008).
51. **Ranjbar A., Guo Z. P., Yu X. B., Wexler D., Calka A., Kim C. J. and Liu H. K.**, “Hydrogen storage properties of MgH₂-SiC composites”, *Materials Chemistry and Physics*, **114**, 1, 168-172, (2008).

52. **Ranjbartoreh A. R., Wang G. X., Ghorbanpour A. A. and Loghman A.**, “Comparative consideration of axial stability of single -and double-walled carbon nanotube and its inner and outer tubes”, *Physica E: Low-Dimensional Systems and Nanostructures*, **41**, 2, 202-208, (2008).
53. **Schoenherr D., Hartnagel H. L., Hargreaves S., Lewis R. A. and Henini M.**, “Time-domain THz spectroscopy using acceptor-doped GaAs photoconductive emitters”, *Semiconductor Science and Technology*, **23**, 10, 105012, 1-7, (2008).
54. **Serrano G., Serquis A., Dou S. X., Soltanian S., Civalo L., Maiorov B., Holesinger T., Balakirev F. and Jaime M.**, “SiC and carbon nanotube distinctive effects on the superconducting properties of bulk MgB₂”, *Journal of Applied Physics*, **103**, 2, 023907, (2008).
55. **Shanmukaraj D., Wang G. X., Murugan R. and Liu H. K.**, “Ionic conductivity and electrochemical stability of poly(methylmethacrylate)-poly(ethylene oxide) blend-ceramic fillers composites”, *Journal of Physics and Chemistry of Solids*, **69**, 243-248, (2008).
56. **Shanmukaraj D., Wang G. X., Murugan R. and Liu H. K.**, “Electrochemical studies on LiFe_{1-x}Co_xPO₄/carbon composite cathode materials synthesized by citrate gel technique for lithium-ion batteries”, *Materials Science and Engineering B- Advanced Functional Solid-State Materials*, **149**, 1, 93-98, (2008).
57. **Shanmukaraj D., Wang G. X., Liu H. K. and Murugan R.**, “Synthesis and characterization of SrBi₄Ti₄O₁₅ ferroelectric filler based composite polymer electrolytes for lithium ion batteries”, *Polymer Bulletin*, **60**, 2-3, 351-361, (2008).
58. **Shcherbakova O. V., Pan A. V., Wang J., Shcherbakov A. V., Dou S. X., Wexler D., Babic E., Jercinovic, M. and Husnjak, O.**, “Sugar as an optimal carbon source for the enhanced performance of MgB₂ superconductors at high magnetic fields”, *Superconductor Science and Technology*, **21**, 1, 015005, (2008).
59. **Shenouda A. Y. and Liu H. K.**, “Electrochemical behaviour of tin borophosphate negative electrodes for energy storage systems”, *Journal of Power Sources*, **185**, 2, 1386-1391, (2008).
60. **Vickers R. E., Lewis R. A., Fisher P. and Wang Y.**, “Terahertz Zeeman spectroscopy of boron in germanium to high magnetic fields”, *Physical Review B*, **77**, 11, 115212, (2008).
61. **Wang G. X., Gou X. L., Horvat J. and Park J. S.**, “Facile synthesis and characterization of iron oxide semiconductor nanowires for gas sensing application”, *Journal of Physical Chemistry C*, **112**, 39, 15220-15225, (2008).
62. ***Wang G. X., Park J. S., Kong X. Y., Wilson P. R., Chen Z. X. and Ahn J. H.**, “Facile synthesis and characterization of gallium oxide (Ga₂O₃) 1D nanostructures: nanowires, nanoribbons, and nanosheets”, *Crystal Growth and Design*, **8**, 6, 1940-1944, (2008).
63. ***Wang G. X., Wang B., Park J. S., Yang J., Shen X. P. and Yao J.**, “Synthesis of enhanced hydrophilic and hydrophobic grapheme oxide nanosheets by a solvothermal method”, *Carbon*, **47**, 1, 68-72, (2008).

64. **Wang G. X., Yang J., Park J. S., Gou X. L., Wang B., Liu H. and Yao J.**, “Facile synthesis and characterization of graphene nanosheets”, *The Journal of Physical Chemistry C*, **112**, 22, 8192-8195, (2008).
65. **Wang G. X., Park J. S., Park M. S. and Gou X. L.**, “Synthesis and high gas sensitivity of tin oxide nanotubes”, *Sensors and Actuators B*, **131**, 1, 313-317, (2008).
66. **Wang J. L, Zeng R., Kim J. H, Lu L. and Dou S. X.**, “Effects of C substitution on the pinning mechanism of MgB_2 ”. *Physical Review B*, **77**, 17, 174501, (2008)
67. **Wang J. L., Campbell S., Studer A., Avdeev M., Hofmann M., Hoelzel M. and Dou S. X.**, “Magnetic structures and phase transitions in $PrMn_{1-2-x}Fe_xGe_2$ ”, *Journal of Applied Physics*, **104**, 10, 103911, (2008).
68. **Wang J. Z., Chou S. L., Chen J., Chew S. Y., Wang G. X., Konstantinov K. K., Wu J., Dou S. X. and Liu H. K.**, “Paper-like free-standing polypyrrole and polypyrrole- $LiFePO_4$ composite films for flexible and bendable rechargeable battery”, *Electrochemistry Communications*, **10**, 11, 1781-1784, (2008).
69. ***Wang J. Z., Chew S. Y., Zhao Z. W., Ashraf S. A., Wexler D., Chen J., Ng S. H., Chou S. L., and Liu H. K.**, “Sulfur-mesoporous carbon composites in conjunction with a novel ionic liquid electrolyte for lithium rechargeable batteries”, *Carbon*, **46**, 229-235, (2008).
70. **Wang J. Z., Chou S. L., Chew S. Y., Sun J. Z., Forsyth M., MacFarlane D. R. and Liu H. K.**, “Nickel sulfide cathode in combination with an ionic liquid-based electrolyte for rechargeable lithium batteries”, *Solid State Ionics*, **179**, 40, 2379-2382, (2008).
71. ***Wang X. L., Ghorbani S. R., Peleckis G. and Dou S. X.**, “Very high critical field and superior J_c -field performance in $NdFeAsO_{0.82}F_{0.18}$ with T_c of 51 K”, *Advanced Materials*, **20**, 2, 236-239, (2008).
72. ***Wang X. L.**, “Proposal for a new class of materials”, *Physical Review Letters*, **100**, 15, 156404, (2008).
73. **Wei X. F., Xu W., Zhang J., Zeng Z. and Zhang C.**, “Two-colour infrared absorption in InAs/GaSb-based type II and broken-gap quantum well systems”, *Physica E*, **40**, 5, 1069-1071, (2008).
74. **Wu, Y. S., Zhao, Y., Wexler, D., Kim, J. & Dou, S. X.**, “Optimization of in situ annealing conditions for off-axis PLD MgB_2 films”. *Physica C: Superconductivity and its Applications*, **468**, 3, 218-222 (2008).
75. **Xu W., Folkes P. A., Gumbs G., Zeng Z. and Zhang C.**, “Electronic subband structure of InAs/GaSb-based type II and broken-gap quantum well systems”, *Physica E: low-dimensional systems and nanostructures*, **40**, 5, 1536-1538, (2008).
76. ***Xu X. B, Fangohr H., Xu X. N., Gu M., Wang Z. H., Ji S. M., Ding S. Y., Shi D. Q., and Dou S. X.**, “Peak effect in the critical current of type II superconductors with strong magnetic vortex pinning”, *Physical Review Letters*, **101**, 14, 147002, (2008).

77. **Xu X., Kim J. H., Hossain M. S. A., Park J. S., Zhao Y., Dou S. X., Yeoh W. K., Rindfleisch M. and Tomsic M.**, “Phase transformation and superconducting properties of MgB₂ using ball-milled low purity boron”, *Journal of Applied Physics*, **103**, 2, 023912, (2008).
78. **Yang C. H., Xu W., Zhang J., Zeng Z., Zhang C. and Tang C. S.**, “Broadband optical absorption in a two-dimensional electron gas in the presence of spin-orbit interaction and high magnetic fields”, *Physica E: Low-dimensional systems and nanostructures*, **40**, 6, 1896-1898, (2008).
79. **Yang C. H., Xu W., Zhang J., Zeng Z. and Zhang C.**, “Exchange-enhanced spin splitting in a two-dimensional electron gas in the presence of spin-orbit interaction and magnetic fields”, *Physica E*, **40**, 6, 1979-1981, (2008).
80. **Yang J., Wang G. X., Liu H., Park J. S., Gou X. L., and Cheng X. N.**, “Solvothermal synthesis and characterization of ZnSe nanoplates”, *Journal of Crystal Growth*, **310**, 15, 3645-3648, (2008).
81. **Yanna N., Zhang P., Guo Z. P., Munroe P. and Liu H. K.**, “Preparation of alpha-Fe₂O₃ submicroflowers by a hydrothermal approach and their electrochemical performance in lithium-ion batteries”, *Electrochimica Acta*, **53**, 12, 4213-4218, (2008).
82. **Yanna N., Zhang P., Guo Z. P. and Liu H. K.**, “Shape Evolution of α -Fe₂O₃ and Its Size-Dependent Electrochemical Properties for Lithium-Ion Batteries”, *Journal of the Electrochemical Society*, **155**, 3, A196-A200, (2008).
83. **Yanna N., Zhang P., Guo Z. P., Liu H. K. and Yang J.**, “NiCo₂O₄/C Nanocomposite as a Highly Reversible Anode Material for Lithium-Ion Batteries”, *Electrochemical and Solid-State Letters*, **11**, 5, A64-A67, (2008).
84. **Zeng R., Lu L., Li W., Wang J. L., Shi D. Q., Horvat J., Dou S. X., Bhatia M., Sumption M., Collings E., Yoo J., Tomsic M. and Rindfleisch M.**, “Excess Mg addition MgB₂ /Fe wires with enhanced critical current density”, *Journal of Applied Physics*, **103**, 8, 083911, (2008).
85. **Zeng R., Lu L. and Dou S. X.**, “Significant enhancement of the superconducting properties of MgB₂ by polyvinyl alcohol additives”, *Superconductor Science and Technology*, **21**, 8, 085003, (2008).
86. **Zhang C., Chen L. and Ma Z. S.**, “Orientation dependence of the optical spectra in graphene at high frequencies”, *Physical Review B*, **77**, 24, 241402, (2008).
87. **Zhang D., Ma Z. S., Wang G. X., Chen, J., Wallace G. G. and Liu H. K.**, “Preparation of low loading Pt/C catalyst by carbon xerogel method for ethanol electrooxidation”, *Catalysis Letters*, **122**, (1-2), 111-114, (2008).
88. **Zhang L., Qiao S. Z., Jin Y. G., Yang H. G., Budihartono S., Stahr, F., Yan Z. F., Wang X. L., Hao Z. and Liu G. Q.**, “Fabrication and size-selective bioseparation of magnetic silica nanospheres with highly ordered periodic mesostructure”, *Advanced Functional Materials*, **18**, 20, 3203-3212, (2008).
89. **Zhang Y., Xu X., Zhao Y., Kim J. H., Lu C., Zhou S. H. and Dou S. X.**, “Significant improvement of J_c in MgB₂ bulk superconductor using ball-milled high-purity crystalline boron”, *Superconductor Science and Technology*, **21**, 115004, (2008).

90. **Zhao Z. W., Guo Z. P., Yao P. and Liu H. K.**, “Mesoporous carbon-tin nanocomposites as anode materials for Li-ion battery”, *Journal of Materials Science and Technology*, **24**, 4, 657-660, (2008).
91. **Zhu X. B., Shi D. Q., Zhang L., Sun Y. P., Song W. H., Wang L., Silver T. M. and Dou S. X.**, “Chemical solution deposition and transport properties of $\text{La}_{1-x}\text{Na}_x\text{MnO}_3$ films on YSZ substrates”, *Journal of Alloys and Compounds*, **459**, 1-2, 83-86, (2008).

Refereed Conference Publication

92. **Alvarez G. A., Wang X. L., Peleckis G., Dou S. X., Zhu X. and Lin Z.**, “Magnetotransport and magnetic properties of weak ferromagnetic semiconductors: C_a doped LaCrO_3 ”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07B916, (2008).
93. **Alvarez G. A., Puzzer T., Wang X. L., Lewis R. A., Freeth C. A. and Dou S. X.**, “Subterahertz Josephson plasma emission in layered high-T-C superconducting tunnel junctions”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07C719, (2008).
94. **Chen D. P., Wang X. L., Lin C. and Dou S. X.**, “Magnetic anisotropy of Na_xCoO_2 single crystals”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07C702, (2008).
95. **Cheng Z. X., Li A. H., Wang X. L., Dou S. X., Ozawa K., Kimura H., Zhang S. and ShROUT T. R.**, “Structure, ferroelectric and ferromagnetic properties of La doped BiFeO_3 ”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07E507-07E509, (2008).
96. **Cheng Z. X., Li A. H., Wang X. L., Dou S. X., Ozawa K., Kimura H., Zhang S. and ShROUT T. R.**, “Structure, ferroelectric properties, and magnetic properties of the La-doped bismuth ferrite”, *Journal of Applied Physics*, **103**, 07E507-07E509, (2008).
97. **Gao F., Beaven D. J. D., Fulcher J. A., Yang C. H., Zeng Z., Xu W. and Zhang, C.**, “Thermodynamic properties of two-dimensional semiconductors with spin-orbit coupling”, *Proceedings of the 17th International Conference on Electronic Properties of Two-Dimensional Systems*, (Genova, Italy), *Physica E: Low-Dimensional Systems and Nanostructures*, **40**, 5, 1454-1456, (2008).
98. **Guo Y., Zhu J. G., Lin Z. W., Lu H., Wang X. L. and Chen J.**, “Influence of inductance variation on performance of a permanent magnet claw pole soft magnetic composite motor”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07F118, (2008).
99. **Han D., Guo Z. P., Zhao Z., Zeng R., Meng Y., Shu D. and Liu H. K.**, “Polyoxometallate-stabilized Pt-Ru catalysts on multiwalled carbon nanotubes: Influence of preparation conditions on the performance of direct methanol fuel cells”, *Proceedings from the Meeting of the International-Battery-Material-Association*, (Shenzhen, Peoples Republic of China), *Journal of Power Sources*, **184**, 2, 361-369, (2008).

100. **Hossain M. S., Kim J. H., Xu X., Wang X. L. and Dou S. X.**, “Effect of sintering temperature on structural defects and superconducting properties in $\text{MgB}_2 + \text{C}_4\text{H}_6\text{O}_5$ ”, *Proceedings of the 8th European Conference on Applied Superconductivity (EUCAS 2007)*, (Brussels, Belgium), *Journal of Physics: Conference Series*, **96**, 012066, (2008).
101. **Jun B. H., Kim Y. J., Tan K. S., Kim J. H., Xu X., Dou S. X. and Kim C. J.**, “Influence of intermediate annealing on the microstructure of in situ MgB_2/Fe wire”, *Proceedings of the 20th International Symposium on Superconductivity (ISS 2007)*, (Tsukuba, Japan), *Physica C*, **468**, 1825-1828, (2008).
102. **Kim J. H., Maeda M., Zhao Y., Shi D. Q., Dou S. X., Choi S. and Kiyoshi T.**, “In situ processed MgB_2 conductors: Core densification due to mechanical deformation”, *Proceedings of the 20th International Symposium on Superconductivity (ISS 2007)*, (Tsukuba, Japan), *Physica C: Superconductivity and its Applications*, **468**, 1813-1816, (2008).
103. **Li A. H., Wang X. L., Dou S. X., Yao Q., Cheng Z. X. and Soltanian S.**, “Reduction of superconducting transition temperature and flux pinning in A1 and C codoped MgB_2 with insight from first-principles calculations”, *Journal of Applied Physics*, **103**, 7, (2008).
104. **Oh S., Kim J. H., Lee C., Choi H., Kim C. J., Dou S. X., Rindfleisch M. and Tomsic M.**, “Field, temperature and strain dependence of the critical current for multi-filamentary MgB_2 wire”, *Proceedings of the 20th International Symposium on Superconductivity (ISS 2007)*, (Tsukuba, Japan), *Physica C: Superconductivity and its Applications*, **468**, 1821-1824, (2008).
105. **Peleckis G., Wang X. L., Dou S. X., Munroe P., Ding J. and Lee B.**, “Giant positive magnetoresistance in Fe doped In_2O_3 and InREO_3 (RE=Eu,Nd) composites”, *Journal of Applied Physics*, **103**, 07D113, (2008).
106. **Shcherbakova O. V., Pan A. V., Wang J. L., Shcherbakov A. V., Dou S. X. and Wexler D.**, “Identification of factors limiting the critical current density in $\text{MgB}_{2-\chi}\text{C}_\chi$ superconductors at low magnetic fields”, *Proceedings of the 8th European Conference on Applied Superconductivity (EUCAS 2007)*, (Brussels, Belgium), *Journal of Physics: Conference Series*, **97**, 1, 012314, (2008).
107. **Shi D. Q., Zhu X. B., Kim J. H., Lei H. C., Wang L., Sun Y. P., Zeng R. and Dou S. X.**, “Chemical solution deposition of LaMnO_3 -based films for coated conductors”, *Proceedings of the 8th European Conference on Applied Superconductivity (EUCAS 2007)*, (Brussels, Belgium), *Journal of Physics: Conference Series*, **97**, 012054, (2008).
108. **Vajpayee A., Awana V. P., Kishan H., Narlikar A., Bhalla G. V. and Wang X. L.**, “High field performance of nanodiamond doped”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07C708, (2008).
109. **Yanna N., Zeng R., Zhang P., Guo Z. P. and Liu H. K.**, “Controlled synthesis of $\alpha\text{-Fe}_2\text{O}_3$ nanostructures and their size-dependent electrochemical properties for lithium-ion batteries”, *Proceedings of the Meeting of the International-Battery-Material- Association*, (Shenzhen, Peoples Republic of China), *Journal of Power Sources*, **184**, 2, 456-461, (2008).

110. **Yao Q. W., Wang X. L. and Dou S. X.**, “Dielectric, magnetic, and magnetotransport properties in Sr doped two-dimensional RE₂CoO₄ (RE=Pr,Eu) compounds”, *Proceedings of the 52nd Annual Conference on Magnetism and Magnetic Materials*, (Tampa, Florida, USA), *Journal of Applied Physics*, **103**, 7, 07B904, (2008).
111. **Zeng R., Lu L., Wang J. L., Li W. X., Shi D. Q., Horvat J. and Dou S. X.**, “Improvement of J_c and H_{c2} in MgB₂ superconductor with citric acid addition”, *Proceedings of the 8th European Conference on Applied Superconductivity (EUCAS 2007)*, (Brussels, Belgium), *Journal of Physics: Conference Series*, **97**, 012215, (2008).
112. **Zeng R., Qin M. J., Liu H. K. and Dou S. X.**, “Phase transformation in Bi-2223/AgMg alloyed PIT tapes during different sintering processing and its influence on critical current density”, *Proceedings of the 20th International Symposium on Superconductivity (ISS 2007)*, (Tsukuba, Japan), *Physica C - Superconductivity and its Applications*, **468**, 23, 2305-2312, (2008).
113. **Zhang Y., Zhou S. H., Wang X. L. and Dou S. X.**, “Effect of addition of nanoparticle TiO₂/SiO₂ on the superconducting properties of MgB₂”, *Proceedings of the 20th International Symposium on Superconductivity (ISS 2007)*, (Tsukuba, Japan), *Physica C*, **468**, 15-20, 1383-1386, (2008).
114. **Zhou S., Pan A. V., Zhang Y. and Dou S. X.**, “Effects of sintering atmosphere on the superconducting properties of SiC doped bulk MgB₂ superconductor”, *Proceedings of the 8th European Conference on Applied Superconductivity (EUCAS 2007)*, (Brussels, Belgium), *Journal of Physics: Conference Series*, **97**, 012081, (2008).

Conference Publication

115. **Gao F., Lewis R. A., Ionescu M., Wang X. L. and Dou S. X.**, “Electrical and optical properties of La_{0.7}Ca_{0.3}MnO₃ Polycrystalline and thin film”, *Proceedings of the 32nd Annual Condensed Matter and Materials Meeting*, (Wagga Wagga, Australia), 8-01 – 8-04, ISBN 978-0-646-49085-4, (2008).
116. **Knott J. C. and Lewis R. A.**, “Metastability in the electroresistance of electronic oxides”, *Proceedings of the Australian Institute of Physics 18th National Congress*, (Adelaide, Australia), 89-92, ISBN 1-876346-57-4, (2008).
117. **Lewis R. A. and Gao F.**, “High-field far-infrared magnetospectroscopy of cobaltite/manganites”, *Proceedings of the Australian Institute of Physics 18th National Congress*, (Adelaide, Australia), 93-95, ISBN 1-876346-57-4, (2008).
118. **Lewis R. A., Spizzirri P., Stavrias N. and Prawer S.**, “Far-infrared spectroscopy of P ion-implanted Si”, *Proceedings of the Australian Institute of Physics 18th National Congress*, (Adelaide, Australia), 96-99, ISBN 1-876346-57-4, (2008).
119. **Pond D. and Lewis R. A.**, “Electroresistance of Perovskite Manganites”, *Proceedings of the 32nd Annual Condensed Matter and Materials Meeting*, (Wagga Wagga, Australia), ISBN 978-0-646-49085-4, 20-01 - 20-03, (2008).
120. **Smith M. L., Mendis R., Vickers R. E. and Lewis R. A.**, “Terahertz emission from Mercury Cadmium Telluride”, *Proceedings of the 32nd Annual Condensed Matter and Materials Meeting*, (Wagga Wagga, Australia), 26-01 – 26-03, ISBN 978-0-646-49085-4, (2008).

121. **Zhang Y., Soltanian, S., Zhao, Y., Zhou, S. and Dou, S. X.**, “Effect of addition of TiO₂/SiO₂ nanoparticles on H_{c2} and H_{irr} in MgB₂ bulks”, *Proceedings of the 2008 International Conference on Nanoscience and Nanotechnology (ICONN2008)*, (Melbourne, Australia), ISBN 1-4244-1504-7, (2008).

17 x A* Publications