



Wollongong Campus Fauna Species List



The Wollongong Campus landscape provides habitat for a diverse range of animals. Animals that are known or potentially occur on campus are listed below. Key: # Introduced species, * Listed as a Vulnerable or threatened species in NSW, C- common, E - exotic, Res- resident, Br - breeds at UOW, M - migratory, V – visitor, P – potentially occurs onsite

AMPHIBIANS

| | | |
|-------------------------|------------------------------|--------|
| Bleating tree frog | <i>Litoria dentate</i> | Res |
| Eastern dwarf tree frog | <i>Litoria fallax</i> | Res |
| Eastern froglet | <i>Crinia signifera</i> | C, Res |
| Leaf green tree frog | <i>Litoria nudidigita</i> | Res |
| Peron's tree frog | <i>Litoria peronei</i> | Res |
| Striped marsh frog | <i>Limnodynastes peronei</i> | Res |
| Tyler's tree frog | <i>Litoria tyleri</i> | Res |
| Verreaux's tree frog | <i>Litoria verreauxi</i> | Res |

REPTILES

| | | |
|------------------------------|--------------------------------|------------------|
| Common garden skink | <i>Lampropholis guichenoti</i> | C, Res |
| Diamond python | <i>Morelia spilota</i> | Res |
| Eastern blue tongue lizard | <i>Tiliqua scincoides</i> | C, Res |
| Eastern long - necked turtle | <i>Chelondina longicollis</i> | Res |
| Eastern small - eyed snake | <i>Cryptophis nigrescens</i> | Res |
| Eastern tiger snake | <i>Notechis scutatus</i> | Res (escarpment) |
| Eastern water dragon | <i>Physignathus lesurerii</i> | C, Res |
| Eastern water skink | <i>Eulamprus quoyii</i> | C, Res |
| Jacky dragon | <i>Amphibolurus muricatus</i> | Res |

| | | |
|---------------------------|--------------------------------|-----|
| Golden crowned snake | <i>Cacophis squamulosus</i> | Res |
| Macquarie turtle | <i>Emydura macquarii</i> | Res |
| Marsh (swamp) snake | <i>Hemiaspis signata</i> | Res |
| Mustard bellied snake | <i>Drysdalia rhodogaster</i> | V |
| Red - bellied black snake | <i>Pseudechis porphriacus</i> | Res |
| Sheoak skink | <i>Cyclodomorphus michaeli</i> | Res |
| Three - toed skink | <i>Saiphos equalis</i> | Res |
| Weasel skink | <i>Saproscincus mustelinus</i> | Res |

MAMMALS

| | | |
|------------------------|--|------------------------|
| Bush rat | <i>Rattus fuscipes</i> | Res |
| Brown antechinus | <i>Antechinus stuartii</i> | Res |
| Brush - tailed possum | <i>Trichosurus vulpecula</i> | C, Res, Br |
| Cat# | <i>Felis catus</i> | E |
| Common mouse # | <i>Mus musculus</i> | E, Res |
| Common rat# | <i>Rattus rattus</i> | E, Res |
| Eastern bentwing bat* | <i>Miniopterus schreibersii oceanensis</i> | Res |
| European fox# | <i>Vulpes vulpes</i> | E, V |
| Fallow deer# | <i>Dama dama</i> | E, V |
| Goulds wattled bat | <i>Chalinolobus gouldii</i> | Res |
| Grey-headed flying fox | <i>Pteropus poliocephalus</i> | V |
| Koala* | <i>Petaurus norfolcensis</i> | P |
| Lesser long-eared bat | <i>Nyctophilus geoffroyi</i> | V |
| Little bentwing bat* | <i>Miniopterus australis</i> | Res |
| Rabbit # | <i>Oryctolagus coniculus</i> | E, Res |
| Rusa deer# | <i>Rusa timorensis</i> | E, V, Res (escarpment) |
| Ring - tailed possum | <i>Pseudocheirus peregrinus</i> | C, Res, Br |
| Short - beaked echidna | <i>Tachyglossus aculaetus</i> | V |
| Sugar glider | <i>Petaurus breviceps</i> | Res, Br |
| Swamp rat | <i>Rattus lutreolus</i> | Res |
| Swamp wallaby | <i>Wallabia bicolor</i> | Res (escarpment) |

BIRDS

| | | |
|-----------------------------|-------------------------------------|---------------------|
| Australasian bittern* | <i>Botaurus poiciloptilus</i> | V |
| Australasian darter | <i>Anhinga novaehollandiae</i> | V |
| Australasian grebe | <i>Tachybaptus novaehollandiae</i> | V |
| Australasian reed - warbler | <i>Acrocephalus australis</i> | V |
| Australian king parrot | <i>Alisterus scapularis</i> | C |
| Australian pelican | <i>Pelecanus conspicillatus</i> | V |
| Australian magpie | <i>Cracticus tibicen</i> | C, Res |
| Australian raven | <i>Corvus coronoides coronoides</i> | C,V |
| Australian white ibis | <i>Threskiornis molucca</i> | V |
| Australian wood duck | <i>Chenonetta jubata</i> | C, Res |
| Azure kingfisher | <i>Ceyx azureus</i> | V |
| Basian thrush | <i>Zoothera lunulata</i> | Res |
| Barred cuckoo- Shrike* | <i>Coracina lineata</i> | P |
| Barn owl | <i>Tyto alba</i> | V |
| Black cormorant | <i>Phalacrocorax fuscescens</i> | V |
| Black - faced cuckoo shrike | <i>Coracina novaehollandiae</i> | Res |
| Black - faced monarch | <i>Monarcha melanopsis</i> | V |
| Black falcon* | <i>Falco subniger</i> | V |
| Black - shouldered kite | <i>Elanus axillaris</i> | V |
| Boobook owl | <i>Ninox novaeseelandiae</i> | Res |
| Brown cuckoo - dove | <i>Macropygia amboinensis</i> | Res |
| Brown thornbill | <i>Acanthiza pusilla</i> | Res (escarpment) |
| Brush cuckoo | <i>Cacomantis variolosus</i> | V |
| Brush turkey | <i>Alectura lathamii</i> | V, Res (escarpment) |
| Buff - banded rail | <i>Gallirallus philippensis</i> | Res |
| Cattle egret | <i>Ardea (Bubulcus) ibis</i> | V |
| Channel - billed cuckoo | <i>Scythrops novaehollandiae</i> | V |
| Chestnut teal | <i>Anas castanea</i> | C, Res |
| Collared sparrowhawk | <i>Accipiter cirrocephalus</i> | V |
| Common blackbird# | <i>Turdus merula</i> | Res |
| Common bronzewing | <i>Phaps chalcoptera</i> | V |
| Common myna | <i>Acridotheres tristis</i> | Res |
| Common starling# | <i>Sturnus vulgaris</i> | V |
| Crimson rosella | <i>Platycercus elegans</i> | Res |
| Crested shrike - tit | <i>Falcunculus frontatus</i> | V |
| Crested pigeon | <i>Ocyphaps lophotes</i> | Res |
| Dollar bird | <i>Eurystomus orientalis</i> | V |
| Domestic pigeon# | | E, Res, Br |
| Domestic duck # | | E, Res, Br |
| Dusky moorhen | <i>Gallinula tenebrosa</i> | C, Res, Br |
| Eastern great egret | <i>Ardea modesta</i> | V |
| Eastern koel | <i>Eudynamys orientalis</i> | V, M |
| Eastern rosella | <i>Platycercus eximius</i> | C |

| | | |
|------------------------|---|-------------------------|
| Eastern spinebill | <i>Acanthorhynchus tenuirostris</i> | C, Res |
| Eastern whipbird | <i>Psophodes olivaceus</i> | C, Res |
| Eastern yellow robin | <i>Eopsaltria australis</i> | Res, Br |
| Eurasian coot | <i>Fulica atra</i> | C, Res, Br |
| European goldfinch# | <i>Carduelis carduelis</i> | E, V |
| Fan - tailed cuckoo | <i>Cacomantis flabelliformis</i> | V |
| Galah | <i>Eolophus roseicapillus</i> | C, Res, Br |
| Gang Gang Cockatoo* | <i>Callocephalon fimbriatum</i> | P |
| Golden whistler | <i>Pachycephala pectoralis</i> | Res |
| Green catbird | <i>Ailuroedus crassirostris</i> | C, Res, Br |
| Grey butcherbird | <i>Cracticus torquatus</i> | C, Res, Br |
| Grey fantail | <i>Rhipidura albiscapa</i> | C, Res, Br |
| Grey goshawk | <i>Accipiter novaehollandiae</i> | Res (escarpment) |
| Grey teal | <i>Anas gracilis</i> | C, Res, Br |
| Grey shrike - thrush | <i>Colluricincla harmonica</i> | C, Res (escarpment), Br |
| Laughing kookaburra | <i>Dacelo novaeguineae</i> | C, Res, Br |
| Lewin's honeyeater | <i>Meliphaga lewinii</i> | C, Res |
| Little black cormorant | <i>Phalacrocorax sulcirostris</i> | V |
| Little corella | <i>Cacatua sanguinea</i> | V |
| Little egret | <i>Egretta garzetta</i> | V |
| Little lorikeet* | <i>Glossopsitta pusilla</i> | V |
| Little pied cormorant | <i>Microcarbo melanoleucos</i> | Res |
| Little wattlebird | <i>Anthochaera (Anellobia) chrysoptera</i> | C, res, Br |
| Long - billed corella | <i>Cacatua tenuirostris</i> | V |
| Magpie - lark | <i>Grallina cyanoleuca</i> | C, Res, Br |
| Masked lapwing | <i>Vanellus miles</i> 2 | C, Res, Br |
| Mistletoe bird | <i>Dicaeum hirundinaceum</i> | V |
| Musk lorikeet | <i>Glossopsitta concinna</i> | V |
| Nankeen kestrel | <i>Falco cenchroides</i> | V |
| Nankeen night - heron | <i>Nycticorax caledonicus</i> | V |
| New holland honeyeater | <i>Phylidonyris (Meliornis) novaehollandiae</i> | V |
| Noisy miner | <i>Manorina melanocephala</i> | C, Res, |
| Northern mallard # | <i>Anas platyrhynchos</i> | E, Res |
| Olive - backed oriole | <i>Oriolus sagittatus</i> | Res |
| Pacific baza | <i>Aviceda subcristata</i> | M |
| Pacific black duck | <i>Anas superciliosa</i> | C, Res, Br |
| Pied butcherbird | <i>Cracticus nigrogularis</i> | Res |
| Pied currawong | <i>Strepera graculina</i> | C, Res, Br |
| Peregrine falcon | <i>Falco peregrinus</i> | V |
| Powerful owl* | <i>Ninox strenua</i> | V |
| Purple swamp hen | <i>Porphyrio porphyrio</i> | C, Res, Br |
| Rainbow lorikeet | <i>Trichoglossus haematodus</i> | C, Res, Br |
| Red - browed finch | <i>Neochmia temporalis</i> | Res (escarpment) |
| Red wattlebird | <i>Anthochaera carunculata</i> | C, Res |

| | | |
|--------------------------------|--|---------------------|
| Red - whiskered bulbul # | <i>Pycnonotus jocosus</i> | E, C,V |
| Rose robin | <i>Petroica rosea</i> | V |
| Royal spoonbill | <i>Platalea regia</i> | V |
| Rufous fantail | <i>Rhipidura rufifrons</i> | Res |
| Sacred kingfisher | <i>Todiramphus sanctus</i> | C, V |
| Satin bowerbird | <i>Ptilonorhynchus violaceus violaceus</i> | C, Res, Br |
| Scaly - breasted lorikeet | <i>Trichoglossus chlorolepidotus</i> | V |
| Scarlet honeyeater | <i>Myzomela sanguinolenta</i> | V |
| Silvereye | <i>Zosterops lateralis</i> | C, Res |
| Silver gull | <i>Chroicocephalus novaehollandiae</i> | C, V |
| Striated thornbill | <i>Acanthiza lineata</i> | V |
| Straw - necked ibis | <i>Threskiornis spinicollis</i> | V |
| Spangled drongo | <i>Dicrurus bracteatus</i> | V |
| Spotted pardalote | <i>Pardalotus punctatus</i> | Res |
| Spotted dove# | <i>Streptopelia chinensis</i> | E, Res |
| Superb fruit dove* | <i>Ptilinopus superbus</i> | P |
| Superb fairy wren | <i>Malurus cyaneus</i> | Res |
| Superb lyrebird | <i>Menura novaehollandiae</i> | Res (escarpment) |
| Sulphur - crested cockatoo | <i>Cacatua galerita</i> | C, Res |
| Tawny frogmouth | <i>Podargus strigoides</i> | C, Res, Br |
| Topknot pigeon | <i>Lopholaimus antarcticus</i> | C, Res |
| Variiegated fairy wren | <i>Malurus lamberti</i> | C, Res |
| Welcome swallow | <i>Hirundo neoxena</i> | C, Res, Br |
| Wedge - tailed eagle | <i>Aquila audax</i> | V |
| White - bellied sea eagle | <i>Haliaeetus leucogaster</i> | V |
| White - browed scrubwren | <i>Sericornis frontalis</i> | C, Res, Br |
| White - eyed duck (Hardhead) | <i>Aythya australis</i> | V |
| White - faced heron | <i>Egretta novaehollandiae</i> | V |
| White - headed pigeon | <i>Columba leucomela</i> | Res (escarpment) |
| White - necked heron | <i>Ardea pacifica</i> | V |
| White – throated gerygone | <i>Gerygone olivacea</i> | Res |
| White - throated tree creeper | <i>Cormobates leucophaea</i> | Res (escarpment) |
| White - plumed honeyeater | <i>Lichenostomus penicillatus</i> | V |
| Whistling kite | <i>Haliastur sphenurus</i> | V |
| Willie wagtail | <i>Rhipidura (Sauloprocta) leucophrys</i> | C, Res, Br |
| Wonga pigeon | <i>Leucosarcia picata</i> | C, Res (escarpment) |
| Yellow - faced honeyeater | <i>Lichenostomus chrysops</i> | V |
| Yellow - tailed black cockatoo | <i>Calyptorhynchus (Zanda) funereus</i> | V |
| Yellow - throated scrubwren | <i>Sericornis citreogularis</i> | Res (escarpment) |
| Yellow thornbill | <i>Acanthiza nana</i> | Res |
| Yellow robin | <i>Eopsaltria australis</i> | C, Res, Br |

FISH AND CRUSTACEANS

| | | |
|-------------------------|--------------------------------|--------|
| Common yabby | <i>Cherax destructor</i> | Res |
| Cox's gudgeon | <i>Gobiomorphis coxi</i> | Res |
| Flathead gudgeon | <i>Philypnodon grandiceps</i> | Res |
| Freshwater glass shrimp | <i>Paratya australasiensis</i> | Res |
| Koi carp# | <i>Cyprinus carpio</i> | E, Res |
| Short finned eel | <i>Anguilla australis</i> | Res |
| Striped gudgeon | <i>Gobiomorphis australis</i> | Res |
| Long finned eel | <i>Anguilla reinhardii</i> | Res |
| Mosquito fish# | <i>Gambusia affinis</i> | E, Res |

This list has been compiled from sightings by staff, students and visitors to the campus as well as from documented sources. Data accuracy however is unknown. Please report sightings of any species observed at Wollongong Campus that are not on this list by providing details to the Environment Unit.

Contact
Facilities Management Division
Environment Unit
Email: environment_team@uow.edu.au

Website: environment@uow.edu.au
Facebook: UOWSustainability



UNIVERSITY
OF WOLLONGONG
AUSTRALIA