

11. References

- [1] H. H. Rossi and M. Zaider, *Microdosimetry and Its Applications*. London: Springer, 1996.
- [2] A. M. Kellerer, "Event simultaneity in cavities. Theory of the distortions of energy deposition in proportional counters," *Radiat. Res.*, vol. 48, p. 216, 1971.
- [3] P. J. McNulty, D. R. Roth, E. G. Stassinopoulos, and W. J. Stapor, "Characterizing complex radiation environments using MORE (monitor of radiation effects)," presented at Symposium Detector Research and Development., SSC, 1990.
- [4] J. N. Bradford, "Microelectronic analogues to radiobiological microdosimetry," presented at Proceedings 8th Symposium in Microdosimetry, EUR 8395, Julich, FRG, 1982.
- [5] F. Dessauer, "Uber einige Wirkungen von Strahlen. I.," *Z. Phys.*, vol. 12, p. 38, 1922.
- [6] I. A. Crowther, "Some considerations relative to the action of X-rays on tissue cells," *Proc. Roy. Soc.*, vol. 96, p. 207, 1924.
- [7] R. E. Zirkle, D. F. Marchbank, and K. D. Kuck, "Exponential and sigmoid survival curves resulting from alpha and x-irradiation of *Aspergillus* spores," *J. Cell. Comp. Physiol.*, vol. 39, p. 75, 1952.
- [8] L. H. Gray, "The distribution of the ions resulting from the irradiation of living cells," *Br. J. Radiol. Suppl.*, vol. 1, 1947.
- [9] D. E. Lea, *Actions of Radiation on Living Cells*, 2nd ed. Cambridge: Cambridge, 1955.
- [10] A. M. Kellerer and D. Chmelevsky, "Criteria for the applicability of LET," *Radiat. Res.*, vol. 63, p. 226, 1975.
- [11] International Commission on Radiation Units and Measurements, *Microdosimetry (ICRU report; 36)*. Maryland: ICRU, 1983.
- [12] D. T. Goodhead, "An assessment of the role of microdosimetry in radiobiology," *Radiat. Res.*, vol. 91, pp. 45-75, 1982.
- [13] K. Sax, "Chromosome aberrations induced by X-rays," *Genetics*, vol. 23, pp. 494-516, 1938.
- [14] D. E. Lea and D. G. Catcheside, "The mechanism of induction of radiation of chromosome aberrations in *Tradescantia*," *J. Genetics*, vol. 44, pp. 216-245, 1942.
- [15] S. Wolff, "Interpretation of induced chromosome breakage and rejoining," *Radiat. Res. Suppl.*, vol. 1, pp. 453-462, 1959.
- [16] G. J. Neary, R. J. Preston, and J. R. K. Savage, "Chromosome aberrations and the theory of RBE III. Evidence from experiments with soft X-rays, and a consideration of the effects of hard X-rays," *International Journal of Radiation Biology and Related Studies*, vol. 12, pp. 317-345, 1967.
- [17] H. H. Rossi and W. Rosenzweig, "A device for the measurement of dose as a function of specific ionization," *Radiology*, vol. 64, pp. 404-411, 1955.
- [18] A. M. Kellerer and H. H. Rossi, "The theory of dual radiation action," *Curr. Top. Radiat. Res. Q.*, vol. 8, pp. 85-158, 1972.
- [19] D. Srdoc, "Experimental technique of measurement of microscopic energy distribution in irradiated matter using Rossi Counters," *Radiat. Res.*, vol. 43, pp. 302-319, 1970.
- [20] U. Fano, "Note on the Bragg-Gray cavity principle for measuring energy dissipation," *Radiat. Res.*, vol. 1, p. 237, 1954.
- [21] Y. S. Kim, "Density effect in dE/dx of fast charged particles traversing various biological materials," *Radiat. Res.*, pp. 21-27, 1973.
- [22] P. Kliauga, "Microdosimetry at Middle Age: Some Old Experimental Problems and New Aspirations," *Radiat. Res.*, vol. 124, pp. 5-15, 1990.
- [23] G. F. Knoll, *Radiation detection and measurement*, 2nd ed. New York: Wiley, 1989.
- [24] H. H. Rossi, "Experimental limitations of microdosimetry," presented at Proceedings Second Symposium on Microdosimetry, 1970.
- [25] A. M. Kellerer and D. Chmelevsky, "Concepts of microdosimetry. I. Quantities," *Radiat. Environ. Biophys.*, vol. 12, pp. 61-69, 1975.
- [26] L. Lindborg and A. Brahme, "Influence of microdosimetric quantities on observed dose-response relationships in radiation therapy," *Radiat. Res.*, vol. 124, pp. 23-28, 1990.
- [27] H. H. Rossi, "Energy distribution in the absorption of radiation," in *Advances in Biological and Medical Physics.*, vol. 11, 1 ed. New York: Academic Press, 1967, pp. 27-85.

- [28] A. M. Kellerer, "An assessment of wall effects in microdosimetric measurements," *Radiat. Res.*, vol. 47, p. 377, 1971.
- [29] U. Oldenburg and J. Booz, "Wall effects of spherical counter," presented at Proceedings of the second symposium on microdosimetry, Report No. EUR 4452, 1970.
- [30] W. A. Glass and L. A. Braby, "A wall-less detector for measuring energy deposition spectra," *Radiat. Res.*, vol. 39, p. 230, 1969.
- [31] W. A. Glass and W. A. Gross, "Wall-less detectors in microdosimetry," in *Topics in Radiation Dosimetry, Radiation Dosimetry Supplement 1*, vol. 1, F. J. Attix, Ed. New York: Academic Press, 1972, p. 221.
- [32] International Commission on Radiation Units and Measurements, *Tissue Substitutes in Radiation Dosimetry and Measurement (ICRU report 44)*. Bethesda, Md., U.S.A.: ICRU, 1989.
- [33] R. F. Shonka, J. E. Rose, and G. Failla, "Conducting plastic equivalent to tissue, air and polystyrene," in *Second United Nations International Conference on Peaceful Uses of Atomic Energy*. New York: United Nations, 1958, p. 184.
- [34] H. H. Rossi and G. Failla, "Tissue equivalent ionization chambers," *Nucleonics*, vol. 14, p. 32, 1956.
- [35] G. Dietze, H. G. Menzel, and G. Buhler, "Calibration of tissue equivalent proportional counters used as radiation protection doseimeters," *Radiation Protection Dosimetry*, vol. 9, pp. 245-249, 1984.
- [36] P. Pihet, S. Gerdung, S. Grillmaier, R. E. Kunz, and H. G. Menzel, "Critical assessment of calibration techniques for low pressure proportional counters used in radiation dosimetry," *Radiation Protection Dosimetry*, vol. 44, pp. 115-120, 1992.
- [37] U. J. Schrewe, W. D. Newhauser, H. J. Brede, and P. M. DeLuca, "Experimental estimation of kerma coefficients and dose distributions in various materials (C, N, O, Mg, Al, Si, Fe, Zr, A-150 plastic, Al₂O₃, AlN, SiO₂ and ZrO₂) for neutron energies up to 66 MeV," *Phys. Med. Biol.*, vol. 45, pp. 651-683, 2000.
- [38] International Commission on Radiation Units and Measurements, *Average energy required to produce an ion pair, (ICRU report 39)*. Bethesda, Md., U.S.A.: ICRU, 1979.
- [39] D. Srdoc and I. Krajer-Bronic, "Yields of ionization and excitation in irradiated matter," *IEAE CRP Atomic and Molecular Data for Radiotherapy*, 1993.
- [40] L. J. Goodman and J. J. Coyne, "Wn and neutron kerma for methane-based tissue equivalent gas," *Radiat. Res.*, vol. 82, pp. 13-26, 1980.
- [41] V. Radeka, "Low-Noise Techniques in Detectors," *Ann. Rev. Nucl. Part. Sci.*, vol. 38, pp. 217-277, 1988.
- [42] D. Srdoc and I. Krajer-Bronic, "Statistical fluctuations in the ionization yield for low energy photons absorbed in polyatomic gases," *J. Phys. B: Atm. Molec. Phys.*, vol. 20, p. 4473, 1987.
- [43] U. Fano, "Ionization yield of radiations. II. The fluctuations of the number of ions," *Phys. Rev.*, vol. 42, pp. 26-29, 1947.
- [44] S. M. Sze, *Semiconductor Devices, Physics and Technology*. New York: Wiley, 1985.
- [45] R. A. Langley, *Nuc. Inst. Meth. Phys. Res.*, vol. 113, p. 109, 1973.
- [46] B. D. Wilkins, M. J. Fluss, S. B. Kaufman, C. E. Gross, and E. P. Steinberg, *Nuc. Inst. Meth. Phys. Res.*, vol. 92, p. 381, 1971.
- [47] J. F. Dicello, H. I. Amols, M. Zaider, and G. Tripard, "A comparison of microdosimetric measurements with spherical proportional counters and solid-state detectors," *Radiat. Res.*, vol. 82, pp. 441-453, 1980.
- [48] J. F. Dicello, "Microelectronics and microdosimetry," *Nuclear Instruments and Methods in Physics Research*, vol. B24/25, pp. 1044-1049, 1987.
- [49] J. F. Dicello, J. N. Bradford, J. F. Dicello, P. T. Dicello, J. D. Doss, G. Johnson, W. McCabe, A. McDermott, M. Paciotti, O. M. Rivera, and M. E. Schillaci, "Microdosimetry: Measured probabilities for energy deposited by mesons in one-micron sites in silicon," *IEEE Trans. Nucl. Sci.*, vol. 33, pp. 1305-1309, 1986.
- [50] M. Orlic, V. Lazarevic, and F. Boreli, "Microdosimetric counters based on semiconductor detectors," *Radiation Protection Dosimetry*, vol. 29, pp. 21-22, 1989.
- [51] A. Kadachi, A. Waheed, and M. Obeid, "Performance of PIN photodiode in microdosimetry," *Health Physics*, vol. 66, pp. 577-580, 1994.
- [52] A. Kadachi, A. Waheed, M. Al-Eshaikh, and M. Obeid, "Use of photodiode in microdosimetry and evaluation of effective quality factor," *Nuc. Inst. Meth. Phys. Res.*, vol. A404, pp. 400-406, 1998.

- [53] International Commission on Radiation Protection, *Radiation Protection Recommendation of the International Commission on Radiation Protection (ICRP: Report 60)*. Oxford: Pergamon, 1991.
- [54] J. L. Davis, "Use of computer memory chips as the basis for a digital albedo dosimeter," *Health Physics*, vol. 49, pp. 259-265, 1985.
- [55] J. C. Lund, F. Sinclair, and G. Entine, "Neutron dosimeter using a dynamic random access memory as a sensor," *IEEE Trans. Nucl. Sci.*, vol. 33, pp. 620-623, 1986.
- [56] A. K. M. M. Haque, J. Yates, and D. Stevens, "Soft errors in dynamic random access memories - a basis for dosimetry," *Radiation Protection Dosimetry*, vol. 17, pp. 189-192, 1986.
- [57] D. G. Darambara and N. M. Spyrou, "Detection mechanisms employing single event upsets in dynamic random access memories used as radiation detectors," *Nuc. Inst. Meth. Phys. Res.*, vol. A354, pp. 67-70, 1994.
- [58] W. G. Abdel-Kader, P. J. McNulty, S. El-Teleaty, J. Lynch, and A. N. Khondker, "Estimating the dimensions of the SEU-sensitive volume," *IEEE Trans. Nucl. Sci.*, vol. 34, pp. 1300-1303, 1987.
- [59] P. J. McNulty, "Single event effects experienced by astronauts and microelectronic circuits flown in space," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 475-482, 1996.
- [60] R. A. Reed, P. J. McNulty, W. J. Beavais, and D. R. Roth, "Charge Collection Spectroscopy," *IEEE Trans. Nucl. Sci.*, vol. 40, pp. 1876-1884, 1993.
- [61] M. B. H. Breese, P. J. C. King, G. W. Grime, and F. Watt, "Microcircuit imaging using an ion beam induced charge," *J. Appl. Phys.*, vol. 72, pp. 2097-2104, 1992.
- [62] F. W. Sexton, "Microbeam studies of single event upsets," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 687-695, 1996.
- [63] P. J. McNulty, D. R. Roth, W. J. Beauvois, W. G. Abdel-Kader, and E. G. Stassinopoulos, "Microdosimetry in space using microelectronic circuits," presented at NATO-ASI on biological effects and physics of solar and galactic cosmic radiation, Armacaco de Pera, Portugal, 1991.
- [64] D. R. Roth, P. J. McNulty, W. J. Beauvais, R. A. Read, and E. G. Stassinopoulos, "Solid-state microdosimeter for radiation monitoring in spacecraft and avionics," *IEEE Trans. Nucl. Sci.*, vol. 41, pp. 2118-2124, 1994.
- [65] E. G. Stassinopoulos, C. A. Stauffer, and G. J. Brucker, "Miniature high-let radiation spectrometer for space and medical applications," *Nuclear Instruments and Methods in Physics Research*, vol. A416, pp. 531-535, 1998.
- [66] O. Schroder, T. Schmitz, and M. Pierschel, "Microdosimetric doseimeters for individual monitoring based on semiconductor detectors," *Radiation Protection Dosimetry*, vol. 52, pp. 431-434, 1994.
- [67] O. Schroder and T. Schmitz, "Can a personal doseimeter for neutron radiation based on a semiconductor chip match the new ICRP recommendations," *Radiation Protection Dosimetry*, vol. 54, pp. 361-364, 1994.
- [68] O. Schroder and T. Schmitz, "The application of commercial semiconductor chips for personal neutron dosimetry," *Radiation Protection Dosimetry*, vol. 61, pp. 9-12, 1995.
- [69] O. Schroder and T. Schmitz, "Counting protons with semiconductors - a simple approach to a personal neutron doseimeter?," *Radiation Protection Dosimetry*, vol. 61, pp. 179-182, 1995.
- [70] R. Pace, "Alpha radiation effects in integrated circuits: investigating options for sensors," in *School of Physics and Electronic Engineering*. Adelaide: University of South Australia, 1998, p. 290.
- [71] A. B. Rosenfeld, G. I. Kaplan, M. G. Carolan, B. J. Allen, R. Maughan, M. Yudelev, C. Kota, and J. Coderre, "Simultaneous macro-micro dosimetry with MOSFETs," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 2693-2700, 1996.
- [72] D. T. Bartlett, R. J. Tanner, and D. J. Thomas, "Active neutron personal doseimeters - a review of current status," *Radiation Protection Dosimetry*, vol. 86, pp. 107-122, 1999.
- [73] J. Barthe, J. M. Bordy, and T. Lahaye, "Electronic neutron doseimeters: History and state of the art," *Radiation Protection Dosimetry*, vol. 70, pp. 59-66, 1997.
- [74] A. Oed, "Microstrip gas counter," *Nuc. Inst. Meth. Phys. Res.*, vol. A263, p. 351, 1988.
- [75] J. Dubeau, M. S. Dixit, E. W. Somerville, A. J. Waker, R. A. Surette, F. G. Oakham, and D. Karlen, "Experimental microdosimetry with microstrip gas counters," presented at The proceedings of the twelfth symposium on microdosimetry: An interdisciplinary meeting on radiation quality, molecular mechanisms, cellular effects and health consequences of low level ionizing radiation, Keble College, Oxford, UK, 1996.
- [76] C. Hoflack, J. M. Bordy, Y. Charbonnier, T. Lahaye, M. Lemonnier, M. S. Dixit, J. Dubeau, and P. Segur, "Use of new collection systems associated with a multi cellular tissue equivalent

- proportional counter for individual neutron dosimetry," presented at The proceedings of the twelfth symposium on microdosimetry: An interdisciplinary meeting on radiation quality, molecular mechanisms, cellular effects and health consequences of low level ionizing radiation, Keble College, Oxford, UK, 1996.
- [77] T. Budd, C. S. Kwok, M. Marshall, and S. Lythe, "Microdosimetric properties of alpha-particle tracks measured in a low pressure cloud chamber," *Radiat. Res.*, vol. 95, pp. 217-230, 1983.
 - [78] T. Budd and M. Marshall, "Microdosimetric properties of electron tracks measured in a low-pressure cloud chamber," *Radiat. Res.*, vol. 93, pp. 19-32, 1983.
 - [79] G. P. Stonell, M. Marschall, and J. A. Simmons, "Track studies in water vapor using a low pressure cloud chamber I. Macroscopic measurements, II. Microdosimetric measurements," *Radiat. Res.*, vol. 136, pp. 341-360, 1993.
 - [80] J. E. Turner, S. R. Hunter, R. N. Hamm, H. A. Wright, G. S. Hurst, and W. A. Gibson, "Development of an optical digital ionisation chamber," *Radiation Protection Dosimetry*, vol. 29, pp. 9-14, 1989.
 - [81] G. R. Solares and R. G. Zamenhof, "A novel approach to the microdosimetry of neutron capture therapy. Part I. High-resolution quantitative autoradiography applied to microdosimetry in neutron capture therapy.," *Radiat. Res.*, vol. 144, pp. 50-58, 1995.
 - [82] M. Moscovitch, "The feasibility of digital neutron dosimetry using three dimensional computer optical memories," *Health Physics*, vol. 66, p. 513, 1994.
 - [83] M. Moscovitch and D. Emfietzoglou, "Simulation of radiation effects on three dimensional computer optical memories," *J. Appl. Phys.*, vol. 81, pp. 58-69, 1997.
 - [84] D. Emfietzoglou and M. Moscovitch, "A potential application to the study of microscopic energy deposition in a solid by means of heavy charged-particle induced photochromic alterations in a tissue-equivalent matrix," *Phys. Med. Biol.*, vol. 44, pp. 207-221, 1999.
 - [85] G. W. Phillips, A. K. Readshaw, G. O. Brown, R. G. Weiss, N. A. Guardala, J. L. Price, S. C. Mueller, and M. Moscovitch, "Investigation of 3D ORAM Materials as radiation detectors/dosimeters," *IEEE Trans. Nucl. Sci.*, vol. 47, pp. To be published Mid 2000. Presented at IEEE NSS-1999, Seattle., 2000.
 - [86] A. K. Readshaw, G. O. Brown, G. W. Phillips, R. G. Weiss, N. A. Guardala, J. L. Price, S. C. Mueller, and M. Moscovitch, "Investigation of 3D ORAM Materials for radiation dosimetry," *Radiation Protection Dosimetry*, vol. 85, pp. 451-454, 1999.
 - [87] M. Zaider, M. G. Vracko, A. Y. C. Fung, and J. L. Fry, "Electron transport in condensed water," *Radiation Protection Dosimetry*, vol. 52, pp. 139-146, 1994.
 - [88] M. Zaider, M. J. Bardash, and J. Ladik, "Solid State Microdosimetry," *Radiation Protection Dosimetry*, vol. 85, pp. 443-446, 1999.
 - [89] J. O. Stoner, "Thin sheet sensor for particle beams," *Appl. Phys. Lett.*, vol. 47, pp. 332-333, 1985.
 - [90] J. W. Howard, R. C. Block, H. Dussault, W. J. Stapor, P. T. McDonald, A. R. Knudson, and M. R. Pinto, "A novel approach for measuring the radial distribution of charge in a heavy-ion track," *IEEE Trans. Nucl. Sci.*, vol. 41, pp. 2077-2084, 1994.
 - [91] R. Cox, J. Thacker, and D. T. Goodhead, "Inactivation and mutation of cultured mammalian cells by aluminium characteristic ultrasoft x-rays II. Dose-responses of Chinese hamster and human diploid cells to aluminium x-rays and radiations of different LET," *International Journal of Radiation Biology and Related Studies*, vol. 31, pp. 561-576, 1977.
 - [92] D. J. Brenner and M. Zaider, "Modification of the theory of dual radiation action for attenuated fields. II. Application to the analysis of soft x-ray results," *Radiat. Res.*, vol. 99, pp. 491-501, 1984.
 - [93] H. H. Rossi, "Biophysical studies with spatially correlated ions. 1. Background and theoretical considerations," *Radiat. Res.*, vol. 78, pp. 185-191, 1979.
 - [94] A. M. Kellerer, Y. P. Lam, and H. H. Rossi, "Biophysical studies with spatially correlated ions. 4. Analysis of cell survival data for diatomic deuterium," *Radiat. Res.*, vol. 83, pp. 511-528, 1980.
 - [95] A. M. Kellerer and H. H. Rossi, "A generalized formulation of dual radiation action," *Radiat. Res.*, vol. 75, pp. 471-488, 1978.
 - [96] M. Zaider and H. H. Rossi, "On the application of microdosimetry to radiobiology," *Radiat. Res.*, vol. 113, pp. 15-24, 1988.
 - [97] M. Zaider, "Microdosimetry and Katz's track structure theory," *Radiat. Res.*, vol. 124, pp. 16-22, 1990.
 - [98] A. Wambersie, P. Pichet, and H. G. Menzel, "The Role of Microdosimetry in Radiotherapy," *Radiation Protection Dosimetry*, vol. 31, pp. 421-432, 1990.

- [99] D. W. Miller, "A review of proton beam radiation therapy," *Med. Phys.*, vol. 22, pp. 1943-1954, 1995.
- [100] J. R. Castro, "Results of heavy ion radiotherapy," *Radiat. Environ. Biophys.*, vol. 34, pp. 45-48, 1995.
- [101] H. R. Withers and M. M. Elkind, "Microcolony survival assay for cells of mouse intestinal mucosa exposed to radiations," *Int. J. Radiat. Biol.*, vol. 17, pp. 261-267, 1970.
- [102] B. J. Mijnheer, J. J. Battermann, and A. Wambersie, "What degree of accuracy is required and can be achieved in photon and neutron therapy," *Radiotherapy and Oncology*, vol. 8, pp. 237-252, 1987.
- [103] E. J. Hall, H. H. Rossi, A. M. Kellerer, L. Goodman, and S. Marino, "Radiobiological studies with monoenergetic neutrons," *Radiat. Res.*, vol. 54, p. 431, 1973.
- [104] T. G. Stinchcomb, F. T. Kuchnir, L. C. Myriantopoulos, J. L. Horton, and W. K. Roberts, "Correlation of microdosimetric measurements with the relative biological effectiveness from clinical experience for two neutron therapy beams," *Med. Phys.*, vol. 13, pp. 201-206, 1986.
- [105] J. L. Beach and L. R. Milavickas, "Microdosimetric measurements of radiation quality variations in homogeneous phantoms irradiated by fast neutron beams," *Med. Phys.*, vol. 9, pp. 52-60, 1982.
- [106] J. Fidorra and J. Booz, "Microdosimetric investigation on collimated fast-neutron beams for radiation therapy: I. Measurements of microdosimetric spectra and particle dose fractions in a water phantom for fast neutrons from 14 MeV deuterons on beryllium," *Phys. Med. Biol.*, vol. 26, pp. 27-41, 1981.
- [107] J. Fidorra and J. Booz, "Microdosimetric investigation on collimated fast-neutron beams for radiation therapy: I. The problem of radiation quality and RBE," *Phys. Med. Biol.*, vol. 26, pp. 43-56, 1981.
- [108] P. M. Stafford, J. L. Horton, and P. R. Almond, "A microdosimetric characterization of a cyclotron-produced neutron beam," *Med. Phys.*, vol. 14, pp. 1015-1019, 1987.
- [109] P. Pihet, "Etude microdosimetrique de faisceaux de neutrons de haute energie. Applications dosimetriques et radiobiologiques," Louvain: Catholic University Louvain, 1989.
- [110] P. Pihet, H. G. Menzel, R. Schmidt, M. Beauduin, and A. Wambersie, "Biological weighting function for RBE specification of neutron therapy beams. Intercomparison of 9 European centres," *Radiation Protection Dosimetry*, vol. 31, pp. 437-442, 1990.
- [111] J. Gueulette, H. G. Menzel, P. Pihet, and A. Wambersie, "Specification of radiation quality in fast neutron therapy: Microdosimetric and radiobiological approach," in *Fast neutrons and high-LET particles in cancer therapy*, vol. 150, R. Engenhart-Cabillic and A. Wambersie, Eds., 1 ed. Berlin-Heidelberg: Springer-Verlag, 1998, pp. 31-53.
- [112] G. Hartmann, H. G. Menzel, and H. Schulmacher, "Different approaches to determine effective quality factors and dose equivalent using the Rossi Counter," presented at Fourth symposium on neutron dosimetry, 1981.
- [113] International Commission on Radiation Units and Measurements, *Quantities and Units in Radiation Protection Dosimetry (ICRU report 51)*. Bethesda, Md., U.S.A.: ICRU, 1992.
- [114] L. A. Braby, G. D. Bahwar, T. J. Conroy, D. C. Elegg, and L. W. Brackenbush, "Automated systems for measuring dose and radiation quality as a function of time," *Radiation Protection Dosimetry*, vol. 52, pp. 423-426, 1994.
- [115] A. Kunz, P. Pihet, E. Arnaud, and H. G. Menzel, "An easy to operate pulse height analysis system for area monitoring with TEPC in radiation protection," *Nuc. Inst. Meth. Phys. Res.*, vol. A299, pp. 696-701, 1990.
- [116] D. Binder, E. C. Smith, and A. B. Holman, "Satellite anomalies from galactic cosmic rays," *IEEE Trans. Nucl. Sci.*, vol. 22, pp. 2675-2680, 1975.
- [117] J. T. Wallmark and S. M. Marcus, "Minimum size and maximum packing density of nonredundant semiconductor devices," *Proc. of IRE*, pp. 286-298, 1962.
- [118] J. L. Shinn, G. D. Bahdwar, M. A. Xapsos, F. A. Cucinotta, and J. W. Wilson, "An analysis of energy deposition in a tissue equivalent proportional counter onboard the space shuttle," *Radiation Measurements*, vol. 30, pp. 19-28, 1999.
- [119] J. F. Bottollier-Depois, L. Lebaron-Jacobs, M. Siegrist, E. Duvivier, B. Almarcha, T. P. Dachev, J. V. Semkova, Y. N. Matviichuk, R. T. Koleva, B. T. Tomav, P. T. Baynov, V. M. Petrov, V. V. Shurshakov, V. Begin, and S. B. Koslova, "Tissue equivalent detector data obtained recently on MIR space station. Comparison with solid state detector data," *Adv. Space Res.*, vol. 18, pp. 171-174, 1996.

- [120] L. Lindborg, J. E. Kyllonen, P. Beck, J. F. Bottollier-Depois, S. Gerdung, R. E. Grillmaier, and U. Schrewe, "The use of a TEPC for reference dosimetry," *Radiation Protection Dosimetry*, vol. 86, pp. 285-288, 1999.
- [121] C. S. Dyer and P. R. Truscott, "Cosmic radiation effects on avionics," *Radiation Protection Dosimetry*, vol. 86, pp. 337-342, 1999.
- [122] J. N. Bradford, "Single event error generation by 14 MeV neutrons reactions in silicon," *IEEE Trans. Nucl. Sci.*, vol. 27, pp. 1480-1483, 1980.
- [123] J. N. Bradford, "Microvolume energy deposition from high energy proton silicon reactions," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 2085-2089, 1982.
- [124] G. E. Farrell and P. J. McNulty, "Microdosimetric aspects of proton-induced nuclear reactions in thin layers of silicon," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 2012-2016, 1982.
- [125] R. S. Caswell and J. J. Coyne, "Interaction of neutrons and secondary charged particles with tissue: Secondary charged particle spectra," *Radiat. Res.*, vol. 52, p. 448, 1972.
- [126] J. F. Ziegler, *SRIM: The Stopping and Range of Ions in Matter*, V97.02 ed. Yorktown: IBM Research, 1997.
- [127] A. M. Kellerer, "Analysis of patterns of energy distribution (Euratom Report, EUR4522,d-e-f)," presented at Second symposium on microdosimetry, Brussels, 1970.
- [128] A. M. Kellerer, "Considerations on the random traversal of convex bodies and solutions for general cylinders," *Radiat. Res.*, vol. 47, pp. 359-376, 1971.
- [129] A. M. Kellerer, "Criteria for the equivalence of spherical and cylindrical proportional counters in microdosimetry," *Radiat. Res.*, vol. 86, pp. 277-286, 1981.
- [130] R. Coleman, "Random paths through convex bodies," *J. Appl. Prob.*, vol. 6, pp. 430-441, 1969.
- [131] R. Coleman, "Intercept lengths of random probes through boxes," *J. Appl. Prob.*, vol. 18, pp. 276-282, 1981.
- [132] A. M. Kellerer, "Chord length distributions and related quantities for spheroids," *Radiat. Res.*, vol. 98, pp. 425-437, 1984.
- [133] M. G. Kendall and P. A. P. Moran, *Geometrical Probability*, 1 ed. London: Griffin, 1963.
- [134] J. F. C. Kingman, "Mean free paths in a convex reflecting region," *J. Appl. Prob.*, vol. 2, pp. 162-168, 1965.
- [135] U. Mader, "Chord length distributions for circular cylinders," *Radiat. Res.*, vol. 82, pp. 454-466, 1980.
- [136] J. B. Langworthy, "A general approach to chord length distributions applied to a hemisphere," *Radiat. Res.*, vol. 118, pp. 21-36, 1989.
- [137] J. N. Bradford, "A distribution function for ion track lengths in rectangular volumes," *J. Appl. Phys.*, vol. 50, pp. 3799-3801, 1979.
- [138] R. Coleman, "Random paths through rectangles and cubes," *Metallography*, vol. 6, pp. 103-114, 1973.
- [139] J. F. Ziegler and W. A. Lanford, "The effect of sea level cosmic rays on electronic devices," *J. Appl. Phys.*, vol. 52, pp. 4305-4312, 1981.
- [140] T. B. Borak, "A method for computing random chord length distributions in geometrical objects," *Radiat. Res.*, vol. 137, pp. 346-351, 1994.
- [141] Wolfram Research, *Mathematica*, V3.0 ed: Wolfram Research, 1996.
- [142] A. M. Kellerer and D. Chmelevsky, "Concepts of microdosimetry. III. Mean values of the microdosimetric distributions," *Radiat. Environ. Biophys.*, vol. 12, pp. 321-335, 1975.
- [143] A. M. Kellerer, "Proximity functions for general right cylinders," *Radiat. Res.*, vol. 86, pp. 264-276, 1981.
- [144] P. Kliauga, "Measurement of single event energy deposition spectra at 5 nm to 250 nm simulated site sizes," *Radiation Protection Dosimetry*, vol. 31, pp. 119-123, 1990.
- [145] P. Kliauga, "Nanodosimetry of heavy ions using a miniature cylindrical counter of wall-less design," *Radiation Protection Dosimetry*, vol. 52, pp. 317-321, 1994.
- [146] H. I. Amols, C. S. Wu, and M. Zaider, "On possible limitations of experimental nanodosimetry," *Radiation Protection Dosimetry*, vol. 31, pp. 125-128, 1990.
- [147] T. Hartman and J. Carlsson, "Radiation dose heterogeneity in receptor and antigen mediated boron neutron capture therapy," *Radiotherapy and Oncology*, vol. 31, pp. 61-75, 1994.
- [148] J. P. A. Baak, *Manual of quantitative pathology in cancer diagnosis and prognosis*. Berlin: Springer-Verlag, 1991.
- [149] M. A. Davis, J. B. Little, K. M. M. S. Ayyangar, and A. R. Reddy, "Relative biological effectiveness of the B10(n, α)Li7 Reaction in HeLa Cells," *Radiat. Res.*, vol. 43, pp. 534-553, 1970.

- [150] D. Gabel, S. Foster, and R. G. Fairchild, "The Monte Carlo simulation of the biological effect of the B10(n,α)Li7 reaction in cells and tissue and its implication for boron neutron capture therapy," *Radiat. Res.*, vol. 111, pp. 14-25, 1987.
- [151] T. Nguyen, G. L. Brownell, S. A. Holden, S. Kahl, M. Miura, and B. A. Teicher, "Subcellular distribution of various boron compounds and implications for their efficacy in boron neutron capture therapy by Monte Carlo simulations," *Radiat. Res.*, vol. 133, pp. 33-40, 1993.
- [152] F. Poller and W. Sauerwein, "Monte Carlo Simulation of the Biological Effects of Boron Neutron Capture Irradiation with d(14)+Be Neutrons *in Vitro*," *Radiat. Res.*, vol. 142, pp. 98-106, 1995.
- [153] C. Kota, R. L. Maughan, D. Tattam, and T. D. Beynon, "Use of low-pressure tissue equivalent proportional counters for the dosimetry of neutron beams used in BNCT and BNCFNT," *Med. Phys.*, vol. 27, pp. 535-548, 2000.
- [154] C. Kota and R. L. Maughan, "Microdosimetric specification of the radiation quality of a d(48.5)+Be fast neutron therapy beam produced by a superconducting cyclotron," *Med. Phys.*, vol. 23, pp. 1591-1599, 1996.
- [155] G. Coutrakon, J. Cortese, A. Ghebremedhin, J. Hubbard, J. Johanning, P. Koss, G. Maudsley, C. R. Slater, C. Zuccarelli, and J. Robertson, "Microdosimetry spectra of the Loma Linda proton beam and relative biological effectiveness comparisons," *Med. Phys.*, vol. 24, pp. 1499-1506, 1997.
- [156] T. P. Ma and P. V. Dressendorfer, *Ionizing radiation effects in MOS devices and circuits*. New York: John Wiley & Sons, 1989.
- [157] J. F. Ziegler and G. R. Srinivasan, "Terrestrial cosmic rays and soft errors," *IBM Journal of Research and Development*, vol. 40, pp. 1-136, 1996.
- [158] P. Bradley, "The effects of ionising radiation on implantable MOS electronic devices," in *Graduate School of Biomedical Engineering*. Sydney: University of New South Wales, 1996, p. 245.
- [159] P. D. Bradley and E. Normand, "Single event upset in implantable cardioverter defibrillators," *IEEE Trans. Nucl. Sci.*, vol. 45, pp. 2929-2940, 1998.
- [160] S. Satoh, R. Sudo, H. Tashiro, N. Higaki, and N. Nakayama, "CMOS-SRAM soft error simulation system," *IEEE/IRPS*, pp. 339-343, 1994.
- [161] Y. Tosaka, H. Kanata, T. Itakura, and S. Satoh, "Simulation technologies for cosmic ray neutron induced soft errors: Models and simulation systems," *IEEE Trans. Nucl. Sci.*, vol. 46, pp. 774-779, 1999.
- [162] Y. Tosaka, S. Satoh, K. Suzuki, T. Sugii, N. Nakayama, H. Ehara, G. A. Woffinden, and S. A. Wender, "Measurements and Analysis of Neutron-Reaction-Induced Charges in a Silicon Surface Region," *IEEE Trans. Nucl. Sci.*, vol. 44, pp. 173-178, 1997.
- [163] Y. Tosaka, S. Satoh, K. Suzuki, T. Sugii, H. Ehara, and G. A. Woffinden, "Cosmic Ray Neutron-Induced Soft Errors in sub-half micron CMOS circuits," *IEEE Elect. Dev. Lett.*, vol. 18, pp. 99-101, 1997.
- [164] Y. Tosaka, S. Satoh, T. Itakura, H. Ehara, T. Ueda, G. Woffinden, and S. A. Wender, "Measurement and analysis of neutron induced soft errors in sub-half micron CMOS circuits," *IEEE Trans. Electron Devices*, vol. 45, pp. 1453-1458, 1998.
- [165] A. Cerdeira and M. Estrada, "Analytical expressions for the calculation of pixel detector capacitances," *IEEE Trans. Nucl. Sci.*, vol. 44, pp. 63-66, 1997.
- [166] S. Kavadias, K. Misiakos, and D. Loukas, "Calculation of pixel detector capacitances through three dimensional numerical solution of Laplace equation," *IEEE Trans. Nucl. Sci.*, vol. 41, pp. 397-401, 1994.
- [167] C. F. G. Delaney, *Electronics for the Physicist*, 1 ed. Chichester: Ellis Horwood, 1980.
- [168] C. F. G. Delaney and E. C. Finch, *Radiation Detectors: Physical Principles and Applications*, 1 ed. Oxford: Clarendon Press, 1992.
- [169] H. Nyquist, "Thermal agitation of electronic charge in conductors," *Physical Review*, vol. 32, pp. 110-113, 1928.
- [170] W. Schottky, *Ann. Phys. (Leipzig)*, vol. 57, pp. 541-567, 1918.
- [171] V. Radeka, B. Bryan, P. O'Connor, C. Britton, and A. Witenberg, "Integrated circuit front ends for nuclear pulse processing (Short Course)," presented at IEEE Nuclear Science Symposium, Seattle, 1999.
- [172] E. G. G. Ortec, *Catalogue: Detectors and Instruments for Nuclear Spectroscopy*. Oak Ridge: E.G & G Ortec, 1999.
- [173] D. A. Johns and K. Martin, *Analog Integrated Circuit Design*. New York: John Wiley and Sons, 1997.

- [174] P. O. Connor, "Ultra low noise CMOS preamplifier-shaper for X-ray spectroscopy," *Nuclear Instrumentation and Methods in Physics Research A*, vol. A409, pp. 315-321, 1998.
- [175] A. B. Rosenfeld, M. G. Carolan, G. I. Kaplan, B. J. Allen, and V. I. Khivrich, "MOSFET dosimeters: The role of encapsulation on dosimetric characteristics in mixed gamma-neutron and megavoltage X-ray fields.," *IEEE Trans. Nucl. Sci.*, vol. 42, pp. 1870-1877, 1996.
- [176] T. E. Burlin, "Cavity Chambers Theory," in *Radiation Dosimetry*, vol. 1, F. H. Attix, W. C. Roesch, and E. Tochilin, Eds. New York: Academic Press, 1968, p. 332.
- [177] L. H. Gray, "An ionization method for the absolute measurement of gamma ray energy," *Proc. Royal Soc.*, vol. A156, p. 578, 1936.
- [178] L. H. Gray, "The absorption of penetrating radiation," *Proc. Royal Soc.*, vol. A122, p. 647, 1929.
- [179] J. H. Hubbell and S. M. Seltzer, "Tables of X-Ray Mass Attenuation Coefficients and Mass Energy-Absorption Coefficients from 1 keV to 20 MeV for Elements $Z = 1$ to 92 and 48 Additional Substances of Dosimetric Interest," vol. <http://physics.nist.gov/PhysRefData/XrayMassCoef/cover.html>, NISTIR 5632 ed. Ionizing Radiation Division, Physics Laboratory, National Institute of Standards and Technology, USA: National Institute of Standards and Technology, USA, 1996.
- [180] I. C. o. R. Protection, *Report of the Task Group on Reference Man*, ICRP Publication #23. Oxford: International Commission on Radiological Protection, 1975.
- [181] International Commission on Radiation Units and Measurements, *Physical Aspects of Irradiation (ICRU Report; 10b)*. Maryland: ICRU, 1964.
- [182] J. B. Smathers, V. A. Otte, A. R. Smith, P. R. Almond, F. H. Attix, J. J. Spokas, W. M. Quam, and L. J. Goodman, "Composition of A-150 tissue equivalent plastic," *Med. Phys.*, vol. 4, p. 74, 1977.
- [183] J. E. Turner, *Atoms, Radiation and Radiation Protection*. New York: Pergamon Press, 1986.
- [184] J. F. Ziegler, J. P. Biersack, and U. Littmark, *The Stopping and Range of Ions in Solids*. New York: Pergamon Press, 1985.
- [185] P. D. Bradley and A. B. Rosenfeld, "Tissue Equivalence Correction for Silicon Microdosimetry Detectors in Boron Neutron Capture Therapy," *Med. Phys.*, vol. 25, pp. 2220-2225, 1998.
- [186] D. E. Charlton and B. J. Allen, "Monte Carlo calculations of ion passages through brain endothelial nuclei during boron neutron capture therapy," *Int. J. Radiat. Biol.*, vol. 64, pp. 739-747, 1993.
- [187] D. E. Charlton, D. T. Goodhead, W. E. Wilson, and H. G. Paretze, *Energy deposition in Cylindrical Volumes: (a) Protons, Energy 0.3 MeV to 4.0 MeV, (b) Alpha Particles, 1.2 MeV to 20 MeV, Monograph 85/1*. Chilton: Medical Research Council, 1985.
- [188] D. E. Charlton, "Energy deposition in small ellipsoidal volumes by high-LET particles application to thermal neutron dosimetry," *Int. J. Radiat. Biol.*, vol. 59, pp. 827-842, 1991.
- [189] S. Green, A. C. A. Aro, G. C. Taylor, and M. C. Scott, "The development of microdosimetric detectors for investigating LET distributions in different biological tissues," *Radiation Protection Dosimetry*, vol. 31, pp. 137-156, 1990.
- [190] R. S. Caswell and J. J. Coyne, "Energy deposition spectra for neutrons based on recent cross-section evaluation," presented at Sixth symposium on microdosimetry, 1978.
- [191] R. S. Caswell, J. J. Coyne, and M. L. Randolph, "Kerma factors for neutron energies below 30 MeV," *Radiat. Res.*, vol. 83, p. 217, 1980.
- [192] H. H. K. Tang, "Nuclear Physics of cosmic ray interaction with semiconductor materials: Particle-induced soft errors from a physicist's perspective," *IBM J. Res. Develop*, vol. 40, pp. 91-108, 1996.
- [193] Brookhaven National Laboratory, "Evaluated Nuclear Data Files," <http://www.nndc.bnl.gov/nndc/endl/>, 1999.
- [194] P. D. Bradley, A. B. Rosenfeld, K. K. Lee, D. Jamieson, G. Heiser, and S. Satoh, "Charge collection and radiation hardness of a SOI microdosimeter for space and medical applications," *IEEE Trans. Nucl. Sci.*, vol. 45, pp. 2700-2710, 1998.
- [195] D. M. Caughey and R. E. Thomas, "Carrier mobilities in silicon empirically related to doping and field," *Proc. IEEE*, vol. 55, p. 2192, 1967.
- [196] ISE Integrated Systems Engineering AG, *ISE TCAD software including (DESSIS, LIGAMENT, PROSIT, TE2DIOS)*, Release 4.0 ed. Zurich.
- [197] R. N. Hall, "Electron-hole recombination in germanium," *Phys. Rev*, vol. 87, p. 387, 1952.
- [198] W. Shockley and W. T. Read, "Statistics of the recombination of holes and electrons," *Phys. Rev.*, vol. 87, pp. 835-842, 1952.
- [199] D. K. Schroder, "Carrier lifetimes in silicon," *IEEE Trans. Electron Devices*, vol. 44, pp. 160-170, 1997.

- [200] D. K. Schroder, *Semiconductor Material and Device Characterization*. New York: Wiley, 1990.
- [201] W. M. Bullis and H. R. Huff, "Interpretation of carrier recombination lifetime and diffusion length measurements in silicon," *J. Electrochem. Soc.*, vol. 143, pp. 1399-1405, 1996.
- [202] L. W. Connell and F. W. Sexton, "Modeling the heavy ion cross-section for single event upset with track structure effects: the HIC-UP-TS model," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 2814-2819, 1996.
- [203] E. J. Kobetich and R. Katz, "Energy deposition by electron beams and delta rays," *Physical Review*, vol. 170, pp. 391-396, 1968.
- [204] R. N. Hamm, J. E. Turner, H. A. Wright, and R. H. Ritchie, "Heavy ion track structure in silicon," *IEEE Trans. Nucl. Sci.*, vol. 26, p. 4892, 1979.
- [205] M. P. R. Waligorski, R. N. Hamm, and R. Katz, "The radial distribution of dose around the path of a heavy ion in liquid water," *Nucl. Tracks Radiat. Meas.*, vol. 11, pp. 309-319, 1986.
- [206] I. Kanno, "Models of formation and erosion of a plasma column in a silicon surface barrier detector," *Rev. Sci. Instrum.*, vol. 58, pp. 1926-1932, 1987.
- [207] R. C. Martin, N. M. Ghoniem, Y. Song, and J. S. Cable, "The size effect of ion charge tracks on single event multiple-bit upset," *IEEE Trans. Nucl. Sci.*, vol. 34, pp. 1305-1309, 1987.
- [208] W. J. Stapor and P. T. McDonald, "Practical approach to ion track energy distribution," *J. Appl. Phys.*, vol. 64, pp. 4330-4434, 1988.
- [209] R. Katz, K. S. Loh, L. Daling, and G. R. Huang, "An analytic representation of the radial distribution of dose from energetic heavy ions in water, Si, LiF, NaI, and SiO₂," *Radiation Effects and Defects in Solids*, vol. 114, pp. 15-20, 1990.
- [210] M. J. Pruppers, H. P. Leenhouts, and K. H. Chadwick, "A track structure model for the spatial energy deposition of ionizing radiation," *Radiation Protection Dosimetry*, vol. 31, pp. 185-188, 1990.
- [211] O. Fageeha, J. Howard, and R. C. Block, "Distribution of radial energy deposition around the track of energetic charged particles in silicon," *J. Appl. Phys.*, vol. 75, pp. 2317-2321, 1994.
- [212] C. M. Hsieh, P. C. Murley, and R. R. O'Brien, "A field funneling effect on the collection of alpha particle generated carriers in silicon devices," *IEEE Elect. Dev. Lett.*, vol. 2, pp. 103-105, 1981.
- [213] H. V. Roos, "A note on photocurrents in extrinsic semiconductors," *Solid state electronics*, vol. 22, pp. 229-232, 1979.
- [214] McKelvey, *Solid state and semiconductor physics*: Harper and Row, 1966.
- [215] G. C. Messenger, "Collection of charge on junction nodes from ion tracks," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 2024-2031, 1982.
- [216] L. D. Edmonds, "Charge collected by diffusion from an ion track under mixed boundary conditions," *IEEE Trans. Nucl. Sci.*, vol. 38, pp. 834-837, 1991.
- [217] L. D. Edmonds, "Electric currents through ion tracks in silicon devices," *IEEE Trans. Nucl. Sci.*, vol. 45, pp. 3153-3164, 1998.
- [218] L. D. Edmonds, "A theoretical analysis of steady-state photocurrents in simple silicon diodes," Jet Propulsion Laboratory, Caltech, NASA, Pasadena JPL Publication 95-10, March 1995.
- [219] L. D. Edmonds, "Charge collection from ion tracks in simple EPI diodes," *IEEE Trans. Nucl. Sci.*, vol. 44, pp. 1448-1463, 1997.
- [220] C. Hu, "Alpha particle-induced field and enhanced collection of carriers," *IEEE Elect. Dev. Lett.*, vol. 3, pp. 31-34, 1982.
- [221] F. B. McLean and T. R. Oldham, "Charge funneling in n-type and p-type Si substrates," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 2018-2023, 1982.
- [222] P. E. Dodd, F. W. Sexton, and P. S. Winokur, "Three-dimensional simulation of charge collection and multiple-bit-upset in Si devices," *IEEE Trans. Nucl. Sci.*, vol. 41, pp. 2005-2017, 1994.
- [223] P. E. Dodd, "Device simulation of charge collection and single event upset," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 561-575, 1996.
- [224] L. D. Edmonds, "A simple estimate of funnel-assisted charge collection," *IEEE Trans. Nucl. Sci.*, vol. 38, pp. 828-833, 1991.
- [225] S. Ramo, "Currents induced by electron motion," *Proceedings of the IRE*, vol. 27, pp. 584-585, 1939.
- [226] H. Spieler, "Fast timing methods for semiconductor detectors," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 1142-1165, 1982.
- [227] J. E. Toney, B. A. Brunett, T. E. Schlesinger, and R. B. James, "Photocurrent mapping as a probe of transport properties and electric field distributions in cadmium zinc telluride detectors," *IEEE Trans. Nucl. Sci.*, vol. 44, pp. 1684-1691, 1997.

- [228] R. E. Bank, D. J. Rose, and W. Fichtner, "Numerical methods for semiconductor device simulation," *IEEE Trans. Electron Devices*, vol. 30, pp. 1031-1041, 1983.
- [229] H. S. Bennett and C. L. Wilson, "Comparisons of data on band-gap narrowing in heavily doped silicon: electrical and optical measurements," *J. Appl. Phys.*, vol. 55, pp. 3582-87, 1984.
- [230] H. Dussault, J. W. Howard, R. C. Block, M. R. Pinto, W. J. Stapor, and A. R. Knudson, "Numerical simulation of heavy ion charge generation and collection dynamics," *IEEE Trans. Nucl. Sci.*, vol. 40, pp. 1926-1934, 1993.
- [231] P. D. Bradley, *2D animated simulation BNCT*, URL: <http://www.uow.edu.au/~pbradley/simulation/2Dsimulation.html>, 1.0 ed. Wollongong: University of Wollongong, 1998.
- [232] D. N. Jamieson, "Structural and electrical characterisation of semiconductor materials using a nuclear microprobe," *Nuclear-Instruments-&-Methods-in-Physics-Research,-Section-B-(Beam-Interactions-with-Materials-and-Atoms)*, vol. 136-138, pp. 1-13, 1998.
- [233] M. B. H. Breese, D. N. Jamieson, and P. J. C. King, *Materials analysis with a nuclear microprobe*. New York: John Wiley and Sons, 1996.
- [234] G. R. Srinivasan, H. K. Tang, and P. C. Murley, "Accurate, predicative modeling of soft error rate due to cosmic rays and chip alpha radiation," *IEEE Trans. Nucl. Sci.*, vol. 41, pp. 2063-2070, 1994.
- [235] MathsWorks Inc, *Matlab*, 5.2.0.3084 ed, 1998.
- [236] J. S. Fu, H. T. Weaver, R. Koga, and W. A. Kolasinski, "Comparison of 2D memory SEU transport simulation with experiments," *IEEE Trans. Nucl. Sci.*, vol. 32, pp. 4145-4149, 1985.
- [237] R. E. Davis, W. E. Johnson, K. Lark-Horowitz, and D. S. Siegel, "Neutron bombarded Germanium semiconductors," *Phys. Rev.*, vol. 74, p. 1255, 1948.
- [238] H. W. Kramer, "Radiation damage in semiconductor detectors," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 1088-1095, 1982.
- [239] G. C. Messenger and M. S. Ash, *The Effects of Radiation on Electronic Systems*, 2nd ed. New York: Van Nostrand Reinhold, 1992.
- [240] G. C. Messenger, "A summary review of displacement damage from high energy radiation in silicon semiconductors and semiconductor devices," *IEEE Trans. Nucl. Sci.*, vol. 39, pp. 468-473, 1992.
- [241] S. Wood, N. J. Doyle, J. A. Spitznagel, W. J. Choyke, R. M. More, J. N. McGruer, and R. B. Irwin, "Simulation of radiation damage in solids," *IEEE Trans. Nucl. Sci.*, vol. 28, p. 4107, 1981.
- [242] G. P. Mueller, M. D. Wilsey, and M. Rosen, "The structure of displacement cascades in silicon," *IEEE Trans. Nucl. Sci.*, vol. 29, pp. 1493-1497, 1982.
- [243] L. Edmonds, G. Swift, and A. Johnston, "Non-destructive measurements for CMOS devices using charge collection techniques," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 2833-2841, 1996.
- [244] C. Leroy, P. Roy, G. L. Casse, M. Glaser, E. Grigoriev, and F. Lemeilleur, "Charge transport in non-irradiated and irradiated silicon detectors," *Nuclear Instruments And Methods In Physics Research Section A*, vol. 434, pp. 90-102, 1999.
- [245] D. J. Simon and L. Durieu, "CERN report: Secondary Beams for Tests in the PS East Experimental Area," CERN, (<http://www.cern.ch/CERN/Divisions/PS/Reports/PA9321/Welcome.html>), Zurich PS/PA-EP Note 88-26, 8.8.88, PS/PA/Note 93-21, revised 4.8.93, 4.8.93 1993.
- [246] F. Lemeilleur, "Personal Communication of CERN radiation hardness experiment conditions,"., 1997.
- [247] E. A. Burke, "Energy dependence of proton-induced displacement damage in silicon," *IEEE Trans. Nucl. Sci.*, vol. 33, pp. 1276-1281, 1986.
- [248] G. P. Summers, E. A. Burke, C. J. Dale, E. A. Wolicki, P. W. Marshal, and M. A. Gelhausen, "Correlation of particle induced displacement damage in silicon," *IEEE Trans. Nucl. Sci.*, vol. 33, pp. 1134-1139, 1987.
- [249] G. P. Summers, E. A. Burke, P. Shapiro, S. R. Messenger, and R. J. Walters, "Damage correlations in semiconductors exposed to gamma, electron and proton radiations," *IEEE Trans. Nucl. Sci.*, vol. 40, pp. 1372-1379, 1993.
- [250] R. J. Walters, S. R. Messenger, G. P. Summers, E. A. Burke, and C. J. Keavney, "Space radiation effects in InP Solar cells," *IEEE Trans. Nucl. Sci.*, vol. 38, p. 1153, 1991.
- [251] E. Fretwurst, "Personal Communication of Displacement Damage Data,"., 1998.
- [252] International Commission on Radiation Units and Measurements, *Photon, electron, proton, and neutron interaction data for body tissues (ICRU report 46)*. Bethesda, Md., U.S.A.: ICRU, 1992.
- [253] Europractice, "Europractice ASIC service, IMEC IC manufacturing center, Kapeldreef 75, B-3001 Leuven, Belgium, <http://www.imec.be.europractice>,".

- [254] B. Larsson, J. Crawford, and R. Weinrich, "Advances in Neutron Capture Therapy, Volume I: Medicine and Physics.," in *Proceedings of the Seventh International Symposium on Neutron Capture Therapy for Cancer*. Zürich: Elsevier, 1996.
- [255] R. F. Barth, A. H. Soloway, J. H. Goodman, N. Gupta, T. E. Blue, W. Yang, and W. Tjarks, "Boron neutron capture therapy of brain tumors: An emerging therapeutic modality," *Neurosurgery*, vol. 44, pp. 433-449, 1999.
- [256] J. A. Coderre and G. M. Morris, "Review: The radiation biology of boron neutron capture therapy," *Radiat. Res.*, vol. 151, pp. 1-18, 1999.
- [257] R. G. Zamenhof, "Microdosimetry for boron neutron capture therapy: A review," *Journal of Neuro-Oncology*, vol. 33, pp. 81-92, 1997.
- [258] G. L. Locher, "Biological effects and therapeutic possibilities of neutrons," *Ann J. Roentgenol.*, vol. 36, pp. 1-13, 1936.
- [259] L. E. Farr, W. H. Sweet, J. S. Robinson, C. G. Foster, H. B. Locksley, and D. L. Sutherland, "Neutron capture therapy with boron in the treatment of glioblastoma multiforme," *Am. J. Roentgenol.*, vol. 71, pp. 279-291, 1954.
- [260] D. N. Slatkin, "A history of boron neutron capture therapy of brain tumours - Postulation of a brain radiation dose tolerance limit," *Brain*, vol. 114, pp. 1609-1629, 1991.
- [261] G. E. Laramore and A. M. Spence, "Boron neutron capture therapy for high-grade gliomas of the brain - a cautionary note," *Int. J. Radiat. Oncol. Biol. Phys.*, vol. 36, pp. 241-246, 1996.
- [262] C. S. Wu, H. I. Amols, P. Klianga, L. E. Reinstein, and S. Saraf, "Microdosimetry for Boron Neutron Capture Therapy," *Radiat. Res.*, vol. 130, pp. 355-359, 1992.
- [263] R. L. Maughan, M. Yudelev, and C. Kota, "A microdosimetric study of dose enhancement in a fast neutron beam due to boron neutron capture therapy," *Phys. Med. Biol.*, vol. 38, pp. 1957-1961, 1993.
- [264] C. Kota, "Microdosimetric considerations in the use of the boron neutron capture reaction in radiation therapy," in *Department of Medical Physics*. Detroit: Wayne State University, 1996, p. 189.
- [265] S. F. Mughabghab, M. Divadeenam, and N. E. Holden, *Neutron Cross Sections from Neutron Resonance Parameters and Thermal Cross Sections (See also <http://ie.lbl.gov/ngdata/sig.htm>)*. New York: Academic Press, 1981.
- [266] K. S. Krane, *Introductory Nuclear Physics*. New York: John Wiley & Sons, 1988.
- [267] Brycoat, "<http://www.brycoat.com/physprop.html>,".: Brycoat, 2000.
- [268] H. B. Liu, D. D. Greenberg, J. Capala, and F. J. Wheeler, "Improved neutron collimator for brain tumor irradiations in clinical boron neutron capture therapy," *Med. Phys.*, vol. 23, pp. 2051-2060, 1996.
- [269] T. Kobayashi, Y. Sakurai, and K. Kanda, "Characteristics of neutron irradiation facility and dose estimation method for neutron capture therapy at Kyoto University Research Reactor Institute," presented at Proceeding of the IAEA Technical Committee Meeting, 1999.
- [270] T. Kobayashi, Y. Sakurai, K. Kanda, Y. Fuijita, and K. Ono, "The remodeling outline of the neutron irradiation facility of the Kyoto University Research Reactor mainly for neutron capture therapy," presented at Proceeding of the IAEA Technical Committee Meeting, 1999.
- [271] J. C. Yanch, S. Shortkroff, R. E. Shefer, S. Johnson, E. Binello, D. Gierga, A. G. Jones, G. Young, C. Vivieros, A. Davison, and C. Sledge, "Boron neutron capture synovectomy: Treatment of rheumatoid arthritis based on the $^{10}\text{B}(\text{n},\alpha)^7\text{Li}$ nuclear reaction," *Med. Phys.*, vol. 26, pp. 364-375, 1999.
- [272] J. M. Cosset, M. Maher, and J. L. Habrand, "New particles in radiotherapy: an introduction," *Radiat. Environ. Biophys.*, vol. 34, pp. 37-39, 1995.
- [273] S. Field, "A historical survey of radiobiology and radiotherapy with fast neutrons," *Curr. Top. Rad. Research*, vol. Q 11, pp. 1-86, 1976.
- [274] R. S. Stone and J. C. Larkin, "Treatment of cancer with fast neutrons," *Radiology*, vol. 39, pp. 608-620, 1942.
- [275] G. E. Laramore, J. M. Krall, T. W. Griffin, W. Duncan, M. P. Richter, K. R. Saroja, M. H. Maor, and L. W. Davis, "Neutron versus proton irradiation for unresectable salivary gland tumors: Final report of an RTOG-MRC Randomized clinical trial," *International Journal of Radiation Oncology, Biology, and Physics*, vol. 2, pp. 235-240, 1993.
- [276] T. Griffin, J. Krall, G. Aramore, R. Parker, M. Burneson, and L. Peters, "Neutron versus photon irradiation for locally advanced prostrate cancer: report of a randomized clinical trial," presented at Proc. Int. Congr on Radiation Oncology, Kyoto, Japan, 1993.
- [277] R. Engenhart-Cabillac, J. Debus, F. J. Prott, R. Potter, K. H. Hover, N. Breteau, and A. Krull, "Use of neutron therapy in the management of locally advanced nonresectable primary or

- recurrent rectal cancer," in *Fast neutrons and high-LET particles in cancer therapy*, vol. 150, R. Engenhart-Cabillic and A. Wambersie, Eds., 1 ed. Berlin-Heidelberg: Springer-Verlag, 1998, pp. 113-124.
- [278] D. K. Bewley, *The Physics and Radiobiology of Fast Neutron Beams*, 1 ed. Bristol: Hilger, 1989.
- [279] R. L. Maughan, W. E. Powers, and H. G. Blosser, "A superconducting cyclotron for neutron radiation therapy," *Med. Phys.*, vol. 21, pp. 779-785, 1994.
- [280] P. Pihet, J. Gueulette, H. G. Menzel, R. E. Grillmaier, and A. Wambersie, "Use of microdosimetric data of clinical relevance in neutron therapy planning," *Radiation Protection Dosimetry*, vol. 23, pp. 471-474, 1988.
- [281] H. G. Menzel, P. Pihet, and A. Wambersie, "Microdosimetric specification of radiation quality in neutron radiation therapy," *Int. J. Radiat. Biol.*, vol. 57, pp. 865-883, 1990.
- [282] R. L. Maughan, D. G. Kruger, G. F. Blosser, E. B. Blosser, M. Yudelev, J. D. Forman, H. G. Blosser, and W. E. Powers, "A multi-rod collimator for neutron therapy," *International Journal of Radiation Oncology, Biology, and Physics*, vol. 34, pp. 411-420, 1996.
- [283] H. G. Menzel and H. Schuhmacher, "The application of tissue equivalent proportional counters to problems in neutron dosimetry," presented at Proceedings 4th symposium on neutron dosimetry, Munich-Nehherberg, 1981.
- [284] International Commission on Radiation Units and Measurements, *Stopping powers for protons and alpha particles (ICRU report 49)*. Bethesda, Md., U.S.A.: ICRU, 1993.
- [285] R. S. Caswell and J. J. Coyne, "Microdosimetric spectra and parameters of fast neutrons," presented at Fifth symposium on microdosimetry, Verbania Palanza(Italy), 1975.
- [286] R. R. Wilson, "Radiological use of fast protons," *Radiology*, vol. 47, p. 487, 1946.
- [287] J. Munzenrider, E. Gragoudas, E. Seddon, J. Sisterton, P. McNulty, S. Birnbaum, K. Johnson, M. Austin-Saymour, J. Slater, M. Goitein, L. Verhey, M. Urie, D. Ruotolo, K. Egan, and F. Osuna, "Conservative treatment of uveal melanoma: probability of eye retention after proton treatment," *International Journal of Radiation Oncology, Biology, and Physics*, vol. 15, pp. 533-558, 1988.
- [288] J. B. Robertson, J. M. Eaddy, J. O. Archambeau, G. B. Coutrakon, D. W. Miller, M. F. Moyers, J. V. Siebers, J. M. Slater, and J. F. Dicello, "Relative biological effectiveness and microdosimetry of a mixed energy field of protons up to 200 MeV," *Adv. Space Res.*, vol. 14, pp. 271-275, 1994.
- [289] S. M. Seltzer, *An assessment of the role of charged secondaries from nonelastic nuclear interactions by proton therapy beams in water*. Gaithersberg,MD: U.S Dept of Commerce, 1993.
- [290] P. J. Kiauga, R. D. Colvett, Y. L. Lam, and H. H. Rossi, "The relative effectiveness of 160 MeV protons. I. Microdosimetry," *International Journal of Radiation Oncology, Biology, and Physics*, vol. 4, pp. 1001-1008, 1978.
- [291] V. P. Cosgrove, A. C. Aro, S. Green, M. C. Scott, G. C. Taylor, D. E. Bonnett, and A. Kacperek, "Studies relating to 62 MeV proton cancer therapy of the eye," *Radiation Protection Dosimetry*, vol. 44, pp. 405-409, 1990.
- [292] V. P. Cosgrove, S. Delacroix, S. Green, A. Mazal, and M. C. Scott, "Microdosimetric studies on the Orsay proton synchrocyclotron at 73 and 200 MeV," *Radiation Protection Dosimetry*, vol. 70, pp. 493-496, 1997.
- [293] R. Becker, J. Bienen, U. Carl, and P. Cloth, "Biophysical investigations of therapeutic proton beams," *Radiation Protection Dosimetry*, vol. 70, pp. 485-492, 1997.
- [294] T. Matsuda and K. Inamura, "Computer controlled multi-leaf conformation radiotherapy," *Nippon Act. Radiol.*, vol. 41, pp. 965-974, 1981.
- [295] A. Smith, M. Goitein, H. Suit, S. Durlacher, J. Flanz, K. Gall, A. Levine, S. Rosenthal, and S. Woods, "The Massachusetts General Hospital Northeast Proton Therapy Center, Boston Massachusetts," presented at Proceedings of NIRS International Seminar on the application of heavy ion accelerator to radiation therapy of cancer in connection with XXI PTCOG meeting, Chiba, Japan, 1994.
- [296] J. Sisterton, J. B. Flanz, and J. E. Burns, "A new proton irradiation facility at the Northeastern Proton Therapy Center," vol. In press, 1999.
- [297] M. K. Oldfield and C. I. Underwood, "PRISM- a tool for modeling proton energy deposition in semi-conductor materials," *IEEE Trans. Nucl. Sci.*, vol. 43, pp. 2715 -2723, 1996.
- [298] P. J. McNulty and G. E. Farrell, "Proton induced nuclear reactions in silicon," *IEEE Trans. Nucl. Sci.*, vol. 28, p. 4007, 1981.
- [299] J. P. Biersack and L. G. Haggmark, "A Monte Carlo computer program for the transport of energetic ions in amorphous targets," *Nuc. Inst. Meth. Phys. Res.*, vol. 174, pp. 257-269, 1980.

- [300] E. Petersen, "Nuclear reactions in semiconductors," *IEEE Trans. Nucl. Sci.*, vol. 27, p. 1494, 1980.
- [301] C. Kenney, S. Parker, J. Segal, and C. Storment, "Silicon Detectors with 3-D Electrode Arrays: Fabrication and Initial Test Results," *IEEE Trans. Nucl. Sci.*, vol. 46, p. 1224, 1999.
- [302] C. P. Allier, R. W. Hollander, P. M. Sarro, and C. W. E. v. Ejik, "Thin photodiodes for a scintillator-silicon well detector," *IEEE Trans. Nucl. Sci.*, vol. 46, pp. 1948-1956, 1999.